

## Forward

In 1937, Pfeil [1] discovered that trace additions of oxygen active elements like Y, La, and Ce to alloys that form chromium or aluminum oxide scales upon exposure at high temperatures have a very strong beneficial effect on the oxidation behavior of these materials. Specifically in the case of chromia formers, it was found that additions of these so-called "reactive-elements" reduced the growth rate of the oxide layer and enhanced the adhesion of the oxide layer to the base alloy, whereas in the case of alumina formers, the growth rate is not affected. This effect has become known as the "reactive-element effect." In his patent, Pfeil commented that the mechanism of this effect was not understood. After fifty years, substantial progress has been made to elucidate the mechanisms of this important effect, however important questions still remain open.

This book is an effort to collect in one reference, most of our current understanding of the reactive element effect. Dr. Norman Peterson proposed the idea for this book at the Gordon Research Conference in 1985. Peterson died in 1986 shortly after moving from Argonne National Laboratory to the University of Illinois. The completion of the book was delayed further by my departure from Argonne National Laboratory to Lawrence Livermore National Laboratory in 1987. Despite these delays, I believe that this reference will be particularly useful because of the broad treatment of the problem and the valuable summaries of French and Japanese work.

Unfortunately, not all of the important work on the reactive element effect is represented in this text. I therefore cite some pertinent additional references for the reader [2-11].

Wayne E. King

Chemistry and Materials Science Department

Lawrence Livermore National Laboratory

## References

1. L. B. Pfeil, "Improvements in Heat Resistant Alloys," Patent Number 459,848 (1937).
2. J. H. Park, W. E. King and S. J. Rothman, "Cation grain boundary diffusion in  $\text{Cr}_2\text{O}_3$  and  $\text{Cr}_2\text{O}_3$  doped with  $\text{Y}_2\text{O}_3$ ," J. Amer. Ceram. Soc. **70** 880 (1987).
3. K. Przybylski and G. J. Yurek, "The influence of implanted yttrium on the microstructures of chromia scales formed on a Co-45 weight percent Cr alloy," J. Electrochem. Soc:Solid-state science and technology **135** 517-523 (1988).
4. K. Przybylski, A. J. Garratt-Reed and G. J. Yurek, "Grain boundary segregation of yttrium in chromia scales," J. Electrochem. Soc:Solid-state science and technology **135** 509-517 (1988).

5. J. G. Smeggil, E. L. Paradis and A. J. Shuskus, "The effect of ion implanted silicon on the 1050°C oxidation behavior of CoCrAl and CoCrAlY compositions," Thin Solid Films **113** 27 (1984).
6. J. G. Smeggil, E. L. Paradis, A. J. Shuskus and N. S. Bornstein, "The use of ion implantation techniques to study protective oxide scale adherence effects," J. Vac. Sci. Technol. **A3** 2569 (1985).
7. R. Ayer, J. C. Scanlon, T. A. Ramanarayanan, R. R. Mueller and R. Petkovic-Luton, "Crystal structure of intermetallic phase in Fe-20Cr-4Al-0.5Y alloy by convergent beam electron diffraction," J. Mater. Res **2** 16-27 (1987).
8. F. Cosandey, N. Patibandla and B. Wilkens, "A Rutherford backscattering study of oxide nucleation and growth kinetics of Ce implanted Ni-20Cr Alloys," in: Norman L. Peterson Memorial Symposium - Oxidation of Metals and Associated Mass Transport, Ed. M. A. Dayananda, S. J. Rothman and W. E. King (The Metallurgical Society, Inc., Warrendale, PA, 1987) pp. 227-248.
9. G. Dearnaley, T. Laursen and J. L. Whitton, "A Rutherford Bascattering-channelling study of yttrium-implanted stainless steel before and after oxidation," Mater. Sci. and Eng. **90** 191-196 (1987).
10. W. E. King and K. S. Grabowski, "Rutherford backscattering study of high temperature oxidation of Y implanted Fe-24Cr," submitted to Oxid. Met. (1988).
11. W. E. King and J. H. Park, "Anion grain boundary diffusion in  $\text{Cr}_2\text{O}_3$  and  $\text{Cr}_2\text{O}_3$  doped with  $\text{Y}_2\text{O}_3$ ," presented at Materials Research Society, Reno, Nevada, 1988.