

# Table of Contents

## Preface and Committee

## Chapter 1: Applications of Artificial Intelligence in Power Engineering

|  |    |
|--|----|
| <b>Comparison of EPSO, PSO and EP Approaches in Transmission Loss Minimization in Power System Network</b><br>S.A. Jumaat, I. Musirin and N.A. Rahmat  | 3  |
| <b>Optimum Substation Placement and Feeder Routing Using GA-MST</b><br>I.J. Hasan, M.R. Ab Ghani and C.K. Gan  | 9  |
| <b>Short Term Electric Load Forecasting with Back Propagation Neural Network and Simulated Annealing Genetic Algorithm</b><br>B. ul Islam, Z. Baharudin and P. Nallagownden  | 14 |
| <b>A Comprehensive Study of Improved Evolutionary Particle Swarm Optimization (IEPSO) for Network Reconfiguration with DGs Sizing Concurrently</b><br>N.F. Napis, M.F. Sulaima, A.F. Abd Kadir, C.K. Gan, W. Mohd Dahalan and M. Sulaiman  | 19 |
| <b>Cuckoo Search Algorithm in Loss Minimization via Capacitor Placement in Distribution System</b><br>M.K. Mokhtar, N. Mohd Zaid, I. Musirin and N.A. Rahmat   | 24 |
| <b>Artificial Intelligence Based Technique for the Classification of Incipient Faults in Power Transformer</b><br>F. Zakaria, D. Johari and I. Musirin   | 29 |
| <b>Multi-Objective Optimization for Sizing of Distributed Generation Using Cuckoo Search Algorithm</b><br>N. Mohd Zaid, M.K. Mokhtar, I. Musirin and N.A. Rahmat   | 34 |
| <b>Application of Artificial Bee Colony Algorithm for Distribution Network Reconfiguration</b><br>A.I. Tajudin, A.A. Abd Samat, P. Saedin and M.A. Mohamad Idin  | 38 |
| <b>Prediction of Undervoltage Load Shedding Using Quantum-Inspired Evolutionary Programming-Support Vector Machine</b><br>Z. Mat Yasin, Z. Zakaria and T.K.A. Rahman   | 43 |
| <b>Artificial Neural Network Application in Optimal Coordination of Directional Overcurrent Protective Relays in Electrical Mesh Distribution Network</b><br>O. Emmanuel, M. Lutfi Othman, H. Hizam and M. Murtadha Othman   | 48 |
| <b>One-Hour Ahead Load Forecasting Based on Wavelet Neural Networks</b><br>N. Sovann, P. Nallagownden and Z. Baharudin   | 53 |
| <b>Two Stage Optimal Capacitors Placement and Sizing Using Differential Evolution Particle Swarm Optimization</b><br>M.A. Abdul Razak, M.M. Othman, M.A. Yahya, Z. Zakaria, I. Musirin, M.N. Kari, M.F. Osman, M.Z. Abu Hassan, S.H. Mohd Dzin, B. Azrae, W.S. Wan Ismail, M.H. Salleh and S. Jafar                                    | 58 |
| <b>Structural Learning of Boltzmann Machine and its Application</b><br>S.B. Yaakob, M.Z. Hasan and A. Ahmed  | 63 |
| <b>Clustering Techniques in Load Characteristic Analysis</b><br>T. Xu, S.Y. Zhang, X.X. Wang, T.C. Li, J. Lin, J.S. Chen and J.H. Zhou   | 68 |
| <b>Load Flow Analysis Using Second-Order Load Flow Methods and its Variations</b><br>C.K. Seng, T.L. Tien and S. Masri   | 73 |
| <b>Ant Colony Optimization Technique in Optimal Capacitor Placement and Sizing Problem in Unbalanced Electrical Distribution System</b><br>M.A. Yahya, M.M. Othman, M.A. Abdul Razak, Z. Zakaria, I. Musirin, M.N. Kari, M.F. Osman, M.Z. Abu Hassan, S.H. Mohd Dzin, B. Azrae, W.S. Wan Ismail, M.H. Salleh, S. Jafar and M.L. Othman | 78 |
| <b>The Improved of BFOA for Ensuring the Sustainable Economic Dispatch</b><br>E.E. Hassan, T.K.A. Rahman, Z. Zakaria and N. Bahaman  | 83 |

## Chapter 2: Electrical Drives and Power Electronics

|   |     |
|---|-----|
| <b>Neutral Point Type Buck-Boost Converter Circuit Application for Wireless Energy Transfer</b>   | 91  |
| M.A. Ahmad, R.F. Mustapa, I. Rustam, H.C.M. Haris Mohd and N. Hidayat   |     |
| <b>Charge Balancing Control for an Asymmetric Multilevel Inverter with Multiple Paired-H-Bridges</b>                                      | 96  |
| Y.C. Tan, S.I. Syed Hassan, S.L. Ong and J.H. Leong   |     |
| <b>Design and Implementation of LLC Resonant Converter for Photovoltaic Battery Charging Application</b>                                  | 101 |
| A.S. Theam Tan and S. Iqbal   |     |
| <b>A dsPIC Microcontroller Based System Identification of Positive Output Buck Boost Converter for Module Mismatch Application</b>        | 106 |
| M.N.M. Hussain, A.M. Omar, I.R. Ibrahim and K. Daud   |     |
| <b>Asymmetric Cascaded DC Sources Multilevel Inverter with Less Active Switches and Simpler Control Strategy</b>                          | 111 |
| Y.C. Tan, S.I. Syed Hassan, S.L. Ong and J.H. Leong   |     |
| <b>The Impacts of the Disturbances for the Hybrid Fuzzy-Fuzzy Controller Applied to Induction Motor Drive</b>                             | 116 |
| M.A. Magzoub, N.B. Saad and R.B. Ibrahim  |     |
| <b>Selective Harmonic Elimination Method for Cascaded H-Bridge Multilevel Inverter</b>  | 122 |
| W. Abd Halim and N.A. Rahim   |     |
| <b>Analysis of Changes in Temperature and Irradiance to DC-DC Buck Converter Based on IP Controller for Solar Power Plant Application</b> | 127 |
| Slamet, R. bin Abd Ghani and F. Kobayashi   |     |
| <b>Modelling and Simulation an AC-DC Rectifier Circuit Based on Piezoelectric Vibration Sensor for Energy Harvesting System</b>           | 131 |
| M.R. Sarker, A. Mohamed and R. Mohamed  |     |
| <b>Design Study of Zero Voltage Switching for DC/DC Boost Converter</b>   | 136 |
| A.B. Afarulrazi, M.U. Wahyu, T. Taufik, S. Aizam and Jumadril   |     |
| <b>Design and Analysis of a Digital Controller for Boost Converter with Renewable Energy Sources for Domestic DC Load</b>                 | 141 |
| O. Ibrahim, N.Z. Yahaya, N. Saad and K.Y. Ahmed   |     |
| <b>Performance Development of Space Vector Pulse Width Modulation for Induction Motor Drive Using Artificial Intelligence</b>             | 146 |
| J. Abd Ali, M.A. Hannan, A. Mohamed, H. Shareef and A. Hussein Mutlag   |     |
| <b>Modeling and Simulation of Power Electronic Distribution Transformer Based on a Three Level Converter</b>                              | 151 |
| K.Y. Ahmed, N.Z. Yahaya, V.S. Asirvadam and O. Ibrahim  |     |
| <b>Alternative Solar-Battery Charge Controller to Improve System Efficiency</b>   | 156 |
| A.H. Sabry, W.Z. Wan Hasan, M. Zainal, M. Amran and S. Shafie   |     |
| <b>A New Controller Scheme for Seven-Level Cascade Multilevel Converter Based Shunt Active Power Filter</b>                               | 162 |
| B.S. Mohammed and R. Ibrahim  |     |
| <b>Impact of Inverter Controller on Efficiency and Islanding of Photovoltaic Distributed Generation</b>                                   | 167 |
| S.K. Mohammed, N. Mariun, M.A. Mohd Radzi and N.I. Abdul Wahab  |     |
| <b>Application of Robust Control on Arduino Microcontroller Testing in Power Electronics Converters</b>                                   | 172 |
| S.A. Zulkifli, M.R. Tomari, M.N. Hussin, A.S. Saad, M.K.A. Ab Ghani, F. Deraman, N. Berahim and A.H. Abdullah                             |     |
| <b>Single-Phase Single Stage String Inverter for Grid Connected Photovoltaic System</b>   | 177 |
| S.Z. Mohammad Noor, A.M. Omar and M.A.M. Radzi  |     |
| <b>Three-Phase Asymmetric Multilevel Inverter Topologies with Better Charge Balancing</b>   | 182 |
| Y.C. Tan, M.A. Yusof, S.I. Syed Hassan, S.L. Ong and J.H. Leong   |     |
| <b>Comparison between PSO and FLC: MPPT for Energy Harvesting of PV System under Partial Shading Condition</b>                            | 188 |
| N.A. Kamarzaman, S.S. Ramli, A.A.A. Samat and A.I. Tajudin  |     |
| <b>Comparison between Takagi Sugeno FIS and PI Controller: An Adaptation Scheme of MRAS for Speed Sensorless Control of PMSM</b>          | 193 |
| A.A. Abd Samat, D. Ishak, S. Iqbal and A.I. Tajudin   |     |

|   |     |
|---|-----|
| <b>Simulation and Practical Analysis on Power Factor Correction Techniques for Welding Applications</b>                                   | 198 |
| M. Thiruvenkadam, S. Thangavel and S. Paramasivam   |     |
| <b>50 cm Air Gap Wireless Power Transfer by Magnetic Resonance Coupling</b>   | 205 |
| M. Faresq, M. Fitra, M. Irwanto, H.S. Syafruddin, N. Gomesh, Y.M. Irwan, M.A. Halim, Suwarno, A. Herman and T. Hussain                    |     |
| <b>Performance Comparison of VSI Switches Faults Analysis Using STFT and S Transform</b>  | 210 |
| M. Manap, A.R. Abdullah, N.Z. Saharuddin, N.A. Abidullah, N.S. Ahmad and M.H. Jopri   |     |
| <b>Performance Evaluation of Various Adaptive Neuro Fuzzy Inference System Based Maximum Power Point Tracking for Photovoltaic System</b> | 215 |
| A.H. Mutlag, H. Shareef, A. Mohamed, J. Abd Ali and M.S. Ahmed  |     |
| <b>Investigation of Shading Characteristics of Mono-Crystalline and Poly-Crystalline Photovoltaic Modules Connected in Series</b>         | 220 |
| J.C. Teo, R.H.G. Tan and V.H. Mok   |     |
| <b>DC Loads Matching Technique as an Alternative to AC Inverter in Residential Solar System Application Evaluation and Comparison</b>     | 225 |
| A.H. Sabry, W.Z. Wan Hasan, M. Zainal, M. Amran and S. Shafie   |     |
| <b>Optimization of Sun-Tracker Positioning Using Takagi-Sugeno Fuzzy-Logic Method</b>   | 231 |
| R.N. Hasanah, S.I. Putri and H. Suyono  |     |
| <b>Online Monitoring System for Domestic Distribution Box</b>   | 236 |
| T.J. Hau, N.M. Nor, T. Ibrahim and H. Daud  |     |

### **Chapter 3: Electrical Machines and Apparatus**

|  |     |
|--|-----|
| <b>Performance Analysis of Brushless DC Motor Drive for Air Conditioner</b>  | 243 |
| M.A. bin Abu Hassan, A.R. bin Abdullah, N. bt Bahari and M.I. Mohd Sabri   |     |
| <b>Efficiency Comparison of Trapezoidal and Sinusoidal Method for Brushless DC Motor Drive</b>                                   | 248 |
| M.A. Abu Hassan, A.R. Abdullah, N. Bahari and M.I. Mohd Sabri  |     |
| <b>Investigating the Impact of Distributed Generators Power Factor to Simultaneous Optimization Analysis</b>                     | 253 |
| J.J. Jamian, M.W. Mustafa and M.N. Abdullah  |     |
| <b>Modeling and Analysis of Linear Permanent Magnet Generator for Wave Energy Conversion Using Finite Element Method</b>         | 258 |
| A.H. Memon, T. bin Ibrahim and P. Nallagownden   |     |
| <b>Influence of Leading Design Parameters on the Performance of a T-Shaped Permanent Magnet Tubular Linear Motor</b>             | 263 |
| I.I. Abdalla, T. Ibrahim and N. bin Mohd Nor   |     |
| <b>Simulation Study on HST Distribution for ONAN Oil-Filled Transformer</b>  | 269 |
| N.A. Muhamad and H. Kamarden   |     |
| <b>2D-FEA Based Design Study of Salient Rotor Three-Phase Permanent Magnet Flux Switching Machine with Concentrated Winding</b>  | 274 |
| M. Jenal, E. Sulaiman, F. Khan and M.Z. Ahmad  |     |
| <b>Regenerative Braking of Electric Vehicle with Brushless DC Motor</b>  | 280 |
| A.M. Ajmal and V.K. Ramachandaramurthy   |     |
| <b>Design and Improvement of 12S-14P Hybrid Excitation Flux Switching Machine with Field Excitation Coil in Radial Direction</b> | 285 |
| S.K. Rahimi, E. Sulaiman and N.A. Jafar  |     |
| <b>Loading Performances of Low-Power Low-Speed Single-Phase Induction Generator with Energy Saving Lamps</b>                     | 290 |
| H. Santoso, R.N. Hasanah, I.N.G. Wardana and B. Mismail  |     |
| <b>Improved Design of Three Phase Hybrid Excitation Flux Switching Motor with Segmental Rotor</b>                                | 295 |
| E. Sulaiman, H. Ali, M. Aizat and Z. Aizat   |     |
| <b>Design and Modelling of a Portable Pico Linear Generator for Wave Energy Conversion System</b>                                | 300 |
| M.F. Mohammad Naafi, T. Ibrahim, N. Mohd Noor and M.A.F. bin Mohamad Hamim   |     |

|  |     |
|--|-----|
| <b>Design Optimization of Single Phase, Tubular, Linear Permanent Magnet Generator for Wave Energy Conversion System</b> | 305 |
| M.A.F.M. Hamim, T. Ibrahim and N. Mohd Nor   |     |
| <b>A Performance Comparison of Three Micro-Sized Blade Rotor Designs for Malaysia Wind Speed Condition</b>               | 310 |
| N. Rosmin, N.A. Rahman and A.H. Mustaamal  |     |
| <b>Viscosity Reduction of Palm Oil via Ultrasonic Radiation</b>  | 315 |
| S.M. Yusof, N. Hussin and M. Isa   |     |
| <b>Behavior of Biodegradable Oil under Impulse Voltages</b>  | 320 |
| N.I.A. Katim, M.T. Ishak, A.M. Ishak and M.Z.A.A. Kadir  |     |
| <b>Application of PDC Analysis to Identify Effect of Electrical Tracking on Conductivity of LLDPE-NR Nanocomposite</b>   | 325 |
| N.A.M. Jamail, M.A.M. Piah, N.A. Muhamad, H. Kamarden and Q.E. Kamarudin   |     |

## **Chapter 4: Quality and Reliability of Power, Protection and Electromagnetic Compatibility in Power Systems**

|  |     |
|--|-----|
| <b>Classification of Circuit Breaker Condition Based on Trip Coil Signature Analysis</b>   | 333 |
| H. Ahmad, A.H. Poh and S.K. Tiong  |     |
| <b>Partial Discharge Pulse Propagation and Attenuation in Power Cable Insulation: Simulation in Finite Element Method</b>                          | 338 |
| H.A. Illias, Y.F. Tan, A.H.A. Bakar and H. Mokhlis   |     |
| <b>Improvisation on Standard Limit of the Critical Clearing Time Specified for the Protection Relays Using one Machine Infinite Bus Equivalent</b> | 343 |
| N.A. Salim, M.M. Othman, I. Musirin and M.S. Serwan  |     |
| <b>Analysis of Leakage Current on 11kV Zinc Oxide Surge Arrester Using Finite Element Method</b>   | 348 |
| N.A. Abdul Latiff, H.A. Illias and A.H. Abu Bakar  |     |
| <b>A Novel of Fault Localization Method to Determine Fault Distance for Single Line to Ground Fault in the Distribution Network</b>                | 353 |
| L.J. Awalin, H. Mokhlis, A.H.A. Bakar and H.A. Illias  |     |
| <b>Adaptive Distance Protection to Prevent False Relay Tripping during Power Swing</b>   | 358 |
| N.Z. Mohamad, A.F. Abidin and I. Musirin   |     |
| <b>A Review on DSTATCOM Neural Network Control Algorithm for Power Quality Improvement</b>   | 363 |
| N.H. Baharudin, S.I. Syed Hassan, P. Saad, T.M.N. Tunku Mansur and R. Ali  |     |
| <b>Classification of Power Quality Disturbance Based on Continuous S-Transform-WINDOWING Technique (CST-WT) and ANOVA as a Feature Selection</b>   | 368 |
| K. Daud, A.F. Abidin, H.S. Nagindar Singh and M.N. Mohd Hussain  |     |
| <b>Simulation of Power Quality Disturbances Using PSCAD</b>  | 373 |
| K.W. Chan, R.H.G. Tan and V.H. Mok   |     |
| <b>Estimation of Power System Harmonic Using Modified Normalized Least Mean Square</b>   | 378 |
| H.M.M. Alhaj, N.M. Nor, V.S. Asirvadam, M.F. Abdullah and T. Ibrahim   |     |
| <b>Surface Discharge Characteristics on HDPE, LDPE and PP</b>  | 383 |
| S. Dabbak, H. Illias, B.C. Ang and M.A. Tunio  |     |
| <b>The Impact of Synchronous Distributed Generation (DG) on Distribution System</b>  | 388 |
| H. Mohamad, S. Shahbudin and N.Y. Dahlan   |     |
| <b>Maximum Loadability Identification Using Self-Tuning Algorithm Considering Voltage Limit</b>  | 393 |
| H. Che Mat Haris, I. Musirin and M.F. Mohd Kamal   |     |
| <b>Modified Novel Line Stability Factor Index with Reactive Power Tracing for Identification of Vulnerable Buses in Power System</b>               | 398 |
| R. Verayiah, A. Mohamed, H. Shareef and I.H.J. Zainal Abidin   |     |
| <b>Injection Impact of Photovoltaic Distributed Generations (PVDG) on Power Distribution System Stability</b>                                      | 403 |
| H. Suyono and M. Zainuddin   |     |
| <b>Proposed on Transformer-Less Dynamic Voltage Restorer</b>   | 409 |
| E.D. Rosli, R.F. bin Mustapa and M.N. Hidayat  |     |

|  |     |
|--|-----|
| <b>Constrained Reactive Power Control (CRPC) Based Multi-Objective Optimization under Multi-Contingencies (<math>N-m</math>)</b>                         | 414 |
| N.R.H. Abdullah, M.A.P. Morgan and I. Musirin  |     |
| <b>A Design of an Automatic Single Phase Power Factor Controller by Using Arduino Uno Rev-3</b>  | 419 |
| N.H. Ishak, M.N. Zainodin, N.A. Salim, F.M. Twon Tawi and A.H. Mohd Saod   |     |
| <b>Bijective Differential Search Algorithm for Robust Design of Damping Controller in Multimachine Power System</b>                                      | 424 |
| N.N. Islam, M.A. Hannan, H. Shareef and A. Mohamad   |     |
| <b>Optimization of Automatic Transformer Tap Changer Using Cascaded-Evolutionary Programming Technique</b>   | 429 |
| M.A.N.H. Mohamad Zahir, N.A. binti Abd Manap, H. Che Mat Haris, I. Musirin and M.F. Mohd Kamal   |     |
| <b>Total Harmonic Distortion Assessment of 17kWp Grid Connected Photovoltaic Systems</b>   | 435 |
| A.H. Faranadia and A.M. Omar   |     |
| <b>Comparison between the System Cascading Collapse Based Hidden Failure and Fault Chain Theory in the Determination of Sensitive Transmission Lines</b> | 440 |
| N.A. Salim, M.M. Othman, I. Musirin and M.S. Serwan  |     |
| <b>Severe Total Loading Condition Attributed by a Significant Impact of Dynamic Power System Cascading Collapse</b>                                      | 445 |
| N.A. Salim, M.M. Othman, I. Musirin, M.S. Serwan and S. Busan  |     |
| <b>A Phase Shifting Technique for Harmonic Reduction in Modern Electrical Distribution Systems</b>   | 450 |
| P. Saedin, A. Idzwan Tajudin, A.A. Abd Samat, N.H. Ishak and M.A. Mohamad Idin   |     |
| <b>Reactive Power Compensation in Oman 400kV Transmission System</b>   | 455 |
| O.H. Abdalla, H. Al-Riyami, A. Al-Busaidi, A. Al-Nadabi, Z. Al-Rawahi, M. Al-Siyabi, R. Fronius and P. Miksa   |     |
| <b>Fault Distance Calculation in Radial Distribution System Using Second Order Polynomial Analysis of Voltage Sag Profile</b>                            | 460 |
| S.S. Gururajapathy, H. Mokhlis, H.A. Illias and L.J. Awalin  |     |
| <b>Coordinated Operation of Distribution Network and Distributed Energy Resources to Improve Reliability</b>   | 465 |
| Q. Zhou, Z.H. Yang and M. Li   |     |

## Chapter 5: Planning, Operation and Economics of Power Systems

|  |     |
|--|-----|
| <b>An Application of Grey Wolf Optimizer for Commodity Price Forecasting</b>   | 473 |
| Z. Mustaffa, M.H. Sulaiman and Y. Yusof  |     |
| <b>Differential Evolution Immunized Ant Colony Optimization in Solving Fuzzy Economic Dispatch with Multiple Fuel Options</b>  | 479 |
| N.A. Rahmat, I. Musirin, A.F. Abidin and S.A. Jumaat   |     |
| <b>Competitive Bidding Exercise for the First Track Gas-Fired Power Plant in Prai Malaysia; Revenue Assessment for a New Plant</b>                                       | 484 |
| M.A. Abdul Aziz, N.Y. Dahlan and S.M. Shokri   |     |
| <b>An Efficient Constraint Handling Approach for Economic Load Dispatch Problem with Non-Smooth Cost Function</b>  | 490 |
| M.N. Abdullah, A.H.A. Bakar, H. Mokhlis and J.J. Jamian  |     |
| <b>Comparison of SVC and TCSC Installation in Transmission Line with Loss Minimization and Cost of Installation via Particle Swarm Optimization</b>                      | 495 |
| S.A. Jumaat and I. Musirin   |     |
| <b>Solving Fuzzy Combined Economic Load–Emission Dispatch by Using Differential Evolution Immunized Ant Colony Optimization Technique</b>                                | 500 |
| N.A. Rahmat, I. Musirin and A.F. Abidin  |     |
| <b>Ranking Index in the Pareto Optimal Front Based Evolutionary Programming Technique for Best Selection of Several Optimal Multi-Objective Capacity Benefit Margins</b> | 506 |
| M.M. Othman, N. Abd Rahman and I. Musirin  |     |
| <b>Solving Economic Dispatch Problems with Practical Constraints Utilizing Grey Wolf Optimizer</b>   | 511 |
| L.I. Wong, M.H. Sulaiman and M.R. Mohamed  |     |

|  |     |
|--|-----|
| <b>Power Plant Performance Based on Power-Efficiency Curve of Hydroelectric Power Plant</b><br>A.S. Zulkifli, N.M. Muhamad Razali, M. Marsadek, Z. Yahya and T. Juhana Tengku Hashim | 516 |
| <b>Optimum Generation Mix Possibilities for Malaysia Power Sector in 2030</b><br>S.M. Mohd Shokri, N.Y. Dahlan and N.H. Ahmad  | 521 |
| <b>Rule Base Home Energy Management System Considering Residential Demand Response Application</b><br>M.S. Ahmed, H. Shareef, A. Mohamad, J. Abd Ali and A.H. Mutlag                 | 526 |
| <b>Reference Network Development Concept for the Malaysian Power Distribution System</b><br>K.A. bin Ibrahim, M.T. Au and C.K. Gan   | 532 |

## **Chapter 6: Energy Policy and Engineering Management of Renewable Energy Systems**

|   |     |
|---|-----|
| <b>Optimal Daily Configuration of a Distribution Network Based on Photovoltaic Generation and System Loading Using Imperialist Competitive Algorithm and Selection Approach</b><br>K.G. Ing, H. Mokhlis, H.A. Illias, J.J. Jamian and M.M. Aman | 541 |
| <b>Optimization of Hybrid Renewable Energy System (HRES) Using Modified Evolutionary Strategy for Cost Minimization</b><br>A.S. Aznan, I. Musirin, S.A. Mohd Saleh and N.A. Rahmat  | 546 |
| <b>Passing-Cloud Effects of Solar Photovoltaic System on Distribution Network Voltages</b><br>C.Y. Lau, C.K. Gan, C.H. Tie, K.A. Baharin and M.F. Sulaima   | 551 |
| <b>Optimal Placement and Sizing of Renewable Distributed Generation via Gravitational Search Algorithm</b><br>S. Daud, A.F. Abdul Kadir, C.K. Gan, A.R. Abdullah, M.F. Sulaima and N.H. Shamsudin   | 556 |
| <b>Control Strategies for a Standalone Hybrid Renewable Energy System</b><br>P.G. Arul and V.K. Ramachandaramurthy  | 561 |
| <b>Determination of Optimal Location, Sizing and Power Factor of Grid-Connected Solar PV Plant</b><br>P.D. Huy and V.K. Ramachandaramurthy  | 566 |
| <b>Design the Balance of System (BOS) for Photovoltaic Application at CERE Building for Low Load Application: An Application of HOMER Pro</b><br>Y.M. Irwan, A.R. Amelia, Z. Syafiqah, M. Irwanto, M. Farreq, W.Z. Leow and S. Ibrahim          | 571 |
| <b>Stirling Engine Technology for Parabolic Dish-Stirling System Based on Concentrating Solar Power (CSP)</b><br>L. Geok Pheng, R. Affandi, M.R. Ab Ghani, C.K. Gan and J. Zanariah   | 576 |
| <b>The Effects of Solar Irradiance, Reflecting Material and Intercept Factor to the Solar Power Intercepted by Receiver 1kW Parabolic Dish</b><br>R. Affandi, L. Geok Pheng, M.R. Ab Ghani and C.K. Gan   | 581 |
| <b>Influence of Wind Farm Area Dimension on Wakes and Power Production</b><br>R. Shakoor, M.Y. Hassan, A. Raheem, N. Rosmin and M.N.M. Nasir  | 586 |
| <b>Hourly Photovoltaics Power Output Prediction for Malaysia Using Support Vector Regression</b><br>K.A. Baharin, H. Abd Rahman, M.Y. Hassan and C.K. Gan   | 591 |
| <b>Comparison of Different Options to Transport Energy in Photovoltaic Power Plant Using Centralized Inverter</b><br>N. Mohamed Nawawi, C.K. Gan and P.H. Tan   | 596 |
| <b>An Iterative Algorithm for Sizing Stand-Alone Photovoltaic System</b><br>N.I. Abdul Aziz, S.I. Sulaiman, S. Shaari and I. Musirin  | 601 |
| <b>Optimal Control of Solar Energy Resources in Loading Margin Enhancement for Peninsular Malaysia Network Using Artificial Neural Network (ANN) Model</b><br>N. bin Salim, T. Tsuji, T. Oyama and K. Uchida                                    | 606 |
| <b>Sizing Software of a Solar Farm System</b><br>N.Y. Ab Rahim, S.I. Sulaiman and Z. Othman   | 611 |
| <b>Statistical Moments Approach in Grid-Connected Photovoltaic System Performance Evaluation</b><br>M.B.M. Juhari, A. Samizee, E.A. Azrulhisham and S. Nizam  | 616 |
| <b>Assessment of Wind Energy Potential in Three Different Locations of Malaysia</b><br>R. Shamsipour, M. Fadaeenejad and M.A.M. Radzi   | 621 |

|   |     |
|---|-----|
| <b>Optimal Operation Model for Virtual Power Plant in Datong Area</b><br>H. Wei and R. Mohamed Idris  | 627 |
| <b>Micro-Hydro and Pico-Hydro Potential Assessment for Ungauged Sites in the South China Sea Islands</b><br>M.R. Basir Khan, J. Pasupuleti and R. Jidin                                     | 632 |
| <b>Potential Area to Harness the Tidal Energy at West Coast Peninsular Malaysia</b><br>M.Z. Zainol, H.N.Z. Rahim, W. Dahalan, A. Abu, M.F. Ghani and I. Zainol                              | 637 |
| <b>Multi-State Modeling Incorporated with Analytical Approach for Reliability Evaluation</b><br>N.A. Zulkifli, N.M. Muhamad Razali, T. Juhana Tengku Hashim, A. K. Ramasamy and M. Marsadek | 642 |
| <b>Voltage Control Strategies for Active Distribution Networks with Multiple Distributed Energy Resources - A Survey</b><br>J.H. Zhou, T. Xu, X.X. Wang, T.C. Li and J. Lin                 | 647 |

## Chapter 7: Applied Decisions in Energy and Power Research

|  |     |
|--|-----|
| <b>Modelling Adjusted Baseline Energy in an Office Building Using Artificial Neural Network</b><br>F.M.A. Rahman, N.Y. Dahalan and N.S. Razali   | 655 |
| <b>Effect of the Architecture and Topology of Cloud Computing on Power Saving</b><br>A.A.R.T. Rahem, M. Ismail and I.A. Najm   | 661 |
| <b>A New Strategy for Multiple Chillers Plant Operation Using Fuzzy Inference System</b><br>E. Hamid, P. Nallagownden, N.M. Nor, M.S. Muthuvalu and M.F. Romlie                        | 671 |
| <b>Whole Facility Measurement for Quantifying Energy Saving in an Office Building, Malaysia</b><br>N.S. Razali and N.Y. Dahlan   | 676 |
| <b>Performance Analysis of Earth Battery Using Organic Waste Additive</b><br>A.N. Ramani, N. Sarmen, M.N.M. Nasir and W.A.R. Intan Azmira  | 682 |
| <b>Battery Parameters Identification Analysis Using Periodogram</b><br>R. Kasim, A.R. Abdullah, N.A. Selamat, M.F. Baharom and N.H.T.H. Ahmad  | 687 |
| <b>Lead Acid Battery Analysis Using Spectrogram</b><br>R. Kasim, A.R. Abdullah, N.A. Selamat, N.A. Abidullah and T.N.S.T. Zawawi   | 692 |
| <b>Optimal Quick Charging Station Placement for Electric Vehicles</b><br>M.M. Islam, H. Shareef and A. Mohamed   | 697 |
| <b>Correlation of Electrical Resistivity and SPT-N Value from Standard Penetration Test (SPT) of Sandy Soil</b><br>K.A. Hatta and S.B.A. Syed Osman                                    | 702 |
| <b>Research and Development of Automatic Control System for Electric Arc Furnace Electrode Positioning</b><br>A. Nikolaev, E. Povelitsa, G. Kornilov and A. Anufriev                   | 707 |
| <b>Development of Low Power Anisotropic Magnetoresistive (AMR) Wireless Magnetometer for Earth's Magnetic Field Measurement</b><br>A.F. Zainal Abidin, M.H. Jusoh and S.A.M. Al Junid  | 714 |
| <b>Reliability Model for Remote Terminal Unit (RTU) Based on Redundancy Concept</b><br>N.H. Mohd Amin, M.R. Ab Ghani, A. Jidin and J. Zanariah   | 719 |
| <b>PC Based Energy Efficient Wireless Transceiver Module with ZigBee</b><br>M. Bilal Sarwar, P. Nallagownden, Z. Baharudin and M. Sundaram Muthuvalu                                   | 724 |
| <b>Experimental Depth Positioning Control for a Spherical Underwater Robot Vehicle (URV)</b><br>A. Eltigani Ibrahim, M. Noh Karsiti and I. Elamvazuthi                                 | 729 |
| <b>Power Consumption Optimization Technique in ACS for Space Time Trellis Code Viterbi Decoder</b><br>M.A. Abu, H. Harun, M.Y. Harmin and N.I. Abdul Wahab                             | 734 |
| <b>Analysis the Condition of RazakSAT Based on Attitude Sensor of Atttitude Determination System Data</b><br>M.Z. Hasan, S. Yaacob, A. Ahmed, S.B. Yaakob, M.H. Idris and M.A. Md Said | 739 |
| <b>A Cluster Algorithm for Wireless Sensor Networks Based on Energy Efficiency</b><br>L. Gao and Q. Chen   | 744 |