

# Table of Contents

## Preface and Organizing Committees

## 1 Chemical Materials and Equipment

|  |    |
|--|----|
| <b>Effects of Alloying Elements on the Microstructure of 22CrMoH Gear Steels Billets</b>   | 3  |
| Y.L. Zhang, X.G. Yang, J.G. Xu and L.G. Bai  |    |
| <b>Effects of Annealing Parameters on Recrystallization of AZ31 Magnesium Alloy Processed by Continuous Rheo-Extrusion</b>   | 15 |
| R.G. Guan, Z.Y. Zhao, F.R. Cao, H.Q. Huang, C.G. Dai and Q.S. Zhang  |    |
| <b>Performance of BaCo<sub>0.7</sub>Fe<sub>0.2</sub>Nb<sub>0.1</sub>O<sub>3-δ</sub> Membrane under CO<sub>2</sub>-Containing Atmosphere for CCS Application</b>  | 21 |
| P.J. Shen, W.Z. Ding, H.H. Wang, Z. Geng, X. Liu, Y.D. Zhou and S.Q. Huang   |    |
| <b>Water Permeates in Ceramic Membrane Modified with Nano Inorganic Coating</b>  | 27 |
| J.E. Zhou, Q.B. Chang, Y.C. Dong, X.B. Hu, Y.Q. Wang and S. Hampshire  |    |
| <b>Facile Synthesis of Multifunctional Nanocomposites with Tunable Luminescent and Magnetic Properties</b>   | 31 |
| G. Jia, C.M. Zhang, S.W. Ding, K.W. Yin, X.G. Cao and X.B. Song  |    |
| <b>Wear Characterization of Thermal Sprayed and Fused Fe-Ni-Cr Alloy Coatings with the Addition of CeO<sub>2</sub></b>   | 35 |
| Z.Y. Zhang, B. Chen, B.N. Liang and P.L. Zhang   |    |
| <b>The Preparation, Characterization, and Photocatalytic Activities of Co-TiO<sub>2</sub></b>  | 39 |
| Y.N. Xie and Z.D. Wang   |    |
| <b>Structure Evolution of the Atomized Powders of Fe-25Cr-3.9C Alloy with Addition of Ni and B Elements</b>  | 44 |
| C.J. Song, Y.Y. Guo, L. Zhu, K.F. Li, M. Yang and Q.J. Zhai  |    |
| <b>Annealing Treatment for Superplastic Forming of Twin Roll Casted AZ31 Magnesium Sheet</b>   | 50 |
| G.D. Shi and J. Qiao   |    |
| <b>Effect of Modified Graphene Addition on the Electrical Properties of Epoxy Resin Composite</b>  | 55 |
| L.L. Wu, X. Lv and C.C. Zhang  |    |
| <b>Synthesis and Properties of Potassium-Containing Poly(Acrylic Acid Sodium-Co-Acrylamide)Fly Ash-Illite Superabsorbent Composite</b>   | 59 |
| S.Y. Shen, K.S. Xia, H. Ling and L.R. Fan  |    |
| <b>Synthesis and Electrical Properties of End-Functionalized Poly(N-Isopropylacrylamide) with β-Cyclodextrin and its Ferrocene Inclusion Complex</b>   | 64 |
| Z.G. Gao and Q. Duan   |    |
| <b>Role of Crystallitic Carbon in the Preparation of Mg-Based Hydrogen Storage Materials by Reactive Milling</b>   | 69 |
| S.X. Zhou, H.L. Niu, H.P. Chen, S.S. Lu, C.E. Zhang, L.Y. Feng and Q.Q. Zhang  |    |
| <b>Study on CO<sub>2</sub> Laser Surface Hardening of 17-4PH Stainless Steel</b>   | 73 |
| J.W. Zhang, G. Lei, S.C. Pan and F.Y. Wu   |    |
| <b>Effect of V<sub>2</sub>O<sub>5</sub> and ZnO Additives on the Sintering Temperature and Microwave Dielectric Properties of Ca[(Li<sub>1/3</sub>Nb<sub>2/3</sub>)<sub>0.8</sub>Ti<sub>0.2</sub>]O<sub>3-δ</sub> Ceramics</b> | 77 |
| J.H. Liao, Y. Dai, R.Z. Yang and W. Chen   |    |
| <b>Preparation and Characterization of Yttrium Oxide Coatings by Plasma Spraying</b>   | 81 |
| X.C. Luo, W.D. Wang, B.W. Liu, C.B. Li and Y. Xia  |    |
| <b>Improved Photocatalytic Activity of La<sup>3+</sup>-Doped Bi<sub>2</sub>O<sub>3</sub></b>   | 86 |
| J. Zeng, J.B. Zhong, J.Z. Li, S.H. Wang and W. Hu  |    |
| <b>Clamping Accuracy Detection and Display System of Integral Turbine-rotor in Molecular Pump</b>  | 90 |
| Y. Zhao, S.Y. Yang, H.R. Liu, B. Liu and J. Shao   |    |

|  |     |
|--|-----|
| <b>Preparation and Electrochemical Characteristics of Activated Carbon Micro-Spheres for Electric Double Layer Capacitor</b>                               | 94  |
| B. Liu, H.R. Deng, J.H. Ai and J.C. Deng   |     |
| <b>Effect of ECAP on the Electrochemical Behavior of Chromium Bronze</b>   | 98  |
| Y.N. Zhang, C.Z. Xu, M.S. Zheng and J.W. Zhu   |     |
| <b>Preparation and Characterization of Wheat Straw MCC</b>   | 102 |
| J.B. Li, M.Y. Zhang, H.J. Xiu and Y. Zhang   |     |
| <b>Characterization and Magnetic Properties of Nanocrystalline Nickel Ferrite Synthesized by Carbon-Adsorb Auto Combustion Method</b>                      | 108 |
| Y.S. Chen, W.J. Feng, C.H. Li, R.S. Li, R. Fan and H. Yang   |     |
| <b>Analysis of Low Velocity Dense Phase Pneumatic Conveying System to Extend System Conveying Capability</b>   | 112 |
| S.M. Tan, B. Chen, K.C. Williams and M.G. Jones  |     |
| <b>Studies on Microstructure and Property of Material of SiCp/Gr/ Mixed and Reinforced Aluminum-Based Composites Prepared by Semi-Solid Pouring Method</b> | 116 |
| Z.Y. You, Z. Wang, L.F. Hou and Y.H. Wei   |     |
| <b>Effects of Gd and Er on the Ignition-Proof Properties of Magnesium Alloy</b>  | 122 |
| Z.H. Wang, X.D. Wang, S.B. Li and W.B. Du  |     |
| <b>The Effect of Be and Mn Co-Doping on the Magnetic and Transport Properties of Ferromagnetic Semiconductor Thin Films</b>                                | 127 |
| G. Xiang and X. Zhang  |     |
| <b>Effect of Sintering Temperature and Atmosphere on Corrosion Behavior of MIM 316L Stainless Steel</b>  | 132 |
| H. He, Y.M. Li and D.P. Li   |     |
| <b>Choice of Electrode Material for Detecting Low Frequency Electric Field in Sea Water</b>  | 137 |
| Y.S. Song, K. Zhang and P. Zuo   |     |
| <b>Manufacturing Technique and Property Evaluation of Polypropylene/ Carbon Fiber Composite Braids</b>   | 141 |
| J.H. Lin, J.M. Chen, C.W. Lin, W.H. Hsing, Y.C. Hsu and C.W. Lou   |     |
| <b>Study on the Preparation and Properties of Multiwall Carbon Nanotube Reinforced Biodegradable Polymer Blend</b>   | 145 |
| H.C. Peng, C.F. Kuan, C.H. Chen, K.C. Lin and H.C. Kuan  |     |
| <b>Porous Silicon Modification with ZnO Films Electro-Deposited from Zinc Nitrate Aqueous Solution by Pulsed Current of Rectangular Wave</b>               | 150 |
| L.S. Chen, Y.Y. Liu, Y.P. Ban and H.X. Li  |     |
| <b>Urea Reactor Explosion Accident Stress Corrosion Analysis</b>   | 156 |
| Z.H. Chen, W.Q. Wang, M.D. Song and N.N. Dong  |     |
| <b>Kinetics of o-Chloronitrobenzene Hydrogenation on Palladium/Carbon Catalyst</b>   | 161 |
| X.Z. Wang, Y.F. Zhu and X.N. Li  |     |

## 2 Sensors and Sensor Materials

|   |     |
|---|-----|
| <b>Indentation Responses of Functionally-Graded Al<sub>2</sub>TiO<sub>5</sub>- Based Ceramics</b>                     | 171 |
| Z. Oo and I.M. Low  |     |
| <b>Comparative Study of Pretreatment and Maturing Methods on the Preparation of Cellulose/Magnetic Nanocomposites</b> | 175 |
| A.M. Tang and J.K. Song   |     |
| <b>Solid Super Acid of S<sub>2</sub>O<sub>8</sub><sup>2-</sup> /FexOy-CuOx Catalytic Degradation of Orange IV</b>     | 182 |
| Y.J. Zhang, G.R. Liu, D.P. Li, Y.X. Tian, L. Zhang and L. Li  |     |
| <b>Effect of Fluoride Treatment on Corrosion Property of AZ31 Magnesium Alloy in Hank's Solution</b>                  | 186 |
| C.Y. Zhang, J.C. Gao and C.L. Liu   |     |
| <b>Study on the Mechanism and Properties of Activated Crumb Rubber Modified Asphalt</b>                               | 191 |
| D.W. Cao and H.Y. Zhang   |     |
| <b>Magnetic Properties of Iron-Based Alloy Nanowires upon Heat Treatment</b>  | 197 |
| X. Zhang and G. Xiang   |     |

|  |     |
|--|-----|
| <b>Preparation Mico/Nano Composite Particles and their Applications for Dye-Sensitized Solar Cells</b>   | 202 |
| T.L. Chiang, C.S. Chou, D.H. Wu and C.M. Hsiung  |     |
| <b>Microstructures and Interfacial Reaction of CrON Diffusion Barrier in the NiCrAlY-CrON Duplex Coating System during Thermal Treatment</b>                                 | 206 |
| W.Z. Li, Y.Q. Li, D.Q. Yi and H.Q. Liu   |     |
| <b>Studies of the Conversion Coatings Formed by Combined Use of Lanthanum Salt and Benzotriazole on Commercial Brass</b>   | 214 |
| H.Q. Fan, S.Y. Li, Z.C. Shi and Z.C. Zhao  |     |
| <b>Nanoscaled Polyaniline Doped with Different Dicarboxylic Acids Based On Template-Free Method</b>  | 219 |
| S.J. Jia, Z. Liu, P.K. Jiang and J. Zhou   |     |
| <b>Oxygen Delignification of Bamboo Kraft Pulp with High Kappa Number</b>  | 223 |
| H. Gao and H.Y. Zhan   |     |
| <b>The Continuous Plating of Ni-Cr Composite Coatings and TiO<sub>2</sub> Nano-Modify</b>  | 227 |
| D.X. Du, Z.P. Zhang and L. Zhou  |     |
| <b>A Rheological Study of Carbon Black Suspensions and Determination of Significant Factors Affecting the Slip Flow in In-Mold Coating (IMC) Using Design of Experiments</b> | 232 |
| C. Aramphongphun and C. Chareonwutipap   |     |
| <b>Effects of Solution and Ageing Treatment Process on the Microstructure and Properties of AZ80 Magnesium Alloy</b>   | 238 |
| P.H. Deng, T.C. Li and G.Y. Cai  |     |
| <b>Preparation and Performance of Zinc Zeolite-Ce/TiO<sub>2</sub> Antibacterial Material</b>   | 243 |
| Q. Wang, T.S. He, J. Da, J. Liu and Z.Y. Ding  |     |
| <b>Effect of B Boping Concentration on the Properties of P-Type Hydrogenated Amorphous Silicon Thin Films</b>  | 247 |
| W.Y. Wang, Q.N. Zhao, W.H. Yuan, P.L. Yang, H.Y. Liang, Y. Liu and Y.H. Dong   |     |
| <b>Hydrothermal and Thermal Decomposition Synthesis of Hierarchical NiO Microspheres with Mesoporous Structure</b>   | 252 |
| H. Liu, G.J. Li, J.Q. Li, N. Wei and Z.F. Zhu  |     |
| <b>Impact Damage Monitoring of Laminated Composites using FBG Sensors</b>  | 259 |
| J.X. Sun, Y.D. Ji, J.H. Wang, Y.Z. Yin and H. Tian   |     |
| <b>Preparation and Characterization of Nafion-Zirconia Composite Membrane for PEMFC</b>  | 263 |
| S.R. Mokhtaruddin, A.B. Mohamad, L.K. Shyuan, A.A.H. Kadhum and M. Akhmad  |     |
| <b>The Influence of Ply Design and Thermal Fatigue on Mechanical Property of Glass Fiber/Epoxy Composite</b>   | 269 |
| <b>Study of Pt Nanoparticles Protected by 1-Dodecanethiol Self-Assembled Films on Iron Surface Using Electrochemical Methods,UV-Vis and XPS Measurements</b>                 | 273 |
| Z. Zhang, L. Ruan, M.Z. Jia, J.Q. Jiang and X.S. Deng  |     |
| <b>Preparation and Characterization of Formaldehyde Crosslinked Chitosan</b>   | 279 |
| J.Q. Xue, J.X. Li, M. Wu, W. Wang and D.N. Ma  |     |
| <b>A Biomimetic Sensor for Fast Lysozyme Detection</b>   | 283 |
| W.T. Zhao, Z.H. Chen, B. Xue, L.Q. Sun and A.Q. Luo  |     |
| <b>The Effect of Nano-Modification on Performance of Cast Polypropylene Film</b>   | 288 |
| D.L. Li, W.C. Xu and Y.B. Fu   |     |
| <b>Luminescent and Thermal Properties of Eu<sup>3+</sup> Complex with Salicylic Acid and o-Phenanthroline Trapped in Sol-Gel Glass</b>                                       | 294 |
| C.J. Xu, Q. Lü and H.K. Feng   |     |
| <b>A New Tool Wear Modeling Method Based on Project Pursuit Regression</b>   | 298 |
| Q.J. Guo, L. He and G.M. Zhu   |     |
| <b>Preparation and Properties of LiFePO<sub>4</sub> Cathode Material for Lithium Ion Power Battery</b>   | 302 |
| J. Li, Y. Zhou, Y.Y. Zheng, S.H. Tang and D.G. Li  |     |
| <b>A Study on the Reduction of HCN in Cigarette Smoke by Loading Cuprous Oxide on the Surface of Activated Carbon</b>  | 306 |
| Y.M. Dai, R.B. Tan, W.M. Shi, Z.F. Liang and L. Tan  |     |
| <b>Fabrication of Zn-Se/Stainless Steel Thin Films by Ultrasonic Electrochemical Deposition and its Application</b>  | 310 |
| Q.F. Wang, Y. Huang, J. Miao and Y. Wang   |     |

|  |     |
|--|-----|
| <b>Analysis and Research of PPTA Erosion of the Ultrasonication</b>  | 314 |
| Z.F. Zhu, D.P. Qi, J.H. Wang, Q. Han and L.L. Cai  |     |
| <b>Preparation of Stoichiometric TiN<sub>x</sub> Films by Laser CVD with Metalorganic Precursor</b>  | 318 |
| Y.S. Gong, W. Zhou, R. Tu and T. Goto  |     |
| <b>Polyaniline/nano-in<sub>2</sub>O<sub>3</sub> Composites Used as a Sensitive Material to NH<sub>3</sub></b>                                      | 322 |
| Y.N. Xie, Z.H. Shi and J.L. Liu  |     |
| <b>Selective Binding of Nucleobases and its Electrochemical Behavior at Glassy Carbon Electrode in PBS at pH 7.4</b>                               | 328 |
| J.J. Cui, D.H. Sun, H. Liu, G.C. Wang, H.S. Zhao, N. Ren and L.M. Chen   |     |
| <b>Preparation and Photocathodic Protection Properties of NiP/TiO<sub>2</sub> Bilayer Coating on Low Carbon Steel</b>                              | 334 |
| M.J. Zhou and N. Zhang   |     |
| <b>Effect of Trace Yttrium on Properties and Microstructure of Cu-0.6Cr-0.15Zr-0.05Mg-0.02Si Alloy</b>   | 338 |
| J.Y. Cheng, F.X. Yu and X.W. Ao  |     |
| <b>Investigation on the Permeability of Electric Arc Spraying Sealing Coat with Nano-Sized TiO<sub>2</sub>,SiO<sub>2</sub> of Steel Structures</b> | 343 |
| Q. Tao, Y.W. Sui, Z. Sun, Y.Q. An and X. Zhao  |     |
| <b>Adsorption Behavior and Inhibition of <i>N,N-Diethylammonium O,O'-Dicyclohexyldithiophosphate</i> for Carbon Steel in Acid Medium</b>           | 347 |
| B. Xie, C. Lai, L.K. Zou, X.M. Zeng, C. Huang, N. Zeng and Y.M. Wang   |     |
| <b>Microstructure and Mechanical Properties of Mg-Y Alloys</b>   | 352 |
| Q.A. Li, Q. Zhang, C.Q. Li and Y.G. Wang   |     |
| <b>Synthesis of YVO<sub>4</sub> Nanoparticles with Controllable Morphologies by Solvothermal Method</b>  | 356 |
| H.Y. Xu, L. Xu, S.B. Wu, X.D. Wang and H. Wang   |     |
| <b>Study on Poly-Si Thin Films by Vacuum Evaporation</b>   | 360 |
| Z. Wang, B. Li, C.Q. Fu and T. Murotani  |     |
| <b>Study on the Adhesion Properties of Protective Films to the Magnetic Refrigerant Material</b>   | 364 |
| X.Q. Zheng and Y.P. Ai   |     |
| <b>Determination of Two Organophosphorus Pesticides Using Electrochemical Sensor in Water Samples</b>  | 368 |
| F.Q. Fan, J.F. Dou, L.R. Cheng, A.Z. Ding, L. Jiang, J.J. Yao, Y.C. Du, Y.H. Liu and D. Zhang  |     |

### 3 Energy Materials Technology

|  |     |
|--|-----|
| <b>Preparation and Characterization of Nanocrystalline Ce-Containing Layered Double Hydroxides</b>                                 | 375 |
| C.X. Chen, Y. Zhang, H.Q. Zhao, J.S. Peng and B. Li  |     |
| <b>A Method about the Worn Materials Applied to the Marine Mechanical and Electronic Equipments in Condition Monitoring</b>        | 380 |
| Y. Liu, Z.T. Wang, Z.D. Tan and H.X. Tian  |     |
| <b>Process Structure and Properties of Bi-Shrinkage Yarns Spun by one-Step Spinning Process</b>                                    | 384 |
| Y. Xue, E.L. Yang and C.T. Tang  |     |
| <b>Microstructural Study on Ni-Based Alloy Coating on Plain-Carbon Steel Substrate by Hot Dipping Process</b>                      | 388 |
| T. Lin, L.S. Wang, H.P. Shao and Z.M. Guo  |     |
| <b>A Method of Improving Limiting Drawing Ratio Differential Temperature Deep Drawing Based on Superplasticity</b>                 | 392 |
| X.F. Xu, N. Li, G.C. Wang and H.B. Dong  |     |
| <b>Finite Element Study on Temperature Distribution of Curing of Fully Enclosed Adhesive Joint</b>                                 | 398 |
| Z.G. Lu, J.P. Lin and D.D. Hua   |     |
| <b>Method Study of Improving Surface Corrosion Resistance of 6063 Aluminum Alloy</b>   | 404 |
| J.X. Zhang and A.H. Gao  |     |
| <b>Diallyl Orthophthalate(DAOP) Resin as a Reactive Plasticizer for Optimizing Glass-fiber/PVC Interface and Reactive Kinetics</b> | 408 |
| P. Wen, Q.L. Mei, X.Q. Yue and M.X. Liu  |     |

|  |     |
|--|-----|
| <b>Effect of Si Addition on the Microstructures and Mechanical Properties of TiAl Intermetallics</b>   | 413 |
| J.F. Zhu, W.W. Yang and S.D. Li  |     |
| <b>Study of Friction Stir Spot Welding of Steel/ Magnesium</b>   | 417 |
| X.J. Wang, B.Q. Li and C.Q. Zhang  |     |
| <b>Buckling Behavior of FGM Elastic Arches Subjected to Uniformly Distributed Radial Follow Load</b>   | 422 |
| X. Song, S.R. Li and Y.G. Zhao   |     |
| <b>Influence of Gadolinium Addition on Electrochemical Properties of Magnesium Sacrificial Anode</b>   | 428 |
| A.J. Yan, L.J. Feng, W.N. Shen and Z.P. Wang   |     |
| <b>Study of Lost Foam Casting of Reaper Underpan</b>   | 433 |
| L.J. Li, J. Zhou, Z.C. Gao, Y.H. Hu and K. Cheng   |     |
| <b>The Optimum Technological Parameters and Properties of LDPE/LLDPE/Nano-Mg(OH)<sub>2</sub> Systems</b>   | 437 |
| Y.H. Guo, J.J. Guo, Z. Huang and L.J. Teng   |     |
| <b>Effect of the Content of Paraffin Microcapsule on the Thermal Performance of Infrared Camouflage Coatings</b>                                 | 441 |
| R.S. Yu, H. Yan, Z.C. Xu, Z.H. Liu and Z.D. Gu   |     |
| <b>The Study on the Carbon Deposition in H<sub>2</sub>-CO Mixtures</b>   | 445 |
| S.H. Geng, W.Z. Ding, S.Q. Guo, Z. Fang and X.G. Lu  |     |
| <b>A Comparative Study of Corrosion Related Electro-Magnetic Field Control Effect</b>  | 450 |
| J.H. Wu, S.H. Xing, C.H. Liang and Y.G. Yan  |     |
| <b>Hydrogen Bonded Side Chain Liquid Crystallines Based on Poly(4-Vinylpridine)</b>  | 455 |
| X.G. Han, X.Z. Chen, L.L. Qian and X.Y. We   |     |
| <b>Thermal Decomposition of Wood Treated with Silicates by Thermogravimetry–Mass Spectrometry</b>  | 459 |
| H.Q. Qu, W.H. Wu, C.Z. Wang, X. Liu and C.M. Yin   |     |
| <b>The Preparation and Application of the Cationic Biopolymer Based on Xylan-Rich Hemicelluloses from Agricultural Biomass</b>                   | 463 |
| J.L. Ren, X.W. Peng, F. Peng and R.C. Sun  |     |
| <b>Luminescence of Ce<sup>3+</sup> or Tb<sup>3+</sup></b>  | 468 |
| C.G. Zuo, A.X. Lu, L.G. Zhu and W.Y. Long  |     |
| <b>Microstructure and Texture Evolution during Equal Channel Angular Extrusion of Pure Copper: Effect of Strain Rat</b>                          | 472 |
| G.P. Zhang   |     |
| <b>Changes of Dynamic Viscoelastic Properties of Tamarind Gum Aqueous Solutions</b>  | 477 |
| W. Sittikijyothin  |     |
| <b>Preparation and Magnetic Properties of Ce-Doped Strontium Ferrite Films</b>   | 481 |
| Y.Q. Li, Y. Huang, S.H. Qi, L. Niu, F.F. Niu, Y.L. Zhang and Y.F. Wu   |     |
| <b>Piezoelectric Properties of PZT-5 Fiber/Epoxy Resin 1-3 Composites</b>  | 486 |
| L.F. Xu, W. Chen, J. Zhou and C.P. Yang  |     |
| <b>Effect of Cold Rolling on Thermal Stability of Zr<sub>55</sub>Al<sub>10</sub>Ni<sub>5</sub>Cu<sub>30</sub> Bulk Metallic Glass</b>            | 490 |
| M.H. Hu and Y. Hu  |     |
| <b>Preparation and Characterization of Two New Kinds of Soluble Quaternary Ammonium Salts of Chitosan</b>  | 496 |
| L.J. Tan, H.D. Wang and J.T. Wang  |     |
| <b>A Comparative Study of Potentiostatic and Potentiodynamic Method in the Synthesis of MnO<sub>2</sub> Films for Electrochemical Capacitors</b> | 501 |
| L.B. Kong, R.J. Bai, Y.C. Luo and L. Kang  |     |
| <b>Study on the Mechanical Behavior and Microscopic Mechanism of Explosive Working of High-Manganese Steel</b>                                   | 506 |
| C.G. Ding  |     |
| <b>Study on PTH/PANI/AC Composites as Electrode Materials for Supercapacitors</b>  | 513 |
| F.G. Gao, Y.H. Tian and X.J. Zhang   |     |
| <b>Simulation Research of the Effect of Thermal Reflow Processing Parameters on the Profile of Micro-Spherical Structure</b>                     | 517 |
| B.Y. Jiang, L. Chen, D.B. Li and S. Kirchberg  |     |

|   |     |
|---|-----|
| <b>Preparation and Characterization of Paraffin/PMMA Core/Shell Structured Microcapsules</b>  | 524 |
| S.D. Ma, G.L. Song, Z.C. Miao and D.W. Wang   |     |
| <b>Preparation of Porous Carbon Film and its Application in Li-Ion Battery</b>  | 528 |
| Q.Y. Chen and X.W. Jiang  |     |
| <b>Electrical and Physical Properties of Sodium Potassium Niobates Thin Films Prepared by rf Magnetron Sputtering Technology</b>  | 532 |
| C.M. Cheng, S.F. Chen, J.H. Tsai, K.H. Chen and H.H. Su   |     |
| <b>Highly Sensitive Detection of Trace <math>Hg^{2+}</math> Based on Fine CdS Nanodots Grew from a DNA-Directed Alternate Dialysis Method</b>   | 536 |
| S. Chen, Q. He, J. Tang, S. Bai and Y.F. Long   |     |
| <b>The Preliminary Research on the Coating of FBG Embedded in Composites used in Large Aircraft</b>   | 540 |
| Y.Z. Yin, J.H. Wang, H. Li, J.X. Sun, H. Tian and Y.D. Ji   |     |
| <b>Synthesis of Papercut-Like Carbon Sheets by a Simple Pyrolysis Method</b>  | 544 |
| L.L. Zhu, P.P. Xiao and Y.T. Qian   |     |
| <b>Calculation of the Viscosity of Zr-Based Metallic Glass Alloys</b>   | 548 |
| H.Q. Li and L.F. Liu  |     |
| <b>Influence of Partial Substitution of <math>Ba^{2+}</math> for <math>Sm^{3+}</math> on the Structure and Electrochemical Properties of <math>Sm_{0.5-x}Ba_xSr_{0.5}Co_{0.8}Fe_{0.2}O_{3-\delta}</math>-Perovskite</b> | 552 |
| Y.H. Wang, X.W. Song, F. Zhou, J.Q. Gao and S.L. An   |     |
| <b>Effect of Stress Concentration at Circular Hole Edge for Coating on Material Processing</b>  | 558 |
| B.X. Bian and Y.H. Liu  |     |
| <b>Electrochemical Analysis of the Fluorocarbon Anticorrosion Coating after Accelerated Weathering Environment Aging</b>  | 563 |
| J. Gao, W.J. Yuan, X.G. Li, Y.C. Li and W. Zhu  |     |
| <b>Corrosion of P110 Steel in Solutions Containing Different Chemical Compositions</b>  | 567 |
| L. Liu, C.Q. Ren and L. Gao   |     |
| <b>Photocatalytic Activity of <math>SiO_2/TiO_2</math> Supported on Glass Fiber under Visible Light Irradiation</b>   | 571 |
| X.C. Zhang, Y.L. Li, Z.X. Lin and S.Y. Zhang  |     |
| <b>Microstructure of Copper Alloy Effects on Cavitation Damage</b>  | 575 |
| W.J. Xing   |     |
| <b>Preparation of Foam Ni/Carbon Nanotubes Material for Enhanced Stationary Seal Ring</b>   | 580 |
| J. Ren, S.L. Yan and M. Liu   |     |
| <b>Controllable Growth and Gas Sensitivity Properties of Zinc Oxide Nanocrystalline by Solid-State Reaction</b>   | 585 |
| S.G. Shang, K.W. Xu, L. Zhao and G.R. Chang   |     |
| <b>The Influence of Aluminum on the Electrochemical Performance of Zinc Alloy Anode</b>   | 590 |
| L.Z. Wang, Y.J. Han, K.Q. Zhang and K. Wang   |     |
| <b>Effect of Heat Flux on Combustion Performance of Glass Fiber Reinforced Epoxy Composite</b>  | 595 |
| M. Wang, Y.C. Hu and Z.Z. Huang   |     |
| <b>Waterproof Performance of Gypsum Products</b>  | 600 |
| J.Q. Li, M.Z. Gong and G.Z. Li  |     |
| <b>Preparation and Performance Test of Antistatic Agent for Polyurethane Seal Material in Mine</b>  | 604 |
| W.Y. Bi, X.M. Guan, J.F. Wan and X.E. Yang  |     |
| <b>Flocculants for Produced Water from Polymer Flooding in Daqing Oilfield</b>  | 608 |
| X.C. Cao, M. Chen, H.Y. Guo and J. Wang   |     |
| <b>Properties of White Light Emitting <math>Eu^{2+}</math>, <math>Mn^{2+}</math> Co-Doped <math>Ca_2SiO_3Cl_2</math> Phosphors Synthesized with Sol-Gel Method</b>  | 612 |
| Q.J. Ning, B.Q. Wang, S.H. Gu and F.F. Guo  |     |
| <b>Nano-Crystalline Structure and Strengthening Mechanism of Nano-Diamond/Ni Composite Coatings by Brush-Plating</b>  | 616 |
| Y. Li, W.J. Zou, B.X. Li and Q.M. Dong  |     |
| <b>Characteristics of Potentiodynamic Polarization Curves of Aluminum Electrodeposition Coating in Acidic Sulphate Solution</b>   | 620 |
| Z.M. Ding, C.B. Shen, J.S. Guan and H. Gao  |     |

|  |     |
|--|-----|
| <b>Preparation and Characterization of <math>\beta</math>-Cyclodextrin-Based Microcapsules for Sustaining Release of Jasmine Oil</b>             | 624 |
| Y. Lian, H.M. Wang, D.P. Zhou and D. Liu   |     |
| <b>Theoretical Decomposition Voltage for Related Substance on Molten Salt Electrolysis Method to Remove Steel Surfaces of Sulfide Inclusions</b> | 628 |
| Y. Xu, H. Gao and L.G. Zhu   |     |
| <b>The Effect of Discharge Parameters on the Plasma Electrolytic Oxidation Film's Morphology</b>   | 632 |
| L. Wang, W. Fu and L. Chen   |     |
| <b>Preparing of NiAl and Ni<sub>3</sub>Al Intermetallic Composite Coatings by Laser Cladding <i>In Situ</i> Synthesis</b>                        | 636 |
| G.P. Cheng and Y.Z. He   |     |
| <b>Preparation of Cu<sub>2</sub>ZnSnS<sub>4</sub> Treated with Post-Sulfurization in a Sulfur Vapor Atmosphere</b>                               | 642 |
| M.Y. Yeh and D.S. Wuu  |     |
| <b>Study on Preparation and Properties of <math>\beta</math>-NiOOH</b>   | 646 |
| H.M. Gu, W. Wang and Y.C. Zhai   |     |
| <b>Maybe Absolutely Green - with Chinese Traditional Medicine as Wood Preservative</b>   | 650 |
| Y.M. Wang, X.M. Wang and X.Q. Li   |     |
| <b>Study on Urea-Sensitive Electrode Based Porous Silicon</b>  | 654 |
| H.X. Li, Q.Y. Wang, Q.Q. Wei and L.S. Chen   |     |

## 4 Material Protection Technology

|   |     |
|---|-----|
| <b>Study of Brazeability of SiC<sub>p</sub>/A356 Composites and Aluminum Alloy Using Semisolid Metal with High Solid Fraction by Stirring</b>                   | 663 |
| H.B. Xu, Q.X. Luo, J.Y. He, B.F. Zhou, Y.L. Zeng and C.H. Du  |     |
| <b>Anti-Wear Coating Grown by Micro-Plasma Oxidation on Aluminum Alloys in the Solution of Aluminate-Titania</b>  | 667 |
| L.G. Zhang, G.M. Zhao and X.M. Lai  |     |
| <b>Manufacturing of Micro Drill with Electrochemical Etching</b>  | 671 |
| F.T. Weng, F.C. Hsu, K.S. Hsu and C.T. Ho   |     |
| <b>Mechanism and Protection of Stress Corrosion of Chemical Equipment</b>   | 675 |
| Q. Lin and Z. Hong  |     |
| <b>Experimental Study of the Soundness and Compatibility of Baosteel Steel-Slag Powder Applied in Cement Concrete</b>   | 679 |
| J.Y. Sun and F.D. Chen  |     |
| <b>Processing Technique and Property Evaluation of Stab-Resistant Composite Fabrics</b>   | 683 |
| C.W. Lou, C.C. Lin, W.H. Hsing, C.C. Huang, Y.M. Chien and J.H. Lin   |     |
| <b>The Electrical Conductivity and Infrared Properties of Ba-Doped SmCoO<sub>3-<math>\delta</math></sub> Composite Oxides</b>                                   | 687 |
| L. Chen, C.H. Lu, Y.Z. Zhao, W.Y. Zhang, Y.R. Ni and Z.Z. Xu  |     |
| <b>Microstructure Study of Undercooled Hypereutectic Cu<sub>95</sub>Cr<sub>5</sub> Alloys</b>   | 691 |
| Z.M. Zhou, L.W. Tang, W.J. Huang, J.J. Hu, T. Zhou, K. Chen, C.Y. Peng and H. Xia   |     |
| <b>Phase Selection in Undercooled Cu<sub>85</sub>Cr<sub>15</sub> Composites</b>   | 695 |
| Z.M. Zhou, L.W. Tang, W.J. Huang, T. Zhou, X.P. Li, J. Luo, C.Y. Peng and J. Zhan   |     |
| <b>Preparation of Mesoporous Spherical Activated Carbons with Large Specific Surface Area from Ion-Exchange Resin Having Various Metals</b>                     | 699 |
| Z.L. Zhu, A.M. Li, L. Yan, C.J. Wu, H.L. Wang and Y.Y. Xu   |     |
| <b>Surface Modification of the UHMW-PE Film Processing by Hot Compression Molding</b>   | 703 |
| S.G. Wen, Y. Shen, J.H. Wang, H.B. Liu, Q. Xu and S.G. Song   |     |
| <b>Study on Synergistic Scale Inhibition Performance of the Rare-Earth Permanent Magnetic Material and Polyaspartic Acid</b>                                    | 707 |
| Z.F. Liu, H.S. Liu, L.H. Zhang and M.F. Yan   |     |
| <b>Research Progress on Preparation of Hierarchical Porous Oxides Derived from Wood Templates</b>   | 712 |
| H. Qin, Z.Q. Zhu, Y.N. Zhu, C.C. Wei and H.L. Liu   |     |
| <b>Inhibition of [NH<sub>2</sub>Et<sub>2</sub>][(4-MeC<sub>6</sub>H<sub>4</sub>O)<sub>2</sub>PS<sub>2</sub>] for Carbon Steel in Hydrochloric Acid Solution</b> | 716 |
| Z. Xiang, X. Yang, B. Xie, L.K. Zou, Y.G. Xiang and C. Lai  |     |

|  |     |
|--|-----|
| <b>The Growth Process of the PEO Films under Escalating Voltage Waveform</b>   | 720 |
| L. Wang, W. Fu and L. Chen   |     |
| <b>Effect of Charging Energy on Deposited Energy of Molybdenum Wires and Coating Properties by Wire Explosion Spraying</b>     | 724 |
| Q. Li, Q.Z. Song, J.Z. Wang and Y.X. Duo   |     |
| <b>Microwave Synthesis and Application of Cationic Bagasse Hemicelluloses</b>  | 730 |
| H.X. Zhu, Y.C. He, X.B. Jing, H.L. Lee and L.Z. Li   |     |
| <b>Processing and Properties of GPTMS-TEOS Hybrid Coatings on 5083 Aluminium Alloy</b>   | 736 |
| H. Rahimi, R. Mozafarinia, R. Shoja Razavi, E. Paimozd and A. Hojjati-Najafabadi   |     |
| <b>Research on Flame Retardance and Application of Magnesium Hydroxide Sulfate Whiskers to HDPE</b>                            | 743 |
| J.R. Xue, H. Zhong and J.G. Fu   |     |
| <b>Synthesis and Magnetic Properties of Fe–Ni Alloy Nanoparticles Obtained by Hydrothermal Reaction</b>                        | 748 |
| M.L. Yuan, J.H. Tao, L. Yu, C. Song, G.Z. Qiu, Y. Li and Z.H. Xu   |     |
| <b>Synthesis and Desulfurization Performance of Flower-Like ZnO Materials by Hydrothermal Homogeneous Precipitation Method</b> | 754 |
| J.C. Zhang, J. Nan, H.B. Yu, Y.Q. Liu, S. Geng, H.G. Liu and C.G. Liu  |     |
| <b>Effect of Processing on the Dispersion of CNTs in Al-Nanocomposites</b>   | 759 |
| S. Nouari  |     |
| <b>Study on Organic Microcapsule Based Self-Healing Cementitious Composite</b>   | 764 |
| M. Zhang, F. Xing, K.Y. Shi and X.X. Du  |     |
| <b>Spatial Virtual Polarization Filter Design for Radar Sensor</b>   | 768 |
| H.Y. Dai, X.S. Wang and Y.Z. Li  |     |
| <b>Microstructure and Property of Wear-Resistant Coating Layer by High-Frequency Induction Cladding on Mild Steel Surface</b>  | 773 |
| L. Yang and G. Li  |     |
| <b>Zinc Oxide Thin Films Grown on Nanostructured Al Thin Layer/Glass Substrate by RF Magnetron Sputtering</b>                  | 777 |
| T.Z. Liu, S.W. Duo, C.Y. Hu and C.B. Li  |     |
| <b>Preparation and Chelating Properties of Polystyrene Modified Ethoxycarbonyl Thiourea Resin</b>                              | 781 |
| S. Wang, H. Zhong, L.Y. Xia, Z.N. Wang and Q. Zhang  |     |
| <b>Effect of Stepped Solution Treatment on Microstructure and Properties of AA7085 Aluminum Alloy</b>                          | 786 |
| C.M. Li, Z.Q. Chen, S.M. Zeng, N.P. Cheng, Z.H. Geng and Q. Li   |     |
| <b>Study on the Weldability of S32205 Steel under Different Welding Processes</b>  | 793 |
| L. Yang and N. Zhang   |     |
| <b>Study on the Capacitance Performance of Activated Carbon Material for Supercapacitor</b>                                    | 797 |
| S.L. Zhang, Y.H. Song, X.G. Li and W. Li   |     |
| <b>Numerical Simulation Study of High-Speed Milling Thin-Wall Part</b>   | 801 |
| D.W. Tang, R.S. Peng and R.L. Zhao   |     |
| <b>Synthesis and Characterization of a Kind of Superparamagnetic Material</b>  | 806 |
| D.D. Li, X.Y. Li, X. Huang, Y.X. Wang and Y.J. Zhao  |     |
| <b>Effect of Spew Fillets on Strength of Single-Lap Adhesive Composites Joints</b>   | 810 |
| Y.H. Yang, L.Z. Wu, Y. Guo and Z.G. Zhou   |     |
| <b>Optimal Design Method for Piezoelectric Sensors/Actuators Configuration</b>   | 815 |
| J. Yao, Y.F. Wu and H. Wang  |     |
| <b>Study on the Effect of Functional Monomer on the Binding Characteristics of Molecularly Imprinted Polymer</b>               | 821 |
| F. Rong, D.G. Fu and W. Wu   |     |
| <b>Numerical Studies of Flow-Induced Defects in Aluminum Ingot Die Casting Process</b>   | 825 |
| X.H. Han, P. Hora and X. Kong  |     |
| <b>The Research of Soy-Protein – Acrylate Hybrid Emulsion</b>  | 829 |
| J.Y. Pang, C. Sun and S.C. Zhang   |     |
| <b>Synthesis, Properties and Application in Optical Memory of a New Type Diarylethene with Benzene Ring</b>                    | 833 |
| P.J. Yan, S.Q. Cui and S.Z. Pu   |     |

|  |     |
|--|-----|
| <b>Research and Characterization of Water and Oil Repellent Finishing Auto Interior Materials</b>  |     |
| Z.F. Du, X.S. Cheng and F.R. Huang   | 837 |
| <b>Synthesis, Optoelectronic Properties of a Novel Photochromic Diarylethene Bearing Phenyl and Thienyl Group</b>  |     |
| D.H. Jiang, W.P. Wang, S.Z. Pu and W.J. Liu  | 843 |
| <b>Effects of Thermomechanical Treatment Process on the Microstructure and Properties of Al-Zn-Mg Alloy</b>  |     |
| G.Y. Cai, Y.Y. Yang and X.H. Li  | 847 |
| <b>Adsorption Properties for Superabsorbent of Inverse Suspension Polymerization Poly(acrylate-Co-Acrylamide)</b>  |     |
| J.J. Xie, N. Li, K. Huang and X.Q. Han   | 851 |
| <b>Fabrication and Properties of Shape Memory Polyurethane Surface Modified Vapor Grown Carbon Nanofiber Composites</b>  |     |
| H. Cen, S. Li, M.L. Du and Y.Q. Fu   | 855 |
| <b>Optimizing of Pretreatment Process of Electroless Ni-P Plating on Aluminum Substrate</b>  |     |
| G.J. Liu, Z. Yu and J. Cao   | 860 |
| <b>Microstructure Control of Co-Base ODS Alloys</b>  |     |
| K. Takezawa, S. Ukai and S. Hayashi  | 864 |
| <b>Facile Synthesis of Benzyl Alcohol Type Hypercrosslinked Resin</b>  |     |
| Q. Jin, P.H. Xie, L.X. Zhao, L.L. Bai and S.G. Yuan  | 868 |
| <b>The Probabilistic Compliance Methodology for Damage Tolerance Design of Thicker Composite Structure</b>   |     |
| T.C. Zou, P. Hao, J.R. Zhang and Z.Y. Feng   | 872 |
| <b>Study on Microstructure and Formability of Laser Tailor-Welded Joints of Aluminum Alloy Thin Sheet</b>  |     |
| Y.T. Li, J. Ye, J.K. Wang, J.S. Song and J. Zhang  | 876 |
| <b>Effect of the Substrate Temperature on Crystalline and Optical Properties of ZnO Thin Films Prepared by CVD</b>   |     |
| Y. Xu, P.H. Ma, Y.B. Dou and Y.Q. Cai  | 881 |
| <b>Hydrothermal Synthesis and Charaction of <math>\alpha</math>-Fe<sub>2</sub>O<sub>3</sub> Mesocrystals and Nanorings</b>   |     |
| B. Deng, Q.G. Li and C.C. Wang   | 886 |
| <b>The Ferroelectric and Electrical Properties of CaBi<sub>4</sub>Ti<sub>4</sub>O<sub>15</sub> Thin Films Prepared by Sol-Gel Technology</b>   |     |
| T.F. Chien, J.H. Tsai, K.H. Chen, C.M. Cheng and C.L. Wu   | 891 |
| <b>The Ferroelectric Characteristics of Ba(Zr<sub>0.1</sub>Ti<sub>0.9</sub>)O<sub>3</sub> Thin Films under Post-Annealing Treatment for Applications in Nonvolatile Memory Devices</b> |     |
| K.H. Chen, J.H. Tsai, C.L. Wu, J.Y. Lin and C.M. Cheng   | 895 |
| <b>Microstructure of <i>In Situ</i> TiB Reinforced Titanium Matrix Composite Coatings by Laser Cladding with Different Pre-Placed Powder Thickness</b>                                 |     |
| Y.F. Zhang and J. Li   | 899 |
| <b>Structure and Thermal Stability of Natural Rubber Reinforced with <i>In Situ</i> Generated Zinc Sorbate</b>   |     |
| Z.Q. Zeng, Z. Peng, L.X. Kong and H.C. Liu   | 903 |
| <b>A Novel Elastomer Simulated Skin Applied in Measurement of Extravehicular Liquid Cooling Garment</b>  |     |
| K. Yang and M.L. Jiao  | 908 |
| <b>Study on Dynamic Heat-Moisture Comport Properties of Moisture Transported and Dry-Fast Fiber</b>  |     |
| K. Yang, M.L. Jiao and L.Y. Hu   | 912 |
| <b>Effect of Electromagnetic Stirring Method on the Microstructure of an Al-Cu Alloy in Semi-Solid</b>   |     |
| L.J. Chen, Q.L. Jing and Y.H. Jiang  | 916 |
| <b>Screening Test of Phosphoric Acid-BTA Slurries for Copper ECMP Based on Static Inhibition Efficiency</b>  |     |
| W.J. Zhai and Y.Z. Yang  | 920 |
| <b>Solid-State Polymerization of 2,5-Dibromothiophene Derivatives and Properties of Corresponding Conducting Polymers</b>  |     |
| S.A. Chen, J.K. Xu, B.Y. Lu, X.M. Duan and F.F. Kong   | 924 |

|  |      |
|--|------|
| <b>Influence of the Second Phase Particle's Size Distribution on Grain Growth Based on Computer Simulation</b>   |      |
| X.F. Ma  | 930  |
| <b>Improved Detection of Hg<sup>2+</sup> in Aqueous Solution with High Sensitivity and Selectivity by Using Mercury-Specific DNA, Sybr Green I and Gold Nanoparticles</b>                        |      |
| H. Xu, S. Gao, J.N. Chen and Q.W. Liu  | 934  |
| <b>Study on Mechanism of NC Sheet Metal Incremental Forming</b>  |      |
| L.R. Zhou  | 940  |
| <b>The Research of Chemical Resistance for Air Curing FEVE Fluorocarbon Coatings</b>   |      |
| L. Li, X.C. Guo and Y.Y. Zhou  | 944  |
| <b>Phenyl-3-(1-Aniline)-1-Propene Schiff Base on N80 Steel in 15% HCl Solution</b>   |      |
| X.J. Fang, J. Zhang, C.F. Chen, Z.Q. Bai and W.H. Peng   | 949  |
| <b>The Wear Behavior of Electroless Ni-P/SiC Composite Coating</b>   |      |
| G.R. Yang, W.M. Song, X.M. Sun, Y. Ma, J.J. Lu and Y. Hao  | 954  |
| <b>Research on Core-Shell TiO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> by one-Step Hydrothermal</b>   |      |
| Z.P. Liu, C.M. Li and L.S. Yin   | 958  |
| <b>Study on the Degradation in Vitro of Ciprofloxacin-Polyurethane Materials</b>   |      |
| Z.G. Wen, C.Y. Li, C.C. Hu, J.H. Huang and S.X. Dong   | 963  |
| <b>Investigation of Phase Composition and Microstructure of the FeAl/Al<sub>2</sub>O<sub>3</sub> Composites Fabricated by Mechanical Alloying Process and Pressureless Sintering Process</b>     |      |
| T. Jiang   | 968  |
| <b>The Thermal and Electrical Transport Properties of Carbon Micro-Coil</b>  |      |
| F.Y. Wu, Y.Y. Wang, J.W. Zhang, Z.Y. Wang and Y.W. Zhou  | 972  |
| <b>Characterization of Fe-C Alloy Film Optical Fiber Corrosion Sensors by Fractal</b>  |      |
| L.H. Cai, W. Li and H.F. Fang  | 976  |
| <b>Study of Anti-Aging Properties of Aerodrome Oil-Depots Camouflage Paint</b>   |      |
| S.A. Sun, Y.W. Fei, Y.P. Xiao, H.W. Yang, S.S. Zhang and Z.M. Zong   | 981  |
| <b>The Effect of Load on Friction and Wear Behavior of NBR and FPM under Dry Sliding</b>   |      |
| X.R. Lv, H. Sun, X. Luo and S.J. Wang  | 985  |
| <b>Study on the Wear Resistance of Cast-Oozing Different Content of WC</b>   |      |
| A.Q. Wang, S.L. Wang and J.P. Xie  | 990  |
| <b>Sintering Temperature Effect on Ferroelectric and Piezoelectric Properties of Lead-Free Piezoelectric (K<sub>0.5</sub>Na<sub>0.5</sub>)NbO<sub>3</sub> Ceramics</b>                           |      |
| C.M. Cheng, M.C. Kuan, K.H. Chen, C.C. Shih and J.S. Jiang   | 994  |
| <b>Photocatalytic Activity of Bi<sub>2</sub>O<sub>3</sub> Prepared by Different Precipitants</b>   |      |
| J.B. Zhong, J. Zeng, J.Z. Li and W. Hu   | 998  |
| <b>Improvement on Oxygen Vacancies Effect of High Dielectric Constant (Ba<sub>0.7</sub>Sr<sub>0.3</sub>)(Ti<sub>0.9</sub>Zr<sub>0.1</sub>)O<sub>3</sub> Thin Films Using by Plasma Treatment</b> |      |
| K.H. Chen, C.L. Wu, J.Y. Lin and C.M. Cheng  | 1002 |
| <b>Photophysical Properties of Carbazole Derivative DPSPC Doped Composite Glass</b>  |      |
| Y.L. Deng, Y.H. Sun, D.X. Cao, Y. Chen and Z.Q. Liu  | 1006 |
| <b>The Effect of Support on the Electrochemical Performance of Composite Electrode Materials for Supercapacitor</b>  |      |
| Y.H. Sun, J.C. Zhao, H.H. Zhou, B.H.J. Tang, Y.Q. Gu, A.M. Tang, C.M. Liao and J.L. Xu   | 1010 |
| <b>Study on the Properties of Ni-Cu-P Plated Polyester Fabric</b>  |      |
| J.C. Zhan and Y.N. Gou   | 1014 |
| <b>Emulsion Synthesis and Properties of Polyaniline Spherical Nanoparticles</b>  |      |
| Y.X. Xing, S.Y. Jia, Y. Liu, S.H. Wu, H.T. Ren, W. Zhang and J.W. Hou  | 1018 |
| <b>Curing, Thermal Properties and Flame Resistance of Tetrabromo-BPA Epoxy Resin/Boron-Containing Phenol Resin</b>   |      |
| J.G. Gao, X.F. Zhang and H.Q. Lv   | 1022 |
| <b>Ordered Mesoporous Carbon/Cobalt Oxide Composites as the Electrode Materials for Supercapacitor</b>   |      |
| J.L. Xu, P. Liu, Y. Lu, J.C. Zhao, J.C. Feng, Y.W. Song and B.H.J. Tang  | 1026 |
| <b>Study of Interior Wall Coating Based on Metakaolin and Modified Starch</b>  |      |
| R.J. Zhou, M. Huang and S.S. Qiu   | 1030 |
| <b>Study of Sphere NC Sheet Metal Incremental Forming</b>  |      |
| L.R. Zhou  | 1036 |

|  |      |
|--|------|
| <b>Electrochemical Deposition of Carambolalike Ytterbium Hexacyanoferate(II) and its Application in Electrocatalysis</b>                   | 1040 |
| L.D. Feng, B.Q. Chen, Y.X. Gu, X.C. Cheng, J. Wu, W.G. Du and D.H. Li  |      |
| <b>Influence of Sm<sup>3+</sup> and Gd<sup>3+</sup> Co-Doping on Photocatalytic Activity of TiO<sub>2</sub></b>                            | 1045 |
| X.D. Lu and C.Z. Jiang   |      |
| <b>Fabrication, Stress Relaxation Behavior and Bioactivity Evaluation of HA-316L Asymmetrical Functionally Gradient Biomaterial</b>        | 1049 |
| J.P. Zou   |      |
| <b>Study on Hydrogen Generation from Al-Li/NaBH<sub>4</sub> Mixture in Pure Water for Portable Fuel Cell</b>                               | 1058 |
| S. Liu, H.B. Bao, M. Fan, D. Chen and K.Y. Shu   |      |
| <b>Investigation of Physico-Chemical Properties and Microstructure of HA/316L Asymmetrical Functionally Gradient Biomaterial</b>           | 1062 |
| J.P. Zou   |      |
| <b>Study on the Mechanical Property of Cu-Filled Isotropically Conductive Adhesive/SiO<sub>2</sub> Composites</b>                          | 1068 |
| J.H. Zhong, Z.H. Li and L.Y. Ou Yang   |      |
| <b>Study on Microstructure and Mechanical Properties of Ni/TiC Composites by Laser Induced Self-Propagating High-Temperature Synthesis</b> | 1072 |
| Y.X. Li and P.K. Bai   |      |
| <b>Ablation Properties of C/C-ZrC-SiC Composites by the Precursor Infiltration Pyrolysis</b>   | 1076 |
| M.J. Gao, L. Chen, Y.S. Hua, J.B. Zhang, J.F. Pan, C.J. Zhou, M.S. Ren and J.L. Sun  |      |
| <b>Formation of the Surface Oxide Film on as-Cast Mg-7Li Alloy</b>   | 1082 |
| J.G. Li, Y. Lv, M.Q. Li, Z.J. Wei and X.C. Meng  |      |
| <b>Bulk-Quantity Synthesis of Ultralong SnO<sub>2</sub> Nanowires and their Application to a Backgated Triode Emission Device</b>          | 1088 |
| L.A. Ma, J.Y. Lin, L.Q. Hu, Y. Ye and T.L. Guo   |      |
| <b>Effect of Different Coiling Temperature on Mechanical Properties in Hot Rolled TRIP Steel</b>   | 1092 |
| X.T. Gao, A.M. Zhao, Z.Z. Zhao, M.M. Zhang and D. Tang   |      |
| <b>Transparent Glass-Ceramics Derived from Spontaneously Crystallized Phosphosilicate Glasses</b>  | 1096 |
| S.J. Liu and Y.F. Zhang  |      |
| <b>The Properties of OMMT-PAN-Binary of Fatty Acids Blends as Phase Change Materials</b>   | 1101 |
| J. Guo, H.X. Xiang and C.N. Hu   |      |
| <b>A New Schiff's Base Fluorescent Sensor for the Selective Detection of Mercury Ion</b>   | 1105 |
| X.M. Wang, H. Yan, Y. Chen and H.B. Bao  |      |
| <b>Immobilization of Strontium Waste into Synroc by the Combustion Synthesis</b>   | 1109 |
| R.Z. Zhang, J. Yang, Y. Li, D.K. Yan, W.S. Su and Z.M. Guo   |      |
| <b>Application of High Volume Fly-Ash Concrete in Mining Roads</b>   | 1114 |
| K. Zhu and L.M. Zhang  |      |
| <b>Study on Synthesis of the High Aspect Ratios Nesquehonite Whiskers</b>  | 1118 |
| P.K. Yan, B. Wang and Y.J. Gao   |      |
| <b>Catalytic Ozonation for the Degradation of p-Chloronitrobenzene in Aqueous Solution by Pumice</b>                                       | 1123 |
| L. Yuan, Z.L. Chen, Y. Liu and Y. Liu  |      |
| <b>Transparent Poly(methyl methacrylate)/TiO<sub>2</sub> Nanocomposites for UV-Shielding Applications</b>                                  | 1129 |
| X.F. Meng, Z.W. Zhang and N. Luo   |      |
| <b>Improvement on Impact Strength of the Nylon 1010 Injection Products with Inlay</b>  | 1137 |
| J.M. Zhang, M.Y. Zhu and Z.X. Lian   |      |

## 5 Material Processing Technology

|   |      |
|---|------|
| <b>Preparation and Characterization of PP-g -GMS -St For PP/O-MMT Composite Materials</b> | 1143 |
| S.H. Wang and S.M. Yang   |      |
| <b>The Preparation of Bioactive Glass Microspheres in W/O Emulsion</b>                    | 1149 |
| Q.F. Liu, B. Yuan and X.F. Chen   |      |

|  |      |
|--|------|
| <b>Reactive Grafting of Glycidyl Methacrylate onto Poly (Ethylene-1-Octene)</b>  | 1153 |
| H.J. Shao, J.B. Guo, Y.J. Li, J. Yu and S.H. Qin   |      |
| <b>Manganese Silicate Catalyzed Ozonation of m-Chloronitrobenzene in Drinking Water</b>  | 1159 |
| Y. Liu, Z.L. Chen, Y. Liu, Y. Han, H. Wang and J.M. Shen   |      |
| <b>Stress and System Energy in Erosion Process for Brittle Materials</b>   | 1165 |
| X.Q. Lian, X.M. Feng and M.X. Jiang  |      |
| <b>Engine Oil-dish Dies Design Based on CAE</b>  | 1171 |
| J. Zhou, L.J. Li, W.X. Zhou, D.C. Zhou and K. Cheng  |      |
| <b>A Simple Way to Prepare C-doped TiO<sub>2</sub> with Visible Light Photocatalytic Activity</b>  | 1175 |
| L.H. Nie, H.T. Xu and S.D. Yuan  |      |
| <b>A New Type of Organic Ferroelectric Material Based on Maleopimamic Acid Anhydride</b>   | 1180 |
| Y. Sui, D.S. Liu and R.H. Hu   |      |
| <b>Preparation and Characterization of Fe<sub>3</sub>O<sub>4</sub>-Pt/C Electro-Catalysts for Zinc-Air Battery Cathodes</b>              | 1184 |
| H. Zhao, H.L. Wang, L.J. Liang, H.F. Xu and J. Fu  |      |
| <b>A Stable Biomimetic Superhydrophobic CuO Surface Prepared by a Facile and Inexpensive Environmental-Friendly Method</b>               | 1190 |
| Z.Q. Yuan, X.H. Hao, P. Shi, Y.J. Liu and G.S. Zeng  |      |
| <b>Research on Effects of Inhibitors on Anti-Corrosion Performance of Reinforced Bar in the Concrete</b>                                 | 1195 |
| L.B. Song, D.W. Yang, Z.L. Xiao and F. Zhang   |      |
| <b>Preparation and Properties of Polyacrylonitrile / Binary of Fatty Acids Composites as Phase Change Fibers</b>                         | 1199 |
| J. Guo, H.X. Xiang, X.Y. Gong and Q.Q. Wang  |      |
| <b>The Effect of Cr on the Microstructure and Wear Resistance of Fe-Cr-V-C Hardfacing Alloys</b>   | 1203 |
| L. Zong and Z.J. Liu   |      |
| <b>Spinning Process and Mechanical Properties Analysis of PTT Filament Core Spun Yarn</b>  | 1207 |
| Y. Xue and E.L. Yang   |      |
| <b>Transparent Polyimides and their ITO Flexible Conductive Film</b>   | 1211 |
| Y.H. Lu, Z.Z. Hu, J.M. Bian and Y.F. Wang  |      |
| <b>Corrosion Properties of Arc Spray Zn-25Al and Zn-50Al Coating in Marine Environment</b>   | 1215 |
| Q.J. Zhu and K. Wang   |      |
| <b>Research of Impact of Stray Current from Urban Rail Transit System on Buried Gas Pipeline</b>   | 1219 |
| Z.G. Chen, C.K. Qin, Y.J. Zhang and J.X. Tang  |      |
| <b>Effect of Piezoelectricity on Nonlinear Free Vibration of Moderately Thick Laminated Piezoelectric Plates</b>                         | 1223 |
| Y.F. Zheng and L.Q. Deng   |      |
| <b>Solvothermal Synthesis of Nanostructured <math>\alpha</math>-Ni(OH)<sub>2</sub>/ Mesoporous Carbon Composites for Supercapacitors</b> | 1227 |
| Z.J. Yu, Y. Dai and W. Chen  |      |
| <b>First-Principles Study on the Electronic Structure of N-Doped Orthorhombic SrHfO<sub>3</sub></b>                                      | 1231 |
| Q.J. Liu, Z.T. Liu, L.P. Feng and H. Tian  |      |
| <b>Pulse Electrodeposited Nanocrystalline Ni-W-Fe-La Alloys as Hydrogen Electrocatalytic Materials</b>                                   | 1235 |
| Z. Liu, J.D. Zhang, Y.Z. Zhou and X.H. Zhang   |      |
| <b>Effects of Trace Elements on the Formation of Spheroidal Graphite in Ductile Iron</b>   | 1239 |
| X.G. Diao, Z.L. Ning, F.Y. Cao, S.Z. Ren and J.F. Sun  |      |
| <b>Microstructure and Mechanical Properties of <i>In Situ</i> Al<sub>2</sub>O<sub>3</sub>- Ti(C,N) Composites</b>                        | 1243 |
| X.M. Feng, X.Q. Lian, M.X. Jiang and Y.N. He   |      |
| <b>New Technology with Efficient and Energy-Saving to Prepare Semisolid Alloy Slurry</b>   | 1248 |
| Z. Liu and X.M. Liu  |      |
| <b>Effect of Prior Deformation on Properties of Cu-Cr-RE Alloys</b>  | 1253 |
| Z.H. Guo, G.W. Shuai and P. Fang   |      |
| <b>Numerical Study on Controllable Multi-Band Microwave Metamaterial Absorbers</b>   | 1260 |
| W.W. Ji, T. Wang, Y. Nie and R.Z. Gong   |      |

|  |      |
|--|------|
| <b>Research on MIB Surface Modification of Cr12MoV Cold-Working Die Steel</b><br>X.F. Ding, B.Q. Zeng, A.G. Lin, Z.D. Xie and C.X. Mu  | 1265 |
| <b>A Novel Anisotropic Electroactive Liquid Crystalline Polyimide Containing Aniline Trimer Segments</b><br>S.W. Liu, Q.Y. Cao, Y. Zhang, Z.G. Chi and J.R. Xu   | 1269 |
| <b>Effects of Film Thickness on Microstructure and Ferroelectric Properties of Bi<sub>3.15</sub>Nd<sub>0.85</sub>Ti<sub>3</sub>O<sub>12</sub> Thin Films Prepared by Sol-Gel Method</b><br>C.Y. Liu, D. Guo, C.B. Wang, Q. Shen and L.M. Zhang | 1275 |
| <b>Study of the Surface Morphology and the Microstructure of PAN-Based Carbon Fibers</b><br>X.J. Zhang, Z. Han, Y.H. Tian and Y.F. Yang  | 1279 |
| <b>Study of the Molecular Hydrogen-Zeolites Interaction</b><br>X.M. Du, Y. Huang and E.D. Wu   | 1283 |
| <b>Biodegradable Behaviors of Mg-6%Zn-5%Hydroxyapatite Biomaterial</b><br>J. Zhao, Z.M. Yu, K. Yu and L.J. Chen  | 1287 |
| <b>Influence of Ultrasonic on the Property of Electroless Plating Ni-Cu -P Alloy Coating at Low Temperature</b><br>H. Sun, K.G. Liu, H.F. Ma and L.M. Feng   | 1292 |
| <b>Solvent Cutting to Make Superior Coal Tar Pitches</b><br>J.S. Zhou, X.Y. Wei, Y.Q. Dou, G.Z. Gong, P. Li, X.M. Yue, B. Chen, F.W. Wang, C.H. Feng and Z.M. Zong   | 1296 |
| <b>Magnetic Characterization of SUS316L Deformed by High Pressure Torsion</b><br>H.C. Wang, M. Umemoto, I. Shuro, Y. Todaka and H.H. Kuo   | 1300 |
| <b>Electronic Structures and Optical Properties of CuIn<sub>1-X</sub>Ga<sub>X</sub>Se<sub>2</sub> by First-Principle Calculations</b><br>Z.B. Li   | 1304 |
| <b>Influence of Heat Treatment Condition on Low Cycle Fatigue Life of a Rolled AZ80 Magnesium Alloy Sheet</b><br>Z.J. Wang   | 1309 |
| <b>Effect of Catalysts on Preparation of Sol-Gel Derived SiO<sub>2</sub> Antireflective Coating</b><br>Y.C. Wang and R.M. Jin  | 1313 |
| <b>Experiment Research of Halogen-Free Flame Retardant System for Oil-Extended SEBS</b><br>X.Y. Li and X. Wang   | 1317 |
| <b>Optimization of Texturization on Monocrystalline Silicon Solar Cell</b><br>X.F. Gou, P. Wang, L.K. Jiang, S. Song and Y. Xu   | 1322 |
| <b>Microstructure and Mechanical Behaviors of the New LAZ1151 Mg-Li Alloy</b><br>C.W. Cheng, J.J. Huang, S. Lee, J.Y. Wang and C.T. Chiang   | 1326 |
| <b>Pervaporation Dehydration of Aqueous Ethanol Solution with Zeolite-Filled Poly (vinyl Alcohol) Composite Membranes</b><br>Z. Huang, Y.H. Guo, G.M. Guo and L.J. Teng  | 1331 |
| <b>Comparative Study on Corrosion Behavior of Zinc-Aluminum Coated Steel under Thin Electrolyte Layers</b><br>X.D. Zhao, J. Yang and S.H. Xing   | 1335 |
| <b>Improving the Precision of Moisture Content Detection by Use of Electrical Resistance Method</b><br>Q.F. Zhou, Y.C. Cai and M.X. Huang  | 1339 |
| <b>A Novel Piezoelectric Micro-Dissection Tool with Ultrasonic Vibration</b><br>Y.X. Liu, M. Zhong and L.G. Chen   | 1343 |
| <b>Influence of Dicumyl Peroxide and Maleic Anhydride on the Tensile Properties of HDPE-Calcium Carbonate Composites</b><br>R.B. Guo, J.S. Yao and Z.Y. Yang   | 1349 |
| <b>Correlations between Coating Components and Mechanical Properties of Weld Deposited Metal</b><br>G.G. Meng, J.J. Chu, J.Y. Luan and Y.S. Chen   | 1353 |
| <b>Lubrication Properties of Aqueous Solutions with Polyethoxylated Ether (PEOE) Added</b><br>C.H. Zhang, S.S. Liu, Y.T. Sun and J.M. Liu  | 1359 |
| <b>Preparation and Characteristics of Novelty Chitosan Schiff Base and its Zinc Complexes</b><br>X.W. Wu and Y. Xiong  | 1364 |

|   |      |
|---|------|
| <b>Effects of Atomic Oxygen Irradiation on PDMS/POSS Hybrid Films in Low Earth Orbit Environment</b>  |      |
| M.M. Song, S.W. Duo and T.Z. Liu  | 1368 |
| <b>Electrodeposition of PANI/MnO<sub>2</sub> Composite on SnO<sub>2</sub>/Ti Substrate for Supercapacitor Electrode</b>   |      |
| Y.K. Zhang, J.L. Li, F. Gao and X.D. Wang   | 1372 |
| <b>Study on the Physical and Chemical Properties of Lueyang's Basalt Fiber</b>  |      |
| J.J. Li, Y. Meng and Y.C. Liu   | 1376 |
| <b>Synthesis and Characterization of Polyaniline Film</b>   |      |
| N. Xu, X.D. Shen and S. Cui   | 1382 |
| <b>Preparation of Hexaphenylamine Cyclotriphosphazene and its Green Flame Retardance on Epoxy Molding Compound for Large-Scale Integrated Circuit Packaging</b> |      |
| M.S. Yang and L.K. Li   | 1386 |
| <b>Comparison and Thermodynamic Analysis of Crystallinity of Noncrosslinking and Crosslinking Fluorinated Acrylate Copolymers Films</b>                         |      |
| H.Q. Chen, B. Wu, Z.Q. Cai, P.H. Pi, X.F. Wen, D.F. Zheng, J. Cheng and Z.R. Yang   | 1391 |
| <b>Synthesis and Electrochemical Properties of Macro-/Microporous Carbon Foams</b>  |      |
| W. Xiong, M.X. Liu, L.H. Gan, X.G. Wang, Z.J. Xu, Z.X. Hao, H.L. Liu and L.W. Chen  | 1396 |
| <b>The Influence of BaF<sub>2</sub> Flux Concentration on the Luminescence of Sr<sub>3</sub>SiO<sub>5</sub>:Eu<sup>2+</sup></b>                                 |      |
| G.F. Xu, Q.S. Liu, L. Zhao, D.D. Cao, R. Wang, Y.P. Luo, Z. Guo and X.Y. Zhang  | 1400 |
| <b>Study on Techniques of Elastic Clamping and Plastic Cutting</b>  |      |
| Y.Y. Liu  | 1405 |
| <b>Corrosion Inhibition of Mild Steel by Benzotriazoliumionic Liquid in Hydrochloric Acid</b>   |      |
| H.M. Wang, K.L. Huang and Z.P. Zhu  | 1409 |
| <b>Formation of Antithermal Shock Composite Membrane on Aluminum Alloy through Anodic Oxidation</b>   |      |
| L.W. Zhang, J.D. Chen, B. Xie, Z.P. Qiu, J. Bu and N. Zhang   | 1414 |
| <b>Analysis on Influence of Oil Film Thickness on Temperature Field of Heavy Hydrostatic Bearing in Variable Viscosity Condition</b>                            |      |
| Y.Q. Zhang, X.Q. Xu, X.D. Yang, H.M. Li, H. Jiang, X.Y. Yu and Z.M. Shi   | 1418 |
| <b>Recycled Applications of a Single Crystal Superalloy</b>   |      |
| J.J. Yu, X.F. Sun, J.X. Lou, H.X. Lang, H.R. Guan and Z.Q. Hu   | 1422 |
| <b>The Stability of a-Si:H Thin Films in Different Environment</b>  |      |
| P.L. Yang, Q.N. Zhao, Y. Liu, W.H. Yuan and W.Y. Wang   | 1428 |
| <b>Graft Copolymerization of Starch and Acrylamide Initiated by AIBN in Aqueous Two-Phase System</b>  |      |
| Y.F. Cao, Z.L. Liu, Y. Li and F.Z. Tan  | 1433 |
| <b>Study on Friction Stir Spot Welding Procedure of AZ31 Magnesium Alloy</b>  |      |
| C.G. Ding, C.J. Guo, G.F. Quan and F. Wu  | 1437 |
| <b>A Novel Technique for Preparation of the Fluorescence Sensor Based on Covalent Immobilization of 1-Aminopyrene</b>   |      |
| S.Z. Tan, P.N. Zeng, Z. Cao, J.Y. Xia and W. Li   | 1442 |
| <b>Preparation and Photoluminescence Properties of Nd<sup>3+</sup> -Doped Silicate Glasses</b>  |      |
| Z.Y. Song   | 1448 |
| <b>Study of Properties of Ni-Base Nano-ZrO<sub>2</sub> Composite Plating Coatings</b>   |      |
| L. Zhang, B.L. Sun, L. Wang, Y. Xu, Y. Li and X. Shen   | 1452 |
| <b>Sc<sub>2</sub>O<sub>3</sub> and Gd<sub>2</sub>O<sub>3</sub> Co-Doped Strontium Zirconate as a New Thermal Barrier Coating Material</b>                       |      |
| W. Ma, F.Y. Song, W.S. Lun, D.X. Wang, H.Y. Dong and X.B. Zheng   | 1457 |
| <b>Fast Analysis of Nitrobenzene by Nitroreductase Modified Electrode</b>   |      |
| C.M. Liu, H.B. Cao, Y.P. Li and Y. Zhang  | 1463 |
| <b>Fractal Growth of Minerals: a Modified DLA Model</b>   |      |
| Y.S. Xie, C.R. Tu, K.X. Tan and L. Chen   | 1470 |
| <b>Modeling of Grain Growth with Second Phase Particle Pinning by Cellular Automata Method</b>  |      |
| H.Z. Li and X.F. Ma   | 1474 |
| <b>Corrosion and Ni-P Coating Protection of Carbon Steel Used in Hypochlorite Disinfection Solution</b>   |      |
| J. Sun, R. Yan, T. Liang, Z.Z. Ji and J.H. Meng   | 1478 |

|  |      |
|--|------|
| <b>Fibrillation of Lyocell Fiber and its Application in Battery Separator</b>  | 1482 |
| X.W. Wang, J. Hu and J. Long   |      |
| <b>Band Gaps of SH Wave in Piezoelectric Phononic Crystal</b>  | 1486 |
| M. Lan and P.J. Wei  |      |
| <b>Research on Calculation Method of Fuel Consumption Rate Base on Engine Universal Characteristics</b>  | 1490 |
| F.B. Bao   |      |
| <b>Fatigue Microcrack Initiation and Propagation of Aluminum Alloy under Different Stress Level and Stress Ratio</b>   | 1495 |
| G.X. Bian, Y.L. Chen, J.J. Hu and Y. Zhang   |      |
| <b>Ferroelectric Properties and Raman Scattering Spectra of <math>\text{Bi}_{1-x}\text{Gd}_x\text{FeO}_3</math> Ceramics</b>   | 1501 |
| C.M. Wang, H.Y. Dai, T. Li, R.Z. Xue, L. Su and Z.P. Chen  |      |
| <b>The Structure, Deformation and Properties of Al-5%Fe-Based Alloy</b>  | 1505 |
| D.J. Fu, X.G. Yuan and S. Li   |      |
| <b>Morphological Changes of Irradiated PMMA via Supercritical Carbon Dioxide Treatments</b>  | 1510 |
| X.L. Ling, Z.F. Tang and S.R. Huang  |      |
| <b>Flotation Desulfurization of High-Sulfur Bauxite with Ethyl Thio Carbamate as Collector</b>   | 1515 |
| X.M. Wang and T.A. Zhang   |      |
| <b>The Effect of Diacids and Diols on the Lipase-Catalyzed Synthesis and Properties of Biodegradable Functional Polyester</b>  | 1520 |
| D.H. Yao, G.J. Li and Y.Q. Zhang   |      |
| <b>Preparation and Properties of <math>\text{TiB}_2</math> Coating against Erosion by Molten Al-12.07wt.%Si Alloy</b>  | 1524 |
| X. Chen, R.Y. Zhang and F. Li  |      |
| <b>Study on Effect of External Conditons for Hydrogenation Pump on the Dehydrogenation of Molten Aluminum</b>  | 1529 |
| D. Wang, S.L. Li, W.J. Li and J.G. Li  |      |
| <b>Transparent Hydrophobic Fluorocarbon Coatings Fabricated on Regenerated Cellulose Films by RF Magnetron Sputtering</b>  | 1534 |
| Y.H. Zhang, Q. Ji, Y.F. Hu and X.Q. Sun  |      |
| <b>Study on Formula of the Sizing Agent for Glass Fiber Reinforcedpolypropylene</b>  | 1539 |
| <b>Dynamically Regulate and Control Complicated Auto Panel Uniform Forming</b>   | 1543 |
| M.Y. Zhao, Q.W. Chen, K.M. Xue and P. Li   |      |
| <b>Counter-Ion Induced Morphological Control of Polypyrrole/<math>\text{Fe}_3\text{O}_4</math> Nanocomposites in the Presence of Surfactant CTAB</b>                 | 1552 |
| C.M. Yang, D.B. Xiong and H.B. Wang  |      |
| <b>Fluorescence Properties of <math>\text{Tb}^{3+}</math>: <math>\text{SiO}_2\text{-M}_2\text{O}_3(\text{M=Al,Ga})\text{-LiF-CaF}_2</math> Glasses</b>               | 1558 |
| L.G. Zhu, A.X. Lu, C.G. Zuo and W.Q. Shen  |      |
| <b>Inhibition of the Growth of Au Nanoparticles for Xanthine Sensing: Spectral and Electrochemical Studies on the Interactions between Xanthine and Au(III) Ions</b> | 1562 |
| H.C. Pan, D.N. Li, J.T. Liu, J.P. Li, W.Y. Zhu and R.J. Cui  |      |
| <b>Preliminary Study on Fresh Storage of Orange with Tourmaline</b>  | 1568 |
| S.Y. Wu and P. Wang  |      |
| <b>Fabrication of Rheological Material by Rotating Gas Bubble Stirring</b>   | 1573 |
| L. Zhang, X.P. Dong, W.J. Wang, R. Ma, K. Li and Z.T. Fan  |      |
| <b>The Corrosion Resistant Cement System for Oil and Gas Wells</b>   | 1577 |
| H. Yang, D.J. Chen and H. Zhao   |      |
| <b>Effect of Cr/Zr on the Electrochemical Behavior of Copper in <math>\text{NaCl}/\text{NaOH}/\text{HCl}</math> Solution</b>   | 1582 |
| Y.N. Zhang, M.S. Zheng and J.W. Zhu  |      |
| <b>Study on Cross Section Geometry of Preform for the Forming Laws of a Symmetrical Rib-Web Component</b>  | 1586 |
| M.H. Wang, Z.M. Xu, Y.F. Li and J. Zhou  |      |
| <b>The Effect of Bainitic Transformation Microstructure under Applied Stress on Corrosion Resistance of HQ785 Steel</b>  | 1591 |
| Y.H. Wang, W.J. Li and L. Jin  |      |
| <b>Metal Flow Rule of Multi-Way Tube Hydro Forming for Air Handling Unit</b>   | 1597 |
| H.D. Wen, X.T. Xiao, K. Zhang and Y. Chen  |      |

|  |      |
|--|------|
| <b>Mechanical Properties of Natural Rubber and Chloroprene Rubber Latex Blends</b>   | 1601 |
| X.X. Liao, H.S. Tan, M.C. Luo, B. Tang, S.Q. Liao and X.D. Wei   |      |
| <b>Synthesis, Optoelectronic Properties of a Novel Photochromic Diarylethene Bearing Phenyl and Thienyl Group</b>  | 1605 |
| D.H. Jiang, W.P. Wang, S.Z. Pu and W.J. Liu  |      |
| <b>Synthesis a New Diarylethene Bearing N-Propyl as Holographic Optical Recording Medium</b>   | 1609 |
| S.Q. Cui, S.Z. Pu and W.J. Liu   |      |
| <b>Influence of Sintering Temperature on the Electrochemical Performance of <math>\text{Sm}_{0.5-x}\text{Gd}_x\text{Sr}_{0.5}\text{Co}_{3-\delta}/\text{Gd}_{0.1}\text{Ce}_{0.9}\text{O}_{1.95}</math> Composite Cathode</b> | 1613 |
| J.M. Zhai, X.W. Song, F. Zhou and S.L. An  |      |
| <b>Effect of High-Pressure on the Accelerating Ripening of Gouda Cheese</b>  | 1617 |
| H.P. Liu, X.Y. Zhang, F.R. Wei and L.H. Li   |      |
| <b>Quantitative Evaluation of the Glass Forming Ability of (Cu-Zr) Based Glass Alloys with Thermodynamics Method</b>   | 1622 |
| H.Q. Li and L.F. Liu   |      |
| <b>Influence of Substrate Temperature on the Properties of Al-Doped Zinc Oxide Films Prepared by DC Reactive Magnetron Sputtering</b>  | 1626 |
| C.H. Yang and Z.Q. Ma  |      |
| <b>Fretting Wear Behavior of ZR-ALLOY in <math>\text{Na}_2\text{SO}_4</math> Solution</b>  | 1633 |
| J.W. Li and J.Y. Shen  |      |
| <b>Evenly Supported <math>\text{TiO}_2</math> on Activated Carbon Fiber and its Photocatalytic Degradation Property</b>  | 1637 |
| X. Wang, Q.F. Wu and S.F. Xuan   |      |
| <b>Microwave-Assisted Hydrothermal Synthesis of Hexagonal Columnar-Shaped Calcium Carbonate</b>  | 1643 |
| Q. Tang, X.Y. Chen, W.B. Hu and G.Y. Zhou  |      |
| <b>Ultrasonic Assisted Electro Deposition and Characterization of Ni-P Alloy onto Sintered NdFeB Magnet</b>  | 1649 |
| L. Li, F.F. Wang, Z.W. Niu and D. Wang   |      |
| <b>A Novel Electrochemical Impedance Biosensor Based on Plasma-Polymerized Films for Detection of Biotin</b>   | 1653 |
| T. Deng, Z. Cao and G.L. Shen  |      |
| <b>Photochromism of New Hybrid Diarylethenes Bearing a Thiophene and Isoxazole Moiety</b>  | 1657 |
| R.J. Wang, S.Z. Pu and S.Q. Cui  |      |
| <b>Microstructures of Co-Continuous <math>\text{SiC}/\text{Fe}-2\text{Cr}13</math> Composite Fabricated by Vacuum-Pressure Casting and Infiltration Processes</b>  | 1661 |
| L. Yu, Y.L. Jiang, H.Q. Ru, J.T. Liu and K. Luo  |      |
| <b>Preparation and Characterization of Aqueous Oil-Modified Polyurethane</b>   | 1665 |
| X.Q. Chen, C.B. Wu, Z.J. Xue, Y.Z. Geng and J.J. Xiao  |      |
| <b>Study on the Lead-Free Easy-Cutting Mg-Sb Brass</b>   | 1670 |
| L. Li, B. Ma, Q. Li and G.J. Huang   |      |
| <b>Synthesis, Properties and Application in Optical Memory of a Photochromic Diarylethene Bearing Chlorine Atoms</b>   | 1674 |
| M. Liu, S.Z. Pu and G. Liu   |      |
| <b>Alumina Sol-Gel Film for Pretreatment to Paint on Aluminum Alloy</b>  | 1678 |
| Q. Zhou, P. Zhao, C.L. He and Q.K. Cai   |      |
| <b>Study on the Brush Plating Tecnology of Austenite Stainless Steel Parts</b>   | 1682 |
| B.X. Guo, X.Y. Luo and Y.K. Gao  |      |
| <b>An Efficient Visible Photocatalytic System Containing Eosin Y, Multiwalled Carbon Nanotubes and <math>\text{CuO}</math> for <math>\text{H}_2</math> Evolution from Water</b>  | 1686 |
| J. Zhang, X.L. Zhao, S.Z. Kang, P.P. Yao, X.Q. Li and J. Mu  |      |
| <b>Degradation of Rhodamine B in Wastewater Using Nanometer <math>\text{TiO}_2</math> Film under UV Light Irradiation</b>  | 1690 |
| P. Tian, Z.Y. Shi, Y.H. Kang, G. Liu, L.Y. Liu and H. Zhang  |      |
| <b>Research on Absorbing Properties of Nickel Plating Carbon Fiber-Resin Composites</b>  | 1694 |
| Y. Qin, Y. Zhou and Z.X. Huang   |      |
| <b>Influence of Annealing Temperature on Microstructure and Magnetic Properties of Ti/Ni/Ti Thin Films</b>   | 1699 |
| S.Z. Feng, J.H. Liu, P. Hao, Y.H. Dong and H.Y. Sun  |      |

|  |      |
|--|------|
| <b>Synthesis and Characterization of Star-Shaped Porphyrin-Cored Poly(L-lactide)</b>   | 1703 |
| X.H. Dai, W. Liu, Y.F. Huang and C.M. Dong   |      |
| <b>The Coating Fragile Phase Thickness Measure Methods of Galvannealed Steel Sheet</b>   | 1707 |
| Y.W. Zhang, J.H. Wang and Y. Chen  |      |
| <b>Synthesis and Characterization of Novel Amphiphilic Helical Copolymer</b>   | 1711 |
| D.M. Yue, D. Zhao, T. Yu, W.M. Wang and L.Q. Zhang   |      |
| <b>Synthesis of Misfit-Layered Copper-Manganese Oxides</b>   | 1717 |
| C.L. Zhou, Q. Zhang, S.Y. Xu, K.D. Zhi, R.X. He and Q.S. Liu   |      |
| <b>Synthesis and Characterization of Alkyd Resin Based on Soybean Oil Polyols</b>  | 1721 |
| X.Q. Zheng, L.T. Yang and K.P. Wang  |      |
| <b>Preparation, Characterization and Application in Electromagnetic Wave Absorption of Core-Shell C/Fe<sub>3</sub>O<sub>4</sub> Nanocomposites</b>                                   | 1725 |
| Q.C. Liu, J.M. Dai, Z.F. Zi, D.J. Wu and Y.P. Sun  |      |
| <b>Geometric Analysis in an MR Fan Clutch</b>  | 1731 |
| J.Z. Ma, G.C. Wang and D. Zuo  |      |
| <b>Polymorphological LaVO<sub>4</sub>:Dy<sup>3+</sup> Phosphors: Hydrothermal Synthesis and Luminescent Properties</b>   | 1735 |
| G.C. Liu and K.L. Huang  |      |
| <b>Dyeing of Silk/PLA Mixture with Reactive Dyes</b>   | 1739 |
| K.Q. Liu, Y.L. Rui and G.Q. Chen   |      |
| <b>Influence of PEG20000 on Ultrafine ZnO Flowers</b>  | 1743 |
| X.Y. Shen, Y. Sun, Y. Liang, Y.C. Zhai and Z.Q. Ning   |      |
| <b>Applications of P-Type NiO in Dye-Sensitized Solar Cells</b>  | 1747 |
| T.L. Chiang, C.S. Chou, D.H. Wu and C.M. Hsiung  |      |
| <b>Electrochemical Migration and Rapid Whisker Growth of Zn and Bi Dopings in Sn-3.0Ag-0.5Cu Solder in 3wt.% NaCl Solution</b>   | 1751 |
| L. Hua, M.W. Sou, W.J. Zhang and Q.L. Hu   |      |
| <b>The Relationship between the Initial Gas Ratios and the Condensed Phase Composition in the CVD of B<sub>x</sub>C with BCl<sub>3</sub>-CH<sub>4</sub>-H<sub>2</sub> Precursors</b> | 1761 |
| J.L. Deng, L.F. Cheng, L.N. Gao and K.H. Su  |      |
| <b>Impact of Functional Layer for Thermal Stress of Concrete Pavement Structure</b>  | 1766 |
| B. Yang, C.T. Chen and D.M. Yuan   |      |
| <b>Performance of Thermal Insulation Reflective Composite Coatings</b>   | 1771 |
| M.Q. Jia and Y.H. Jin  |      |
| <b>Synthesis and Characterization of Compostite Functionalized Mesoporous Materials Based on Silica as Separation Medium and Application in Electroplanting Additive Analysis</b>    | 1775 |
| H.T. Chu, Y. Wang, J.Q. Zhang and M.Z. An  |      |
| <b>Fabrication of Two-Dimensional Array of Nanophase Cobalt Oxyhydroxide by Bio-Templating</b>   | 1781 |
| T. Wang and L. Guo   |      |
| <b>Intelligent Modeling for Rate-Dependent Hysteresis Nonlinearity in Magnetostrictive Actuator</b>  | 1785 |
| Z.K. Guo and Z.Q. Song   |      |
| <b>Experimental Study of the Corrosion Behaviors on the Rod and Tube Material in Oil Pumping Wells</b>   | 1790 |
| Y.Q. Wang  |      |
| <b>Mechanical Properties of a Microcapsule-Containing Epoxy for Self-Healing Applications</b>  | 1794 |
| X. Liu and J.K. Lee  |      |
| <b>Heat Resistance of Ferritic Stainless Steels with 15% Chromium for Automobile Exhaust System</b>  | 1799 |
| H.B. Li, Z.H. Jiang, Q.F. Ma and D.P. Zhan   |      |
| <b>Effects of Pyrolysis Conditions on the Permeance of Phenol-Formaldehyde Resin Based Carbon Membrane for CO<sub>2</sub> Separation</b>   | 1804 |
| W. Wei, G.T. Qin, P.J. Tang and L.P. Wu  |      |
| <b>Chemical Tempering Process and Characterization of Na-Ca-Si Glass</b>   | 1809 |
| Z.L. Wang  |      |
| <b>Affects of Citric Acid Concentration and System pH on the Speed and the Stability of Nickel Electroless Plating</b>   | 1813 |
| D.F. Liu and H. Wang   |      |

|   |  |      |
|---|--|------|
| <b>Research on Two Novel Functional Citral-Based Azobenzene Derivatives with Different Substituted Groups</b>   |  |      |
| J.X. Zhou, T.F. Jiao, X.H. Li, W.Z. Liu and Y.Y. Xing   |  | 1819 |
| <b>Improvement in Ovality of Pipeline Steel X80 with Weld Power under Multi-Wire SAW Welding Process</b>  |  |      |
| Y.B. Li, M.H. Huang and X.J. Lu   |  | 1823 |
| <b>Thermo-Physical Properties of SiCAI Composites with High Volume Fraction of Reinforcement Prepared by Combining Powder Injection Molding and Pressure Infiltration</b> |  |      |
| H. He and Y.M. Li   |  | 1832 |
| <b>Preparation and Characterization of Magnetic Strong-Base Anion Exchange Resin</b>  |  |      |
| C.D. Shuang, F. Yang, Y. Zhou, P.H. Li and A.M. Li  |  | 1838 |
| <b>Preparation of Uniform Hypercrosslinked Microspheres with Large Specific Surface Area</b>  |  |      |
| Q. Zhou, S.L. Tang, M.C. Zhang and A.M. Li  |  | 1842 |
| <b>Optimization of Six Strand Tundish Based on Flow and Temperature</b>   |  |      |
| S.L. Li, X.G. Ai, D.W. Zhang, N. Lv and X.D. Hu   |  | 1846 |
| <b>Photocatalytic Activities of Ce<sup>3+</sup>-Doped TiO<sub>2</sub> Thin Films Prepared by Sol-Gel Method</b>   |  |      |
| S.K. Zheng  |  | 1850 |
| <b>Study on Synthesis of Superabsorbent Using Microwave Heating and Water Absorbency</b>  |  |      |
| H. Ren, Y.F. Zhang, T.Z. Huang and J. Wang  |  | 1854 |
| <b>Influence of Calcinations Temperature on Crystallization and Synthesis Process of Li<sub>4</sub>Ti<sub>5</sub>O<sub>12</sub></b>                                       |  |      |
| Y.J. Gu, Z. Guo, H.Q. Liu, H.H. Zhou, Y. Hu and Z.W. Hu   |  | 1858 |
| <b>First-Principles Investigation Density of States for LiNi<sub>1-x</sub>Co<sub>x</sub>O<sub>2</sub> with x=0, 1/3, 2/3 and 1</b>  |  |      |
| Y.J. Gu, Y.B. Chen, H.Q. Liu, H.K. Wu, X.W. Huang, H. Liu, Y. Hu and Z. Guo   |  | 1862 |
| <b>Removal of Lead from Aqueous Solution by Sewage Sludge Carbon Adsorbent</b>  |  |      |
| C.B. Xia, F.J. Zhou, Y. Chen and L. Zhang   |  | 1866 |
| <b>The Effective Thermal Conductivity of Composite Materials with Spherical Dispersed Phase</b>   |  |      |
| B. Wan, K. Yue, L.C. Zheng and X.X. Zhang   |  | 1870 |
| <b>Direct Electrochemistry and Electrocatalysis of Cytochrome C on the Interface of Ionic Liquid Functionalized Nano-Gold</b>   |  |      |
| K. Wang, C. Ju, J. Qian, H.N. Li, L.N. Dai and Y.C. Jin   |  | 1875 |
| <b>Inclusion Complex of Dibenzoylmethane with β-Cyclodextrin</b>  |  |      |
| X.Z. Ji, H.J. Liu and L.L. Wang   |  | 1879 |
| <b>Development of Pass Schedule Calculation Procedure for Single-Stand Reversing Cold Rolling Mill</b>  |  |      |
| J.L. Bai and J.S. Wang  |  | 1883 |
| <b>Solid-Phase Extraction of Trace Antibiotics Using New Hypercrosslinked Polymer as Adsorbent</b>  |  |      |
| S.L. Tang, A.M. Li, C.Z. Wang, S. Zhong and Z. Qing   |  | 1888 |
| <b>Influences of Current Density on Tribological Characteristics of Ceramic Coatings on 6061 Al Alloy by Plasma Electrolytic Oxidation</b>                                |  |      |
| X.D. Wang, X.H. Wu, R. Wang and S.T. Lu   |  | 1892 |
| <b>Study on Tribology Characteristic of the Cast Iron Friction Pair in the Self-Repairing Additive and Mechanism Analyzing</b>  |  |      |
| Y.H. Yan, Y.L. Yang and N. Wang   |  | 1896 |
| <b>Corrosion Inhibition of 304L Stainless Steel by Dicyclohexyl Thiourea in HCl Solution</b>  |  |      |
| C.B. Shen   |  | 1901 |
| <b>Synthesis and Characterization of a New Thermosetting Boric Acid Ester</b>   |  |      |
| J. Zhang and J. Liu   |  | 1907 |
| <b>Structure Influenced Physicochemical Properties of Pyridine Perrhenate Ionic Liquids</b>   |  |      |
| X.J. Gu, D.W. Fang, S. Yue, Y. Liu and S.L. Zang  |  | 1911 |
| <b>Optimizing of Pretreatment Process of Electroless Ni-P Plating on AZ91D Substrate</b>  |  |      |
| G.J. Liu, Z. Yu, L.J. Ma and J. Cao   |  | 1915 |
| <b>Improving the Toughness of Poly (L-lactic acid) by Interpenetrating Network Structure</b>  |  |      |
| T.G. Dong, Y. Jin, X. Guo, W.X. Sun, M.T. Li, C.C. Shi and Y. Inoue   |  | 1919 |
| <b>Effect of Co-Doped La<sup>3+</sup>/Halogen on Visible Light Photocatalytic Activity of TiO<sub>2</sub></b>   |  |      |
| Q.L. Chen, Y. Wang, C.Y. Zhong and Y. Guo   |  | 1923 |

|   |      |
|---|------|
| <b>Preparation Technology of Corn Resistant Starch by Autoclaving Method</b>                | 1929 |
| F. Gao, Y.L. Yu and Y.J. Chen   |      |
| <b>Manufacturing Technique and Property Evaluation of Sound Absorption Composite Planks</b> | 1933 |
| J.H. Lin, C.C. Lin, C.C. Huang, C.W. Lin, Y.C. Liao and C.W. Lou                            |      |

## 6 Functional Materials

|   |      |
|---|------|
| <b>Biaxially Drawn Behavior of <math>\alpha</math>- and <math>\beta</math>-Polypropylene Films under Simultaneous Stretching</b>  | 1939 |
| N. Kerddonfag, O. Saravari and W. Chinsirikul   |      |
| <b>Casting of Al-25%Si Strip Using a Vertical Type Twin Roll Caster</b>   | 1944 |
| T. Haga, H. Harada, S. Kumai and H. Watari  |      |
| <b>The Analysis and Improvement on Shrunken Cause of Dome Roof Oil Tank in Winter</b>   | 1948 |
| L. Qi and H. Zhao   |      |
| <b>Photochemical Synthesis of <math>\text{SnO}_2</math> and its Photocatalytic Activity for Hydrogen Production</b>   | 1952 |
| W.W. Xue, B.B. Wang and X.X. Wang   |      |
| <b>Study on the Preparation and Properties of the PVA/<math>\text{SiO}_2</math> Hybrid Coating on BOPP Film via Sol-Gel Process</b>                                       | 1956 |
| L.J. Zhu, J.J. Wang, L. Guo and J. Shen   |      |
| <b>Changes in Physical Properties of ANF-6 Slag during Electroslag Remelting Process</b>  | 1960 |
| X.M. Li, S.J. Wang, J.X. Zhao, Y.R. Cui and Y.M. Chen   |      |
| <b>Preparation and Optical Properties of <math>\text{Sm}_2(\text{WO}_4)_3</math> Powders</b>  | 1964 |
| W.Y. Zhang, C.H. Lu, L. Chen, Y.R. Ni, Z.Y. Bao and Z.Z. Xu   |      |
| <b>Manufacturing Technique of Sound-Absorbent PET/TPU Composites</b>  | 1968 |
| J.H. Lin, C.C. Lin, C.C. Huang, C.W. Lin, K.H. Su and C.W. Lou  |      |
| <b>Telecommunication Evaluation of Conductive Composite Plates</b>  | 1972 |
| J.H. Lin, C.W. Lin, C.T. Hsieh, C.Y. Chen, P.C. Lu and C.W. Lou   |      |
| <b>Manufacturing Technique and Property Evaluation of Impact-Resistant Polypropylene/Glass Fiber Composites</b>   | 1976 |
| C.W. Lou, C.W. Lin, W.H. Hsing, J.M. Chen, C.Y. Ke and J.H. Lin   |      |
| <b>Progress in the Theory Studies of CIECAM02</b>   | 1980 |
| J.C. Li and Z. Liu  |      |
| <b>High-Gravity Assisting Combustion Synthesis to Prepare High-Strength <math>\text{Al}_2\text{O}_3/\text{ZrO}_2</math> (<math>\text{Y}_2\text{O}_3</math>) Eutectics</b> | 1984 |
| L.X. Liu, Z.M. Zhao, L. Zhang, X.G. Huang and T. Ma   |      |
| <b>Processing Technique and Property Assessment of Stab-Resistant Composite Fabrics</b>   | 1990 |
| C.W. Lou, C.C. Lin, C.C. Huang, W.L. Tai, S.Y. Huang and J.H. Lin   |      |
| <b>The Influence of Fabric Structures of the Woven Fabrics on Electromagnetic Shielding Effectiveness</b>   | 1994 |
| C.W. Lou, Y.C. Yang, C.M. Lin, C.W. Lin, L.C. Chen and J.H. Lin   |      |
| <b>Micropatterning of Schiff Bases Polymer Langmuir-Blodgett (LB) Films</b>   | 1998 |
| T.S. Li, W.J. Xu, H.Y. Jia, Y.J. Wu and T. Miyashita  |      |
| <b>First-Principles Study on the Phase Transformation of <math>\text{V}^{4+}</math>-Doped <math>\text{TiO}_2</math> from Anatase to Rutile</b>                            | 2002 |
| H.D. Zhang, Y. Shen and X.X. Zheng  |      |
| <b>Orthogonal Test of Flexural Toughness for Hybrid Fiber Reinforced Concretes</b>  | 2006 |
| X.F. Liu, G.D. Mei, J.X. Li and Y.X. Lun  |      |
| <b>Experimental Study on Tool Wear in Cutting Titanium Alloy Ti6Al4V</b>  | 2011 |
| Y.F. Yuan, W.Y. Chen and W.Y. Zhang   |      |
| <b>Visible Light Photocatalytic Degradation PVC/B-F Co-Doped <math>\text{TiO}_2</math> Composite</b>  | 2015 |
| Z.H. Zhang, G.X. Cao, Y.Y. Li and X.Y. Wei  |      |
| <b>Research on Microstructure Distribution of Aluminum Profiles with Different Wall Thickness Sections</b>  | 2019 |
| J.Z. Ma, T. Liu, D.H. Mao, J.B. Li and H.Z. Wang  |      |
| <b>Study on Preparation and Corrosion Inhibition by the Distiller's Grains Extract</b>  | 2025 |
| C. Lai, B. Xie, B. Yi, Z. Xiang, X. Yang, N. Zeng, L.K. Zou and Z.M. Lu   |      |
| <b>The Coarsening of Dendrite Arm Spacing during Solidification of Al-Cu-Mn Alloy</b>   | 2029 |
| Z. He   |      |

|   |      |
|---|------|
| <b>Surface Morphologies of Sealed Film on Anodized Al Alloy</b>   | 2034 |
| Q. Zhou, C.L. He, Q.K. Cai and P. Zhao  |      |
| <b>Visco-Elastic Study on Filled Polymer Composites</b>   | 2038 |
| S.P. Yin and M. Yu  |      |
| <b>Preparation and Performance of Co<sub>3</sub>O<sub>4</sub>/Polyaniline Nano-Composite for Supercapacitor</b>   | 2042 |
| S.P. Yu, X.C. Chang, Z.M. Wang, K.F. Han and H. Zhu   |      |
| <b>Electrochemical Determination of Nitrite Based on Gd Doped Nano Titanium Dioxide-Modified Gold Electrode</b>   | 2046 |
| M.L. Zhang, J.L. He, C.L. Xu, L.G. Zhu, Y.F. Zheng, Y. Zhou, L. Zhang, D.M. Luo and Z. Cao  |      |
| <b>Characteristics and Mechanism for Host–Guest Recognition of Isopropanol Vapor Based on Calixarene Supramolecules</b>                                     | 2050 |
| R.F. Zou, Z. Cao, J.L. Zeng, Y.L. Dai and L.X. Sun  |      |
| <b>Calixarene Molecules Immobilized on Gold Substrates of QCM Sensors Based on Self-Assembled Monolayer Technology</b>                                      | 2054 |
| Y. Cao, Z. Cao, J.Y. Xia, J.L. Zeng and L.X. Sun  |      |
| <b>Technical Research of Alloy Bar's Rolling with Cooling</b>   | 2058 |
| L.Q. Wei and Y.H. Guo   |      |
| <b>The Research on the Effect of Drilling Fluids Additives on Rate of Penetration(ROP)</b>  | 2064 |
| X.H. Zhao, F. Gao, Y.F. Li and W. Li  |      |
| <b>Room-Temperature Electrical Conductivity Property of TiN/O'-Sialon Multiphase Ceramics</b>   | 2072 |
| T. Jiang, X.X. Xue, J.B. Wu and P.N. Duan   |      |
| <b>New Hypercrosslinked Polymer Adsorbents for Solid Phase Extraction of Polar Compounds</b>  | 2076 |
| Q. Zhou, M.C. Zhang, Z.Q. Li and A.M. Li  |      |
| <b>Damage Analysis for Coal Lance in Blast Furnace</b>  | 2080 |
| W. Xiong, J.C. Chen and H.M. Shang  |      |
| <b>New Facile Method for the Heterogeneous Synthesis of Cyanoethyl Cellulose- Solvent Methodand Comparing with Traditional Method</b>                       | 2084 |
| H.Q. Wang, Z.Q. Shao and S.Y. Lv  |      |
| <b>Effect of Potential on SCC Initiation for Pipeline Steel in near-Neutral PH Solution</b>   | 2091 |
| Z.Y. Wang, J.Q. Wang, E.H. Han and W. Ke  |      |
| <b>Detection of XinyangMaojian Green Tea Quality and Age by Electronic Nose</b>   | 2096 |
| H.M. Zhang, M.X. Chang, Y.C. Yu, H. Tian, Y.Q. He and X.C. Chen   |      |
| <b>Nanoporous Carbon Derived from Rice Husk for Electrochemical Capacitor Application</b>   | 2101 |
| W. Xing, X. Li, J. Zhou and S.P. Zhuo   |      |
| <b>Development of a New Production Line for Producing Carbon Fibers</b>   | 2107 |
| S.Q. Xu and B. Zhu  |      |
| <b>Research on One Bath Dyeing Technology of Wool and Silk</b>  | 2112 |
| G.S. Luo and Q. Wang  |      |
| <b>Synthesis and Hydrogen Adsorption Properties of Tempered Nanoporous Carbons</b>  | 2116 |
| K.S. Xia and Q.M. Gao   |      |
| <b>Preparation and Formation Mechanism of Finely Dispersed Spherical ZnO Powders</b>  | 2120 |
| Y.S. Shi, D. Mai and H.R. Zhao  |      |
| <b>Photoluminescence Properties of Eu<sup>2+</sup>-Mn<sup>2+</sup>-Co-Doped Ca<sub>10</sub>Si<sub>6</sub>O<sub>21</sub>Cl<sub>2</sub> by Sol-Gel Method</b> | 2124 |
| Y.S. Shi, H.R. Zhao, B.Q. Wang and S.H. Gu  |      |
| <b>Synthesis of Ti<sub>3</sub>SiC<sub>2</sub> via Modified-SHS System through Arc Melting</b>   | 2128 |
| J.J. Mohamed, P. Chee Hung and Z.A. Ahmad   |      |
| <b>Synthesis, Crystal Structure and Antimicrobial Activity of a Mixed-Ligand Copper (II) Complex [Cu(pht)<sub>2</sub> (phen)H<sub>2</sub>O]</b>             | 2132 |
| X.L. Hu, Q. Jiang and X.Y. Xu   |      |
| <b>An Experimental Study on the Properties of Fe-Based Amorphous Composite Coatings Prepared by Different Processes</b>                                     | 2137 |
| D.J. Xie, Z.D. Liu, W.Q. Hu and Y.T. Wang   |      |
| <b>The Investigation of Back-Mixing Particles near Dust Outlet in Cyclone Separator with Tangential Inlet</b>   | 2142 |
| H.M. Tan, J.J. Wang and Y.H. Jin  |      |

|   |      |
|---|------|
| <b>Preparation and Characterization of Bi<sub>4</sub>Si<sub>3</sub>O<sub>12</sub> Powders by Templates-Hydrothermal Method</b>                    | 2149 |
| Q.J. Ning, B.Q. Wang, S.H. Gu and F.F. Guo  |      |
| <b>Synthesis,Crystal Structure and Antibacterial Activity of Nickel Complex with 5-Bromo-2-Hydroxyphenyl Ethyl Ketone Benzoyl Hydrazone</b>       | 2153 |
| C.Z. Zheng, L. Wang and J. Liu  |      |
| <b>Research on Preservation of Synsepalum Dulcificum by Coatings</b>  | 2158 |
| C.L. Liu, C.L. He, T.P. Xie, Y.E. Yang and T.X. Liang   |      |
| <b>Precipitate Formation and Effects on Electrical and Mechanical Properties of Fluorinated Silicon Oxide</b>                                     | 2163 |
| Y.L. Cheng, J. Wu and C.Y. Hsieh  |      |
| <b>Synthesis of Plated-Like Template Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub> Particles and Properties</b>                                      | 2170 |
| C.S. Zhang and C.J. Guo   |      |
| <b>The Application of CM Anti-Corrosion Composite Material in Repair Technology of the Corroded Concrete Buildings</b>                            | 2174 |
| C.D. Xu, Y. Wang, H.M. Hou and L.X. Zhai  |      |
| <b>A Theoretical Analysis of the Fracture Behavior of a Multi-Layered Thin Film Structure under Residual Tensile Stress</b>                       | 2179 |
| B.Q. Yang and F.X. Li   |      |
| <b>Copper Phthalocyanine/Fe<sub>3</sub>O<sub>4</sub> Nanocomposite for Photocatalytic Degradation of Methylene Blue under Visible Irradiation</b> | 2183 |
| K. Wang, L.N. Dai, H.N. Li, C. Ju, W. Liu and Y.C. Jin  |      |
| <b>Effect of Technics Parameter on Synthesis of Paraffin-Polystyrene Microsphere</b>  | 2187 |
| Q.J. Tang and W.R. Wu   |      |
| <b>Laser Repair Cladding of Ni-Base Alloy on TC2 Ti Alloy</b>   | 2191 |
| C.J. Chen, Q. Cao, M. Zhang, Q.M. Chang and S.C. Zhang  |      |
| <b>A Magnetoelectric Screw Dislocation Interacting with an Elliptical Inhomogeneity Containing a Confocal Rigid Line</b>                          | 2195 |
| C.Z. Jiang, Y.W. Liu and C. Xie   |      |
| <b>A Research on the Influence of Sr/Al Ratio on Microstructure of Mg-Al-Sr Alloy</b>   | 2201 |
| J.P. Fan, S.B. Wang, D.Y. Guo and B.S. Xu   |      |
| <b>Properties of Self-Expanding Nitinol Stents Treated by Addition of 600°C Heat Setting Process</b>  | 2206 |
| Z.P. Wang, J.L. Ma, Y.H. Yao, J.N. Liu, W. Gao and Y.H. Jin   |      |
| <b>The Impact of PH on HPAM Removal from Daqing Oilfield Produced Water Using Clay and Organoclay</b>   | 2210 |
| X.C. Cao, H.Y. Guo, Y.Y. Li and M. Chen   |      |
| <b>Wastewater Minimization of Batch Processes with Single Contaminant</b>   | 2214 |
| H.N. Cheng, B.Q. Wang, Q.S. Liu and S.Q. Zheng  |      |
| <b>Reach of Antibacterial Properties of Compound Coatings by Micro-Arc Oxidation and Electroless Silver Plating</b>                               | 2220 |
| Z. Li, J.Y. Xu, Y.J. Liu, J. Chen and C. Gao  |      |
| <b>Numerical Simulation of Square Cup Deep-Drawing Process under the Different Constraint Degrees Condition</b>                                   | 2225 |
| X.T. Xiao, L.C. Huang and Y.J. Liao   |      |
| <b>Study on Cavitation Erosion Properties of Stainless Steel Vane Wheel Enhanced by Electro-Spark Deposition (ESD) Technology</b>                 | 2229 |
| C.J. Chen, Y.Z. Su, Q. Cao and M. Zhang   |      |
| <b>Formulation Design and Experiments of Emulsion for Rolling Process of Magnesium Alloy</b>  | 2233 |
| Z.Q. Chen, W.B. Yu and M.T. Ouyang  |      |
| <b>Corrosion Behavior of AZ61 Magnesium Alloys in NaCl Solution</b>   | 2240 |
| Y.S. Chai, L.N. Wang, G. Sun, S.L. Sun and M.G. Zhang   |      |
| <b>Comparative Static Blu-Ray Recording Properties for Three Metal(II) Complexes in Spin-Coated Films</b>   | 2244 |
| Z.M. Chen, Y.Q. Wu, C.Y. He, B. Wang, D.H. Gu and F.X. Gan  |      |
| <b>The Influence of Heating-Cooling Cycles on the Thermal Storage Performances of Al-17 Wt.% Si Alloy</b>   | 2248 |
| F. Li, Y.J. Hu and R.Y. Zhang   |      |

|  |      |
|--|------|
| <b>Mathematic Model of Recrystallization of Cu-20Ni-5Sn Alloy</b>  | 2252 |
| R.Q. Liu, L. Peng and J.S. Yang  |      |
| <b>Characteristics of Rich Phytic Passivator without Cr for Brass Strip</b>  | 2257 |
| W. Cai, R.H. Liu, H. Yang and X.P. Xiao  |      |
| <b>Effect of Three Kinds of Biocide on the Anti-Corrosion Performance of TP304 Stainless Steel in Cooling Water</b>  | 2261 |
| H.H. Ge, J.T. Tao, X.M. Xu, C.J. Wei and X.J. Meng   |      |
| <b>Yttrium Oxide Luminescence Films Prepared by Electrodeposition- Sinter Method</b>   | 2266 |
| D.M. Zeng, J.G. Yu and W.G. Shu  |      |
| <b>Fabrication of Superhydrophobic Surfaces on Aluminum Alloy by Simple Chemical Etching Method</b>  | 2270 |
| Y.F. Luo, H.Y. Lang, J. Liang, G.S. Peng, Y.H. Fan, M.L. Zhang, Z.Q. Yuan and H. Chen  |      |
| <b>The Influence of Sintering Temperature on the Phase, Microstructure and Textural Properties of Hollow Hydroxyapatite Microspheres</b>   | 2274 |
| Y.C. Wang, W.H. Huang, A.H. Yao and D.P. Wang  |      |
| <b>Influences of Rapid Quenching on the Structures and Electrochemical Performances of La<sub>0.7</sub>Mg<sub>0.3</sub>Co<sub>0.45</sub>Ni<sub>2.55-x</sub>Fe<sub>x</sub> (x = 0-0.4) Electrode Alloys</b> | 2280 |
| Y.H. Zhang, Z.H. Hou, H.P. Ren, X.G. Liu, L.L. Chen and D.L. Zhao  |      |
| <b>Kinetics of Microwave-Assisted Reduction of Manganese Oxide</b>   | 2286 |
| H.C. Wang, Z.Y. Liao, Y.C. Dong, S.J. Wang and Y. Zhou   |      |
| <b>Density Functional Theory Investigating Interlayer Structure and Ion-Exchange Properties of Mg/Al Layered Double Hydroxides</b>   | 2293 |
| G.X. Pan, F. Cao, J.T. Yang, Z. Ni, P.S. Tang, H.F. Chen and S.S. Lv   |      |
| <b>Analysis of Torque in Magnetorheological Rotary Brake</b>   | 2297 |
| P. Wang, J. Huang and S.H. Wei   |      |
| <b>Synthesis of Macroporous Polystyrene Validamycin a Amphiphilic Adsorbent Resin and its Adsorption Properties for Pueraia Isoflavones</b>  | 2302 |
| S.H. Zhong, F.P. Qi and B.Y. Liu   |      |
| <b>High Temperature Oxidation Properties of Cr/C Coating on 4Cr10Si2Mo Steel by Plasma Immersion Ion Implantation and Deposition</b>   | 2306 |
| Y.P. Chang, H.Z. Xi and S.A. Shao  |      |
| <b>Adsorption of Cu(II) Ions from an Aqueous Solution by Cross-Linked Carboxymethyl Konjac Glucomannan</b>   | 2310 |
| C.M. Niu, S.Y. Li and D. Huang   |      |
| <b>The Alkaline Activation of Calcium Oxide on Phosphorous Slag Powder Cementing Material in Autoclaved Curing</b>   | 2317 |
| J.X. Cao, L. Yang, Q. Lin, G.S. Bai and F. Liu   |      |
| <b>Ultrasonic-hydrothermal Synthesis and Characterization of Mesoporous Anatase TiO<sub>2</sub> Microspheres</b>   | 2323 |
| H.B. Li, S.G. Chen, W.M. Lu and Q.C. Liu   |      |
| <b>A Facile Approach to <math>\alpha</math>-FeOOH Nanorods with High Aspect Ratios</b>   | 2327 |
| H. Zhang   |      |
| <b>Residual Stress Analysis in Different Thickness TiN Coatings on High-Speed-Steel Substrates</b>   | 2331 |
| F. Mei, G.Z. Sui and M.F. Gong   |      |
| <b>Influencing Factors of Phytic Acid Conversion Coating on AZ91 Magnesium Alloy</b>   | 2336 |
| Y.L. Lu, Y.K. Chen, S.G. Du, Y. Guo and Q. Hong  |      |
| <b>Prepare and Performance Research on PVA/TiO<sub>2</sub> Composite Films</b>   | 2342 |
| X.H. Hao and F. Li   |      |
| <b>Study on Direct Reactive Compatibilization of HDPE/Wood-Flour Composites</b>  | 2346 |
| Y. Li and X.H. Chen  |      |
| <b>Radiative Transition Properties of Tm<sup>3+</sup> in Aluminum Germanate Glass for FWW Waveguide Amplifier</b>  | 2352 |
| J. Zhang, L. Lin, M. Chen, H. Lin and X. Zhao  |      |
| <b>Characteristics of Silver Films Deposited on the Surface of PET Fabric</b>  | 2356 |
| L.L. Meng, X.M. Huang and Q.F. Wei   |      |
| <b>Influence of Electrode Argon-Hydrogen Co-Injection on Carbon Content in a Alternating Current Ladle Furnace</b>   | 2361 |
| D.P. Zhan, H.S. Zhang, Z.H. Jiang, W. Gong and Z.P. Chen   |      |

|   |      |
|---|------|
| <b>Blank Shape Optimization of Square Cup Deep-Drawing under the Unilateral Constrained Condition</b>   | 2365 |
| L.G. Tan, X.T. Xiao, L.C. Huang and Q.Y. Chen   |      |
| <b>The Numerical Simulation on Welding Stress Field of High Strength Steel for Axle Case Steel 390Q</b>   | 2370 |
| Y. Yu, F.X. Wang, J. Chen and Z. Liu  |      |
| <b>Non-Linear Methods Could More Accurately Measure Chlorophyll Content in Grape Foliar Non-Destructively with Visible/Red-Infrared Hyperspectral</b> | 2376 |
| J.L. Qin  |      |
| <b>Preparation and its Application Performance of Backfilling Cementation Material Based on Blast Furnace Slag</b>                                    | 2389 |
| S.G. Hu, H.L. Niu and X.J. Lu   |      |
| <b>Flow Behavior and Microstructural Evolution of a 7039 Aluminum Alloy during Hot Deformation</b>  | 2395 |
| H.Z. Li, X.P. Liang, M. Song and M. Zeng  |      |
| <b>Research and Progress on CA Mortar Emulsifying Asphalt of Ballast-Less Slab Track</b>  | 2399 |
| M.C. Qi, X.X. Li and Z.Q. Jia   |      |
| <b>Visible-Light Photocatalytic Property of Titanate Nanotubes Sensitized by Several Porphyrins</b>   | 2403 |
| X.Q. Li, L.F. Liu, S.Z. Kang, J. Mu and G.D. Li   |      |
| <b>Study on Technology of Manufacturing Veneer—Rice Straw Composite Board</b>   | 2407 |
| Y.Z. Jiang, S.C. Zhang and X. Zhen  |      |
| <b>The Effect of Impregnation Process on the Performance of Veneer Composite Plank</b>  | 2411 |
| X. Zhen, J.Y. Pang, S.C. Zhang and Y.Z. Jiang   |      |
| <b>Synthesis and Properties of a Novel Diarylethene Having Two Fluorines</b>  | 2415 |
| G. Liu, M. Liu and S.Z. Pu  |      |
| <b>Synthesis and Optoelectronic Properties of a New Photochromic Diarylethene Bearing a Cyano Group</b>   | 2419 |
| Z.P. Tong, S.Z. Pu, S.Q. Cui and W.J. Liu   |      |
| <b>Characterization and Evaluation of Binding Properties of Salvianolic Acid a Imprinted Polymers Prepared by Precipitation Polymerization</b>        | 2423 |
| L.M. Zhu, S.P. Fu, L.Y. Li and J.B. Zhu   |      |
| <b>Synthesis and Property of a New Diarylethene Bearing both an Isoxazole Moiety and a Chlorine Atom</b>  | 2427 |
| H. Li, S.Z. Pu, G. Liu, W.J. Liu and S.Q. Cui   |      |
| <b>Synthesis of a Core-Shell Acrylate Elastomer with UV Stabilization and its Application in Polyoxymethylene</b>                                     | 2431 |
| F. Yang, G.B. Wu, S.L. Zhang and X.C. Ren   |      |
| <b>Deformation Behavior of Spirogyrate Ring for Cold Ring Rolling</b>   | 2435 |
| W.J. Xu, X.T. Gong, X.B. Yang and J. Zhou   |      |
| <b>Crack Resistance and Structural Analysis on Thermit Welding</b>  | 2440 |
| B. He and C.Q. Sun  |      |
| <b>Synthesis, Photochromism and Holographic Optical Recording of a Photochromic Diarylethene with a Chlorine Atom</b>                                 | 2444 |
| L.Q. Wang, S.Z. Pu and W.J. Liu   |      |
| <b>Synthesis, Characterization and Photoluminescence of 1,1'-Thiene-2,5-Diyldibutane-1,3-Diketone</b>   | 2448 |
| G.M. Xia, M.W. Ji, P. Lu, J. Liu, M. Wang and F.J. Liu  |      |
| <b>Effect of Fe-Coating on Electromagnetic Performance of Hollow Carbon Fibers</b>  | 2452 |
| W. Xie, H.F. Cheng, J.C. Kuang, Z.Y. Chu and C.G. Long  |      |
| <b>An Investigation on Anti-reducing Effect of CaO in Barium Titanate Based Ceramic</b>   | 2457 |
| S. Wang, Z.H. Li, X. Liu and H. Zhang   |      |
| <b>Effects of Conditioners on Dewatering Properties of Sludge and its Microstructure Characteristics</b>  | 2461 |
| L. Zhang, Y. Chen, C.B. Xia, F. Gao, Y. Zhu, C.L. Dai and J. Liu  |      |
| <b>Nitrite Sensors Based on Gold Particles and Polyaniline Modified Electrodes</b>  | 2466 |
| Y.C. Hao, Y.J. Liu and B. Hao   |      |
| <b>Surface Modification of TiO<sub>2</sub> Nanoparticles with Good Reflective Properties for Electric Ink</b>   | 2470 |
| D.W. Wang, F. Wang, S.D. Ma, Z.C. Miao and X.P. Zhao  |      |

|   |      |
|---|------|
| <b>Development of Low-Cost LX70A Rod for Steel Cord</b><br>S.W. Cao, Y.L. Kang, X.J. Wang and Q.H. Han  | 2474 |
| <b>An Improved Strontium-Based Aerosol Fire Extinguishing Agent with Potassium Additives</b><br>J. Ma, X.R. Liu, H.J. Jin, J. Deng and Y.P. Wu                                      | 2479 |
| <b>The Effect of DCF on Codeposition of Al and Si by Pack Cementation</b><br>J. Hu, X.B. Pan, F. Xie, S. Gao and T.J. Pan   | 2484 |
| <b>Synthesis and Characterization of EuL<sub>3</sub>(phen) Luminescent Complex</b><br>H.J. Ren, D.H. Sun, Z.F. Cui and G.Y. Hong  | 2488 |
| <b>CsH<sub>2</sub>PO<sub>4</sub>: Electrolyte for Intermediate Temperature Fuel Cells</b><br>H.C. Teo, L.K. Shyuan, A.B. Mohamad and A.A.H. Kadhum                                  | 2492 |
| <b>The Electrochemical Biosensor Based on the Immobilization of Horseradish Peroxidase on TiO<sub>2</sub> Nanoneedles Modified Electrodes</b><br>N.N. Wei and J.Y. Du               | 2499 |
| <b>Devulcanization of Waste Tire Rubber Vulcanizate through a Mechanochemical Pan Milling at Ambient Temperature</b><br>J.B. Sui, D. Xiang, P. Mou and G.H. Duan                    | 2503 |
| <b>Effects of Polymer-Filler Properties on the Warpage of Injection Molded Automobile Door</b><br>Q.H. Liao, X.X. Zhang and Q.C. Ruan   | 2511 |
| <b>Research on Microwave Sintering Process for High Strength HA Porous Scaffold</b><br>Q. Wu, X.L. Zhang and M.J. Li  | 2515 |
| <b>Synthesis and Characterization of Magnetic NiFe<sub>2</sub>O<sub>4</sub> Nanosheets</b><br>Z.F. Cui and D.H. Sun   | 2520 |
| <b>Unitary Micro-Patterning Structure-Induced Hydrophobic Silicon Surface</b><br>S.S. Liu, C.H. Zhang and H.B. Zhang  | 2524 |
| <b>Effect of Electrode Tip Shape on Strength and Microstructure in Resistance Spot Welding of AZ31B Magnesium Alloy</b><br>H. Liu, M.G. Wang, X.Q. Zhang and W. Dong                | 2528 |
| <b>Impact of Different Additives on Performances of Unfired Magnesia-Calcia Brick for AOD Furnace</b><br>S.J. Chen, G.H. Li, L. Tian and Q.M. Sun                                   | 2533 |
| <b>Study on Corrosion Behavior of Alloy 600 in NaCl Solution</b><br>Y.C. Li, F. Zhang, Y. Jiang, F.F. Pang, F.F. Deng and F. Gao  | 2537 |
| <b>Optimum Design of Plastic Injection Mould Gate Based on MoldFlow</b><br>X.F. Liu, Y.H. Hu and W.J. Huang   | 2541 |
| <b>Chiral Separation of Amino Acid Derivatives by Molecular Imprinting Technique</b><br>L.Q. Su, Y. Wang and H.T. Chu   | 2545 |
| <b>Pole Figure Analysis for Fe-3% Si Silicon Steel</b><br>X.G. Ma, Y. Chen, C. Liu, Y.L. Li and Y. Shen   | 2549 |
| <b>Synthesis and Property Study of Modified Poly(N-isopropylacrylamide) Containing Eu(III)</b><br>X.D. Tao, R. Zhan and Q. Duan   | 2553 |
| <b>Preparation and Properties of Amino Acid Chelating Resin from the Waste Plastic of Polystyrene</b><br>G.H. Zhang, W.X. Dong and J.F. Zhu   | 2558 |
| <b>Preparation, Characterization and Photocatalytic Properties of Cu, P-codoped TiO<sub>2</sub> Nanoparticles</b><br>M.R. Xu, G. Ni and F. Zhao                                     | 2562 |
| <b>Synthesis, Crystal Structure, Characterization of a Pb(II) Mixed-Ligand Tetrazolate Complex</b><br>J.G. Tang, X.R. Liu, B. Su, J. Deng and Y.P. Wu                               | 2566 |
| <b>Preparation and Electrochemical Characteristics of Nitrogen-Doped Mesoporous Carbon Using Surfactants as Carbon Source</b><br>G.G. Yi, Y.L. Liu, Y. Xiao, W.Q. He and S. Zhao    | 2573 |
| <b>Preparation of Super Absorbent Polymer by Carboxymethyl Cellulose Grafting Acrylic Acid Using Low-Temperature Plasma Treatment</b><br>L.J. Huang, T. Xu, H.T. Wang and S.F. Wang | 2578 |
| <b>Analysis of Cylindroid Shell Subject to Internal Linearly-Increased Pressure</b><br>Z.Z. Wang and L.Y. Jiang   | 2584 |

|  |      |
|--|------|
| <b>Prediction of Tensile Modulus of 3D Four-Directional Braided Composites with Transverse Cracks</b>  | 2590 |
| Y. Guo, L.Z. Wu, Y.H. Yang, Z.G. Zhou and T. Zeng  |      |
| <b>UV-Vis/Ferrioxalate/H<sub>2</sub>O<sub>2</sub> System on Degradation of Anthraquinone Dye Wastewater</b>  | 2597 |
| W. Ding, M. Ke and Z.Z. Song   |      |
| <b>Transparent Aquabeads To Visualize Flow In Porous Material</b>  | 2602 |
| K. Tabe, M. Iskander and S. Honma  |      |
| <b>Preparation and Properties of Epoxy Matrix for Composite Cable Core</b>   | 2606 |
| X.F. Li, L. Chen, T.T. Zeng, J.B. Zhang, R.C. Bai, J.L. Sun, Z. Zhou and C.B. Wang   |      |
| <b>Synthesis, Characterization and Photophysical Properties of Rhenium(I) Complexes Containing 4,5-Diazafluorene Ligan</b>                                       | 2612 |
| J.X. Wang and F. Zhao  |      |
| <b>Synthesis of Aromatic Polyesters with Pendent Carboxyl Groups from Diphenolic Acid, Bisphenol a and Isophthaloyl Chloride by Interfacial Polycondensation</b> | 2616 |
| P. Zhang, L.B. Wu and B.G. Li  |      |
| <b>A Dendronized Cellulose Derivative and its Thermotropic Liquid Crystal and Lyotropic Cholesteric Liquid Crystal Behaviors</b>                                 | 2620 |
| Y.M. Dong, Y.Q. Zhao, E.M. Zeng, L.L. Yang, Q. Ge and X.L. Hu  |      |
| <b>Preparation of NaA/PTFE Composite Membrane for Separation of DMF/H<sub>2</sub>O Mixture by Pervaporation</b>  | 2624 |
| H. Shao, H.R. Zhang, Q. Zhang, G.L. Han, R.Y. Chen and J. Zhong  |      |
| <b>Low Temperature Method for Enhancing Ferroelectric Thin Films in Non-Volatile Random Access Memory Devices</b>  | 2628 |
| M.C. Kuan, K.H. Chen, W.C. Tzou, C.M. Cheng and Y.J. Lin   |      |
| <b>Effect of Irradiation on the Molecular Weight, Structure and Apparent Viscosity of Xanthan Gum in Aqueous Solution</b>  | 2632 |
| Y.J. Li, Y.M. Ha, F. Wang and Y.F. Li  |      |
| <b>Fundamental Studies on Wood-Plastic Composites: Effects of Cellulase Treatment on Hybrid Pennisetum Powder</b>  | 2638 |
| J. Mu, Y.S. Feng, D.R. Zhang, Z.L. Wang and H.B. Wang  |      |
| <b>Synthesis and Property of a New Symmetry Diarylethene Bearing Benzene</b>   | 2642 |
| S.Q. Liu and B. Chen   |      |
| <b>Preparation of a New Water-Based Strippable Protected Coating</b>   | 2646 |
| H.Y. Liu and S. Zhang  |      |
| <b>Use CO<sub>2</sub> Soluble Surfactant to Decrease the Minimum Miscibility Pressure of CO<sub>2</sub> Flooding in Oil Reservoir</b>                            | 2650 |
| F. Chen, J. He, P. Guo, Y. Xu and C. Zhong   |      |
| <b>Acylchloride-Functionalized Multiple-Walled Carbon Nanotubes Reinforced Polyimide for High Dielectric Properties</b>  | 2655 |
| H.F. Li, G.W. He, J. Li, J. Chen and J.C. Chen   |      |
| <b>Study on the Preparation Processing of New Functional Materials Dielectric Elastomer - E-ACE</b>  | 2659 |
| X.L. Zhu, S.J. E, A.F. Hui and Y. Yu   |      |
| <b>Study on Ce and La Doped 0.85NBT-0.144KBT-0.006BT Lead-Free Piezoelectric Ceramics</b>  | 2663 |
| X.Y. Huang, C.H. Gao and Z.G. Chen   |      |
| <b>Effect of Drying Methods on Structure and Mechanical Properties of Bacterial Cellulose Films</b>  | 2667 |
| C.J. Zhang, L. Wang, J.C. Zhao and P. Zhu  |      |
| <b>Preparation of Sn<sup>4+</sup> -Doped TiO<sub>2</sub> and Investigation of its Photocatalytic Activity</b>  | 2671 |
| C.Z. Jiang and Y.L. Dou  |      |
| <b>Micron Sized Polyurethane Shape-Memory Polymer Beads</b>  | 2675 |
| Y. Zhao and W.M. Huang   |      |
| <b>Effect of Interconnectivity of Nickel on Electrical and Thermal Properties of Alumina-Ni Interpenetrating Phase Composite</b>                                 | 2679 |
| R.N. Shahid, B.A. Hasan, F. Ali and N.U.H. Tariq   |      |
| <b>Rational Construction of Polymeric Mercuric(II) Imidazole with High Anion Exchange Capacity</b>   | 2683 |
| B. Xiao, Q.Q. Li, L.J. Yang and S.M. Fang  |      |

|   |      |
|---|------|
| <b>Silane Treatment Technology on Aluminum Surface</b><br>X.Q. Zhang, W. Yue, Y.P. You and S. Luo   | 2687 |
| <b>Analysis of Numerical Simulation in the Deep Drawing of Box-Shaped Parts Using Variable Blank Holder Force</b><br>K. Chen, C.Y. Peng, T. Zhou and B.B. Li  | 2694 |
| <b>A Study of N Heterocyclic Compound as a Potential Lubricating Oil Additive</b><br>P. Ouyang and X.M. Zhang   | 2698 |
| <b>Research on Temperature Field Distribution of Heavy Hydrostatic Thrust Bearing Rotation-Workbench at Different Rotating Velocity</b><br>J.P. Shao, X.D. Yang, Y.F. Wang, X.Q. Xu, Y.Q. Zhang, X.D. Yu and X.Z. Sun | 2703 |
| <b>Preparation of Photostable Chlorophyll/PVA Film</b><br>Y.J. Yang, B.R. Hu, Z.M. Liu and W.J. Wu  | 2707 |
| <b>Synthesis and Micellar Properties of Star-Shaped Poly(<math>\epsilon</math>-Caprolactone)-Dextran Amphiphilic Block Copolymer</b><br>X.Q. Liu and J.Y. Liu   | 2711 |
| <b>Chitosan Functional Finishing of Bamboo Pulp Fiber Fabric in Aqueous Citric Acid Media</b><br>Y.H. Xu, S.Y. Lv and Y.J. Deng   | 2717 |
| <b>Preparation and Mechanical Properties of Carbon Nanotubes Reinforced Alumina Ceramic Composite</b><br>X.W. Wu, J.Z. Xiao, F. Xia, Y.G. Hu and Z. Peng  | 2721 |
| <b>Comparison of Conductivity CsH<sub>2</sub>PO<sub>4</sub> Nanocrystal Using Two Surfactants CTAB and F-68</b>   | 2728 |
| <b>Characterization of Cr-Ni-ZrO<sub>2</sub> Composite Coatings Electrodeposited from Cr(III) Plating Bath</b><br>X.Z. He, X.L. Zhou, X.W. Zhang and X. Sun   | 2733 |
| <b>Preparation TiO<sup>2</sup> Thin Films Using Freeze Drying Technique</b><br>H.B. Wang, X.C. Zhang and L. Chen  | 2738 |
| <b>Novel Thermally Stable Epoxy-polyurethane Composites: Preparation, Characterization</b><br>J. Lin, Q.Z. Yang, X.F. Wen, Z.Q. Cai, P.H. Pi, J. Cheng and Z.R. Yang  | 2742 |
| <b>Microwave Preparation of Ionic Liquid Functionalized SBA-15 and its Application in Fabrication of Electrochemical Sensors</b><br>P.H. Zhang, S.Y. Dong and T.L. Huang  | 2748 |
| <b>Transparent Conductive Cu-In-O Thin Films Deposited by Reactive DC Magnetron Sputtering with Different Targets</b><br>F. Ye, X.M. Cai, F.P. Dai, D.P. Zhang, P. Fan and L.J. Liu                                   | 2752 |
| <b>Preparation of Cu-Cr-Zr/AlN Nanocomposites and their Mechanical and Conductive Properties</b><br>Y.Q. Qin, Y.C. Wu, Y. Wang, Y. Hong, J.Q. Deng, X.L. Chen, W.F. Wang and X.M. Huang                               | 2756 |
| <b>Development and Applications on Integrated Multilayer Wrapped Urea Reactor</b><br>X.Q. Zhu, J.H. Chang, Z. Wang, Y. Yang, P.Y. Song and M.F. Hu  | 2760 |
| <b>The Syntheses and Mark-Houwink Empirical Formula of Polysiloxanes Containing Cyanoethyl Groups as Side Substituents</b><br>R.F. Guan, J.R. Wang and Y.R. Dong  | 2765 |
| <b>Research and Development on Phase Change Energy Storage Exchangers</b><br>N. Li, X.Q. Zhu, W. Chi, J.H. Chang, H.M. Gu and H.B. Yang   | 2769 |
| <b>Deformation Mechanism of Diamond Nanocutting Single-Crystal Copper Using Molecular Dynamics Simulation</b><br>J.X. Chen, Y.C. Liang, X. Yu, Z.G. Wang and Z. Tong  | 2775 |
| <b>Preparation and Properties of Sulfonated Polyimide Proton Conductive Membrane for Vanadium Redox Flow Battery</b><br>M.Z. Yue, Y.P. Zhang and Y. Chen  | 2779 |
| <b>Mechanical Behavior of SiC Fiber Reinforced Al Matrix Composites: A Study Based on Finite Element Method</b><br>C. Sun, M. Song, R.J. Shen and Y. Du   | 2785 |
| <b>Synthesis and Characterization of 3Y-TZP Powders by Stirring Ball Milling</b><br>D.G. Li, Z. Wu, C.Y. Pan, W.Q. Fu and Q.H. Wang   | 2790 |
| <b>Research on Morphology of N80 Casing Drilling Steel Fatigue Crack Growth with Low-Frequency Noise</b><br>D.H. Wang, T.H. Xu and T.Z. Yao   | 2795 |

|  |      |
|--|------|
| <b>Influence of the Pore Structure on the Reaction Characteristics of the Gas Sensitive Porous Medium</b>                                    | 2799 |
| M.C. Li, Y.T. Song and Y.S. Wu   |      |
| <b>Only Formation of ZrAl<sub>3</sub> Phase Obtained by Self-Propagating Reaction from Zr-Al Elemental Powders</b>                           | 2805 |
| M.S. Song and M.W. Ran   |      |
| <b>Experimental Study on the Crystallinity and Mechanical Properties of the Injection Molded Polypropylene</b>                               | 2809 |
| X.X. Zhang, L. Wang and Q.H. Liao  |      |
| <b>Nitroso-R-Salt in Aqueous Solutions for Redox Flow Battery Application</b>  | 2813 |
| Z.P. Xie, F.J. Xiong and D.B. Zhou   |      |
| <b>Study on the Chemical Modification of Titanium-Doped Silicone Using Hydroxyl-Terminated Saturated Polyester</b>                           | 2817 |
| Z.F. Hao, X.M. Wang, H.X. Hou, Y.H. Wu, H.G. Li and J. Yu  |      |
| <b>Research on Salt Fog Corrosion Behavior of Welded Joint of 7N01-T4 Aluminum Alloy for High-Speed Train</b>                                | 2822 |
| X.M. Wang, J.J. Zhao and G.Q. Gou  |      |
| <b>Effect of KCl on Crystal Morphology of Electrodeposited Cu<sub>2</sub>O Thin Films</b>  | 2827 |
| X.J. Yu, X.M. Li and Q. Yang   |      |
| <b>Tetra-(N-Phenylpyrazole)-Porphyrin/β-Cyclodextrin Incorporated CNT Film Modified Hemoglobin Sensor</b>                                    | 2831 |
| J.L. He, W. Zou, J.X. Wang, L.H. Zeng, Z. Cao and D.M. Luo   |      |
| <b>Annealing Effects on Structural and Magnetic Properties of Al doped ZnO Thin Films</b>  | 2835 |
| Y.K. Qi, J.J. Gu, L.H. Liu and H.Y. Sun  |      |
| <b>Synthesis of Fe<sup>3+</sup>-Dopped PANI Conductive Nanomaterials via Interfacial Polymerization</b>                                      | 2839 |
| H.M. Mu, P. Fei, B.T. Su and Z.Q. Lei  |      |
| <b>Synthesis and Characterization of Modified Chitosan by Graft Polymerization</b>   | 2843 |
| J.Q. Xue, Y.J. Wang, Y.W. Du, Y.F. Xue and D.D. Wen  |      |
| <b>Application of Control Parameters Optimization of CNC Servo System Based on Self-Adaptive Genetic Algorithm</b>                           | 2847 |
| G.R. Dong and P.B. Zhao  |      |
| <b>Hydrothermal Synthesis and Characterization of Nanocrystalline Gd<sub>2</sub>Sn<sub>2</sub>O<sub>7</sub>:Eu<sup>3+</sup> Phosphors</b>    | 2851 |
| J.Y. Yang, Y.C. Su, Z. Chen and X.Y. Liu   |      |
| <b>Chitosan Cellulose Acetate Microspheres Preparation for Enhancement of Water-soluble Dye Adsorption</b>                                   | 2855 |
| H.Y. Zhou, D.J. Zhou, C.J. Fan and X.G. Chen   |      |
| <b>The Activate Processe of Ni-P Electroless Plating on the Surface of SiC Particles</b>   | 2859 |
| J.Y. Hou and D. Yang   |      |
| <b>SNOM Probe Based on Nano-Antenna with Large Aperture and High Resolution</b>  | 2863 |
| J.P. Shi, K.X. Dong, S.L. Wen, L.L. Zhan and H.J. Liu  |      |
| <b>Research on the Key Technologies of Intelligent Control for Cap-Shape Bending of Sheet Metal</b>  | 2867 |
| H.L. Sun, C.J. Su and R.X. Zhai  |      |
| <b>A Novel Approach to Prepare Fluorinated Polyether Glycol Using Phase-Transfer Catalysts</b>   | 2873 |
| Y. Li, W. Song and X. Wang   |      |
| <b>SynthesisStructure and Catalytic Activity of TiO<sub>2</sub>/ La<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub> Nanocomposites</b>                | 2878 |
| Y.P. Tong, Y.Q. Zhao, H.Y. Huo and H. Yang   |      |
| <b>Preparation and Fluorescence Properties of Dendritic 8-Hydroxyquinoline and their Zinc Complexes</b>                                      | 2882 |
| X.H. Qiang, Y.J. Wang, H. Zhang, Y.L. Qiao and L. Shen   |      |
| <b>Effect of Complex Agents on the Performance of Electrodeposited Ni-Graphite Composites</b>  | 2888 |
| X.Z. He, X.W. Zhang, X.L. Zhou and Y.X. Wang   |      |
| <b>Novel Concept of Cleansing the Liquid Steel by the Fine <i>In-Situ</i> Phase due to the Composite Ball Explosion Reaction in RH Ladle</b> | 2895 |
| Z. Li, X.F. Wang, Y. Lin and P. Fei  |      |
| <b>Synthesis and Thermal Properties of a Boron-Containing Bisphenol-S Formaldehyde Resin</b>   | 2905 |
| J.G. Gao, W.H. Wu and X. Li  |      |

|  |      |
|--|------|
| <b>Preliminary Study of Oxygen Evolution Ti-Al Composite Anode</b><br>J.X. Guo, P.X. Zhu, S.G. Zhou, J. Xu, H.Y. Ma and H.M. Yang  | 2909 |
| <b>Synthesis and Photocatalytic Activity of SrCu<sub>2</sub>O<sub>2</sub> for Water Decomposition to Hydrogen</b><br>G.Y. Wang, C.C. Wu, B.J. Song and Y.J. Wang   | 2914 |
| <b>Viscoelastic Analysis of the Low-Temperature Anti-Cracking Performance of SBR Modified Asphalt Mixtures</b><br>M.J. Zhang, X.H. Jiao, W.B. Zhang and L.P. Zhang   | 2919 |
| <b>A Novel Synthesis Route for Highly Ordered MCM-41 Assembled from Y Zeolite Seed Colloidal and its Performance as the Support for the Catalyst</b><br>H.J. Zhang, W.Q. Wang, J.H. Li and X.W. Zhang                                    | 2926 |
| <b>Preparation of C/C-SiC Composite with Hydrogen-Containing Polysiloxane as Ceramic Precursor</b><br>M.J. Gao, L. Chen, Y.S. Hua, J.B. Zhang, J.F. Pan, C.J. Zhou, M.S. Ren and J.L. Sun  | 2932 |
| <b>The Preparation of Ni-Co-Fe/PU Magnetic Composite Membrane</b><br>J.C. Zhan   | 2937 |
| <b>Facile Fabrication of Flower-Like LLM-105 Three-Dimensional Microstructures</b><br>J. Chen, L.L. Wang, G.C. Yang, Z.Q. Qiao and F.D. Nie  | 2942 |
| <b>Theoretical Model Study of Micro-Electric Field Effects on Seepage in Micro Particle Clays</b><br>Y.G. Fang, R.G. Gu and W.D. Pan   | 2946 |
| <b>Reinforcement of Natural Rubber with Quartz/Sericite/Wollastonite</b><br>J.F. Guan, H.Q. Yang, Y.Q. Yu, Y. Chen, G.B. Yang, H.M. Gao and L.Y. Zhang   | 2953 |
| <b>Effect of Sizing Agent on the Surface of Carbon Fiber and Interfacial Adhesion of Carbon Fiber/Vinyl Ester Resin Composite</b><br>J.Y. Liu, H.Y. Ge, J. Chen and H.S. Liu   | 2958 |
| <b>Structural, Optical and Photocatalytic Photodegradation Properties of Zn<sub>1-x</sub>MnxO Prepared by the Sol-Gel Process</b><br>C.L. Men, H.Q. Li and H. Zhang  | 2962 |
| <b>Synthesis and Characterization of Ni(OH)<sub>2</sub>/Multiwalled Carbon Nanotubes Nanocomposites for Electrochemical Capacitors</b><br>Z.J. Yu, Y. Dai and W. Chen  | 2968 |
| <b>Research Status and Prospects of Surface Nanocrystalline Technology of the Metal Materials</b><br>Y.H. Sheng  | 2972 |
| <b>Interfacial Microstructure Evolution of Copper/Aluminium Laminates with Different Annealing Processes</b><br>Y.H. Zhang, J. Qin, H.J. Zhao and G.L. Xu  | 2976 |
| <b>Synthesis Film Morphology and Performance on Fabrics of a Novel Amino Functional Polysiloxane</b><br>L.X. Huang, X.Y. Zhang and Q.F. An   | 2981 |
| <b>Study on Abrasive Wear Behavior and Mechanisms of 7Cr7Mo2V2Si Steel as Drilling Tool Materials</b><br>Y.F. Tan, B. Cai, X.L. Wang, G.L. Jiang and C.H. Zhou   | 2986 |
| <b>Fe-doped TiO<sub>2</sub>/SiO<sub>2</sub> Aerogel Microspheres for Visible Light Photocatalysis Degradation of Methylene Blue</b><br>M.X. Liu, L.H. Gan, D.Z. Zhu, Z.J. Xu, Z.X. Hao and L.W. Chen                                     | 2993 |
| <b>Synthesis, Structure and Photoluminescent Properties of Zn(II) -Complex with 2,4,6-tris-(benzimidazolyl-2-yl)pyridine Ligand</b><br>C.J. Li, G.Q. Yin, Q.B. Guo, H.M. Hang, X.H. Zhou and S. Gong                                     | 2997 |
| <b>Preparation and Modification of Y<sub>2</sub>Cu<sub>2</sub>O<sub>5</sub>/Y<sub>2</sub>O<sub>3</sub> Photocatalysts for H<sub>2</sub> Evolution under Simulated Sunlight Irradiation</b><br>L. Zhang, K.L. Huang, H. Chen and J.H. Yan | 3001 |
| <b>Synthesis of Al<sub>2</sub>O<sub>3</sub> Reinforced TiAl Composites from Ti-Al-Nb<sub>2</sub>O<sub>5</sub></b><br>J.F. Zhu, W.W. Yang and F.N. Du   | 3005 |
| <b>Preparation and Properties of Silicone Modified Epoxy Resin, Nano-TiO<sub>2</sub> and Nano-TiO<sub>2</sub>/Micron-Al<sub>2</sub>O<sub>3</sub> Polymer Alloys Putty</b><br>M.Q. Wang, J. Yan, H.P. Cui and S.G. Du                     | 3009 |
| <b>A Novel Method for Fabrication of the Biomimetic Shark-Skin Coating</b><br>X. Han and J. Wang   | 3014 |

|   |      |
|---|------|
| <b>Study on the Magnetorheological Effect of MR Elastomer under Shear-compression Mode</b><br>Y.F. Wang, L. He, W.X. Yu and X. Yang   | 3018 |
| <b>The Analysis of the Deformational Behavior and Mechanical Properties of Composite Yarn under the Conditions of Small Deformation</b><br>X.M. Fan, H.L. Xia, Z.X. Zheng, Y.P. Li and Y. Xue   | 3024 |
| <b>Detection of Carbon Dioxide in Transformer Oil with Coated Piezoelectric Quartz Crystal Sensor</b><br>J.S. Li, R.H. Yang, S. Long, T. Zhou, J.F. Xiong and Z. Cao                            | 3028 |
| <b>Proton Exchange Membrane Based on Sulfonated Polyimide for Fuel Cells: State-of-the-Art and Recent Developments</b><br>Y.P. Zhang, M.Z. Yue and Y. Chen                                      | 3032 |
| <b>Improved Synthesis Methods for Barium Hexaferrite</b><br>Y. Liu, H.S. Yin, Y. Liu, K. Sun, Y. Li, L.L. Wang and W.J. Xu  | 3039 |
| <b>Preparation of HBWSL-1 Type Photosensitive Resin for Stereolithography and Study on the Accuracy of its Fabricated Parts</b><br>B.W. Huang, S.M. Liu and W.Q. Chen                           | 3043 |
| <b>White Organic Light Emitting Devices Based on the New Hole Injection Material MeO-TAD</b><br>Y.H. Gao and W.L. Jiang   | 3048 |
| <b>Magnetic Properties of Mn/Co/Sn Substituted Barium Hexaferrites Synthesized by an Improved Co-Precipitation Method</b><br>Y. Liu, H.B. Zhang, J.D. Duan, Y. Liu, Y. Gao, L.L. Wang and Y. Li | 3052 |
| <b>Electrodeposition and Characterization of Cr-Fe-ZrO<sub>2</sub> Composite Coating from Trivalent Chromium Chloride Electrolyte</b><br>X.Z. He, X.L. Zhou and L.Y. Huang                      | 3056 |
| <b>Effect of Rare Earth Elements on Corrosion Behavior of Q345B Steel in CSP</b><br>T. Li, H.P. Ren, Z.L. Jin, X.Q. Li and M. Qin   | 3062 |
| <b>A Study on Effect Evaluating and Parameters Sensitivity Analyzing of Superheated Steam Soak in Heavy Oil Reservoirs</b><br>Q. Zheng, H.Q. Liu, Z.X. Pang and F. Li                           | 3069 |
| <b>Integration of Preparation and Stabilization for Hemihydrate Calcium Sulfate Whiskers</b><br>X.F. Zhu, Y.B. Wang, X. Wang and L.S. Yang  | 3074 |
| <b>Tm<sup>3+</sup>-doped Bismuth Tellurite Glasses for S- and U-band Optical Amplifiers</b><br>Q. Shen, L.F. Shen, H. Lin and C.M. Li   | 3078 |
| <b>Research of Manufacturing Battery-Grade Co<sub>3</sub>O<sub>4</sub> of Octahedron-Shape</b><br>J. Zhou, L.J. Li, Y.L. Yan, W.X. Zhou and K. Cheng  | 3082 |
| <b>Preparation of Homogeneous Carbon Nano Particles Using Zeolite</b><br>Y.L. Yao, Y.J. Du and H.H. Yi  | 3086 |
| <b>Zn-Doped Palygorskite Loaded TiO<sub>2</sub> for Visible-Light Active Catalysts</b><br>D.F. Zhao, H.D. Lu and C.G. Tian  | 3090 |
| <b>Numerical Simulation of Magnetic Fluid Used in Sintering and Cooling Equipments Seals as a Functional Material</b><br>M.H. Bai and H.L. Zhou   | 3096 |
| <b>Warm Flow Compaction to Form Cross-Shaped Parts with Threaded Holes</b><br>M.Y. Ke and Z.Y. Xiao   | 3100 |
| <b>Carbon Microspheres Prepared by High Internal Phase Emulsion Polymerization</b><br>M.X. Liu, L.H. Gan, J. Hu, H.L. Liu and L.W. Chen   | 3105 |
| <b>Magnetic properties of (Sr<sub>1.85</sub>Ln<sub>0.15</sub>)FeMoO<sub>6</sub> with Ln = Sr, La, Ce, Pr, Nd, Sm and Eu</b><br>Q. Zhang, Q. Wang, Z.C. Sun and K.Y. Wang                        | 3109 |
| <b>Dielectric Composites Containing Core@shell Structure Particles</b><br>C. Yang, H.S. Song and D.B. Liu   | 3113 |
| <b>Antibacterial Property of Active Packaging of Microencapsulated Cinnamon Oil Combined with ZnO-Coated PVC Film</b><br>Y.G. Xing, Q.L. Xu, Y.J. Sun, X.H. Li and W.L. Li                      | 3119 |
| <b>Simulation Research on Cutting Process of Single Abrasive Grain</b><br>C. Su, L.D. Zhu and W.S. Wang   | 3123 |
| <b>The Effect of Vacuum Heat Treatment on the Oxidation Behavior of APS Thermal Barrier Coating</b><br>Y.J. Chen, S.Q. Liu, X.P. Lin, Z.P. Wang and L.J. Wang                                   | 3127 |

|   |      |
|---|------|
| <b>Effect of H<sub>2</sub>S Partial Pressure on CO<sub>2</sub>/H<sub>2</sub>S Corrosion of Oil Tube Steels</b>                                | 3131 |
| Y. Wang and P. Li   |      |
| <b>The Study of the Interface Evolution and the Performance of the Ti-Al Composite Electrode Materials</b>                                    | 3135 |
| Z.H. Han, P.X. Zhu, X.Q. Yang and J. Xu   |      |
| <b>Effect of Amino Acids on the Corrosion of Steel in Sulfuric Acid Solutions</b>   | 3142 |
| X.H. Liu, Q.H. Wang and Y.L. Rui  |      |
| <b>Study on Reactive Blend Systems of PA1010/ABS/PP</b>   | 3146 |
| J.M. Zhang, M.Y. Zhu and Z.X. Lian  |      |
| <b>A Dynamically Nanoporous Metal-Organic Framework Functional Properties</b>   | 3150 |
| X. Huang, L.J. Jiang, M.L. Hu and X.H. Li   |      |
| <b>The Selection and Application of Filling Material Based on Long-Term Strength of Backfill Body</b>   | 3156 |
| B.J. Fu and M. Tu   |      |
| <b>Preparation and Photoluminescent Properties of Doped Ternary Europium Complexes Bearing 1-(Naphthalen-2-yl)-3-phenylpropane-1, 3-dione</b> | 3161 |
| Y.Q. Li, D.M. Zhang, H.H. Xu, X. Tao and Y.Z. Shen  |      |
| <b>Magnetization Evolution with Hole Doping Level in (Sr<sub>2-x</sub>Na<sub>x</sub>)FeMoO<sub>6</sub></b>                                    | 3165 |
| Q. Zhang, C. Li, Z.F. Xu and K.Y. Wang  |      |

## 7 Other Related Fields

|   |      |
|---|------|
| <b>An Assessment of Mechanism for Oxidation Corrosion of Alloy T91 Tubes in Supercritical Boilers</b>   | 3171 |
| D.P. Liu, Z.H. Ai and J.C. Hu   |      |
| <b>Production and Application of High Capacity Bottom Blowing Purging Plugs for Converter</b>   | 3176 |
| Y. Qin, Y. Chen and G.T. Liu  |      |
| <b>Structure and Properties Analysis of Microcapsulated Capsaicin Prepared by Diphase Emulsion Method</b>                                     | 3182 |
| J.C. Wang, S.H. Chen, S.Z. Xu, Y. Xue and J.Z. Lou  |      |
| <b>The No-Cyanide Copper Electroplating with Dipping-Plating Pretreatment</b>   | 3186 |
| X.J. Tang, A.H. Guo, J.G. Wang, M. Gao and B.X. Shen  |      |
| <b>Preparation and Electrochemical Properties of Fluorinated Mesoporous Carbon Foams for Electric Double-Layer Capacitors</b>                 | 3190 |
| Y.J. Cao, M.X. Liu, L.H. Gan, Y.K. Lv, Z.J. Xu, Z.X. Hao, H.L. Liu and L.W. Chen  |      |
| <b>Catalysis Investigation of PET Depolymerization by ZnSrO<sub>2</sub> under Microwave Irradiation</b>                                       | 3194 |
| L.L. Geng, C.H. Han and D. Zhang  |      |
| <b>Non-Isothermal Crystallization Behavior of Poly(Ethylene Terephthalate)/Carbon Black Composite</b>   | 3198 |
| Z.H. Jiang, J. Jin, C.F. Xiao and X. Li   |      |
| <b>Research on Microstructure and Room Temperature Plasticity of Mg<sub>94.5</sub>Zn<sub>4</sub>Y<sub>1</sub>Er<sub>0.5</sub> Alloy Sheet</b> | 3207 |
| Z.J. Wang, Y. Xu, J. Cheng, Z.J. Wang, B.H. Kang and N.R. Zhao  |      |
| <b>Study on the Preparation and Properties of Collagen Fiber- Polyurethane Composite Film</b>   | 3211 |
| X.Y. Ma, Y.S. Guo, L.Y. Lu and K. Jiang   |      |
| <b>MISPE Combined with GCMS for Analysis of Organophosphorus Pesticides from Environmental Water Sample</b>                                   | 3216 |
| L. Zhao, Z.H. Ma, L.G. Pan and J.H. Wang  |      |
| <b>Preparation and Properties of Emulsion Coating of Polyacrylate Modified by <i>In-Situ</i> Nano-Hybrid Silica</b>                           | 3221 |
| J.G. Gao, H.Q. Lv and X.F. Zhang  |      |
| <b>Fabrication of (GOx/Pt-DENs)n/CNTs Nanocomposite and their Electrochemical Properties for Anode in Biofuel Cell</b>                        | 3225 |
| J.M. Zhang, Y.H. Zhu, J.P. Yun, X.L. Yang and C.Z. Li   |      |
| <b>Research on Mechanical Properties of Modified Organic Montmorillonite Reinforced Nature Rubber(NR) Composites</b>                          | 3231 |
| X.Y. Zheng, J.C. Wang and K. Yang   |      |

|   |      |
|---|------|
| <b>Potential Analysis in Nanoturning of Single Crystal Silicon Using Molecular Dynamics</b>   | 3236 |
| Y.C. Liang, Z.G. Wang, M.J. Chen, J.X. Chen and Z. Tong   |      |
| <b>Physical and Electrical Properties of Lead-Free <math>(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3-(\text{Bi}_{0.5}\text{K}_{0.5})\text{TiO}_3</math> Ceramics</b> | 3240 |
| C.H. Wang   |      |
| <b>The Compression Behavior Simulation of Aluminum Foams</b>  | 3244 |
| F. Wang, L.C. Wang and Y.L. Wang  |      |
| <b>Novel Method to Toughen Polypropylene by Uniaxial Compression Processing</b>   | 3249 |
| M.L. Jiao, K. Yang and Y. Chen  |      |
| <b>Curing, Thermal and Mechanical Properties of Liquid Crystalline p-SBPEPB/BPAER/DDE System</b>  | 3253 |
| L. Huo, J.G. Gao and Y.G. Du  |      |
| <b>Fabrication of Mesoporous <math>\text{ZrO}_2</math> by Using Rosin-Based Quaternary Ammonium Salt</b>  | 3257 |
| P. Wang, Z.D. Zhao, L.Z. He, L.W. Bi and Y.X. Chen  |      |
| <b>Effect of Deformation Degree on Mechanical Properties of AZ80 Magnesium Alloy</b>  | 3262 |
| X.Q. Chang and T.H. Ma  |      |
| <b>Influence of Shape of Coarse Aggregate on Performance of Open Graded Friction Course</b>   | 3266 |
| J.X. Zhang and C. Wang  |      |
| <b>Research on Grafted Chitosan in Heterogeneous System</b>   | 3275 |
| J.Q. Xue, D.D. Wen, W.B. Mao, Y.F. Xue and Y.W. Du  |      |
| <b>Research on Preparation and Semi-IPN Structure of Absorptive Copolymethacrylate Fiber</b>  | 3279 |
| Y. Feng and C.F. Xiao   |      |
| <b>Research of Color and Discoloration Resistance of 18K Rosy Gold for Ornaments</b>  | 3284 |
| J.P. Yuan, W. Li and W.X. Guo   |      |
| <b>A Novel Photochromic Diarylethene Based on Thiophene and Isoxazole Moieties for Optical Recording</b>  | 3290 |
| H.L. Liu, S.Z. Pu, W.J. Liu and S.Q. Cui  |      |
| <b>The Preliminary Study of the Manufacturing Process of Veneer Composite Plank</b>   | 3294 |
| W.Q. Zhang, S.C. Zhang, J.Y. Pang and X. Zhen   |      |
| <b>Influence of Copper as a Co-Catalyst of Potassium Hexaniobate Nanotubes on the Photocatalytic Hydrogen Evolution from a Methanol Aqueous Solution</b>              | 3298 |
| X.L. Zhao, X.H. Yang, X.Q. Li, P.P. Yao, S.Z. Kang and J. Mu  |      |
| <b>Facile Preparation of <math>\text{AgIn}_5\text{S}_8</math> Pompon-like Microspheres with High Visible Light Photocatalytic Activity</b>                            | 3302 |
| P.P. Yao, D.L. Wei, X.L. Zhao, S.Z. Kang, X.Q. Li and J. Mu   |      |
| <b>Synthesis of Nd:YAG Powders by the Co-Precipitation Method</b>   | 3306 |
| X.Y. Zou, H.B. Zhang and C.H. Su  |      |
| <b>Novel Self-Healing Techniques for Cement Matrix Microcrack</b>   | 3310 |
| M. Zhang, F. Xing, K.Y. Shi and P. Liu  |      |
| <b>Novel Iron(II) Complex as Single-Site Catalysts for Ethylene Polymerization</b>  | 3314 |
| Z.Z. Cheng, Y. Cong, X.C. Yan, Y.J. Nie, S.S. Lin and R. Lei  |      |
| <b>Titanium Dioxide Supported on Activated Carbon Performance of Wastewater</b>   | 3319 |
| G.J. Wang and D.M. Wang   |      |
| <b>Decomposition and Statistical Analysis of Bulk Density Levels of Dense Phase Flyash Powder Flow within a Pneumatic Conveyor</b>                                    | 3323 |
| W. Chen, K.C. Williams and M.G. Jones   |      |
| <b>Eco-Friendly Dye-free Coloration Technology for Wool Based on Fenton Reagent Pretreatment</b>  | 3327 |
| Y.L. Sui and Y.Z. Cui   |      |
| <b>Electrochemical Capacitive Performances of Ordered Carbon Nanotube Arrays</b>  | 3331 |
| X.L. Gao, W. Xing, J. Zhou and S.P. Zhuo  |      |
| <b>Synthesis of Poly(acrylamide-Methacrylate)-G-Octylphenyl Polyoxyethylene and its Micellar Behavior in Aqueous Solution</b>   | 3337 |
| D.X. Zhang, W.H. Hu, F.P. Wang, L.K. Xue and X.Z. Du  |      |
| <b>Manufacturing Technique of Stab-Resistant Laminated Composite Nonwoven Fabrics</b>   | 3342 |
| C.W. Lou, C.C. Lin, C.C. Huang, J.M. Chen, W.H. Ma and J.H. Lin   |      |
| <b>Enzymatic Hydrolysis Lignin Epoxy Resin Modified Asphalt</b>   | 3346 |
| Y. Xie, Q.F. Lü, Y.Q. Jin and X.S. Cheng  |      |

|   |  |      |
|---|--|------|
| <b>Effect of Thixotropic Agent on the Properties of Conductive Silicone Rubber Gasket for EMI Shielding</b>                           |  |      |
| X.H. Liu, Z.D. Xia, M.K. Zhao, H. Zhou, Y. Li, G.C. Xu and F. Guo   |  | 3350 |
| <b>Forming <i>In-Situ</i> Micro-Cavities on 316L Stainless Steel Surface by Aluminum Electrodeposition and Anodization Technology</b> |  |      |
| Y.J. Wang, X.X. Ma, Q.F. Chen and G.Z. Tang   |  | 3354 |
| <b>Odd-Carbon Alkyl-Substituent Effect on Liquid Crystalline Properties of Discotic Hexa-Peri-Hexabenzocoronene Molecule</b>          |  |      |
| X.Y. Liu, Y. Jiang, W.G. Wang and J.L. Pu   |  | 3358 |
| <b>Effect of Heat Treatment on Microstructure and Corrosion Resistance of Ni-P/BN(h) Composite Coatings</b>                           |  |      |
| C.Z. Peng, L.L. Zhu and Y.M. Chen   |  | 3362 |
| <b>Chemical Composition and Antimicrobial Activity of Volatile Components from Wild <i>Illicium Wardii</i> in China</b>               |  |      |
| Y. Min, W. Zhang, J. Yang and W. Liu  |  | 3367 |
| <b>Corrosion Characteristics and Corrosion Current Distribution of Steel Bar in Carbonated Concrete</b>                               |  |      |
| Y.S. Ji, J.L. Shen, L. Wang and C.Y. Xu   |  | 3371 |
| <b>Online Roller Punching Equipment Application in Cold Roll Forming</b>  |  |      |
| Y.B. Du, J.T. Han, Y.J. Zhang and Z.Y. Jiang  |  | 3377 |