

# Table of Contents

## Preface, Sponsors and Members

## Chapter 1: Grinding Technology

### 1.1. Grinding Process and Principles

|                                                                                                                                                                                         |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>Wheel Based Temperature Measurement in Grinding</b><br>E. Brinksmeier, J. Eckebrecht and A. Wilkens                                                                                  | 3  |
| <b>Characterization of the Response of Embedded Thermocouples in Grinding</b><br>I. Pombo, J.A. Sánchez, N. Ortega, B. Izquierdo and S. Plaza                                           | 12 |
| <b>Research on Workpiece Surface Temperature and Surface Quality in High-Speed Cylindrical Grinding and its Inspiration</b><br>B.Z. Li, D.H. Zhu, Z.X. Zhou, Q. Zhang and Y.C. Yuan     | 19 |
| <b>Research on Heat Transfer and Calculation Method of Workpiece Surface Temperature in High Speed Grinding</b><br>B.Z. Li, D.H. Zhu, Z.X. Zhou, J.Z. Pang and J.G. Yang                | 28 |
| <b>Heat Transfer in Grinding-Hardening of a Cylindrical Component</b><br>T. Nguyen, L.C. Zhang and D.L. Sun                                                                             | 35 |
| <b>Deformation Mechanisms and Abrasive Machining of Nanoscale Thin Film Multilayered Solar Panels: A Focused Review</b><br>H. Huang                                                     | 42 |
| <b>Single Grain Scratch Tests to Determine Elastic and Plastic Material Behavior in Grinding</b><br>J.C. Aurich and M. Steffes                                                          | 48 |
| <b>Calculation of the Contact Stiffness of Grinding Wheel</b><br>T. Yamada, M.N. Morgan, H.S. Lee and K. Miura                                                                          | 54 |
| <b>Analysis of Effective Cutting-Edge Distribution of Grinding Wheel Based on Topography of Working and Ground Surfaces</b><br>H. Sakamoto, K. Nakamura, Y. Sasaki and S. Shimizu       | 60 |
| <b>Nano-Topography Distribution on Non-Axisymmetric Aspherical Ground Surface</b><br>N. Yoshihara, S. Fujimura, N. Nishikawa, M. Mizuno and T. Iyama                                    | 66 |
| <b>Modeling of Specific Grinding Energy Based on Wheel Topography</b><br>A. Azizi, H. Adibi, S.M. Rezaei and H. Baseri                                                                  | 72 |
| <b>Research on Macro Simulation of Surface Grinding Based on FEM</b><br>W.S. Wang, P. Guan, Y.S. Xian and T.B. Yu                                                                       | 79 |
| <b>Preparation and Characterization of Self-Lubrication CBN Grinding Wheel Containing Graphite as Lubricant</b><br>W.F. Ding, J.H. Xu, J.L. Huang, Z.Z. Chen, H.H. Su and S.N. Galyshev | 85 |
| <b>An Experimental Study on a Flexible Grinding Tool</b><br>C. Vogt, S. Sinzinger, H. Adelsberger, R. Maurer, F. Schneider, R. Mandler, L. Kuepper, R. Rascher and P. Sperber           | 91 |
| <b>Effects of Cutting Edge Truncation on Ultrasonically Assisted Grinding</b><br>K. Hara, H. Isobe, M.F. Ismail and S. Kaihotsu                                                         | 97 |

### 1.2. Grinding of Difficult-to-Cut Materials

|                                                                                                                                                                      |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Ceramic Balls Machining by Centerless Grinding Using a Surface Grinder</b><br>Y.B. Wu, W.X. Xu, M. Fujimoto and T. Tachibana                                      | 103 |
| <b>A Study of High Speed Grinding Alumina Ceramic for a Small Diameter of Diamond Tool</b><br>S.Y. Luo, C.L. Lee, Y.X. Liu and W. Chen                               | 110 |
| <b>Grinding of Steel-Ceramic-Composites</b><br>B. Denkena, J. Köhler and D. Hahmann                                                                                  | 116 |
| <b>Wear Behavior of a Vitrified Bond CBN Wheel by Ultrasonic-Assisted Creep Feed Profile Grinding of Inconel 718</b><br>T. Tawakoli, B. Azarhoushang and A. Rasifard | 122 |

|                                                                                                                                                                         |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>FEM Analysis of Single Grit Chip Formation in Creep-Feed Grinding of Inconel 718 Superalloy</b><br>A. Zahedi and J. Akbari                                           | 128 |
| <b>Experimental Study on Grinding of a Nickel-Based Alloy Using Vitrified CBN Wheels</b><br>Z.D. Shi, A. Elfizy, B. St-Pierre and H. Attia                              | 134 |
| <b>High Speed Grinding of Nickel-Based Superalloy with Single Diamond Grit</b><br>Z.Z. Chen, J.H. Xu, W.F. Ding, Z. Cheng and S.N. Galyshev                             | 140 |
| <b>Analysis of Specific Energy of TC18 and TA19 Titanium Alloys in Surface Grinding</b><br>Q.L. Niu, G.G. Guo, X.J. Cai, Z.Q. Liu and M. Chen                           | 147 |
| <b>Wear Characteristics of Various Diamond Tools in Cutting of Tungsten Carbide</b><br>A. Kubo, Y. Mochida, J. Tamaki, K. Harano, H. Sumiya and A.M.M. Sharif Ullah     | 153 |
| <b>Effect of Lubricants on Precision Planing of Tungsten Carbide Using Mono-Crystalline Diamond Tool</b><br>A. Yui, H. Matsuoka, S. Okuyama, T. Kitajima and G. Okahata | 159 |
| <b>Creep-Feed Grinding of Tungsten Carbide by Using Resin-Bonded Nickel-Coated Diamond Wheel</b><br>A. Pak and A. Abdullah                                              | 165 |
| <b>Study on Complex Helical Drill Grinding Using the Grinder with Tripod Parallel Universal Moving Platform</b><br>P. Zou, X.L. Yang, J.Z. Xu, M. Hu and W.Y. Tian      | 171 |
| <b>Particularities of Grinding High Speed Steel Punching Tools</b><br>P. Krajnik, R. Drazumeric, J. Badger, J. Kopač and C.M. Nicolescu                                 | 177 |

### 1.3. Dressing

|                                                                                                                                                                                                                                                          |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Dressing Process of Porous Self-Generation Superabrasive Tool</b><br>B.H. Lv, Z. Wu, J.L. Yuan and H.W. Fan                                                                                                                                           | 183 |
| <b>Influence of Picosecond Laser Touch Dressing of Electroplated Diamond Wheels on the Dressing of SiC Vitrified Bond Wheel</b><br>M. Rabiey, C. Dold, R. Transchel and K. Wegener                                                                       | 189 |
| <b>Analysis of EDD Accuracy for Profiling Metal-Bonded Grinding Wheels</b><br>N. Ortega, I. Pombo, J.A. Sánchez, S. Plaza and B. Izquierdo                                                                                                               | 195 |
| <b>Corrosion Wear Characteristics of ELID-Ground Co-Cr Alloy with Applying Abrasion by Ultra High Molecular Weight Polyethylene (UHMWPE)</b><br>M. Mizutani, N. Hisamori, T. Mizuno, A. Ezura, I. Ohuchi, H. Ohmori, K. Fujiwara, K. Doi and K. Kuramoto | 201 |
| <b>Experimental Study on Performance of Monolayer Brazed Diamond Wheel through Chemical-Mechanical Dressing</b><br>H.H. Su, J.H. Xu, Y.C. Fu, W.F. Ding and S. Wang                                                                                      | 208 |

### 1.4. MQL-Fluid-Coolant

|                                                                                                                                                                                            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Filter-Less Purification of Grinding Fluid by Using PGA Based Flocculant</b><br>S. Ninomiya, M. Iwai and K. Suzuki                                                                      | 213 |
| <b>Improvement of Grinding Performance of a CBN Wheel Using a New Grinding-Fluid-Supply System</b><br>T. Kitajima, S. Okuyama and A. Yui                                                   | 219 |
| <b>3-D CFD Parametric Study of the Impact of the Fluid Properties and Delivery Conditions on Flow and Heat Transfer in Grinding</b><br>S. Mihić, S. Cioc, I. Marinescu and M.C. Weismiller | 225 |
| <b>Study on the Effects of Abrasive and Coolant-Lubricant Types on Minimum Quantity Lubrication-MQL Grinding</b><br>T. Tawakoli, M.J. Hadad, A. Daneshi, M.H. Sadeghi and B. Sadeghi       | 231 |

### 1.5. Non-Traditional Grinding Process, Grinding Tools, AE and Image Processing

|                                                                                               |     |
|-----------------------------------------------------------------------------------------------|-----|
| <b>Wire Cutting Tool Concepts for Steel Machining</b><br>B. Denkena, J. Köhler and A. Ermisch | 238 |
|-----------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                          |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>The Mechanics and Mechanisms of Material Removal in Abrasive Drilling C/E Composites</b><br>Q. Wen, H. Gao, D.M. Guo and B. Wang                      | 244 |
| <b>Process Parameters Influence on Semi-Fixed Abrasive Tool Wear</b><br>Q.F. Deng, P. Zhao, B.H. Lv, J.L. Yuan and Z.W. Wang                             | 251 |
| <b>Modeling Effects of Compliance in Coated Abrasive Tools</b><br>B. Nagarajan, W.J. Chee and S. Sathyan                                                 | 257 |
| <b>Study on Electrolytic Re-Insulation Grinding of Soft Magnetic Powder Cores</b><br>T. Ueno, K. Matsunuma and T. Nishioka                               | 264 |
| <b>Research on the Chemical-Mechanical Grinding (CMG) Tools for Al<sub>2</sub>O<sub>3</sub> Ceramic</b><br>H.Z. Dai, Z.J. Jin, S. Gao and Z.C. Tao       | 270 |
| <b>Effect of Complex Electrodischarge Grinding for Electrically Conductive PCD</b><br>M. Iwai, S. Ninomiya and K. Suzuki                                 | 276 |
| <b>A Quick-Test Method to Determine the Grinding Wheel Topography Based on Acoustic Emission</b><br>W.L. Weingaertner and A. Boaron                      | 282 |
| <b>Grinding Monitoring through Thermal Acoustic Emission Signatures</b><br>X. Chen, A. Mohamed and J. Folkes                                             | 287 |
| <b>Development of Three-Dimensional Measurement System of a Grinding Wheel Surface with Image Processing</b><br>A. Sakaguchi, T. Kawashita and S. Matsuo | 294 |
| <b>Evaluation of Vibration Finished Surfaces Using Image Processing Method</b><br>S. Higuchi, H. Takai, H. Kato and K. Okawa                             | 300 |

## **Chapter 2: Turning, Milling and Drilling**

### **2.1. Machining Process and Tools and Machine Tools**

|                                                                                                                                                                                            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Experimental Study on the Cutting Performance of TiC-Based Nanocomposite Ceramic Tools in Turning 40Cr Steel</b><br>H.L. Liu, M. Hong, C.Z. Huang and B. Zou                            | 309 |
| <b>Effect of Ground Surface Roughness of Tool on Adhesion Characteristics by PVD Coating</b><br>M. Furuno, K. Kitajima, Y. Tsukuda and T. Akamatsu                                         | 315 |
| <b>Study on Processing Property of Thin-Walled Titanium Alloy Component with Paraffin Reinforcement</b><br>M.J. Ge, J. Sun and J.F. Li                                                     | 321 |
| <b>Ultra High-Speed Cutting Experiment under the Cutting Condition that Cutting Speed Exceeds Plastic Wave Speed of Workpiece</b><br>J. Shinozuka, M. Sando and T. Horie                   | 327 |
| <b>Atmosphere Effects on the Machinability of Cutting Tools with Micro- and Nanoscale Textures</b><br>N. Kawasegi, H. Sugimori, N. Morita and M.C. Xue                                     | 333 |
| <b>Defect Structures in Diamond Composite Coated Cemented Tungsten Carbide Substrates</b><br>J.N. Boland, X.S. Li, D. Hay, C.M. MacRae, S. Elbracht, R.P. Rassool, V. Luzin and P. Imperia | 339 |
| <b>Aid of End-Milling Condition Decision Using Data Mining from Tool Catalog Data for Rough Processing</b><br>H. Kodama, T. Hirogaki, E. Aoyama and K. Ogawa                               | 345 |
| <b>An Experimental Study on the Effects of Ultrasonic Assisted Drilling on Chip Characteristics and Tool Life</b><br>B. Vakili Azghandi and M.R. Razfar                                    | 351 |
| <b>Numerical Study on Constant-Flow Hydrostatic Water Bearing for a Machine-Tool Table</b><br>G. Okahata, S. Okuyama and A. Yui                                                            | 357 |

### **2.2. Machining of Composites and Titanium and Nickel-Based Alloys**

|                                                                                     |     |
|-------------------------------------------------------------------------------------|-----|
| <b>Drilling CFRP Thermosets Using Mounted Points</b><br>D. Biermann and M. Feldhoff | 363 |
| <b>Drilling of CFRP/Ti-6Al-4V Stacks</b><br>T. Tashiro, J. Fujiwara and K. Inada    | 369 |

|                                                                                                                                                                                                                     |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Influences of Processing Parameters on Hole Shape Accuracy in Drilling Carbon Fiber Reinforced Composite</b><br>G.Y. Li, J.F. Li and J. Sun                                                                      | 375 |
| <b>Tool Wear and Cutting Temperature at Machining of Composites</b><br>J. Liska and J. Kodácsy                                                                                                                      | 381 |
| <b>High Speed Milling of Titanium Alloy</b><br>J. Fujiwara, T. Arimoto and K. Tanaka                                                                                                                                | 387 |
| <b>The Influence of SiC Particles on Tool Wear in Machining of Al/SiC Metal Matrix Composites Produced by Powder Extrusion</b><br>R. Yousefi, M.A. Kouchakzadeh, J. Rahiminasab and M.A. Kadivar                    | 393 |
| <b>The Cutting Performance of Ultra-Smooth Composite Diamond Coated WC-Co Inserts in Dry Turning Al/SiC-MMC</b><br>B. Shen and F.H. Sun                                                                             | 400 |
| <b>Milling Experimental Investigation on Titanium Alloy Ti6Al4V under Different Cooling/Lubrication Conditions</b><br>H. Yong, Y.J. Sun, M.J. Ge, J.F. Li and J. Sun                                                | 406 |
| <b>Machined Surface Analysis in High-Speed Dry Milling of Ti-6Al-4V Alloy with Coated Carbide Inserts</b><br>A.H. Li, J. Zhao, H.B. Luo and W. Zheng                                                                | 412 |
| <b>Prediction of Surface Roughness Using Back-Propagation Neural Network in End Milling Ti-6Al-4V Alloy</b><br>S. Zhang and J.F. Li                                                                                 | 418 |
| <b>Lubricant Applying Effect Mechanism in Inconel 718 Cutting - Effects of Cutting Speed and Depth of Cut -</b><br>T. Kaneeda, K. Ishioka, L. Anthony and Y. Goto                                                   | 424 |
| <b>Empirical Modeling and Analysis of Surface Roughness in Milling Process of Nickel-Based Super Alloy Nimonic 115 through Response Surface Methodology</b><br>H. Hassanpour, M.H. Sadeghi, S. Shajari and M. Emami | 430 |

## 2.3. Glass Machining

|                                                                                                             |     |
|-------------------------------------------------------------------------------------------------------------|-----|
| <b>Ultrasonic Coring of Glass Disks Using Double Core Tool</b><br>S. Koshimizu                              | 436 |
| <b>Drilling of Borosilicate Glass with Feedback Control Based on Cutting Force</b><br>H. Ohzeki and F. Arai | 442 |

## Chapter 3: Polishing and Lapping

|                                                                                                                                                                                                         |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>An Investigation on the Chemical Effect in Chemo-Mechanical Polishing</b><br>X.L. Jin and L.C. Zhang                                                                                                 | 451 |
| <b>Research on the Polishing Performance of CMP Slurry for the Sapphire Crystal</b><br>S. Gao, R.K. Kang, Z.J. Jin and Z.G. Dong                                                                        | 457 |
| <b>Tribological Aspects of Chemical Mechanical Polishing Diamond Surfaces</b><br>Z.J. Jin, Z.W. Yuan, Q. Li and K. Wang                                                                                 | 464 |
| <b>Precision Polishing of Micro Mold by Using Piezoelectric Actuator Incorporated with Mechanical Amplitude Magnified Mechanism</b><br>S.K. Chee, H. Suzuki, M. Okada, T. Yano, T. Higuchi and W.M. Lin | 470 |
| <b>Investigation of a Polishing Pad and a Carrier Film for Decreasing Edge Roll Off of Workpiece</b><br>U. Satake, W.X. Wang, T. Enomoto and N. Tabata                                                  | 476 |
| <b>Buffing Performance Analysis of Viscoelastic Polymer with Sensor-Less Polishing Pressure Control</b><br>K. Igarashi, M. Sato and Y. Kakinuma                                                         | 482 |
| <b>Verification of Polishing Phenomena of Nickel Cylinder Using Photocatalyst and Luminous Dye Excited by Ultraviolet Ray -Study of Ultraviolet-Ray Aided Machining-</b><br>T. Tanaka                   | 489 |
| <b>Studies on the Lapping of Polycrystalline Diamond Compact (PDC)</b><br>J. Sowers and A. Fang                                                                                                         | 495 |

|                                                                                                  |     |
|--------------------------------------------------------------------------------------------------|-----|
| <b>Advanced Diamond Charging Process Using Vibrating Charging Ring in Fixed Abrasive Lapping</b> |     |
| H. Tanaka, H. Horita, T. Yoshikawa, K. Iwatsuka and Y. Maeda                                     | 502 |
| <b>A Novel Desktop Device for Lapping Milled Micro Thin-Walled Structures</b>                    |     |
| P. Zhang, B. Wang, M.J. Jackson and X. Mao                                                       | 508 |

## **Chapter 4: Magnet Finishing**

|                                                                                                                                    |     |
|------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Finishing of Metal Parts in Magnetic Field Based on Abrasion</b>                                                                |     |
| J. Kodácsy                                                                                                                         | 517 |
| <b>Machining Characteristics of Magnetic Force-Assisted Electrolytic Machining for Polycrystalline Silicon</b>                     |     |
| P.H. Yu, J.C. Hung, H.M. Lee, K.L. Wu and B.H. Yan                                                                                 | 523 |
| <b>Study on Internal Magnetic Field Assisted Finishing Process Using a Magnetic Machining Jig for Thick Non-Ferromagnetic Tube</b> |     |
| Y.H. Zou, J.N. Liu and T. Shinmura                                                                                                 | 530 |
| <b>Composite Tools Design for Electrolytic Magnetic Abrasive Finishing Process with FEM</b>                                        |     |
| G.Y. Liu, Z.N. Guo, Y.B. Li and J.W. Liu                                                                                           | 536 |
| <b>Influence of Abrasive on Planarization Grinding Based on the Cluster Magnetorheological Effect</b>                              |     |
| Q.S. Yan, J.W. Yan, J.B. Lu, W.Q. Gao and M. Li                                                                                    | 542 |
| <b>Characterization of Silicon Carbide Grit for Fickerts Used in Porcelain Tile Honing and Polishing Process</b>                   |     |
| C. Chiamulera, L.L. Evangelista, F.G. Fernandes, W.L. Weingaertner, R.B. Schroeter, M.C. Fredel and O.E. Alarcon                   | 548 |

## **Chapter 5: Micro and Nano Machining**

|                                                                                                        |     |
|--------------------------------------------------------------------------------------------------------|-----|
| <b>A Micro Grinding Experimental Study on AISI 1020 Steel</b>                                          |     |
| J. Cheng, Y.D. Gong and Y.M. Liu                                                                       | 557 |
| <b>Ultra-Precision Cutting of Roll Die with Micro Lens Arrays for Plastic Film</b>                     |     |
| T. Yoshikawa, M. Kyoi, H. Onozuka, H. Tanaka, Y. Maeda and M. Taya                                     | 563 |
| <b>Machining Characteristics of Cylindrical Blasting and Application to Micro Patterning</b>           |     |
| E. Sogabe, K. Ohashi, N. Lu, M. Fujiwara, T. Onishi and S. Tsukamoto                                   | 570 |
| <b>Nano-Grooving on Copper by Nano-Milling and Nano-Cutting</b>                                        |     |
| D.D. Cui, K. Mylvaganam and L.C. Zhang                                                                 | 576 |
| <b>Fabrication and Characterization of High Quality Micro Diamonds by Hot Filament CVD</b>             |     |
| T. Zhang, F.H. Sun, B. Shen and Z.M. Zhang                                                             | 582 |
| <b>A Study of the Micro-End Milling of Titanium Alloy</b>                                              |     |
| K. Tsuda, K. Okuda, H. Shizuka and M. Nunobiki                                                         | 588 |
| <b>Study on Surface Roughness in Micro End Milling of Mold Material</b>                                |     |
| H. Shizuka, K. Okuda, M. Nunobiki and Y. Inada                                                         | 594 |
| <b>Statistical Approach Calculating Ground Surface Roughness of Ultrasonic-Assisted Micro-Grinding</b> |     |
| K. Shimada, T.F. Zhou, J.W. Yan and T. Kuriyagawa                                                      | 600 |
| <b>Effect of Tool Tilting Angle on Tool Wear and Surface Roughness in Micro Ball End Milling</b>       |     |
| K. Hamaguchi, Y. Kagata, H. Shizuka and K. Okuda                                                       | 606 |

## **Chapter 6: Abrasive Jet Machining and Formation**

|                                                                                                  |     |
|--------------------------------------------------------------------------------------------------|-----|
| <b>A Study of Material Removal Process in Abrasive Waterjet Milling</b>                          |     |
| K. Dadkhahpour and J. Wang                                                                       | 621 |
| <b>Experimental Research on the Surface Roughness of Metal Kerf by Abrasive Waterjet Cutting</b> |     |
| H.T. Zhu, C.Z. Huang, S.G. Zhang, J. Wang and C.L. Che                                           | 627 |

|                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>An Experimental Study of the Nanoparticle Colloid Hydrodynamic Cavitation Jet Polishing Performance under Different Nozzle Designs</b> |     |
| X. Wang, F.H. Zhang, Y. Zhang and M. Zhou                                                                                                 | 633 |
| <b>A Study of Jet Formation for Premixed Slurry Jet Nozzle Using the Discrete Phase Model</b>                                             |     |
| W.S. Luo, C.Y. Wang, J. Wang and Y.X. Song                                                                                                | 638 |

## **Chapter 7: Machining of Silicon-Wafer and Glass**

|                                                                                                                     |     |
|---------------------------------------------------------------------------------------------------------------------|-----|
| <b>Evaluation of Surface Roughness of Quartz Glass Substrate in Fabrication Process for Neutron Focusing Mirror</b> |     |
| M. Nagano, F. Yamaga, K. Yamasaki, N. Zettsu, D. Yamazaki, R. Maruyama, K. Soyama and K. Yamamura                   | 647 |
| <b>On-Machine Measurement and Statistical Analysis of Wheel Wear after Grinding Optical Glass</b>                   |     |
| P. Yao, T. Matsuda, T.F. Zhou, J.W. Yan, T. Kuriyagawa and Y.D. Gong                                                | 653 |
| <b>Influence of Wafer Grinding and Etching Techniques on the Fracture Strength of Thin Silicon Substrates</b>       |     |
| C. Landesberger, C. Paschke and K. Bock                                                                             | 659 |
| <b>Silicon Electrochemical Etching for 3D Microforms with High Quality Surfaces</b>                                 |     |
| A. Ivanov and U. Mescheder                                                                                          | 666 |
| <b>Spectroscopic Measurements of Silicon Wafer Thickness for Backgrinding Process</b>                               |     |
| T. Onuki, N. Takagi, J. Shimizu, H. Ojima and L.B. Zhou                                                             | 672 |
| <b>Development of CMG Wheels for Stress Relief in Si Wafer Thinning Process</b>                                     |     |
| Y. Mikami, L.B. Zhou, J. Shimizu, H. Ojima, Y. Tashiro and S. Kamiya                                                | 678 |
| <b>On the Reliability of Nanoindentation on Si Wafer at Elevated Temperatures</b>                                   | 684 |

## **Chapter 8: ECO-Manufacturing**

|                                                                                                                                  |     |
|----------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Evaluation of Hard Materials Using Eco-Attributes</b>                                                                         |     |
| M. Mamunur Rashid, A.M.M. Sharif Ullah, J. Tamaki and A. Kubo                                                                    | 693 |
| <b>Development of Electric Rust Preventive Machining Method -Water Using for Machining: Improvement of Water Recycle System-</b> |     |
| N. Nishikawa, Y. Sato, T. Kato, K. Karita, Y. Hagihara, N. Yoshihara, H. Okawai, H. Kato, T. Iyama, M. Mizuno and S. Tsukamoto   | 699 |

## **Chapter 9: Molding, Sintering and Forming**

|                                                                                                                                             |     |
|---------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Implementation of Glass Transition Physics in Glass Molding Simulation</b>                                                               |     |
| H.H. Ruan and L.C. Zhang                                                                                                                    | 707 |
| <b>Ultraprecision Mass Fabrication of Aspherical Fresnel Lens by Glass Molding Press</b>                                                    |     |
| T.F. Zhou, J.W. Yan, J. Masuda and T. Kuriyagawa                                                                                            | 713 |
| <b>Investigation of the Effect of Addition of Zirconia and Talc on Sintering Behavior and Mechanical Properties of B<sub>4</sub>C</b>       |     |
| M. Tajdari, H.R. Baharvandi and A.R. Nezamabadi                                                                                             | 719 |
| <b>Deformation Behavior Simulation in Laser Forming of Titanium Sheet -Influence of Free Edge on Deformation Behavior in Laser Forming-</b> |     |
| M. Nunobiki, K. Okuda, T. Takagawa and H. Shizuka                                                                                           | 725 |
| <b>Study on Surface Roughness Muring Metal Manufacturing Process</b>                                                                        |     |
| Z.Y. Jiang, S.J. Wang, D.B. Wei, H.J. Li, H.B. Xie, X.D. Wang and X.M. Zhang                                                                | 731 |

## **Chapter 10: Peening Process**

|                                                                                                                |     |
|----------------------------------------------------------------------------------------------------------------|-----|
| <b>Effect of Heating and Subsequent Re-Shot Peening on Surface Characteristics of Shot-Peened Carbon Steel</b> |     |
| Y. Harada                                                                                                      | 739 |

|                                                                                                                                                                       |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Effect of Microshot Peening on Residual Stress of High-Toughness Spring Steel</b><br>Y. Harada, D. Gowa, T. Tsuji and Y. Kobayashi                                 | 745 |
| <b>Transfer of Nanocarbon Induced by Fine Particle Peening (FPP) Using Carbon-Black/Steel Hybridized Particles</b><br>Y. Kameyama, Y. Mizutani, H. Sato and R. Shimpo | 751 |