

Table of Contents

Preface, Sponsors and Organizing Committees

Chapter 1: CAD/CAM

| | |
|---|----|
| The Output Researching of a Cascaded Multilevel Class-D Power Amplifier G.H. Xu, Y. Zhang, M. Dong and Q.D. Meng | 3 |
| Research on TPL Cloud Service Platform Architecture J.R. Pang and C.H. Yuan | 11 |
| Numerical Simulation of 2D Hydraulic Jump Flow in a Vertical Plane W.L. Wei, X.J. Zhao and Y.L. Liu | 16 |
| Empirical Analysis of the Relationship between World Class Manufacturing Practises and Enterprise Performance: Comparing Developing Countries with Developed Countries Y.Z. Tian and X.X. Zhang | 21 |
| Study on Optimization of Samples by Rotation Vector Method Based on Attitude Calculating Y. Du, S.S. Feng and D.W. Yuan | 26 |
| A BP Neural Network-Based Automatic Windshield Wiper Controller H.F. Xu, H.Y. Chen and K. Yuan | 31 |
| Analysis on Engine Stall Issue of Closed Hydraulic System Z.Y. Cao, R.G. Liu, W.R. Wu and Q. Chen | 35 |
| Security Research of Messaging Middleware JMS-Based Y.L. Wei and T.H. Chen | 39 |
| FEM Analysis on the Phenomenon of Bilayer Nanofilm Bending into Nanotube with Effects of Adsorption and Temperature F.L. Gao, L. Feng, M.H. Liu and W. Yang | 43 |
| Study on the Application of Network Structure of Subway Integrated Supervisory and Control System H.X. Xing | 47 |
| Construction Monitoring and Post Analysis of a Deep Foundation Pit R.M. Zhang, J. Cao and Z.G. Song | 52 |
| Cooperation Solidification of Cesium and Strontium M.F. Wen, B. Yu, M. Luo and J. Chen | 58 |
| Research of Force in Piercing Process by FEM Simulation L. Lu, Z.X. Wang and F.Z. Wang | 62 |
| Non-Oscillatory Solutions of Linear Delay Functional Differential System of Neutral Type X.Z. Yan | 66 |
| Quantitative Analysis of the Strategic Decision on Graduate Employment Y.Q. Liu and Y.T. Xu | 70 |
| Study on Differential GPS (DGPS): Method for Reducing the Measurement Error of CNNS Y. Jiang, Y.X. Cui and B.F. Li | 75 |
| An Optimization Design in the HV nLDMOS by Taguchi Method S.L. Chen, T.S. Wu, Y.R. Chen, H.W. Chen, C.H. Shih and H.H. Chen | 81 |
| Teaching and Research on Assembly Language F.R. Wang | 85 |
| Liquid-Liquid Two-Phase Flow Patterns and Mass Transfer Characteristics in a Circular Microchannel X.B. Zhang, D. Chen, Y. Wang and W.F. Cai | 89 |
| An Improved Hybrid Genetic Algorithm and Performance Study W.D. Ji and K.Q. Wang | 95 |
| An Echo State Network Based on Error Compensation for Prediction of Nonlinear Time Series in Industry Q.L. Liu, J. Zhao, W. Wang and Y.B. Wang | 99 |

| | |
|---|-----|
| A Novel Hybrid Clustering Method for Multi-Attribute Decision-Making Datasets K.P. Liu, W.C. Chen and T.C. Chang | 103 |
| City Council Candidates Apply Innovative Management Models in Five Taiwanese Cities H.Y. Chen, M.T. Hsu, C.H. Chiu and L.H. Ho | 109 |
| Production Line Control System of Energy-Saving Lamp Based on HMI and 485 Network Communication W. Chen and X.Y. Zheng | 113 |
| Study on Enhancing Recovery Factor of Binary Compound Flooding Using Surface-Active Polymer as Pre-Slug W. Li, H.H. Kou, H.M. Xiao, L.H. Sun and Z.F. Li | 117 |
| Application of Pulsed Blowing Technique in High-Lift Control Surface Design P. Wu, X.Y. Deng and Y.K. Wang | 121 |
| Implementation of Indoor Wireless Positioning System in an Omni-Wheel Robot Based on Gyroscope J.S. Sheu, Y.S. Wang and T.L. Huang | 126 |
| Gender Diversity Research in the Slovak Republic and the Participation of Women in Top Management Positions in Science and Research D. Cagánová, M. Čambál, J. Sujanova, P. Woolliscroft and J. Holecek | 136 |
| Research on the Compression Algorithm with Querying without Decompression Based on the Streamline Dynamic Successive Trees L. Huo, X. Xing and X.Z. Zou | 149 |
| Analysis of Horizontal Squeeze Casting Process for Pipe Oil Part S. Suranuntchai and E. Kittikhewtraweeserd | 154 |
| Fabric Defect Detection Scheme Based on Gabor Filter and PCA S.M. Ding, C.L. Li and Z.F. Liu | 159 |
| Novel Approach to Fabricate an Amperometric Biosensor by One-Step Electrodeposition Hemoglobin and Au Nanoparticles-Chitosan Nanocomposite Film on Carbon Ionic Liquid Electrode A.L. Sun, G.R. Chen and Q.H. Zhu | 164 |
| Video Steganalysis Exploiting Motion Vector Calibration-Based Features Y. Deng, Y.J. Wu and L.N. Zhou | 168 |
| Experimental Research on Influence of Vehicle Running Conditions on Emissions W.W. Huang, Q. Zhang, L.L. Sun and M.R. Gao | 173 |
| An Agent and Web Service-Based Surge Protection Devices Automatic Test System S.C. Tang | 179 |
| Research on Fluid-Structure Interaction Dynamic Characteristics of Steam Generator Heat Exchanger Tubes L.N. Zhang, H. Zhao and M.S. Liu | 183 |
| Microencapsulation of Jasmine Oil in β-Cyclodextrin Y. Lian and D.W. Huang | 188 |
| Mechanical Engineering in English Teaching Y. Yu | 192 |
| Biomimetic Universal Blade Test Analysis Z.S. Li and Z.H. Wang | 196 |
| Study and Design of Image Pre-Processing System Based on FPGA J.T. Li and X.J. Duan | 200 |
| Complicated Event Query Processing Algorithms in Wireless Sensor Networks G.L. Li, X. Gao and M.H. Liao | 206 |
| Flexible Photovoltaic Solar Cells Based on AZO Anode N.H. Sun, X.C. Bai, M.W. Li and B.L. Yao | 210 |
| Thermal Fatigue Analysis of the Engine Exhaust Manifold D.L. Li, Y.F. Yin, G.F. Chen, C. Cui and B. Han | 214 |
| Study on the Direction Identification and Alignment of Garlic Scaly Bud C. Gao and H. Zhang | 220 |
| Application of High Precision ADC in Seawater Total Organic Carbon Quick Measurement G.X. Ren, Y.Z. Tang, R. Ma and Y. Liu | 224 |
| Upgrading of the Bench Drilling Machine's Manual Feeding to Automatic Feeding System P.X. Lan, G.Q. Hu, X.F. Deng and F.Y. Hou | 229 |

| | |
|---|-----|
| Design and Finite Element Analysis of Hydraulic Pump Vehicles Based on Feature Modeling | |
| M.C. Na, D.W. Wu and X.G. Han | 233 |
| Based on the Agent of the Intelligent Decision Support System Research | |
| R.F. Wang and P. Li | 237 |
| A Low-Power $\Sigma\Delta$ Modulator Using Asynchronous SAR Quantizer for Sensor Application | |
| W. Lang, P.Y. Wan and P.F. Lin | 241 |
| A SHRFNN Control for a Switched Reluctance Motor Drive | |
| C.H. Lin, M.K. Lin and C.P. Lin | 245 |
| Localization-Based Clustered Key Management in Wireless Sensor Network | |
| X.Y. Ma, S.M. Fan and M.S. Park | 252 |
| Design and Research of Hairspring for Portable Online Rotating Viscometer | |
| Y.Q. Lu and Y.L. Zhang | 256 |
| The Design Analysis of New Energy-Saving Parallel Four-Bar Pumping Unit | |
| X. Yang, J. Song and Z. Guo | 260 |
| Modeling and Applied Research in Petri Net of Virtual Assembly Program Control | |
| L. Yang, Z.G. Jiao and H.B. Lin | 264 |
| A Optimization Model of Correlation Matrix | |
| J. Meng and C.X. Guo | 270 |
| CFD Simulation on Circulation within the Liquid Slug under Gas-Liquid Taylor Flow in Circular Capillary | |
| Y.F. Xie, X.B. Zhang, Y. Wang and W.F. Cai | 274 |
| A Dynamic Integrity Measurement Scheme Based on XEN | |
| Z.G. Si, P. Li, X. Chen and Y. Wan | 279 |
| Study on Management of Invite Public Bidding of Military Equipment Material Stock | |
| P. Dong, Z.H. Luo and W.H. Zhang | 287 |
| New Approach to Delay-Dependent Control for Fuzzy Time-Delay Systems | |
| G. Guo | 291 |
| Thermocouple Mathematical Model Research Based on PID Neural Network | |
| H.Y. Xu and D.P. Dai | 300 |
| Design of Third-Order Non-Circular Planetary Gear | |
| Y.Z. Wang, B. Chen, C.B. Hu, S.T. Zhang, T. Li and Y.P. Liu | 305 |
| Research on Thermal Error Compensation Technique of the Screw | |
| H.X. Yue, Y. Shi and Y.M. Xi | 309 |
| Numerical Simulation of Bending Angle on Geometric Accuracy of AZ31 Mg Alloy Profile during Warm Bending Process | |
| H. Xiao, Y.C. Dang, S.H. Zhang and D.H. Lu | 314 |
| Design and Fabrication of an Improved MEMS-Based Piezoresistive Pressure Sensor | |
| Z.J. Song, X. Wang, Y. Li, H.S. San and Y.X. Yu | 318 |
| Temperature Field Simulation on the Connecting Rod of High Speed Press | |
| M. Tang and F. Jia | 322 |
| Experimental Evaluation of X-Ray CT Images of Asphalt Mixture Based on Threshold Segmentation Principle | |
| J.J. Wei, H.B. Li and C. Wan | 327 |
| Empirical Research Design on the Influencing Factors of Supply Chain Performance and their Relationships | |
| J. Li and W.L. Bian | 331 |
| Design Research on the Composite Process of Consecutive Perforation-Strong Pulse Fracturing for Multiple Oil Layers and Thick Interlayer | |
| J.J. Wu, L.C. Liu, G.H. Zhao and X.S. Chu | 343 |
| Simulation Research of Vehicle Exhaust System Hanger Location | |
| P. Zhang and X.L. Song | 347 |
| A Fractal Model for Gravity Sedimentation of Ultra-Fine Particles Suspension | |
| S.P. Zhou, Q. Yuan, X.L. Ge and P.N. Li | 354 |
| Correlation Analysis Method and its Application to Interpretation of Local Gravity and Magnetic Anomalies in Eastern Tianshan, China | |
| C.G. Zhang, B.Q. Yuan and Y.H. Li | 358 |

| | |
|--|-----|
| Modeling and Simulation of GCL 2nd Order Parallel Resonance System H.P. Dou and X. Chen | 362 |
| The Research on Shortest Path Base on Yantai Vocational College P. Li and R.F. Wang | 368 |
| Field Evaluation of 12 Soil Moisture Sensors on a Sandy Loam Soil in Lu'an, Subtropical Monsoon Climate Region, China J.C. Wang, Z.Q. Xia, J.X. Wang and Z.H. Lu | 372 |
| Research on Stitching Algorithm of Large Aperture Optical Elements Piecewise Measurement Data D.X. Zhang, Z.Z. Wang, Y.B. Guo, F. Yang, N.N. Zhang, Y.T. Zhang and H. Ye | 376 |
| Study on Comprehensive Utilization and Sustainable Development of Regional Electricity Enterprises Y.H. Chen, D.X. Niu and Z. Peng | 381 |
| Marketing Organization Structure Topology Classification A.T. Zhang | 385 |
| A General Space Vector PWM Scheme for Multilevel Inverter W. Lu, L. Wei and H. Ren | 390 |
| A New Buffering Layer of Photovoltaic Solar Cells M.W. Li, N.H. Sun, Y.W. Ge and B.L. Yao | 394 |
| An Investigation Regarding Cram School Managers and the Percentage of them Achieving Government Employment W.F. Kao, C.H. Chiu and L.H. Ho | 398 |
| Analysis of a Mountain Side Slope Stability Based on Seepage W.B. Yuan, C.X. Dai, J. Yao and L.D. Wang | 402 |
| Research on the Relationship between Client Satisfaction and Employee Satisfaction in Power Company H.Z. Li and X. Huang | 408 |
| A Kind of Preconditioned IGMRES(m) Algorithm C.X. Yu | 413 |
| The Development of the Free Shuttle Bus Policy in Hsichu, Taiwan M.T. Hsu, C.H. Chiu, H.Y. Chen and L.H. Ho | 417 |
| Study on Instant Original Characteristic Calculation and Matching Method for Torque Converter Test Automation J. Li, W. Wei and Q.D. Yan | 421 |
| The Design of Portable Motorcycle Exhaust Analyzer Software System Based on the Operating Mode Method J. Yan, H.Y. Chen and M. Cheng | 426 |
| Development of Control Module of Condition Auto Monitoring System for Aircraft Ground Hydraulic Power Carts Y.G. Yang, Y.P. Zhu and B.R. Du | 431 |
| Motion Control Design for X-Y Positioning Platform X.Y. Ge, Y. Xiao and L.H. Gu | 435 |
| The Design of Portable Electromyograph and Induced Instrument G. Qin, H. Li and X.G. Feng | 439 |
| Study on Pharmaceutical Analysis Course Teaching of Pharmaceutical Preparation in Engineering Colleges H.L. Zhou, Y. Zhang, Y. Zhang and L.Y. Liu | 444 |
| Preparation and Electrochemical Characterization of Li-Ion Supercapacitor J. Li, M. Xu, X. Li and C. Yuan | 448 |
| Modeling and Simulation of Hydraulic Power-Assistant Steering System Based on Power Bond Graph Method G.H. Fang, C. Chen and J.F. Liu | 452 |
| Design and Research of Constant Spring Hangers L.H. Chen, H. Zou and C.Q. Sun | 457 |
| Analysis of Chord Vibration Based on Finite Element Z. Jun, T. Juan, C. Zhang, Z. Teng and C. Chao | 461 |
| Graphic Simulation of Hobbing Process for Higher-Order Elliptic Gear Y.Y. Liu, G.Z. Zhang and J. Han | 466 |

| | |
|--|-----|
| New Method of Optimizing the Filling Time in Injection Molding S.Q. Zhang, H.S. Liu, H.G. Wang and X.W. Liu | 470 |
| The Study of Dynamic Characteristic of Full Hydraulic Power Steering System Based on AMESim Q. Zhu, G. Liu and D.C. Song | 474 |
| The Benchmarking of ESP Hardware-in-the-Loop Test Bench with Data from Real Vehicle J.H. Li, C.X. Song and L.Q. Jin | 478 |
| The Quantitative Diagnosis Technology of Engine Fault L.B. Wang and Y. Ge | 483 |
| Analysis for the Propagation of Edge Crack of Silicon Steel during Cold Rolling Process Based on GTN Damage Model Y.X. Yan, Q. Sun, J.J. Chen and H.L. Pan | 487 |
| Farmers Behavioural Attitudes towards WUA: An Empirical Investigation from Heihe River Basin of Northwest China Q.J. Liu, F.R. Li and Z.N. Li | 493 |
| Numerical Simulation of Sea Surface Transient Temperature Field S.C. Zhang, Z. Yang and L. Yang | 497 |
| Design and Experimental Study of a New Vehicle Brake-Assist Mechanism M.F. Luo, Y.N. Qiu and X.Z. Ren | 501 |
| Research on the Calibration Technology of Robot Vision System J.Q. Wang, L.S. Chen, J.Y. Zhu, Z.L. Niu and D.H. Tang | 506 |
| Based on the Semantics of the Low-Level Visual Features Image Retrieval X.W. Zeng and X.D. Shen | 512 |
| Discussions about Scaling Rules of Suction Anchor Model Tests H.M. Xu | 518 |
| The Comprehensive Evaluation of Sustainable Development Effect in Regional Electricity Enterprises Y.H. Chen, D.X. Niu and Z. Peng | 524 |
| Actuator Fault Detection and Isolation for Robot Manipulators with the Adaptive Observer S.C. Guo, M.H. Yang, Z.R. Xing, Y. Li and J.Q. Qiu | 529 |
| A Novel Thiocyanate-Selective Membrane Sensors Based on Salicylaldehyde-O-Aminophenol Binuclear Copper (II) Complex as a Neutral Carrier A.L. Sun, Y.H. Chen and Q.H. Zhu | 533 |
| Investigation on the Corrosion Behavior of Zn₂₇Al₃Cu Alloy in 3.5 wt.% NaCl Solution Y. Tan, C.G. Hao, D.Z. Li, Z.L. Hu and J.M. Zeng | 537 |
| Adaptive Detection of Sinusoidal Signal Based on Adaptive Iir Notch Filter J.C. Liu, Q.W. He and S.J. Zhu | 541 |
| Investigation on the Compliance of Left-Home Children J.H. Ye and Q. Zou | 546 |
| Design and Implementation of a Single Chip Multi-Waveform Signal Generator Based on SOPC Design Methodology Y. Ruan, Y. Tang and W.J. Yao | 550 |
| Effectiveness Observed by Passengers Taking the Taiwan High Speed Railway Service: Especially their Observation of Overall Quality and Satisfaction C.H. Chiu, H.Y. Chen, C.H. Liang and L.H. Ho | 555 |
| A High-Efficiency Cascade Multilevel Class-D Amplifier G.H. Xu, Y. Zhang, M. Dong and L.W. Xu | 559 |
| Bioenabled Interfacial Polymerized on Nanofibrous Scaffold as Composite Nanofiltration Membrane J. Zhao, L.N. Yu, X. Li, Y. Yang and X.F. Wang | 565 |
| Moving Target Detection Based on the Improved Gaussian Mixture Model Background Difference Method H.L. Wang, J.Q. Wang, H.F. Ding, Y.W. Huang and P. Liu | 569 |
| Research on Low Cycle Fatigue Behavior and Life Prediction of Magnesium Alloy AZ91D C.Y. Feng, X.G. Wang and P.H. Tang | 575 |
| Analysis of Monitoring and Measurement of Small Clear Spacing Tunnel in the Excavation by NATM D.M. Zhang, Z.X. Chen and X.H. Qi | 581 |

| | |
|--|-----|
| The Artificial Hot Spring System and its Application Z.Y. Bai | 585 |
| Numerical Simulation of a Double-Acting Stirling Engine in Adiabatic Conditions Y.X. Yu, Z.C. Yuan, J.Y. Ma and Q. Zhu | 589 |
| Trigonometric Coons Patch with Shape Parameters C. Xie, J.C. Li, Y.E. Zhong, L. Yang and C.Y. Liu | 595 |
| Optimize Track Design and its Simulation Based on Simulated Annealing Algorithm X.H. Yang, H.S. Liu and L.L. Hu | 599 |
| The Fire Identification of Electric Heating Cable to Solar Energy Water Heater L.T. Wang, D.W. Xia, Q.S. Meng and X.M. Wang | 603 |
| Application of Deinking Selectivity in Evaluating the Deinking Performance of Flotation Equipments R.G. Li and X.F. Xie | 607 |
| Analysis of Functional Modules in Protein Networks Using Graph Clustering Method J. Mei, J. Zhao and Y. Fu | 612 |
| Fast Prediction of Temperature by FEM in Hot Strip Rolling R.B. Mei, B. Cai, C.S. Li and X. Liu | 616 |
| Numerical Simulation of Marine Recycled Concrete Specimen Based on ABAQUS W.B. Liu, W.N. Chen and X. Li | 621 |
| Kinetics Study of Aluminum Deposition on Inner Wall of Pipes by Atomic Layer Deposition H. Liu, Y.Q. Xiong and J.Z. Wang | 627 |
| Based on the Interconnection of Gas Monitoring System Research and Design Q. Liu, J. Wang and N. Zu | 633 |
| 3D Simulation of Gas-Liquid Two-Phase Flow in an Aeration Tank W.L. Wei, X.J. Zhao and Y.L. Liu | 637 |
| Elderly Home Nursing Bed Design C.Q. Yang | 643 |
| Nonlinear Finite Element Analysis on Statically Indeterminate Prestressed Concrete Beam S.T. Fang, Y. Zhang and W.Z. Zhong | 647 |
| Temperature Field Numerical Simulation Analysis of 1000MW Ultra Supercritical Boiler's Starting Water Separator N. Li and F. Ye | 651 |
| Minimum Fluidization Velocity of Binary Particles with Different Geldart Classification J. Tang, X.N. Chen, C.X. Lu and Y.M. Zhang | 655 |
| Study on Packing Process of the Plastic Air Intake Manifold of Engines S.Q. Zhang, H.G. Wang, X.W. Liu and H.S. Liu | 663 |
| The Design of the FBG Sensor System for Strain Monitoring Specific to the Key Stratum in Casing Annulus J. He, H.J. Dong, R.B. Liu, H.L. Pan, Y. Cai and S.Y. Wang | 667 |
| Research on Geometric Complexity and Layered Organization of Engineering Drawing Information Y.F. Lv and W.Z. Xue | 674 |
| High- Resolution Numerical Model for Dam-Break Flow in an L-Shaped Channel Y.L. Liu and W.L. Wei | 679 |
| The Application of D-S Improving Algorithm in Data Fusion Z.G. Ma | 684 |
| The Properties of the Bamboo Rib Fabric L. Tian and S.Y. Chen | 688 |
| Design and Optimization of Bolster Casting Process L.B. Fu and J. Yang | 692 |
| Security TF Card Based Short Message Security Enhancement Method for Mobile Terminal System P. Li, Q.L. Zhou, Y.C. Zhang, W. She and L. Xi | 697 |
| The Experimental Study of Feature Recognition during the Standard Section Installation of Tower S.J. Song, L.Y. Song, C.F. Qiao and L.L. Hao | 701 |
| Dedection of Parathion Based on Molecularly Imprinted Polymer of O-Aminothiophenol Y. Zhang and Y. Li | 707 |

| | |
|---|-----|
| Technique of Constructing Cloud Computing Platform Based on Ubuntu Enterprise Cloud R. Li, J.H. Fan and X.B. Wang | 713 |
| The Establishment of the Real Estate Price Prediction Model Based on the Grey-Markov Chain: A Case Study of Qingdao City C. Yan, X.M. Liu, W. Liu and J. Sun | 717 |
| Fatigue Analysis of the Rotor Shaft on a High Speed Traction Motor H.Y. Xiang, Z.Q. Li, C.J. Leng and D.M. Hu | 722 |
| Defects Rapid Identification of Marking Region Based on Binarization and BP Neural Network J. Chen, J. Wang, G.D. Lu and X.M. Jiang | 726 |
| Study of MFCS with Disturbances S.J. Wu and D.Z. Wang | 732 |
| Bi-Probability Fatigue Life Prediction for Bridge Crane Structures X. Mei, D.S. Dong and Y.Y. Teng | 736 |
| Applications and Installation Skills of Current Intrusion Detection Systems J.Q. Yang and J.Y. Liu | 741 |
| Investigation on the Non-Newtonian Fluid Flow in a Single Screw Extruder Using Incompressible SPH (ISPH) T.W. Dong, S.L. Jiang, X.Y. Huang, H.S. Liu and Q.Q. Huang | 745 |
| The Research of OSGi Remote Invocation Based on Agent H. Lin and H. Li | 749 |
| A Tolerance Analysis Method for Assembly Yield J. Mao, Y.L. Cao and J.X. Yang | 753 |
| The Performance Analysis on the 75°C Hot Water of the Air Source Heat Pump Using R134A X.W. Zhu, C.X. Hu, Y.L. Lv, C.X. Wang and Y.G. Su | 758 |
| The Process Optimization of EFO for Copper Wire Bonding W. Zhang, X.R. Lv and C.Q. Wang | 763 |
| Portable Position Sensitive Detector with Outdoor Environment Resolution Q. Ma, W.G. Qin and S.L. Ma | 767 |
| The Research and Performance Simulation of C-WQPSK Modulation G.H. Wu, B.J. Chu and J.Y. Dai | 771 |
| Simulation Research on Stress – Damage Law of the Blood Cells X. Xie and J.P. Tan | 776 |
| An Wavelet Image Automatic Threshold Selection Denoising Method S.P. Zhao, X.W. Li, J.H. Xing and G. Zheng | 780 |
| Topological Optimization on the Board which above Flexible Clamping Stent Fixture D.W. Wu, J. Li and C.Q. Su | 784 |
| Study and Application of DPRAM Communication Technology in Engraving CNC System J.F. Pan, J. Fan, J.F. Xu and Y. Fang | 788 |
| Research and Simulation on Drawing Force of the Tripod Type Universal Coupling Y.Q. Lu, W.F. Wei and Y.L. Zhang | 792 |
| The Research Status and Existing Problems of Microscopic Visual Servoing Based on Image L.Q. Liu, K.C. Chen, Y.Z. Chen, Z.L. Zhao and L.N. Hao | 796 |
| The Off-Line Programming System of Robot Based on CATA Platform Y.G. Yang and S.H. Guo | 801 |
| Research on a PLC Simulation Control Apparatus for Intelligent Traffic Lights F. Gui Sheng and Z. Gao An | 805 |
| Designed and Development of Embedded QR Code Bar Code Recognition System Z.M. Cheng and H.Q. Zhu | 812 |

Chapter 2: Ceramic-Matrix Composites

| | |
|--|-----|
| Charge Transport and Ultrasonic Properties of $\text{La}_{1/3}\text{Sr}_{2/3}\text{Fe}_{0.95}\text{Co}_{0.05}\text{O}_3$ Perovskite H. Kong, W. Dai and S. Shao | 819 |
| Surface Modification of Natural Rubber Latex Film Using Photocrosslinkable Chitosan H.P. Yu, Z.Q. Zeng, H.C. Liu and Y.Y. Luo | 824 |

| | |
|---|-----|
| Study on All Optical Switching Effect of Excited State Proton Transfer Organic Molecule 3-Hydroxyflavone | |
| Y.X. Guo, X.H. Kong, W. Yang and J.J. Zheng | 830 |
| Facile Synthesis of Pyrene/Pyrrole Copolymer with Strong Green Fluorescence | |
| Z.Z. Hou, Q.H. Yang and Y. Li | 835 |
| A Pyridinium Dye as Chromogenic Probe for DNA Molecule | |
| G.H. Zhang, J.J. Chen, Y.L. Deng, Y.H. Sun and D.X. Cao | 839 |
| Research on a Composite Polynomial Model for Magnetorheological Damper | |
| J.L. Yao, W.K. Shi and J.F. Lu | 843 |
| Preparation and Luminescence Properties of Gadolinium Aluminate Perovskite Phosphor Discrete Combinatorial Library | |
| L. Luo, Z.H. Xiong and N.G. Zhou | 848 |
| Study on the Structure and Liquid Crystal Behavior of Cyclohexane Liquid Crystal Monomer | |
| Y. Li | 855 |
| A New Method to Determine Internal Reduction Efficiency during Continuous Cast Bloom under Soft Reduction | |
| K. Liu and J.Q. Zhang | 859 |
| Study on the Properties of the Gelatin Modified Chitosan Films | |
| W. Dong, L.J. Qu and X.Q. Guo | 863 |

Chapter 3: Coatings, Damage Mechanics

| | |
|--|-----|
| The Research on Micro-Structure Feature and its Affection on X Formation in X Area | |
| Y.X. Xin, Z.Z. Wang, X.Q. Pang and Y. Gao | 871 |
| Finite Element Modeling Modification of Solar Sweeper Frame Based on Modal Testing | |
| X. Yu and Y. Guang | 874 |
| The Intelligent Building Entrance Machine Design and Realization Based on the Ethernet | |
| S.H. Tong | 878 |
| Design and Application of HART Protocol Communication Card | |
| S.H. Tong | 883 |
| The Application of Electroforming Processes in the Mirror Transfer of Living Organisms' Surface Micro-Structure | |
| Z. Wang, X. Ye and G.H. Dai | 887 |
| Effect of Oxygen on CVD Diamond Film Deposition | |
| Y.S. Huang, C.P. Luo and W.Q. Qiu | 891 |
| A Study on the Dimension of Vehicle Closure Hemming Components | |
| Y.D. Sun and H.H. Wu | 895 |
| Preparation and Characterization of Magnesium Hydroxide Nanoparticles from Dolomite-Talc Ore | |
| X.Q. Jiang, H.W. Ma, G. Li and W.G. Yao | 900 |
| CFG Pile Composite Foundation Reinforcement Mechanism and its Application in Engineering | |
| G. Huang, Y.C. Liu, H. Huang, W.S. Zhang and X. Li | 904 |
| Effects of NaOH Concentration on Properties of Micro Arc Coatings on Magnesium Alloys | |
| S.F. Zhang, R.F. Zhang, W.K. Li and Y.M. Zhong | 909 |
| Tribological Behavior of Ti₂AlNb Alloy by Surface Plasmas Carburized | |
| D.Y. Zhu, W.P. Liang, Q. Miao, K. Guo and L. Li | 914 |
| A Comparative Analysis of Curved Surface and Clay in Freeform Used in Clothes Redesigning | |
| N. Lin, Y.B. Bu and L.W.J. Zhang | 919 |
| Study of Intelligent Punch System | |
| K.F. Xiang and S. Yang | 924 |
| Preparation and Mechanical Properties of Cotton Stalk Bast Fibers Reinforced Polypropylene Composites | |
| Z. Wu, C.Y. Wei and L.H. Lv | 929 |

| | |
|---|------|
| Processing and Abrasive Wear Study of Fe-Al₂O₃-TiC Composite by Pressureless Ti-Activated Reactive Melt Infiltration | |
| Y.L. Shi, Z.M. Guo, J.J. Hao, T. Lin and X. Zeng | 933 |
| Using Nonlinear Recursive Formulation for the Kinematic Analysis of Human Biomechanical Systems | |
| Y.L. Hwang, W.H. Gau, W.H. Lin, S.J. Hwang and C.H. Chen | 938 |
| Firm's Optimal Inventory Decision under Financial Constraints: A Multi-Period Model Based on Trade Credit | |
| Z. Fang | 942 |
| Finite-Time Observer Design for a Class of Markovian Jump Systems | |
| C.Y. Xiao and W.M. Xiang | 949 |
| The Influence of Porous Structure on Tribological Properties of Porous UHMWPE | |
| G. Wu, S.K. Chen, H.L. Qin and C.H. Zhao | 954 |
| The Fatigue Reliability Research of the CL50A Steel | |
| W.Q. Han and J.Y. Zhou | 958 |
| Fabrication and Characterization of Polyorganosiloxane Superhydrophobic Film by Sol-Gel Method | |
| Z.L. Jiang, C.S. Wang, J.L. Liu, Q. Wang, L.F. Li and S.Y. Fang | 962 |
| Influence of Continuous Extrusion Deformation on Microstructure of AZ31 Magnesium Alloy | |
| R. Fu and F. Gao | 966 |
| Design and Realization of Wireless Smart Home Indoor Terminal | |
| S.H. Tong | 970 |
| AD630 Lock-In Amplifier Circuit for Weak Signal | |
| Y.L. Liu and R. Zhang | 975 |
| An Investigation on Strength Deterioration of Aluminum Alloy Welded Joint under Thermal Cycling Conditions | |
| C. Jin and C.Y. Shi | 981 |
| Preparation and Characterization of Ti-SBA-15 Mesoporous Materials with Varying Si/Ti Molar Ratios | |
| Q.Y. Huang, W. Liu, W.H. Ye and X.C. Zheng | 985 |
| Research and Development of U68CuCr Rail Steel | |
| Y. Ji, Z.M. Yang, M. Zhu and W.L. Zhang | 989 |
| Development of Managerial Creativity | |
| F. Hornák, D. Cagánová and M. Čambál | 996 |
| Study on Lamellar Crystal Orientation and Instable Growth in Polymer Ultrathin Films | |
| Y.J. Ren | 1000 |
| Results of Distinct Modes of Loading Procedures in the Nonlinear Inelastic Behaviour of Solids | |
| F. de Angelis and D. Cancellara | 1004 |
| Effect of Alkali-Activators on the Strength Development and Drying Shrinkage of Alkali-Activated Binder | |
| M.C. Chi, J.J. Chang, R. Huang and Z.L. Weng | 1012 |
| Nuclear Magnetic Resonance Logging Evaluation of Natural Gas Hydrate Reservoir | |
| X. Li, L.Z. Xiao and T.L. An | 1017 |
| The Research of Coding and Anti-Interference Strategy Basing on Color Identification of Educating Electrical Informational Production | |
| Z.L. Xia | 1021 |
| Adaptive Fuzzy Cerebellar Model Articulation Controller for Two-Wheeled Robot | |
| J.Y. Chen, K.C. Lin, P.S. Tsai, C.H. Liu and J.M. Ouyang | 1025 |
| Shearing Fracture Mechanism of Foam Aluminum Sandwich | |
| M. Zhang, C.J. Chen, G.Y. Zu and G.C. Yao | 1037 |
| The Use of Projective Geometry on the Mechanism System Motion and Stability of the Special Problems in Judgement | |
| X.Z. Song, M.L. Lu and T. Qin | 1041 |
| Application of Specific Loudness in Active Noise Control inside Passenger Car | |
| D.F. Wang, G.P. Tan, S.M. Chen and J.G. Zhang | 1045 |
| Study on Solar Air-Conditioning System of Temperature Difference | |
| C.Y. Zhong | 1051 |

| | |
|--|------|
| Effects of Surface Roughness on Elastohydrodynamic Lubrication in Elliptical Contact with Non-Newtonian Fluids | |
| S. Rattapasakorn, J. Panichakorn and M. Mongkolwongrojn | 1057 |
| A Vector Bond Graph Method of Kineto-Static Analysis for Complex Planar Linkage | |
| Z.S. Wang, J.G. Cao and J. Chen | 1062 |
| Porous Elastic Filter Material in Water Depth in the Processing of the Application | |
| Q. Liu and L.L. Zhao | 1068 |
| Application of Synchronous Chip Seal Course in Large Bridges | |
| D.J. Duan | 1073 |
| The Double-Signals' Switch of Car Steering and its Management System's Design | |
| H. Zhao | 1078 |
| Computerized Modeling and CNC Machining Simulation of Spiral Bevel Gear | |
| W.J. Wang, Z.Q. Zhang, J. Zhang, J. Zhao, L.L. Zhang and T.Y. Wang | 1081 |
| Preparation and Characterization of Water-Base Transparent Flame-Retardant Ceramic Coatings for Wood via Sol-Gel Method | |
| J.L. Liu, C.S. Wang, Z.L. Jiang, Q. Wang and L.F. Li | 1085 |
| 1.03μmYb: YAG Laser Crystal Production and its Property | |
| X.J. Zhang, C. Li, L. Gu, J.H. Liu and G.T. Zou | 1089 |
| A Threshold Voltage Simulation of Hydrogen-Terminated Diamond MESFETs | |
| X.F. Zhuang, Q.K. Zeng, B. Ren, Z.H. Wang, Y.L. Zhang, L.Y. Shen, M. Bi, J. Huang, K. Tang, L.Y. Shi, Y.B. Xia and L.J. Wang | 1093 |
| Analysis on Wrinkling of Polyimide-Base Metal Film Prepared by Pulse Arc | |
| D.D. Cheng, Y.C. Shi, W.P. Yang, Y.F. Xie and Z.Y. Zong | 1097 |
| Influence of Aggregate on Workability of Self-Compacting Concrete | |
| H.Q. Liu and X. Chen | 1101 |
| Influence of Annealing Treatment on N-Doped TiO₂ Films Deposited by Pulsed Negative Bias Arc Ion Plating | |
| S.J. Zhang, M.S. Li, Z.Q. Chen and Y.Z. Fan | 1105 |
| The Impact of Parameters of Hyperlens with Artificially Engineered Metamaterial on Sub-Diffraction Imaging | |
| W.P. Wang and G.X. Zheng | 1111 |
| Evaluation of Iodine Source Term in PWR under Loss of Coolant Accident | |
| K. Mehboob and X.R. Cao | 1115 |
| Study on the Experiment of All-Weather Solar Water Heater | |
| C.Y. Zhong | 1120 |
| Effect of Magnetic Shunts on the Eddy Losses of a Transformer Tank | |
| Y.F. Wang, Z.H. Song and J.H. Chi | 1126 |
| TiN Protective Coating on NdFeB by DC Magnetron Sputtering | |
| J.L. Li, S.D. Mao, Z.L. Song and Q.J. Xue | 1130 |
| The Application of the Suction Tube Special for the Piezoelectric Surgery in Impacted Lower Third Molars Removal | |
| Y.B. Gao, D.X. Lin, L.X. Chen and H.C. Sun | 1134 |
| The Elastic Dynamic Analysis of Crawler Crane Boom System | |
| L.Z. Ma, J. Liu, X.L. Diao and M.L. Dong | 1138 |
| Fabrication of Conductive Polypyrrole/Polyurethane Composite Fibers for Large Strain Sensing | |
| X.L. Zhang, Z.Y. Qin and L. Chen | 1142 |
| Analysis of Buffering Properties of Honeycomb Material | |
| M.B. Yang, J.B. Chen, F. Deng and M. Chen | 1146 |
| The Height Amplitudes of Surface Roughness Based on Area-Direction Character and Relative Assessed Indexes | |
| H.C. Wang and Y. Wang | 1150 |
| Analysis of Velocity Characteristics of Automobile Interior and Exterior Aerodynamic Noise | |
| Y.Z. He and Z.G. Yang | 1155 |
| The Characteristics of Low Frequency on Detecting Method via Strain Gages | |
| X.J. Li, W.M. Zhu, Y.G. Wang and Y. Zhang | 1161 |

| | |
|---|------|
| Retained Austenite Amount Determination Comparison in JIS SKD11 Steel Using Quantitative Metallography and X-Ray Diffraction Methods | |
| Y.Y. Su, L.H. Chiu, T.L. Chuang, C.L. Huang, C.Y. Wu and K.C. Liao | 1165 |
| Study on Interior Fracture Property of High Strength Steel in Very High Cycle Regime | |
| R.H. Jiang, W. Li, Y.P. Shi and J. He | 1169 |
| Effect of Voids on the Tensile Property of CFRP in Hygrothermal Environment | |
| A.Y. Zhang and D.X. Zhang | 1176 |
| Properties Evaluation of Polymer-Free Fluid for Fracturing Application | |
| Q. Deng, J.F. Xu, X.F. Gu and Y. Tang | 1180 |
| Error Model for Grinding of Noncoaxial Aspheric Based on Kinematics for Multi-Body System | |
| C. Jiang, D.B. Guo and H.L. Li | 1184 |
| The Impact of Anneal on Electromigration of Copper Interconnect and the Optimized Anneal Technology Study | |
| M. Du, P.J. Ma and Y. Hao | 1188 |
| Study on Silane Treatment Technology in the Painting Pretreatment | |
| Y.J. Ren and Q. Zhou | 1192 |
| A New Design Method for the Rotor Profile Curve of the Cam Pump | |
| G. Liu, P.Y. Liu, W.J. Wei, S.Y. Zhang and H.T. Li | 1196 |
| Surface Properties and Selenate Adsorption of Hydroxyiron-Vermiculite Complexes | |
| S.Y. Wei | 1201 |
| Permanent Settlement Prediction of Composite Foundation Improved by Cement-Soil Piles under Cycle Loading | |
| T.R. Huo and S.G. Bai | 1205 |
| Modal Analysis of Gear Considering Temperature Based on ANSYS | |
| H.Q. Yuan and C.N. Ri | 1209 |
| Design of Suspension Vibration Control System Based on ON-OFF Algorithm | |
| J. Yue, J.Q. Zhang, Y.Q. Gao, Z.Z. Peng and Z.T. Shi | 1213 |
| Influence of Continuous Extrusion Process on AZ31 Magnesium Alloys | |
| R. Fu and F. Gao | 1218 |
| Synthesis of a Novel Acceptor Unit for D-A Type Polymers: 4,8-Dibromobenzo-[1,2-c;4,5-c']bis[1,2,5]thiadiazole | |
| X.X. Sun, X.X. Zhuang and Y.L. Ren | 1221 |
| Based on Genetic Algorithm for Wireless Sensor Network Node Self-Localization | |
| H. Zhang | 1225 |
| The Stability Evaluation of Radial Ring Rolling | |
| Y.X. Hao, Y.M. Han, H.T. Cheng and H.Y. Guo | 1229 |

Chapter 4: Design of Materials and Components, Environmental Effects

| | |
|---|------|
| Design of Self-Adaptive ZVS Protection Circuit for Electronic Ballast | |
| X.R. Li, Q. Liu and R. Shen | 1235 |
| Effect of Recrystallization on Roll Gap Setting of Medium Plate Rolling | |
| Y.Q. Tian, J. Wu, Y.L. Wei, J.Y. Song and L.S. Chen | 1241 |
| A Modified Feed-Forward Compensated PD Controller Design and Simulation Comparison Based on Two-Link Manipulator | |
| J.Y. Wang, X.F. Si and R.C. Guo | 1245 |
| Calibration of a Density-Dependent Modified Drucker-Prager Cap Model for AZO Powder | |
| Y.B. Kim, J.S. Lee, S.M. Lee, H.J. Park and G.A. Lee | 1249 |
| Finite Element Simulation Analysis for Cutter Head of Slurry Balance TBM | |
| P. Liu, Y.D. Gong and C. Wang | 1257 |
| Design of a Anti-Theft Alarm Monitoring Circuit Based on Mobile Phone | |
| G.L. Long | 1261 |
| Simulation of 3D Gas-Liquid Two-Phase Flow Characteristics of Carrousel Oxidation Ditch | |
| Y.L. Liu, B. Lv and W.L. Wei | 1265 |

Chapter 5: Metal-Matrix Composites

| | |
|---|------|
| Study on Interface Pattern of Zn-5wt%Al Alloy during Unidirectionally Solidification F.S. Yang | 1271 |
| Structure and Thermal Properties of RHA/NR Composite Z.Q. Zeng, H.C. Liu, H.P. Yu and Z. Peng | 1275 |
| Study on Interaction among Cerium-Arsenic-Iron Y.Z. Lin, X.D. Liu and J.Z. Zhang | 1281 |
| An Improved Method to Calculate the Meshing Stiffness of Helical Gear W. Yang, Y.L. Huang and H. Sun | 1285 |
| Analysis of Distillation Plant Stainless Steel Corrosion Behavior X.J. Wang and W.D. Gao | 1290 |
| Study on the Durability of Fluorinated Water and Oil Repellent Finishing by Contact Angle Method D.W. Zhang, Y.Z. Cui and Y.L. Sui | 1294 |
| The Research on Friction and Wear Properties of Silicon Carbide and Silicon Nitride F.G. Yan, S. Yan, F. Liu and B. Lin | 1298 |
| Analysis on Vehicle On-Center Performance H.B. Li and P. Ji | 1302 |
| Study on Optical Properties of Silicon Oxycarbide Thin Films Prepared by RF Magnetron Sputtering T. Chen and D.S. Wang | 1307 |
| Control and Simulation on Vertical Vibration of Subway Rail via Magnetorheological Isolators R. Li, L.M. He, X.Q. Li and K.L. Chen | 1313 |
| Preparation and Swelling Inhibition of Polyammonium Q. Deng, D.F. Wei, Z.Q. Ye and J.F. Xu | 1317 |
| Stress Field Simulation of Concrete Structure Considering Influence of Temperature on Autogenous Volume Deformation X.Y. Zhang and S.P. Liu | 1321 |
| Characterization and Properties of Chitosan-Soybean Trypsin Inhibitor Blend Film with Antifungal Activity Inhibits <i>Aspergillus flavus</i> α-Amylase B. Zhang and S.G. Deng | 1325 |
| Stress Strain Analysis of High Porous Ceramics P. Marcián, Z. Majer, Z. Florian and I. Dlouhy | 1330 |
| Experimental Study on Anti-Permeability of Cellulose Fiber and Hybrid Fiber Concrete Y.J. Li and J. Jian | 1334 |
| Preparation and Low Frequency Sound Absorption Properties of Silicate Composite Material L.G. Peng, G.C. Zhang, X.G. Yu and Y. Li | 1338 |
| Effect of Root Flaw on Tensile Behavior of Friction Stir Welded A6061-T6 Aluminum Alloy B.Y. Lin, J.J. Liu, L.D. Lu and H.L.J. Tsai | 1343 |
| Research on Hydraulic and Control System of Manipulator J.L. He | 1350 |
| Experimental Study on Sticking Behavior of Fluidized Bed in Reduction Process X.J. Wang, R. Liu and J. Fang | 1354 |
| Numerical Simulation of Vibration Sieve Based on DEM Y.J. Zhao and Z.Y. Qin | 1358 |
| Study on the Material Mechanical Performance of Large Scale Self-Compacting Rock-Filled Concrete H.C. Wang, J.D. Xin, X.H. An, X.Q. Xu and L.J. Zhou | 1362 |
| An Engineering Method for Asphalt Foaming Modeling Integrating Gas-Liquid Phase Change Process A.L. Wang, F. Ling and R.F. Qiu | 1368 |
| Study on Basic Properties of Akund Fibers and Pretreatment Process Q. Wang, L.D. Cheng, X. Jiang, E. Stojanovska and W.H. Fan | 1373 |

| | |
|---|------|
| Design of Material Conveyed Manipulator Control System H.Y. Zhang | 1380 |
| Effect of Heat-Treatment Time on Microstructure and Mechanical Properties of Mg-5Gd-2Y-2Zn-0.5Zr Alloy L.G. Meng, C.F. Fang, P. Peng, N.P. Li, Q. Zhu and X.G. Zhang | 1384 |
| The Cultivation of <i>Methylobacterium rhodesianum</i> H13 for Dichloromethane Degradation R.Y. Zhu, H.X. Liu, D.Z. Chen, J.M. Chen and Z.N. Sun | 1390 |
| Research on Mechanical Properties of Bambusa Distegia Thread Plywood Y.S. Yu, W.H. Zhou, X. Liu and X.L. Xiong | 1394 |
| The Noise Analysis of Turbocharger Compressor Flow Filed which Based on the Fluent G.H. Jiang and X. Chen | 1398 |
| The Influence of Velocity of Moving Load on the Rail Dynamic Response Z.H. Huang, Q.G. Chen, Y.G. Li and L.L. Shi | 1402 |
| Noise Radiation Characteristics of the Washing Machine Based on Sound Intensity Measurement B. Liu, T. Feng, X. Wu and N. Li | 1406 |
| Thermal Conductivity and Thermal Expansion Properties of AlN/EP Composite Z.H. Ma, J.L. Huang, Y.J. Gu, B. Jin and G.Y. Chen | 1410 |
| Analysis of Seismic Responses During Near-Source Ground Motions S. Hai | 1414 |
| Research on the Law of AMT Tractor Clutch Engagement at Starting Condition L.Y. Xu, Y.K. Zhao, Z.L. Zhou, Z.Q. Xi and M.X. Xing | 1418 |
| Effect of Solid Particle on TEHL under Line Contact with Solid-Liquid Lubricant S. Rattapasakorn and M. Mongkolwongrojn | 1426 |
| Effect of a Novel Low-Voltage Alternating Current Pulse on Solidification Structure of Al-7Si-0.52Mg Alloy L.M. Zhang, R. Zhang, W.J. Chen, Y.W. Wu and N. Li | 1431 |
| Study of Retained Austenite in Q&P Steel for Automobile B.T. Zhuang, H.T. Jiang, D. Tang, Z.L. Mi and Z. Kuai | 1436 |
| Based on ABAQUS Roll Bending Forming Simulation Numerical Algorithm R.H. Tong and Y. Lv | 1442 |
| The Effects of Electromagnetic Stirring on Solidification Structure and Macrosegregation of Pb-Sn Alloy Q. Zhao, X.G. Zhang, C.F. Fang, N. Zhang, Y.B. Han, J.S. Guo and X.G. Hou | 1447 |
| Hot Workability Map for Near-α Titanium Alloy Ti-5.6Al-4.8Sn-2Zr-1Mo-0.35Si-0.7Nd M.M. Li, Q.J. Xun and S.Z. Zhang | 1453 |
| Study on Glass Transition Temperature of Amorphous Polymer Thin Film Y.J. Ren | 1457 |
| The Transformation Properties of Aroma Components in Banana Drying Process F.Y. Xu, C.Y. Li, Z. Chen, Y.F. Chen and S.J. Deng | 1461 |
| Wear State Research of Heavy Vehicle Based on Oil Spectrum Analysis X.G. Liu, Z.G. Li, B. Fan and Y.Q. Yang | 1466 |
| Study on Ultimate Bearing Capacity of New Steel Composite Tube G.R. Xing and L.H. Dong | 1472 |
| Swelling Behaviors and Water States of Fibrous Membranes Electrospun from PHBV-g-PVP W. Wang, J.D. Cao and P. Lan | 1478 |
| Effect of Thermal-Cold Cycling on Properties of Glass Fiber/ Epoxy Resin Composite for Wind Turbin Blade X.H. Tang, M. Lu, X.B. Feng and K. Liu | 1483 |
| Coal Mining Industrial Robots the Institutions of the Modeling and Simulation S.K. Lu | 1490 |
| Study on Structural Optimization and Wear of Slipper Pair in Axial Piston Hydraulic Motor Z.N. Zhou, Y.X. Gu and L.N. Ma | 1495 |
| Applied Research of Lock Pin Synchronizer in Tractor Transmission Z.L. Zhou, Y.T. Liu, L.Y. Xu, Z.Q. Xi and J.Q. Ding | 1500 |

| | |
|--|------|
| Theory and Experimental Research on Inclusions Aggregation in Molten Steel Q. Yue, C. Wang and H. Kong | 1506 |
| Research of Dual Cooking Reagents on Bamboo Pulping P.Y. Li, M.Y. Zhang, X.X. Xia and C.T. Lin | 1511 |
| Rapid Estimation of Xanthan and Biomass Concentration during Xanthan Production under Solid State Fermentation on Polyurethane Foam with Near-Infrared Spectroscopy Z.G. Zhang and H.Z. Chen | 1515 |
| Cloud Computing for the Virtual Comprehensive Management Platform Design B. Wang, Y.L. Zou, Q.M. Wu and Z.R. Guan | 1520 |
| Subsurface Crack Initiation and Propagation Mechanisms in Very High Cycle Regime W.J. Song and W. Li | 1524 |
| The Study on Microstructures and Mechanical Properties of Heat Rolled and Solution-Treated Fe-26Mn-6Al-1C Steel M.L. Huang, H.Y. Li and H. Ding | 1530 |
| Numerical Simulation of High Frequency Electromagnetic Field in Soft Contact Continuous Casting Mold P. Tian, X.J. Wang, L.G. Zhu, Y.K. Xue, W. Chen and W. Tian | 1534 |
| The Research Advances in the Flexible Tubular Organs Material H. Tan, Z. Wang, G.H. Dai and X. Ye | 1538 |
| Design of UHF Thin Film Transformer and Research of its S-Parameter Performance X.P. Hu, B. Chen, Y.L. Zhong and J.M. Xu | 1542 |
| Dynamics Simulation of Automatic Rifle S. Lu, B.H. Wang and Y.P. Qi | 1547 |
| Mechanical Properties and Microstructure of Boron Carbide-Cerium Boride Composite K.W. Peng, N.W. Pu, H.L. Ma, R. Chen and Y. Wang | 1551 |
| Numerical Simulation of Electroslag Remelting Process for Producing GH4169 under Different Current Frequency Q. Liang, X.C. Chen, H. Ren, C.B. Shi and H.J. Guo | 1556 |
| Physical and Mechanical Characteristics of Non-Clinker Slag Cement Concretes Y. Qin | 1566 |
| Utilization of Alternative Insulation Materials for Thermal Insulating Ceramics Blocks Production J. Zach, J. Hroudová and M. Sedlmajer | 1570 |
| Study of Electrodeposition Parameters on Performance of Core of Thin Film Transformer X.W. Hou, S.B. Liu, J.P. Li and S.L. Yang | 1576 |
| Crystallization Behavior of Al-Y-Ni-Co Metallic Glass X. Yang and S.J. Yang | 1580 |
| Gamma-Ray Radiation-Induced Surface Hydrophobic Effects in Invar Alloy C.F. Yang, W.W. Wang, H.H. Chen, W.T. Sun, C.L. Shiau and J.J. Lin | 1585 |
| Research on Erosion of Metal Materials for High Pressure Pipelines J.X. Zhang, J.C. Fan, Y.J. Xie and H.C. Wu | 1592 |
| Phase Change Materials of Microcapsules Containing Paraffin D.W. Huang and H.M. Wang | 1596 |
| Effect of Cooling Rate after Deformation on Microstructure of V-N Microalloying High Strength Aseismic Rebar D.W. Zhao, J.C. Cao, W. Chen, L. Deng, Z. Shi and X. Qi | 1600 |
| Mechanical Properties Study of FRP Tube Steel Reinforced Concrete Structure Subjected to Axial Compression L. Zhou, K. Li and J.H. Jiang | 1605 |
| Research on Hot-Work Die Steel Used for Extrusion Wheel S.F. Wang, H.Y. Liu and P. Zhou | 1611 |
| Preparation of Urea Slow Release Membrane Environment Friendly S.J. Wang, X.Q. Wang and M.H. Chen | 1618 |
| Evaluation of Maximum Inclusion Size and Fatigue Limit for High Strength Steel in Rotating Bending P. Wang, W. Li and D.M. Wang | 1622 |
| Research Development of Modification of Galactomannan Gums from Plant Resources J. Ba, Y. Gao, Q.H. Xu and M.H. Qin | 1628 |

| | |
|---|------|
| The Selection of Military Equipment Supplier Based on Projection Pursuit Method P. Chen, J.X. Du, Y.C. Dong, J. Xia and L. Gong | 1632 |
| Chaotic Mutation Bee Evolution Algorithm Y. Yao, Y.L. Zou, Q.M. Wu and Z.R. Guan | 1636 |
| Microstructure Refinement in Low Carbon High Manganese Steel through Ti-Mg Deoxidation H. Kong, W. Dai, S. Shao, Q. Yue, J.X. Zhu, H.C. Yao and B.Z. Gan | 1640 |
| Analysis of Sinking Mechanism and Finite Element for Static Pile in Collapsed Loess Region Z.H. Tian, Y.J. Wang and X.F. Huang | 1645 |
| High Strength Offshore Steel with Excellent Weldability Y.T. Chen and K.G. Zhang | 1650 |
| Elimination of Thermal Bridge by Thermal Insulation Composite Material T. Pospíšil, J. Pěňčík, L. Matějka, L. Matějka, A. Kalužová and D. Dostálová | 1654 |
| The Estimation of Micro-Crack Behavior in Polymer Particulate Composite with Soft Interphase Z. Majer, L. Náhlík and P. Hutař | 1660 |
| The Changes of the Micro Structure by Deterioration Factors for LILW Waste Disposal Facility Concrete K.B. Kim, H.R. Jung, K.J. Kwon, J.H. Lee and D.G. Kim | 1664 |
| Numerical Simulation of Hydraulic Fracture Propagation Characteristics of Low Permeable Coal-Rock Mass Z.G. Yuan, H.T. Wang and N.P. Liu | 1668 |
| Compression Behavior Evaluation of Directly Compressible Excipients Y. Du, L.J. Zhao, Y. Feng and D.S. Xu | 1672 |

Chapter 6: Modeling

| | |
|---|------|
| The Study on the Digital Simulation Technology of Toroidal Worm Q.M. Wen, L.Y. Zhou and Z.G. Li | 1679 |
| The Calculation and Experimental Research on the Properties of Reflectance of Methyl Red Doped Polymer S.W. Qi, H.G. Lu and A.P. Liu | 1683 |
| Virtual Design and Interactive Demonstration of the Product Based on Sketchup Y.W. Wu, Y. Zhong and D. Wu | 1687 |
| The Optimum Arrangement of Working Face Ventilation System for Coal Mine N. He, Q.J. Ma and Y.Z. Shi | 1691 |
| Research on Properties of AlN-Mo Composite Ceramic J. Kang, G.X. Dong and Q.X. Liu | 1695 |
| The Effect of Electromagnetic Stirring on Steel Strand Quality C. Liu and B.G. Jin | 1699 |
| Study on Synthesis of Zirconolite Using Simulated Radioactive Incineration ASH Y.X. Piao, M.F. Wen, J. Chen and J.C. Wang | 1703 |
| Simulation Analysis of Support Installation Vehicle's Working Unit Based on ADAMS H.S. Guan, K.L. Luo and D. Dong | 1707 |
| Study on the Influence of Compression Damage on Tensile Properties in Fully Lamellar TiAl-Based Alloy B. Tang, C.J. Chen, Z.Y. Xue, C.J. Wu and S.S. Li | 1713 |
| Study on Thermal Stresses the Extreme Temperature in Bridge Deck Pavements Using FEM Analysis H.B. Li, Y.P. Sheng and Q. Wang | 1718 |

Chapter 7: Non-Destructive Evaluation

| | |
|--|------|
| The Design of Power Supply and Distribution Real-Time Monitoring System Based on PXI Bus for Telemetry System H.L. Wang, H.F. Ding, J.Q. Wang and P. Liu | 1725 |
|--|------|

| | |
|---|------|
| Robust Fault-Tolerant Controller Design for T-S Fuzzy Control Systems Y. Yu and W. Wang | 1729 |
| Energy Conservation Strategy and Control Mechanism in Engineering of Water Supply Y.L. Pei and X.Y. Yang | 1733 |
| Leak Detection and Location Using Generalized Correlation Time Delay Estimation Algorithm Y. Liu, Y. Tie, D. Li and S. Na | 1741 |
| Sensor Location Optimization for Distributed Parameter Systems Based on Wavelet Transforms G.G. Gao and X.W. Zeng | 1747 |
| Research on the Response of Excitation System to the Different Load of Synchronous Generator Q.J. An, C.Q. Zhu, Z.F. Gu and C.C. Wang | 1754 |
| A Measuring Method of Circular Run-Out in any Direction of Valve Seat Related to the Centerline of the Valve Guide W.Y. Piao, Y.B. Yuan, T. Sun and L. Wang | 1759 |
| Experimental Study for Equipment Energy Consumption of Bag Filter Causing by the Dust Layer Structure on Filter Bag Surface R. Zhou and H.G. Shen | 1763 |
| Design of an Automatic In-Out Oil Controlling and Management System Based on RF Technology Q.F. Niu, Z.G. Zhang, Y.B. Hui and L. Wang | 1768 |
| Analysis and Study of the Steel Plate Surface Defects Image Processing and the Fractal Dimension Characteristics X. Wang, W. Liu, H. Cao and D.P. Ma | 1773 |
| Unmanned Monitoring System of Three Gorges Basin for Water Environment Based on WSN J. Wang and Q. Wu | 1777 |
| Study on PROFIBUS-DP Field Bus in Mine Hoists Control System H.Z. Chen | 1781 |
| Design of Programming Electronic Delay Detonator H.Y. Li, Z.Q. Chen, F. Liu and S.L. Yan | 1785 |
| The Usage of Continuous Improvement's Measure and its Effect on Performance L.R. Hu, Y. Yang, C.S. Shi and Y.Z. Tian | 1789 |
| Study on the Asymmetric Sharp Feature Construct Method in Combined Subdivision Surface G. He, D.L. Zhu, G. He and Z.Y. Pan | 1793 |
| Fuel Consumption Instrument for Diesel Locomotive Test Based on Siphon Principle L.G. Cun, B.X. Zhang, H.M. Zhang, Z.C. Miao and Y.X. An | 1797 |
| Fault Control for a Class of Nonlinear System with Input Delay Y. Yu and W. Wang | 1801 |
| Research on Intelligent Control of the Dust in Coal Mining Z.R. Zhang, G.Q. Liu, X.S. Bai and G.L. Yang | 1805 |
| Variable Structure Control Based Wavelet Transforms for Linear Time-Invariant Distributed Parameter Systems G.G. Gao and X.W. Zeng | 1809 |
| PLC Automatic Controlling System of Flushing Toilet C.Y. Zhong | 1816 |
| Study on the Method of Error Identification and Compensation for Gear Measuring Center P. Wan, J.J. Guo and H.T. Li | 1821 |
| Integration of OT and IRS to Explore Structure of Statistics Concepts Y.H. Lin, J.M. Yih and J.Y. Ko | 1829 |
| Application Study on Hot Wire Type Air Flow Meter Used in Portable Exhaust Analyzer Y.Q. Lu and Z.H. Xu | 1835 |
| Observable State Space Realization of Networked MIMO System for a Novel Virtual Observer-Based Delay Compensation X.Y. Meng, S.D. Xiao and H.P. Huang | 1840 |

| | |
|--|------|
| Design and Optimization of Rotating Mechanism for Wind Load Test-Bed of Aerodynamic Brake | |
| M.L. Wu, X.J. Zhang, C. Tian and Y. Xi | 1851 |

Chapter 8: Polymer-Matrix Composites

| | |
|--|------|
| Intumescent Flame Retardant Epoxy Resins Based on Condensation Polymers of P-Phenylenediamine and Bispirocyclic Pentaerythritol Diphosphate | |
| Y.W. Huang, J.J. Ma and J.X. Yang | 1863 |
| Kinematic Characteristics and Optimization Analysis of Elliptical Geared Hoeken Mechanism | |
| Z.D. Huang, Y.P. Du and Z.G. Zhang | 1869 |
| Integrated Drilling Engineering Design System Based on Web Services | |
| Z.K. Liu, Q. Li, H.S. Liu and L. Wen | 1874 |
| Fuzzy Control of a Class of Discrete-Time Fuzzy Bilinear Systems with Time-Delay | |
| J.H. Jiang, C. Wu, Y.W. Ge and L.J. Song | 1881 |
| A New Method in Improving RAFT Polymerization Rate of Styrene | |
| Q.B. Yu and X.H. Li | 1886 |
| An Analysis of Postmodernism Theory's Performances in Architecture and Interior Design Field | |
| Z.C. Zhu and W.Q. Qian | 1890 |
| The Influence of Milling Parameters on the Fibrillation of PBO Fiber | |
| L. Liu and G. Li | 1894 |
| Polypseudorotaxane Hydrogels Based on F127 Block-Selected Inclusion Complexation with α-Cyclodextrin | |
| Y.X. Zhou, X.D. Fan and D. Xue | 1898 |
| Synchronous Decoupled Motion Control for Power-Wheelchairs | |
| F.Y. Yang and M.C. Tsai | 1904 |
| Preparation of the Amphiphilic Copolymer of Poly(ethyleneoxid-co-glycidol)-Graft-Poly(lactide) and their Extraction for Dyes | |
| X. Zhao, K.Y. Sui, H.C. Liang, Y.J. Li, Y. Zhang and Y.Z. Xia | 1912 |
| Calculation and Analysis of Gears in MW Wind Turbine Gearbox | |
| R.S. Zhu, Y.M. Liu, Z.Z. Zheng, J. Shen, Y.P. Lu, Z. Fang, Z.L. Zhang and Q. Huang | 1917 |
| Preparation and Characterization of Octadecylated Poly(vinyl Alcohol) Polymers | |
| L.J. Li, H.F. Shi and X.X. Zhang | 1921 |
| Working Space Analysis of 6-DOF Manipulator Based on MONTE-CARIO Method | |
| C.D. Wang, H. Wang and L.M. Chen | 1925 |
| The Emulation Design of Hall Component Based on ANSYS Software | |
| W.W. Zhai, Y. Zhang, X.L. Lin, L.C. Wu, J.Q. Zhang, Y.W. Xu and T.Q. Zhang | 1929 |
| A Crowding Niche Cellular Genetic Algorithm | |
| Y. Zhang, Z. Liu, H. Zhang and H.F. Li | 1933 |
| Manufacture of Lasers with Multiple Operating Modes | |
| C.J. Zhu, B. Xue, X.J. Zhai and J.F. He | 1937 |

Chapter 9: Processing and Manufacturing, Properties and Performance

| | |
|--|------|
| Fuel Injector Design Based on 2D Technology | |
| L.D. Chen and H.X. Shan | 1943 |
| Evaluation of Seven Ductile Fracture Criteria for Failure Prediction of AZ31 Sheet in Warm Forming | |
| J.G. Liu and W. Liu | 1947 |
| DEM Simulation on Tribological Behaviour of Third-Body Interface with Different Shear Elastic Modulus | |
| W. Wang, X.J. Liu, K. Liu and Q.Y. Xiong | 1951 |
| Experiment on Deformation Process of Magnetic Fluid Coated Inside Orthogonal Ducting | |
| H.R. Cui, C.Z. Yang and M.L. Sun | 1955 |

| | |
|---|------|
| Preparation and Mechanical Properties of Lignin/Epoxy Resin Composites Q.F. Yin and M.W. Di | 1959 |
| Study on Warship Combat System Design Using DMOPSO Algorithm W. Ren, Y. Xiong and H.M. Xia | 1963 |
| Consensus Analysis of Nonlinear Dynamical Multi-Agent Systems by Relative Lyapunov Function Method H.Y. Ma and N. Cai | 1969 |
| Approach to Detect and Control Gap-Width with Peak Current in Pulse ECM W. Natsu and A. Terada | 1973 |
| A New Design Method of Body-in-White Lightweight Considering NVH Performance Z.L. Gao, Q.H. Kong, J.P. Lin, Q.S. Hu and Y. Chen | 1979 |
| Induction Motor Direct Torque Control Based on Multiple Neural Networks Optimized by Genetic Algorithm G. Zou, T. Li and R.X. Xiao | 1985 |
| Instantaneous Flow Characteristics for General Gear Flow-Meter Z. Jun, Z. Teng, C. Zhang and T. Juan | 1990 |
| Research on Evaluation Model of Enterprise Network Resource Coordination Y.G. Shi | 1995 |
| Empirical Likelihood Inference for Linear EV Models with Missing Responses Problem Q. Liu | 1999 |
| The Application of IDEF0 Methods in the Virtual Production Line Design S.F. Chai, S.J. Luo and X.L. Zhang | 2003 |
| Internal Model Control Based on Interval Arithmetic for Suspension Systems H. Liu, Y.Q. Su, Y.M. Wang, J.G. Yue and S.H. Luo | 2007 |
| Inverse Identification of Material Parameters of Titanium Alloy TB5 Based on Response Surface Methodology and Quasi-Newton Method Y.N. Sun, M. Wan and X.D. Wu | 2012 |
| Stressed State in the Roller Contact Zone (Area) and the Bearing Ring Finite Length A. Soldatenko, H.R. Ao, H.Y. Jiang, R. Privalihin and A. Danilov | 2017 |
| Pilot Protection Applied in Distribution Network with DG Y.S. Zhou, Y. Yang, P. Zheng and J.W. Zheng | 2021 |
| Study on Recrystallization Behaviour of Hot Medium Plate Rolling Y.Q. Tian, F. Tian, Y.L. Wei, J.Y. Song and L.S. Chen | 2028 |
| Reserch of Dislocation Theory in Micro Cutting H.J. Ding, X.B. Wang, Z.Q. Liang and Q. Jia | 2033 |
| The Design of Mechanism for Electric Shuttle Based on MATLAB/ADAMS J.Q. Wang, J.Y. Zhu and L.S. Chen | 2037 |
| Research on the Selection of Innovative Organization of Generic Technology for Manufacturing Industry X. Wen, Y. Zhang and H. Zou | 2042 |
| Study on the Balancing Analysis of Assembling Line for a Type of Server W.X. Yao | 2046 |
| Experimental Study on Application of Cold-Welding Technology in Engine Remanufacturing Field Q.Z. Xu, F.Y. Li, T. Ding and J.Z. Chen | 2051 |
| The Research and Development of Digital Platform Supporting Gun Virtual Prototype Design H.Z. Liu, H.S. Cao, W.N. Yang, D.S. Zhuang, G.J. Shen, Y.P. Bai, M.G. Chen and M.M. Fu | 2055 |
| Research on a Method of Cutting Tool Angle Conversion Y. Wang, J. Cong, H.P. Jing and X.X. Ning | 2060 |
| Principal Factors Preventing CER: Behavior Angle C.Q. Liu | 2065 |
| Research on the Model of the Internet of Things Servers Group Automatic Expandability Management and Control H.Y. Ju and X. Wang | 2070 |
| Study on Compensation of Guide Track Error in Cylindrical Grinding J.L. Guo, Z.H. Zhang, L.Q. Chen, J. Chi and X. Yang | 2076 |

| | |
|---|------|
| Information Service Platform for Region Oriented to Ceramic Industry Cluster H.Y. Li | 2081 |
| Forming Limit of Magnesium Alloy Sheet in Hydromechanical Deep Drawing X.C. Mao and M.G. Wang | 2086 |
| Intermittent Microwave Drying of Litchi: Drying Kinetics and Quality Formation in Color Difference F.Y. Xu, Z. Chen, C.Y. Li, J.Y. Liao, H. Zhang and C.X. Chen | 2090 |
| Influences of Bentonite Modification Methods on the Physical and Chemical Properties of Bentonite M.Y. Shu, H.Y. Yin and G.H. Liu | 2096 |
| Integration of CAX/PDM Systems Based on Service-Oriented Architecture Y.B. Liu and X.W. Tong | 2103 |
| A Spectrum Clustering Algorithm Based on Weighted Fuzzy Similar Matrix Q. Li | 2109 |
| An Approach to Region-Based Feature Recognition for Structural Parts L.H. Qiao and J.F. Wu | 2114 |
| Tax Benefits of E-Commerce in China D.J. Zou | 2118 |
| Study and Environmental Impact Evaluation on a Coal Separating Plant R.J. Su | 2122 |
| Research on Forming Process and Deformation Rule for the Necking of Viscous Medium under Outer Pressures T.J. Gao, Z.J. Liu, Y. Wang and Z.J. Wang | 2126 |
| Supply Chain Coordination with Option Contracts in VMI System J.Z. Wu and J. Liu | 2131 |
| Effects of Inoculation on Microstructures and Mechanical Properties of Resistance Spot Welded Magnesium Alloy Joints H.X. Sun, D.Q. Sun, X.Z. Wang, H.C. Yin and W.B. Cheng | 2142 |
| Main Structure Design on Dual-Purpose Move-Assistant Device of Wheelchair and Crutch on SolidWorks C.W. Yang, H.T. Wu and H.B. Liu | 2148 |
| Study on the Integration of Regional Logistics Resources Based on SOA X.S. Yao, J.L. Ying and L.X. Cao | 2153 |
| Experimental Research on Thermoplastic Forming of Spherical Vessel R.H. Li, S. Nuo, Y.D. Yuan and Y.J. Yuan | 2157 |
| Research on the Devices of Waste Heat Recovery in Tea Dryer Z.N. Tao, L.F. Yang and Z.Q. Wu | 2161 |
| Model of Product Warranty Network and its Robustness J. Yu and Z. Zhang | 2165 |
| Optimal Application of the Betatron L. Han, X.X. Zhang, Y.J. Dai and Y.J. Lv | 2170 |
| The Research on the Method of Constructing BOM for Small and Medium Assemble-to-Order Manufacturing Enterprises X.H. Ding and J.J. Shi | 2174 |
| The Development and Application of Geographical Information System in Rural Distribution Network F. Ye and N. Li | 2179 |
| The Calculation of TTR in PROFIBUS System L.P. Zhen, S.W. Si and H.Q. Xie | 2183 |
| A Milling Method of an Enveloping Toroidal Worm on a CNC Turning Center L.Y. Dong, P.Y. Liu, W.J. Wei, H.T. Li and X.Z. Dong | 2188 |
| The Research of Error Compensation for the 3D Surface Measurement Y. Tian, Z. Ma and P. Li | 2192 |
| Line Selection Analysis of Ground Fault in Distribution Network Based on Chief Half-Wave and Remnant Current F. Peng, Y.S. Zhou, Y.F. Liu, A.H. Yuan and L. Zhu | 2197 |

| | |
|---|------|
| Extraction Kinetics of Cerium(III) from Chloride Medium by Di-(2-Ethylhexyl)phosphoric Acid in the Presence of Acetic Acid Using a Constant Interfacial Area Cell with Laminar flow | |
| H.T. Chang, M. Li, Z.G. Liu, Y.H. Hu and F.S. Zhang | 2204 |
| Prediction of Molten Pool Width with Artificial Neural Network Model | |
| T. Wang and X.D. Gao | 2210 |
| PLC-based Automatic Control of Food Production Line | |
| Y.P. Guo and Q. Cui | 2214 |
| The Structural Characteristics and Function Analysis of the Mobile Genomic Islands Flanked by Isocitrate Dehydrogenase Genes in <i>Escherichia coli</i> and <i>Salmonella enterica</i> | |
| L. Song and X.H. Zhang | 2218 |
| Optimized Design of the Horn of Ultrasonic Roll Welding | |
| K.M. Shu, Y.G. Li, C.C. Chan and J.B. Kuan | 2223 |
| Research on Parallel Hybrid Genetic Algorithm Based on Multi-Group in Job Shop Scheduling | |
| C.L. Yan, W.F. Shi and R.L. Zhao | 2227 |
| Multi-Level Dynamics in Deep Milling of Flexible Workpiece | |
| M.M. Akhtar, X. Huang, W.L. Chen and Z.X. Lin | 2234 |
| Analysis of Non-Normal Process Capability Based on Rosenblatt Transformation System | |
| Y.W. Hou and B.H. Wang | 2238 |
| Virtual Manufacturing for Machining Process Monitoring | |
| B.C. Li, H.J. Fu, T.B. Yu and W.S. Wang | 2243 |
| The Development of an APT Program Interpreter for 5-Axis Machining | |
| H.Y. Cheng, J.P. Tsai and Y.C. Kao | 2247 |
| Network Courses Construction and Research | |
| L. Jin and T. Zhao | 2253 |
| Modeling and Validation of MBS Using Joint Force Actuator in ADAMS Car | |
| A.H. Tang | 2257 |
| Flow Field Optimization and Strategy of Construction Cell Microspheres | |
| H. Li | 2261 |
| The Automatic Assembly Technology of Standard Mold Base Based on UG | |
| Z.H. Hu, J. Liu, K. Liu and N. Wang | 2265 |
| CFD Study of 2D Model of Diffuser for Harnessing Tidal Energy | |
| N. Mehmood, Z. Liang and J. Khan | 2270 |
| Effect of Mg, Sr, Ti and Aging Parameters on the Mechanical Behavior of 319 Alloys in the T5 and T6 Heat Treatment | |
| S. Alkahtani | 2275 |
| Comparative Study of the Promotion of S&T to Economic and Social Development in Hubei | |
| W. Zou | 2289 |
| Quality Knowledge Management Facing Collaborative Products Manufacturing | |
| L.Y. Tao and L.L. Shou | 2293 |
| Research on Dichotomy Model Evaluation Method of Weighted Comprehensive Indexes | |
| N. Zhao and J.M. Zhang | 2297 |
| Synthesis of Coal Dust Depressor and its Application in Preventing Coal Dust | |
| F.Q. Cheng, S.Y. Cheng, Y.X. Guo and L.Q. Cao | 2301 |
| Measurement of COD for Sugar Refinery Wastewater Using FTIR/ATR Spectroscopy with Stability | |
| T. Pan, P.Z. Li and J. Xie | 2307 |
| Experimental Research on SLS for Bionic Small Wing | |
| H.T. Cen, J.L. Liu and X.L. Wang | 2311 |
| Monitoring System of Gas Stations in Retail Network of Oil Products | |
| C.H. Ao and X.Y. Yang | 2315 |
| Model and Algorithm for Vehicle Routing Problem with Time Windows and a Limited Number of Vehicles | |
| Y.J. Jia and C.J. Wang | 2322 |
| Dynamic Characteristics of Gear Transmission System for Wind Turbine Gearbox | |
| Y.X. Yu, H.Q. Yuan and Z.M. Huang | 2327 |

| | |
|---|------|
| Study on the ERP System Selection Based DEA Model J.H. Qu and X.K. Gao | 2331 |
| Reliability Analysis Based on Improved Bayes Method of AMSAA Model Y. Qiang, L. Zhang, Z.L. Sun, Y. Liu and X.B. Bai | 2336 |
| Fabrication of 50nm T-Gate on GaN Substrate F. Liu, G.D. Gu, C.H. Zeng, H.J. Li, W. Wang, B.S. Zhang and J.S. Yuan | 2341 |
| Mathematical Modeling of In-Cylinder Radiation H.Y. Chen and Y.J. Song | 2345 |
| Transformer Fault Diagnosis Method Based on Gross Error Examination J. Su and X.G. Wang | 2350 |
| Analysis of Product Family Design Chain Using Strategy-Engineering Perspective H.W. Zhi and G. Du | 2355 |
| Modal Analysis and Experimental Analysis of Dynamic Characteristics of Linear Rolling Guide X.P. Li, H. Guo, J.N. Liu and Y.L. Liu | 2360 |
| Nanocrystallization of Fe-Based Amorphous Alloys Fe_{73.5}Cu₁Nb₃Si_{13.5}B₉ by Yb-Doped Fiber Laser Overlapping Irradiation Q.L. Ma, Y. Bao, G.R. Zhang, L.M. Yu, L.F. Ji and Y.J. Jiang | 2365 |
| Microstructure and Performance of Nano-Al₂O₃/Ni-Co Composite Coatings by Electro-Brush Plating X.H. Wang, B.S. Xu, Z.F. Hu and S.Y. Dong | 2371 |
| Study on Intelligent Diagnosis Based on Medical Services D.M. Li, H.S. Zhang, P.S. Zhong and J.Y. Wei | 2376 |
| Low Temperature Wafer Direct Bonding Using Wet Chemical Treatment Y.L. Zhao, Z.J. Song, Y. Li, H.S. San and Y.X. Yu | 2381 |
| Challenges and Resolutions for Chinese International Engineering Projects N. Dong, R.W. Tan and F. Xiong | 2385 |
| Entropy Weight Multi-Level Fuzzy Comprehensive Evaluation in Power Plant Security Based on Reliability Identification D.Q. Li | 2390 |
| The General APDL Program for Calculation of Structures under Seismic Response Y.J. Wang, F.T. He and Y. Zhao | 2396 |
| Preparation and Impact Properties of Epoxy/ Epoxidized Palm Oil Blend Glass Fiber Reinforced Composite Systems S.N.L. Marnauod, M.H. Abidin and A.Z. Romli | 2400 |
| Review of Nanobainite Steel Welding K. Fang, J.G. Yang, D.L. Zhao, K.J. Song, Z.J. Yan and H.Y. Fang | 2405 |
| The New Preforging Method of Closed-Die Forging with Controlled-Flash for Steering Knuckles L.J. Cheng, T.Z. Zhang and H.X. Zhang | 2409 |
| Research on Characteristic of Body Composition Changing in Academic Workers H.Y. Gu | 2414 |
| Finite Element Analysis of the Evolution of Damage during Equal Channel Angular Pressing of a Mg–3Al–1Zn Alloy F. Kang, J.T. Wang, P. Cheng and H.Y. Wu | 2418 |
| Cloud Manufacturing Based on Cooperative Concept of SDN D.Y. Tai and F.Y. Xu | 2424 |
| Study on Hot Forming Process and Spring-Back of Ultra -High Strength Steel Based on ABAQUS D.S. Yang, W. Liu, G.J. Hu, J. Zhou and Z. Su | 2430 |
| The Program and Optimal Design of Planetary Gear Based on Differential Evolution Algorithm Z.K. Wang and Y.L. Zheng | 2438 |

Chapter 10: Prototyping Reinforcement Materials, Repair, Testing

| | |
|--|------|
| Experimental Study on the Recycling Technology of Waste Thermosetting Phenolic Resin Based on Mechanical and Physical Method Z.F. Liu, L. Shi, Z.W. Wu and K. Zhao | 2445 |
| A Niche Cellular Genetic Algorithm Based on Evolution Rule D.L. Zhu, T. Zhan, R. Tang and H.F. Li | 2450 |
| Modal Analysis of Helical Milling Unit X.D. Qin, C. Lu, Q. Wang, H. Li and L.J. Gui | 2454 |
| A Study of Product Family Rapid Design Based on Modularization and Parameterization for Transportation Equipment W.Z. Wu, C.X. Fan, B.J. Chen and Z.H. Wang | 2460 |
| Application of Quantum Particle Swarm Optimization in Adaptive Notch Filter Design J. Zhang | 2466 |
| The Research about Simulated Annealing Ant Colony Algorithm in Emergency Logistics Path Optimization L.Y. Zhang, T. Fei and Y.S. Sun | 2470 |
| Research on Light Weight Design for a HEV City Bus L.T. Zhang, C. Yu, H.T. Chen and R.G. Wang | 2475 |
| Procedural Modeling Technology in Urban Design P. Su and L. Xiong | 2481 |
| Network Optimization-Based MPC for Distributed Control Systems Y. Zhang | 2485 |

Chapter 11: Thermoplastic Composites

| | |
|--|------|
| Structure and Test of a Magnesium Alloy Pressure-Resistant Cabin Z.Y. Ma, L.N. Zhang and Y.P. Su | 2491 |
| Chromium-Containing Solid Waste Soluble Six Chromium Leaching Influence Factor Research Y. Chen and X.L. Wen | 2496 |
| Research of Improved Simulated Annealing Optimization Algorithm Based on the Global Harmony Search Mechanism J.H. Zhang | 2500 |
| Building Model on Product Innovation Design Based on TRIZ Theory L.C. Zong and S.H. Yu | 2504 |
| Optimization of the Stamping Direction for Complex Parts Based on 3D Mesh Model D.X. Zhang, A.T. Gao, L. Sha, Z.F. Wei and J. Han | 2508 |
| Research on Application of Neural Network Model in Design of Computer-Based Microwave Ovens M.Y. Zhou, Q. Li and Y.Q. Liu | 2512 |
| The Research of Emergency Logistics Routing Optimization Based on Improved Ant Colony Optimization T. Fei, L.Y. Zhang, Y.S. Sun and H.W. Ren | 2519 |

Chapter 12: Nanotechnology

| | |
|---|------|
| A Method of Measuring a 3-Dimensional Curve on a Surface with a CMM H.T. Li, W.J. Wei and X.Z. Dong | 2527 |
| Research of the Relationship between Hemp Fiber Disintegration Degree and its Chemical Composition Y.C. Ji, F. Wang, Y.J. Liang and D.Y. Li | 2531 |
| Research on High-Pressure Hose Knitting Machine Knowledge Modeling Based on Ontology L. Wang, X.W. Wang and X.J. Wang | 2535 |
| Photocatalytic Degradation of Formaldehyde by TiO₂ Nanoparticles Immobilized in Activated Carbon Fibers S.F. Li and G.L. Ye | 2539 |

| | |
|--|------|
| Ag-Coated PAN Nanofibers Prepared by Poly(dopamine)-Assisted Electroless Plating L.N. Yu, J. Zhao, L.D. Shen, Y. Gao and X.F. Wang | 2543 |
| Temperature-Dependent Photoluminescence Spectra of PbSe Quantum Dots for Temperature Markers P.F. Gu, Y.N. Wang, J.J. Cao, Y. Yan, T.Q. Zhang, Y.D. Wang and Y. Zhang | 2547 |
| Innovation for Transformation of Textile Industry Moving from Material to Finished Good Supplier X.Q. Wang, Z.M. Jin and A.D. Zhang | 2551 |
| Facile Synthesis of Hierarchical ZnS Microspheres and their Photocatalytic Properties H.M. Wang and Y. Lian | 2555 |
| The Morphology Control of Nano-Cu₂O and Study on its Phototocatalytic Properties in the Treatment of Chromium-Containing Wastewater B. Zhao and D. Ma | 2559 |
| Characterization of Spherical Molybdenum Powders Prepared by RF Plasma Processing Y.W. Sheng, Z.M. Guo and J.J. Hao | 2563 |
| Adsorption of Cu²⁺ Ions from Aqueous Solution by NaOH Activated ZSM-5 Zeolite X.Z. Sun, D.J. Wan, B. Li, L.L. Wang, N. Wang and J. Chen | 2568 |
| Effect of Hydrothermal Temperatures on the Structure of Bi_{0.5}Na_{0.5}TiO₃ Nanomaterials X.L. Zhang, W.P. Tang, H.Y. Wu, B.B. Zhang and X.C. Zheng | 2573 |
| Density-Functional Theory Study of Ce@C₈₂ G.L. Zhang, J.M. Zhang and H.K. Yuan | 2577 |
| Investigation on the Rheological Behavior of PA1010/POE/OMMT Nanocomposites Y.F. Zhang, Y.C. Li and G.S. Hu | 2582 |
| Experimental Study on the Relationship between Carrier Gas Temperature and Entrainment Characteristics of Ultrafine Silicon Powder in Fluidized Bed F.M. Yang, L. Wang, S.W. Yin and Y.H. Li | 2587 |
| The Study of Building Indoor and Outdoor Wind Environment Z.H. Tang, R.C. Liu and D.B. Lei | 2592 |
| Research on Intelligent Extension Technology for Curves Based on Trend Extrapolation Y.Y. Liu, J. Han and G.Z. Zhang | 2596 |
| Design of the Temperature Control System of the Giant Magnetostrictive Actuator F. Zeng, J.J. Lou and S.J. Zhu | 2600 |
| Different pH-Values of Release Medium Influence the Drug Release from PTX-PCL Microspheres L.L. Ruan, D.X. Wang, Y.W. Zhang, J.X. Zhao, X.F. Zhang and N.L. Chen | 2605 |
| Preparation of S-F-Codoped Titania Nanotubes Electrode and its Photoelectrocatalytic Properties X.Q. Chen, X.P. Chen, J. Tang, Y.J. Zhang and J.Y. Zhan | 2609 |
| Some Physical Properties of Cassava Concerned in Machine Design D. Thangdee and S. Wongpichet | 2613 |