

Table of Contents

Preface

Hydrodynamic Lubrication in a Nanoscale Bearing C.Z. Xiang, Y.J. Wang and Y.F. Chen	1
Uniaxial Stress Dependence of Electrical Properties of Ultrathin Ballistic P-Type Silicon Nanotransistor J.H. Zhang, Q.A. Huang, H. Yu and J. Wang	6
Optical and Electrical Properties of SnS: Ag Films as Solar Cell Absorbers P.M. Lu, H.J. Jia and S.Y. Cheng	11
WO₃ Nanostructures Synthesized by a Sonochemical Strategy S.B. Sun, Z.D. Zou and G.H. Min	16
Metrology Method of Line Edge Roughness with Nanometer Scale Precision Using Atomic Force Microscopes N. Li, X.Z. Zhao and W.J. Wang	22
Scanning Ion Conductance Microscopy and its Applications in Nanobiology and Nanomedicine L.P. Liu, Y.D. Wang and Y.J. Zhang	27
Analysis of Temperature Effects on a Fully-Symmetrical Micromachined Gyroscope W.P. Chen, Y.G. Guo, X.L. Chen, H. Chen and Z.G. Zhao	31
The I-V Characteristics and Percolation Threshold of the Cement-Based Materials Filled with Multi-Walled Carbon Nanotubes J.L. Luo and Z.D. Duan	36
Design of a Hybrid-Type Electrostatically Driven Microgripper Integrated Vacuum Tool L.N. Sun, T. Chen, L.G. Chen and X.X. Li	40
A DC Voltage Driven Flow-Through Electroporation Microchip Q.L. Zhao, Y.C. Lin and Q.G. Huang	44
Detection for Spring Constant of Microcantilevers in Atomic Force Microscopy Based on Frequency Measurements F. Wang and X.Z. Zhao	49
Photochemical Synthesis of Gold Nanostructures in Different Solvents B. Guo, Y.J. Tang, X.B. Li, W.D. Wu, J.S. Luo and J.P. Cheng	57
MEMS Dielectrophoresis Device for Osteoblast Cell Stimulation H. Zou, R.R.A. Syms, S. Mellon and K.E. Tanner	63
An Excellent Platinum Piezoresistive Pressure Sensor Using Adhesive Bonding with SU-8 C. Pang, Z. Zhao, L. Shi, L.D. Du and Z. Fang	68
A High-Efficiency Energy Storage Scheme of Solar Micro-Power Systems Y.T. He, L.H. Liu, Y.Q. Li and L. Wang	74
Study on Excitation Voltage Effects of the Thermal Excitation Resonant Pressure Sensor X.W. Li and Z.Y. Zhang	79
Gauge Factor and Nonlinearity of P-Type Polysilicon Nanofilms X.W. Liu, X.B. Lu, R.Y. Chuai, C.Z. Shi, M.X. Huo and W.P. Chen	84
Analysis of Tunneling Piezoresistive Effect of P-Type Polysilicon Nanofilms X.B. Lu, X.W. Liu, R.Y. Chuai, C.Z. Shi, M.X. Huo and W.P. Chen	89
Effects of Packaging on RF MEMS Switch's Return Loss L. Yang and X.P. Liao	94
Kinetic Monte Carlo Simulation for the Evolution of Complex Surface in Fabrication of MEMS Devices Y. Xing and X.L. Qiu	99
Effect of Ag Doping on Structural, Optical and Electrical Properties of SnS:Ag Thin Films Prepared by Pulse Electroposition Y.L. Yang, S.Y. Cheng and S.L. Lai	105
Characteristics of ZnMgO Thin Films Prepared by the Sol-Gel Method M. Wei, H. Deng, H. Chen and J.J. Chen	110
Poly(4-vinylpyridine) Coated CdTe Core/Shell Quantum Dots Z. Dai, P. Li, J.M. Zhang, S.C. Xu, N. Guo, G. Zheng and B. Sun	114

Analysis of Coupled Electro-Thermal-Mechanical of Micro Gas Pressure Sensor Based on Micro-Hotplate Technology R.C. Jin, W.J. Zhang, Z.N. Tang, J.Q. Wang and M.L. Shao	119
Preparation of Arsenic Trioxide-Loaded PLGA Nanoparticles and Investigation of its Inhibitory Effects on Proliferation of Rabbit Vascular Smooth Muscle Cells <i>In Vitro</i> S.S. Zhao, Q. Lu and D.S. Zhang	125
Experimental Studies of the Surface Forces on Micro Gap Plates with Different Bumps X.J. Shen and W.J. Qi	130
Precision Calculation for Stiffness of the Complex Microstructure Y. Liu, Z.Y. Wen and H.Y. Yang	135
Synthesis and Characterization of CdTe/PAA/P-4-VP Quantum Dots Y.H. Jiang, J.M. Zhang, Z. Dai, S.C. Xu, Y. Yin, G. Zheng and B. Sun	141
Test on Sound Transmission Characteristic of PTFE Micro-Aperture Membrane W.F. Lin, W.Z. Lou, J. Xu, R.L. Song and L. Hu	146
Study of Nanosecond Pulse Laser Micro-Fabrication C.Y. Liu, X. Fu, Y. Wu, F.M. Sun and X.T. Hu	151
Preparation Process of Metal Matrix Micro/Nano-Powders Reinforced by Nanometer Particles H.Y. Wang, D.W. Zuo, S.X. Yu and D. Zhang	155
The Research on Sacrificial Layer in the Fabrication of Micro Electromagnetic Relay B.D. Liu, D.S. Li and J.H. Yang	160
Synthesis and Characterization of the Core-Shell CdTe/ZnS Quantum Dots S.C. Xu, C.C. Yao, J.M. Zhang, Z. Dai, G. Zheng, B. Sun, S.Q. Sun, Q. Han, F. Hu and H.M. Zhou	165
DNA Biosensors Based on Self-Assembled Multi-Walled Carbon Nanotubes J.C. Pang, J.M. Zhang, Y.Y. Xiao, Z. Dai, S.C. Xu, N. Guo and G. Zheng	170
Fabrication and Testing of Hard X-Ray Hourglass Lenses J.Q. Liang, Y.Q. Zhu, N.D. Cui, Z.Z. Liang, Z.C. Le, F.T. Yi, F.J. Hou, P.P. Zhu, W. Dong and W.B. Wang	175
Study of Control System for a Micro Programmable Blazed Grating B. Yan, W.Z. Yuan, Y.T. Yu, L.L. Wang, D.Y. Qiao and T.P. Li	180
High-Surface-Quality and Wider-Modulation-Range Continuous Face-Sheet Micro Deformable Mirror Based on SOI L. Tian, X.Y. Li, D.Y. Qiao and B. Yan	185
Towards Multi-Classification of Human Motions Using Micro IMU and SVM Training Process G.Y. Shi, Y.X. Zou, W.J. Li, Y.F. Jin and P. Guan	189
Study of Microfluidic Chip with <i>In Situ</i> Prepared Chitosan Membrane Immobilized with Glucose Oxidase Q. Cao, Y. Xu, D.F. Song, W.W. Han and X.Z. Dong	194
Fabrication and Performance Analysis of PMMA Substrate Diffuser/Nozzle Micro-Pump by CNC Milling Machine L. Tian, W. Wang, X.W. Liu, Y. Zhang and S.Y. Ji	198
Effect of the Thickness Uniformity in Micro-Electroforming Process by Dividing Conductive Zone on Cathode L.Q. Du, L.C. Yu, L. Song and C. Liu	202
Single Neuron Adaptive PID Control of the Silicon-Based Integrated Micro Nano-Positioning XY-Stage J.C. Wang, W.B. Rong, L.N. Sun and X.X. Li	207
Modeling of Capacitive Microaccelerometers with Squeeze Film Damping and Electrostatic Effects Using Model Order Reduction Y.F. Zhang, W.Z. Yuan, H.L. Chang and J.H. Xu	213
Real-Time and High-Performance Attitude and Heading Reference System Based on MIMU/Magnetometers W. Qin, W.Z. Yuan, H.L. Chang, L. Xue and G.M. Yuan	219
A Bulk RF MEMS Switch by Silicon-to-GaAs Bonding L. Lu, J. Zhu, S.X. Jian and C. Chen	224
Fabrication of Nanomechanical Resonators in Silicon Nitride M. Liu, J. Zhu, S.X. Jia, M. Zhuo, L. Lu and Q.C. Gong	228

Investigation on Fine Polishing Technique of Silicon Wafer Q.C. Gong, J. Zhu, S.X. Jia and J. Wu	232
Electrical Model of Inside Sense Outside Drive Frame Micro-Gyroscope Including Quadrature Error and Coriolis Offset B. Mo, X.W. Liu, X.Y. Tan, W.P. Chen and L. Yin	236
Advance of the Micro-Magnetometer MEMSMag Research J.Z. Yang, L.C. Pan, C.L. Kang, G. Liu, H.J. Li, Z. You, D.H. Ren and Y.C. Tian	241
Fabrication and Sensing Properties of PSZT Thin Films for Micro-Force Sensors Y. Cui, H.L. Chen, E.L. Shi, J.X. Zhao and L.D. Wang	246
High Efficient Synthesis of Carbon Nanocoils by Catalysts Produced by a Fe and Sn Containing Solution D.W. Li, L.J. Pan, J.J. Qian and H. Ma	251
Inducing Layer Dependence of BiFeO₃ Based Multilayer Capacitors Y.F. Luo, D. Xie, Y.Y. Zang, R. Song, T.L. Ren and L.T. Liu	256
The Effect of Different Flow Patterns on Anode Fluid Behaviors of Micro Direct Methanol Fuel Cells B. Zhang, Y.F. Zhang, X.W. Liu and P. Zhang	260
The Design of a MEMS Surface Resonant Magnetometer M.Z. Hu, Z. You, J.Z. Yang and L.Q. Wu	265
Effect of the Prepared Proceeding on Mechanical and Tribological Properties of DLC Films G.G. Cheng, J.N. Ding, B. Kan and Z. Fan	270
Error Autocompensation of Micromachined Gyroscopes Z.M. Qin, W.Z. Yuan, H.L. Chang and J.B. Xie	274
Substrate Dependent Morphologies and Luminescence Properties of ZnO Nanostructures Prepared by Thermal Evaporation B.P. Zhuang, F.C. Lai, L.M. Lin, M.B. Lin, Y. Qu and Z.G. Huang	278
Preparation and Optical Absorption Properties of CuO/SiO₂ Nanocomposite Films Fabricated by Sol-Gel Technique J.Q. Liu, Y.C. Wu, G.H. Li and L.D. Zhan	283
Investigation of Thermal Bonding on PMMA Capillary Electrophoresis Chip H.F. Zhang, X.W. Liu, Z.C. Peng, W. Wang and Y.F. Chen	288
Deep Hole Fabrication Based on ICP Process M. Zhuo, A.D. Chen, J. Zhu and L. Zhang	293
Design and Simulation of a Z-Axis Dual Proof Mass Micromachined Gyroscope with Decoupled Oscillation Modes X. Yan, Z.C. Ma and X.Y. Chen	298
Fabrication of Micro Via-Hole by Wet Etching of Pyrex Glass S.X. Jia, L. Zhang and J. Zhu	303
Study of Compensation of the Nonlinear Errors for Thick Film Capacitor Micro-Displacement Sensor Y.W. Ma, L.S. Gao, H.M. Chang, Z.C. Zhang and Y.X. Wang	307
Highly Sensitive Determination of Dopamine Using Osmium/Nafion Modified Disposable Integrated Biosensor C.X. Liu, H.M. Liu, Q.D. Yang, N.S. Lin, Y.L. Song, L. Wang and X.X. Cai	311
Size-Dependent Elasticity of Silicon Nanowires W.W. Zhang, Q.A. Huang, H. Yu and L.B. Lu	315
A New Method Based on Electropolymerizing Staphylococcal Protein A to Immobilize Antibody in Micro Amperometric Immunosensor J.Z. Sun, C. Bian, L. Qu and S.H. Xia	320
Study on the Gold-Gold Thermocompression Bonding for Wafer-Level Packaging J. Wu, S.X. Jia, Y.X. Wang and J. Zhu	325
Electrokinetic Instability Flow in Nanofilm-Coated Microfluidic Channels W.C. Chen, T.F. Hong, W.B. Luo, C.H. Tai, C.H. Tsai and L.M. Fu	330
Design and Simulation of a Micromachined CMOS Temperature Sensor H.Y. Ma, Q.G. Huang and M. Qin	334
A Novel Structure of Membrane Electrode Assembly for DMFC C.G. Suo, X.W. Liu and X.L. Wang	339

PDMS Microlens Arrays Fabrication Method Based-on Parylene C Lift-Off J.H. Tong and Y. Sun	343
Fabrication of Planar Microtoroid Cavities Using High-Power Laser Y.Z. Yan, S.B. Yan, G.Q. Jiang, Z. Ji, S.H. Wang, J.J. Xiong and W.D. Zhang	347
A Rapid Analysis Method for Microgyroscope Using System Vibration Modes G.J. Liu, A.L. Wang, Z.Y. Yu, X. Yang and T. Jiang	353
A <i>In Situ</i> Measuring Method for Stress Gradient of a MEMS Film H. Chen, H. Rong and M. Wang	357
Electrical Trimming of Boron-Doped Polysilicon Nanofilm Resistors Deposited at Different Temperatures C.Z. Shi, X.W. Liu and R.Y. Chuai	361
Simulation of the Optical Properties for Silicon Nano-Pillar Array Using Finite Difference Time Domain Method Y.X. Liao and F.T. Yi	367
A Uncooled α-Si Infrared Detector Using Polyimide as Thermal Isolation Layer H.J. Fang, X.M. Liu and L.T. Liu	371
Preparation and Characterization of Micro Polypyrrole Electrodes for Supercapacitor W. Sun, H.S. San, Y.X. Duo and X.Y. Chen	375
Research on Side-Insulation of Tool Electrode for Micro Electrochemical Machining G.H. Liu, Y. Li, X.P. Chen and S.J. Lv	380
Influence of Electrolytic Products in Machining Gap on Micro ECM X.Y. Ma, Y. Li and S.J. Lv	388
Thermal Conductivity Measurement for Carbon-Nanotube Suspensions with 3ω Method G.S. Wu, J.K. Yang, S.L. Ge, Y.J. Wang, M.H. Chen and Y.F. Chen	394
A Study on the Assembly and Improvement of Electrical Contact between Carbon Nanotube and Microelectrode X.J. Tian, Y.C. Wang and Z.L. Dong	399
Preparation of Self-Assembly Monolayer by Scratching Si(100) Surface in the Presence of Aryl Diazonium Salts L.Q. Shi, T. Sun, F. Yu, S. Dong and F.L. Yuan	406
Static Torsion of a Magnetostrictive Bimorph with In-Plane Anisotropy B. Narsu and G.H. Yun	410
Carbon Nanofibers Synthesized by Ethanol Catalytic Chemical Vapor Deposition Y. Su, X.P. Zou, J. Cheng, G. Zhu and M.F. Wang	416
Analyzing the Response of Spring-Mass-Capacitor Structure Using Energy Method W. Zhou, X.P. He, W. Su and B.L. Li	420
Flexible Microelectrode Array on Parylene for Subretinal Stimulation and its Biocompatibility Test X.J. Huang, W.H. Yu, W. Wang, C. Zhao, C.C. Gao, X.Q. Wang, Z.K. Yang, Z.H. Li and F.T. Dong	425
Molecular Dynamics Simulation on the Out-of Plane Thermal Conductivity of Single-Crystal Carbon Thin Films X.L. Zhang, Z.W. Sun and G.Q. Wu	430
Molecular Dynamics Modeling and Effects of Cutting Parameters on Nanometric Cutting Process J.C. Wang, J.M. Zhang, F.H. Wu and N. Li	435
Deposition Characteristics of Direct-Write Suspended Micro/Nano-Structures G.F. Zheng, L.Y. Wang, H.L. Wang, D.H. Sun, W.W. Li and L.W. Lin	439
Modeling and Simulation of Opposite Type MATA Using MEMS Nodal Cell Library D.X. Lu and W.H. Li	445
Experimental Study on Hot Embossing of Micro/Nano Grating Y. Liang, C. Liu, H.L. Sun, J.M. Li, J.S. Liu and X.N. Gao	450
Simulation of Nanofibers Movement for Near-Field Electrospinning H.L. Wang, G.F. Zheng and D.H. Sun	456
The Effect of Temperature on Field Emission Current G.H. Zhuang, L.Y. Wang and D.H. Sun	461
Numerical Simulation of Viscous Jet for Near-Field Electrospinning Y.Y. Zhong, G.F. Zheng and D.H. Sun	465

Preparation and Property Studies of TiO₂ Membrane/ Macroporous Silica Composite Microspheres	
Z.Q. Gao, Z.R. Song, H. Tao and L.X. Ling	470
The Dispersivity of Multi-Walled Carbon Nanotubes (NMWTs) and Pressure-Sensitive Property of NMWTs Reinforced Cement Composite	
J.L. Luo and Z.D. Duan	475
The Characterization and Photocatalytic Properties of Mesoporous WO₃•0.33H₂O•NiO Nanocrystalline Synthesized through Using the Microwave Radiation Method	
L.X. Zou, Q.C. Liu, Q. Zhong, X.M. Bai and L.J. Dong	480