

# Table of Contents

## Preface and Committees

## Chapter 1: Materials Engineering and Chemistry. Research and Technologies of Manufacturing and Processing

|  |    |
|--|----|
| <b>Aluminum Oxide Nanoparticles Upregulate ED1 Expression in Rat Olfactory Bulbs by Repeated Intranasal Instillation</b><br>X.B. Li, R. Liu, G.Y. Liang, L.H. Yin and H. Zheng                                     | 3  |
| <b>Numerical Model for Interfacial Reaction between Titanium and Zirconia in Electromagnetic Field</b><br>A.H. Liu and Y.W. Sui  | 10 |
| <b>Experimental Correlation for the Effect of Metallurgical Parameters on the Hardness of 356 and 319 Aluminum Alloys Using Minitab Software</b><br>M.M. Tash and S. Alkahtani                                     | 15 |
| <b>Effects of Aspect Ratio of Carbon Nanotubes on Crystallization Behavior of Polylactide Composites</b><br>Z.H. Xu and H. Li  | 25 |
| <b>Research on Preparation Technique of C100 Ultra-High Performance Self-Compaction Concrete</b><br>L.B. Xu, N.Q. Feng and C.G. Bee  | 30 |
| <b>The Synthesis of 2-Oxo-1-Pyrrole Alkyl Propionitrile</b><br>G.F. Wu and S.S. Cao  | 36 |
| <b>Electrochromic properties of Vanadium Oxide Thin Film Deposited by Magnetron Sputtering</b><br>C.C. Liu, K.I. Liu, C.W. Chang, Y.M. Cheng and C.L. Lin  | 40 |
| <b>Photocatalytic Decomposition of Gaseous HCHO by N-Zr-TiO<sub>2</sub> Catalysts</b><br>Q. Huang, X.K. Yan, B. Li, Y.W. Chen, S.M. Zhu and S.B. Shen  | 44 |
| <b>Resonance Rayleigh Scattering Study of the Interaction between Surfactant and Silver Nanoparticles</b><br>G.Q. Wen, Y.Y. Chen and Z.L. Jiang  | 50 |
| <b>A New Fluorescence Method for the Determination Trace Amounts of Berberine Using KAuI<sub>2</sub></b><br>G.Q. Wen, T.S. Li and Z.L. Jiang   | 54 |
| <b>A Simple and Sensitive Fluorescence Quenching Method for the Determination of Trace IO<sub>3</sub><sup>-</sup> Using Acridine Red</b><br>G.Q. Wen and T.S. Li   | 58 |
| <b>Nanogold Resonance Rayleigh Scattering Method for Trace NO<sub>2</sub><sup>-</sup> Based on <i>P</i>-Aminobenzene Sulfonic Acid-<i>A</i>-Naphthylamine Colored Reaction</b><br>G.Q. Wen, T.S. Li and Z.L. Jiang | 62 |
| <b>A New Catalytic Kinetic Method for the Determination of Trace Amounts Vanadium with Resonance Rayleigh Scattering Detection</b><br>X.H. Zhang, L.N. Hu and A.H. Liang   | 66 |
| <b>Fluorescence Spectral Study of Berberine-K<sub>2</sub>HgI<sub>4</sub> Associated Particle System and its Analytical Application</b><br>Y.F. Tang, L.S. Wang and A.H. Liang                                      | 70 |
| <b>Synthesis and Gas Sensing Properties of Palladium Doped Titanium Dioxide Nanoparticles</b><br>F. Li, Q. Li, X.P. Ma, Y.Y. Huang and Z.H. Jing   | 74 |
| <b>Preparation and Characterization of NTC NiMn<sub>2</sub>O<sub>4</sub>-La<sub>1-x</sub>Ca<sub>x</sub>MnO<sub>3</sub> (0≤x≤0.3) Composite Ceramics</b><br>H.M. Zhang, F. Guan, A.M. Chang and L.J. Zhao           | 78 |
| <b>Effect of Substrate Orientation and PH<sub>3</sub> Thermal Annealing Treatment on Catalyst-Free InP Nanowires</b><br>G.Q. Miao and Z.W. Zhang   | 84 |

|  |     |
|--|-----|
| <b>Synthesis and Characterization of Highly Dispersed Au-Pd Alloy Nanoparticles Supported on ZrO<sub>2</sub></b>   |     |
| W.J. Cui, W.L. Ao, Y.L. Zhang and Z.R.G.T. Bao   | 89  |
| <b>Reduction of <i>o</i>-Hydromandelic Acid for Preparation of <i>o</i>-Hydrophenylacetic Acid</b>   |     |
| Y. Zhang, X.X. Shi, Y. Chen, Z.H. Shang and L.Q. Wang  | 94  |
| <b>As an Alternative Membrane: Functional NanoParticles/Polymer Composites Membranes for Proton Exchange Membrane Fuel Cells (PEMFC)</b>   |     |
| A. Bozkurt and A. Aslan  | 98  |
| <b>Study on Preparation and Properties of Hyperbranched Polyurethane/Multi-Walled Carbon Nanotubes Composites</b>  |     |
| N. Sun, J.C. Wang, C.Y. Feng, Y.B. Li, S.H. Jiang and Z.M. Wu  | 103 |
| <b>Preparation of Nanosized Spinel Lithium Manganate by an Integrated Technique of High-Gravity Technology and Microwave Technology</b>  |     |
| X.W. Huang, J.C. Zhou, Z.B. Xie, J.J. Liao and S.W. Liu  | 109 |
| <b>Effect of Na<sub>2</sub>CO<sub>3</sub> Addition on the Piezoelectric and Dielectric Properties of Lead-Free (Na<sub>0.5</sub>K<sub>0.5</sub>)NbO<sub>3</sub>-(Na<sub>0.5</sub>Bi<sub>0.5</sub>)TiO<sub>3</sub> Ceramics</b> |     |
| C.H. Wang  | 113 |
| <b>Evaluation of Various Laminated Plate Theories Accounting for Interlaminar Transverse Shear Stress Continuity</b>   |     |
| X.D. Wang and G.Y. Shi   | 119 |
| <b>Surface Charge Research of Graphene Oxide, Chemically Reduced Graphene Oxide and Thermally Exfoliated Graphene Oxide</b>  |     |
| M.J. Li, C.M. Liu, H.B. Cao and Y. Zhang   | 127 |
| <b>Microstructural Characteristics of Multiphase Low Carbon Steel Welds with Different Ti and B Element Contents</b>   |     |
| S.W. Hwang, M.C. Ha, Y.J. Kang, C.H. Lee and K.T. Park   | 132 |
| <b>Electrochemical Investigations on Structures of Flexible Textile Electrodes</b>   |     |
| R.X. Wang, X.M. Tao, H. Zhang and S.J. Xu  | 138 |
| <b>Preparation of Interface-Cross-Linked Micelles as Drug Delivery via RAFT Polymerization</b>   |     |
| J.P. Li, L.L. Cui, X. Tan and L. Zhang   | 147 |
| <b>Microstructure and Growth Mechanism of Glucose-Carburized Nickel Substrates</b>   |     |
| E.M. Pechlivani, G. Stergioudis, E. Pavlidou, S. Skolianos and D. Tsiapas  | 153 |
| <b>Evaluation of the Corrosion Behavior and Hardness of Glucose-Carburized Steel in Comparison with Fe<sub>2</sub>B Borided Layers</b>   |     |
| E.M. Pechlivani, G. Stergioudis, E. Pavlidou, D. Tsiapas and S. Skolianos  | 159 |
| <b>Evaluation of Properties of Selected Coatings on Steel C60E in Terms of their Use in Gearing</b>  |     |
| M. Bošanský, A. Vanya and M. Veres   | 166 |
| <b>Preparation of Novel Corona-Resistance Polyimide/Spherical SiO<sub>2</sub> Hybrid Films</b>   |     |
| J.M. Rui   | 172 |
| <b>A Class of Semiconducting Polymers as Potential Materials for Polymer Solar Cells</b>   |     |
| X.H. Xie, W. Shen, R.X. He and M. Li   | 177 |
| <b>Experimental Investigation on the Surface Integrity of Titanium Alloy TC4 in Abrasive Belt Grinding</b>   |     |
| H.P. Wei, Y. Huang and Z.Y. Liu  | 185 |
| <b>Effects of the Chemical Compositions of KF-CsF-AlF<sub>3</sub> Middle Temperature Aluminum Flux on Melting Characteristics</b>  |     |
| F.J. Cheng, J.F. Yao, Y. Wang, J.X. Yang, G.X. Zhang and W.M. Long   | 191 |
| <b>Preparation and Characterization of Silane Modified Fe<sub>3</sub>O<sub>4</sub> Nanoparticles by Reverse Micro-Emulsion</b>   |     |
| Y. Yao, Y.Y. Shen and X.Y. Du  | 199 |
| <b>Effect of TiN/Electroless Ni Duplex Coatings on Surface Hardness and Erosion Behavior of ADI</b>  |     |
| C.H. Hsu, K.H. Huang and Y.T. Chen   | 203 |
| <b>The Research on Sintering Behavior of the Lightweight Aggregate Utilizing Reservoir Sediments</b>   |     |
| C.H. Huang and H.Y. Huang  | 209 |
| <b>The Experimental Study of 15CrMo Steel Fatigue Performance</b>  |     |
| M.Y. Gu, X.Y. Li and H.P. Yu   | 214 |

|  |     |
|--|-----|
| <b>Effect of Dynamic Strain Aging on the Creep Behavior of Zr-1Nb-1Sn-0.1Fe Alloy Tubes at Intermediate Temperatures</b>                                       |     |
| J.M. Lee, K.B. Jeong and S.I. Hong   | 218 |
| <b>Copper Protection by SAM and Low Temperature Bonding for 3Dimentional Integration</b>   |     |
| T. Ghosh, A. Dutta and S. Singh  | 223 |
| <b>Effects of ZrO<sub>2</sub> on Zinc Crystalline Glaze</b>  |     |
| C.Y. Lee, H.S. Lee and K.H. Shin   | 228 |
| <b>New Reactor Fabricated Using Light Leakage Fiber for Azo Dye Degradation</b>  |     |
| T. Yu, H.M. Wang and X. Tan  | 235 |
| <b>Processing Map for Hot Deformation of Homogenized AZ61 Mg Alloy</b>   |     |
| C.H. Liao, H.Y. Wu, S. Lee, C.T. Wu and C.H. Chiu  | 240 |
| <b>Hydrogen Storage in MOF-5 with Fluorine Substitution: A van der Waals Density Functional Theory Study</b>   |     |
| Y. Huang and S.H. Ke   | 244 |
| <b>NMOS Performance of Low Boron Activation on Group V for Ultra-Shallow Junction Formation</b>  |     |
| M.M. Said, Z.A.F.M. Napiiah, F. Arith and Z.M. Noh   | 248 |
| <b>Comprehensive Identification of Durability for Selected Cutting Tool Applied on the Base of Taylor Dependence</b>   |     |
| A. Panda, J. Duplák and K. Vasilko   | 254 |
| <b>Theory and Practice in the Process of <math>T</math>-<math>v_c</math> Dependence Creation for Selected Cutting Material</b>                                 |     |
| A. Panda, J. Duplák and J. Jurko   | 261 |
| <b>Experiment Research on Tensile-Shear Behavior of Spot-Welded Lap Joints of Ultra-High Strength Steel with Common Steel</b>                                  |     |
| X. Li, X.Y. Li, H.P. Yu and Y. Li  | 266 |
| <b>Ultrasonic Welding of Amorphous and Semi Crystalline Materials</b>  |     |
| C.K. Das, A. Malas, P. Pal, S. Friedrich and M. Gehde  | 271 |
| <b>Nanocrystalline Soft Magnetic Toroidal Cores of the Highest Relative Magnetic Permeability and Low Coercive Force</b>                                       |     |
| V. Tsepelev  | 276 |
| <b>Growth and Characterization of MOCVD Grown Gallium Phosphide Nanostructures on Silicon Substrates</b>   |     |
| S. Chowdhury, N.N. Halder and P. Banerji   | 281 |
| <b>Process and Study of Hydrotalcites Synthesized by Chemical Coprecipitation at Vacuum, and its Use for Absorption of Agroindustrial Herbicides</b>           |     |
| H.H.R. Santoyo, B.G. Figueroa, R.E. Lozano and B.R. Camacho  | 286 |
| <b>Flame Spray Projection of a Bioactive Hidroxyapatite Coating on Ti6Al4V for Biomedical Applications</b>   |     |
| H.H.R. Santoyo, J.M.M. Flores and A.B. Pingarrón   | 291 |
| <b>Structural Mechanisms of Reinforcing Polymer Nanocomposites Filled with Carbon Nanotubes</b>  |     |
| A. Burya, G. Kozlov, M. Gubskaya, X.M. Feng and X.Y. Qian  | 296 |
| <b>Studies on Pyrolysis Behaviour of Boron-Containing Phenolic Resin/High-Silica Fiberglass Fabric Ceramifying Composites</b>                                  |     |
| Z.X. Huang, J. Ding, Y. Qin and Y. Pei   | 304 |
| <b>Polybenzimidazole Membranes Containing Benzimidazole Side Groups for High Temperature Polymer Electrolyte Membrane Fuel Cells</b>                           |     |
| J.S. Yang, X.Y. Li, Y.X. Xu, Q.T. Che, R.H. He and Q.F. Li   | 310 |
| <b>Core-Shell Structured Fe<sub>3</sub>O<sub>4</sub>/PPy Microspheres with High Magnetization for Purification of Plasmid DNA</b>                              |     |
| H.H. Jiang, Y. Zhou, X.Y. Han, X.C. Chen, Y.H. Hou and L.G. Gai  | 314 |
| <b>Effects of Impulse Current on Plastic Behavior of 2A12 and 7A04 Aluminum Alloys</b>   |     |
| J.J. Yang, Y. Li, P. Xue and W.X. Yu   | 320 |
| <b>Influence of Deposition Time and Source-Substrate Distance on Properties of CdTe Thin Films Using Close-Spaced Sublimation at Higher Source Temperature</b> |     |
| X.Y. Dai, C.W. Shi, Y.R. Zhang and M. Yao  | 325 |

|  |     |
|--|-----|
| <b>Deposition of Cu<sub>2</sub>ZnSnS<sub>4</sub> Thin Film by Pulsed Laser Deposition and Assembly of Thin Film Solar Cell with the Novel Structure of FTO/CdS/Cu<sub>2</sub>ZnSnS<sub>4</sub>/Mo</b><br>M. Yao, C.W. Shi, Y.R. Zhang and X.Y. Dai | 328 |
| <b>On the Mechanism of Enhanced Photoluminescence of SiN<sub>x</sub>:Tb<sup>3+</sup> Compared with SiO<sub>x</sub>:Tb<sup>3+</sup></b><br>D.R. Gong and Z.Z. Yuan  | 332 |
| <b>The Study on the Preparation and Characterization of Crosslinked Polyvinyl Alcohol Microspheres</b><br>Y.F. Yang, B.J. Gao and S.Y. Liu   | 337 |
| <b>Research on Flame Resistance of Filter Medium on Dust Removing</b><br>X.N. Wang, J.X. Liu, D.Q. Chang, N. Mao and X. Sun  | 343 |
| <b>Thermodynamic Calculation and Experimental Study on Complex Phase Steel</b><br>J.J. Zhao, Y.L. He, N.Q. Zhu, M. Zhang and L. Li   | 349 |
| <b>Stress Corrosion Cracking Behavior of an Alloy 182-A533B Weld Joint with Continuous Material Properties</b><br>L.Y. Zhao, H. Xue, K. Jiao and W. Tang   | 355 |
| <b>Intercalation of Gold Nanoparticles into Na-Montmorillonite</b><br>P.Q. Yao, L.H. Zhu, T. Si and J. Yang  | 360 |
| <b>Hollow Glass Microspheres Coated with La<sub>0.6</sub>Sr<sub>0.4</sub>MnO<sub>3</sub> and its Microwave Absorption Property</b><br>Y.L. Cheng, K.X. Wei, P. Xia and Q. Bai  | 364 |
| <b>Preparation of ZnO/PANI Nanocomposite and Study on its Photocatalytic Properties</b><br>H. Xu and J.W. Xing   | 368 |
| <b>Effect of Expanded Temperature on Microstructure of Carbon Nanotubes/Expanded Graphite Composites</b><br>Q. Zhang, X.B. Gao and T.P. Li   | 373 |
| <b>Modification of Epoxy Asphalt by Hyperbranched Polyester</b><br>P.J. Xu, P.L. Cong, H. Ye and S.F. Chen   | 379 |
| <b>Self-Healing Epoxy Composites – Part I: Curing Kinetics and Heat-Resistant Performance</b><br>T. Yin, M.Z. Rong and M.Q. Zhang  | 383 |
| <b>Self-Healing Epoxy Composites – Part II: Healing Performance</b><br>T. Yin, M.Z. Rong and M.Q. Zhang  | 387 |
| <b>The Annealing Behavior of cryoECAP Processed Pure Aluminum under High Magnetic Field</b><br>X.H. Li, Y.H. Cao, L.Z. He, Y.P. Guo and J.Z. Cui   | 391 |
| <b>Research on Synthetic Quartz Crystal Quality</b><br>X.J. Zhang  | 397 |
| <b>Fracture of a Finite Medium with a Circular Internal Crack under Hyperbolic Heat Conduction-Prescribed Crack Face Temperature</b><br>B. Wang  | 402 |
| <b>Structural Effect on the Tree-Shaped Flow in the Nanoscale Network of Wool Fiber</b><br>J. Fan, L.Y. Zhao, C.Q. Ma and Y. Liu   | 409 |
| <b>Novel Profile Control Treatment Using Pore-Scale Polymer Elastic Microspheres</b><br>L. Li, X.M. Gao, G.L. Lei and X.D. Wei   | 413 |
| <b>Investigations of Fatigue Performance of S135 Drill Pipe Steel under Uniaxial Loading</b><br>S.J. Luo, R. Wang and K. Zhao  | 418 |
| <b>Surface Finish Assessment of Polishing Process of Tool Steels by Abrasion, Using Diamond and Alumina Particles</b><br>A.M. Zanatta, J.D. Bressan, J. de Oliveira Gomes, F.D. Origo and A.J. Damião  | 423 |
| <b>Fabrication of High Aspect Ratio Microscale Rod Arrays Using Metal Injection Molding</b><br>W.S. Lee, J.M. Jang, B.H. Cha and S.H. Ko   | 430 |
| <b>Evaluation of Wear Behavior of Wheel Steel Using Twin-Disc Test</b><br>J.W. Seo, S.J. Kwon, D.H. Lee and H.Y. Choi  | 434 |
| <b>Convergent Synthesis of Polyimide Dendrimers from an ABB' Intermediate</b><br>C.W. Hsieh, Y.H. Chen, R.J. Jeng and S.H.A. Dai   | 438 |
| <b>Experimental Research on the Predictive Model for Surface Roughness of Titanium Alloy in Abrasive Belt Grinding</b><br>R.K. Cheng, Y. Huang and Y. Huang  | 443 |

## Chapter 2: Other Topics Related with Materials and Chemistry

|  |     |
|--|-----|
| <b>Antitumor Activity of Porcine Cartilage Polysaccharide on Breast Cancer</b><br>J.J. Fang, A.J. Liu, Z.Y. Zhu, A.G. Teng, G.Q. Zheng, W.H. Wang, Q. Rong and Y.G. Qi                       | 451 |
| <b>Microencapsulation of Rutin in Chitosan-Coated Alginate Microspheres through Internal Gelation Technique</b><br>H.L. Jiang, Y.L. Cui and Y. Qi  | 455 |
| <b>Evaluation of Mercury Contamination in Surface Sediments of Southern Kaohsiung Harbor, Taiwan</b><br>C.D. Dong, C.F. Chen and C.W. Chen   | 459 |
| <b>Simultaneous Determination of L-Ascorbic Acid and L-Ascorbylpalmitate Using RP-HPLC Method</b><br>Y.L. Tian, J.K. Wang, P.S. Leng and Y. Liu  | 465 |
| <b>Mutual Symbiotic Methanogenic Process between Acetotrophic and Hydrogenotrophic Methanogens during Anaerobic Digestion</b><br>F. Yin, W.D. Zhang, Z.X. Huang, L. Xu, X.L. Zhao and J. Liu | 470 |
| <b>Effect of Water Cleaning on Performance of Air Filtration Medias</b><br>X.P. Liu, S.S. Bian, D.Q. Chang, N. Mao, J.X. Liu and X. Sun  | 475 |
| <b>Analysis of Leakage and Diffusion of Hazardous Chemicals Based on 3D Scene</b><br>W.S. Zhang and Y.P. Han   | 482 |
| <b>Analysis on Sealing Method and Sealing Materials of Gas Drainage Borehole</b><br>Q. Ye, Z.Z. Jia, Y. Pi and H.Z. Wang   | 485 |
| <b>Physicochemical Model of Sodium Silicate Melts and Thermodynamics of <math>Q^n</math> - Species</b><br>O.N. Koroleva, A.A. Tupitsyn and V.A. Bychinskyi                                   | 490 |
| <b>Study of the Parameters Dispersion Effect in Photovoltaic Systems, in Terms of the Coveragetype</b><br>H.H.R. Santoyo, F.J.R. Arenas, J.M. Flores and B.R. Camacho                        | 497 |

## Chapter 3: Applied Research and Development in the Field of Mechanical Engineering, Construction and Information Technologies

|   |     |
|---|-----|
| <b>Accelerating Color Space Conversion Using CUDA-Enabled Graphic Processing Units</b><br>H.J. Yang, J. Wang and X.Y. Ji                              | 505 |
| <b>Polyhedron Biosensor Based on the Surface Plasmon Resonance Technology in Heterodyne Interferometry</b><br>S.F. Wang, H. Ma, F.H. Kao and A.L. Liu | 510 |
| <b>New Trend of Wi-Fi DSC</b><br>W.M. Yeh   | 516 |
| <b>Design of Functional Safety Temperature Transmitter and Reliability Analysis</b><br>A.D. Xu, Y. Zhou, Z.Y. Bai, K. Wang and L.L. Liu               | 521 |
| <b>A Multi-Agent Supply Chain Recommendation and Negotiation Framework</b><br>J. Alireza, A.M. Masrah Azrifah, S. Nasir and S. Hasan                  | 527 |
| <b>Dynamic Modeling and Calculation of a Belt Drive System Incorporating Frictions among Pulley-Pivot Surfaces</b><br>J.F. Zhang                      | 533 |
| <b>Monitor for the Construction for Extra Large Solder Ball Grid Roof</b><br>H.Z. Chen, Y.L. Wang, X.Y. Zhang, G.K. Xie, R.Q. Ma and Q.L. Zhang       | 537 |
| <b>Optimization of Ultrasonic Imaging Using Persistence and Filter Technology</b><br>D.Q. Guo, H.Y. Yang, C.Y. Zhang and D.C. Liu                     | 542 |
| <b>An Anchor Filtering Localization Algorithm to Improve the Localization Accuracy of DV-Hop</b><br>C.J. Sun and Z.H. Ye                              | 548 |
| <b>An Efficient DOA Estimation Algorithm for Spatial-Temporal Correlated Sources</b><br>X.Y. Huang, M.S. Ai and P.P. Yu                               | 554 |

|  |     |
|--|-----|
| <b>Research on near Field Acoustic Characteristic of a Compound Structure with Plate &amp; Cylindrical Hull Subjected to Sound Excitation</b><br>D. Jia, F.H. Kang and Y.N. Wang | 559 |
| <b>Optimal Coefficient of Friction on Artificial Knee Joint Contact Surfaces</b><br>M.B.S. Hafis, R.N. Farahana, M.J.M. Ridzuan and M.T.N. Adlina                                | 565 |
| <b>Towards an Application of PBD Principles for Innovative Recentering Beam-to-Column Connections</b><br>J.W. Hu and G.L. Choi   | 569 |
| <b>Evaluation for Manufacturing Stabilization of an Architecture Insulating Material</b><br>D.W. Jung, E.S. Jang, J.H. Jeong, K.I. Noh and J.H. Son                              | 575 |
| <b>Study on Fire Accident of Cotton Plant Based on L-R Fuzzy Numerals</b><br>J.F. Zhang and Y.M. Zheng   | 581 |
| <b>The Numerical Simulation of Electrical Characteristic for a New Material Antenna</b><br>J. Zhang, C. Liu, L. Zhou and Y.F. Dai  | 586 |
| <b>The Influence of Different Stress States on 16MnR Deformation Capacity</b><br>S.L. Zhao, Y.L. Zhang and G.F. Jiang  | 590 |
| <b>Free Vibration Analysis of the Strengthened Beams by Composite Coats</b><br>T. Sabiha, K. Youcef and M. Bachir  | 595 |
| <b>A Study on the Rod Type Ultrasonic Motor</b><br>J.M. Jou  | 600 |
| <b>Studies in the Processes of Novel Silk Transfer Printing</b><br>Q. Li, G.Q. Chen and T.L. Xing  | 608 |
| <b>Transformation of Three-Axis Tool Path to Inclined Plane for Five-Axis Machining</b><br>C.H. She and Z.H. Zheng   | 614 |
| <b>Composite Joints Design - Migrating from Finite Element Models to Component Models</b><br>W.H. Jong and W.P. Ji   | 620 |
| <b>Case Study for Bolted T-Stub Connection Design</b><br>W.H. Jong and M.J. Hee  | 626 |
| <b>Advanced Design for The Bolted Clip-Angle Connection</b><br>W.H. Jong and W.K. Jae  | 632 |
| <b>Research of Line-Friction Multi Driving Belt Conveyor</b><br>Y.S. Deng, Y. Zhang, T. Zhou and Y.S. Zhou   | 638 |
| <b>Transient Thermal Analysis of Spin-Flash Dryer Agitating Blade</b><br>Y.S. Deng, T. Zhou, Y.S. Zhou and X.L. Ji   | 643 |
| <b>Testing and Analysis on Subway Station Structure under Dynamic Vibration Loads</b><br>Y. Zhou, H. Pan and Y.F. Wang   | 648 |
| <b>Ductile Fracture Criteria in Prediction of Chevron Cracks</b><br>J. Petruška, P. Kubík, J. Hůlka and F. Šebek   | 653 |
| <b>Prediction of Rail Profile Wear with the Increase of Vehicle Speed</b><br>D.H. Lee, J.W. Seo, S.J. Kwon and H.Y. Choi   | 659 |
| <b>Flow Field Analysis of Self-Energizing Oil Screen with Dynamic Filtration Rollers Based on Gear Train</b><br>S.J. Xin and Q.L. Li   | 663 |
| <b>Development of the Soft Pipe Bending Machine with Thickness Guarantee</b><br>D.W. Jung, J.H. Jeong and J.R. Cho   | 668 |
| <b>Subjective Analysis and Objective Evaluation of Vehicle Sound Quality</b><br>Y.Y. Zuo, S.L. Zhou and W.F. Zhou  | 674 |
| <b>Numerical Study of Large Deformation Problem of Nonlinear Viscoplasticity</b><br>D.K. Kim and J.W. Hu   | 680 |
| <b>Laboratory Test of Uniaxial Compressive Strength of Shanghai Frozen Soils under Freeze-Thaw Cycle</b><br>X.D. Hu, J.T. Wang and X.F. Yu                                       | 688 |
| <b>On-Site Monitoring of Floor Failure Depth with High Confined Water and Mining Risk Assessment</b><br>S.X. Liu, C.W. Liu, Y.M. Kang and D. Yang                                | 693 |
| <b>Numerical Study on the Influence of Hole Shape on Film Cooling Effectiveness</b><br>P. Dai and N.Y. Yu  | 699 |

|  |     |
|--|-----|
| <b>Numerical Analysis of the Urban Subway Tunnel Construction on Shallow Foundations and Preventive Measures</b> |     |
| C. Sheng, X.P. Zhao and Q.M. Zhou  | 705 |
| <b>Stress Analysis of the Biomass Molding Mould Based on ANSYS</b>   |     |
| J.F. Meng, B.T. Feng and Y.P. Dong   | 713 |
| <b>Numerical Prediction of Radial Force in Hydraulic Turbine Based on Fluent</b>                                 |     |
| F.X. Shi, J.H. Yang and X.H. Wang  | 717 |
| <b>Numerical Analysis of the Influence of Piles on Separated Island Platform Subway Station</b>                  |     |
| Y. Zhou, D. Meng and Y.F. Wang   | 721 |
| <b>The Electric Spindle Built-in Motor Thermal Equilibrium Active Temperature Control Model</b>                  |     |
| L.G. Cai, X. Zhuo, Y.S. Zhao and Z.F. Liu  | 727 |
| <b>Bezier Curve Modeled Phase Diagram</b>  |     |
| H. Bao   | 733 |
| <b>Numerical Study of Effect of the Number of Propeller Blades on Cavitating Flow</b>                            |     |
| Z.F. Zhu   | 739 |
| <b>Research on the Maximum Riveting Force Based on Theory of Compression Instability</b>                         |     |
| J.Q. Yin, Z.Q. Wang, Y.G. Kang and Y.L. Hu   | 744 |
| <b>A Spline Based Method for Lateral Displacement and Ultrasound Strain Estimation</b>                           |     |
| C.Y. Zhang, D.Q. Guo and D.C. Liu  | 749 |