

Table of Contents

Organizers and Committee, Foreword and In Memory of Giovanni Rossi

Chapter 1: Microbial Ecology, Geomicrobiology and Bioprospecting in Natural and Mining Environments

How Flexible are the Prokaryote Consortia in the Extreme Habitat of the Copahue Geothermal System?

N. Zurakoski, A. Giaveno, R. Ulloa, T.L. Lavalle, M.S. Urbietta and E.R. Donati 3

Microbial Diversity in Acidic Anaerobic Sediments at the Geothermal Caviahue-Copahue System, Argentina

G. Willis, S. Hedrich, I. Nancucheo, D.B. Johnson and E.R. Donati 7

Cyanobacteria and Photosynthetic Species as Part of the Microbial Community Structure of Biofilms in Copahue Geothermal Springs (Neuquén, Argentina)

M.S. Urbietta, E. González Toril, Á. Aguilera, M.A. Giaveno, E. Donati and E.R. Donati 11

Iberian Pyrite Belt Subsurface Life (IPBSL), a Drilling Project of Biohydrometallurgical Interest

R. Amils, D. Fernández-Remolar, V. Parro, J.A. Rodríguez-Manfredi, K. Timmis, M. Oggerin, M. Sánchez-Román, F. J. López, J.P. Fernández, F. Puente, D. Gómez-Ortiz, C. Briones, F. Gómez, E.O. Omoregie, M. García, N. Rodríguez and J.L. Sanz 15

Microbiological Communities in Two Acidic Mine Pit Lakes in the Iberian Pyrite Belt (IPB), Spain

C. Falagán, F.J. Sánchez-España and D.B. Johnson 19

Microbial Ecology in Extreme Acidic Pit Lakes from the Iberian Pyrite Belt (SW Spain)

E. González-Toril, E. Santofimia, E. López-Pamo, E.O. Omoregie, R. Amils and Á. Aguilera 23

Geochemistry and Microbiology in an Acidic, High Altitude (4,000 m) Salt Flat — High Andes, Northern Chile

L.V. Escudero, J. Bijman, G. Chong, J.J. Pueyo and C. Demergasso 28

Quantification of the Microbial Community in Lateritic Deposits

O. Coto Pérez, J. Marrero Coto and A. Schippers 33

Proteo and Actinobacteria Diversity at a Sulfide, Salt and Acid-Rich Lake in the North of Chile

C.S. Davis-Belmar, E. Pinto, C. Demergasso and G. Rautenbach 37

S. Bellenberg, M. Kalin and W. Sand 42

Underground Degradation of Lignite Coal Spoil Material by a Mixed Microbial Community under Acid Mine Drainage Conditions

S. Willscher, D. Knippert, H. Ihling, D. Kühn and S. Starke 46

Insights into Bacterial Community Structure of a Commercial Copper Bioleaching Plant: Growth of Heterotrophic Bacteria in the System

X.Y. Liu, B.W. Chen and J.K. Wen 50

Enrichment of "Ferrovum" spp. and *Gallionella* Relatives Using Artificial Mine Water

J. Kipry, R.J. Jwair, N. Gelhaar, C. Wiacek, E. Janneck and M. Schlömann 54

Comparison of Indigenous and Exogenous Mesophilic Bacteria for the Bioleaching of Low Grade Copper Ores

J.L. Sun, B.B. Ngom, Y. Liu, H.Q. Yin, Y.L. Liang, X.D. Liu and J.H. Zhu 58

Enrichment and Isolation of Phosphorus Solubilizing Bacteria

O.K. Priha, T.H. Sarlin, M.E. Arnold and P. Kinnunen 62

A Novel *Acidianus* Strain Isolated from Copahue, Argentina Involved in the Sulphur Cycle of a Volcanic Environment

C. Nolasco, P.A. Chiocchiarini, T.L. Lavalle and A. Giaveno 66

Visualization of Attachment and Colonization of Pyrite Surfaces by a Novel Species of *Acidianus*

C. Castro, M. Vera, E. Donati and W. Sand 70

| | |
|--|----|
| Identification and Characterization of a Psychrotolerant <i>Acidithiobacillus</i> Strain from Chilean Altiplano | 74 |
| S. Barahona, C. Dorador and F. Remonsellez | |
| Characterisation of a Novel Genus of Oxalate-Degrading Beta-Proteobacteria Isolated from a Full-Scale Bioreactor Treating Bayer Liquor Organic Wastes | |
| N.J. Boxall, P.D. Franzmann, A.L. Tilbury, H.J. Nyeboer, A.J. McKinnon, D.C. Sutton and A.H. Kaksonen | 79 |
| Molecular Identification of Iron Oxidizing Bacteria Isolated from Acid Mine Drainages in Peru | |
| M. Abanto, N. Pariona, J. Calderon, G. Guerra, R. Ramirez, F. Delacruz-Calvo and P. Ramirez | 84 |
| Environmental Impact on Soil, Water and Plants from the Abandoned Pan de Azúcar Mine | |
| J. Plaza Cazón, L. Benítez, J. Murray, A. Kirschbaum, P. Kirschbaum and E. Donati | 88 |
| Biogenesis of Nanoparticles with Potential Applications as Semiconductor from Chalcopyrite Concentrate | |
| M.R. Hosseini, M. Schaffie, M. Pazouki, M. Lotfalian, A. Schippers and M. Ranjbar | 92 |
| Anaerobic Growth of <i>Acidithiobacillus ferrooxidans</i> on Pyrite | |
| B. Escobar and T. Vargas | 96 |

Chapter 2: Omics, Molecular Genetics and Biochemistry of Microorganisms in Mining Processes

| | |
|--|-----|
| Attachment to Minerals and Biofilm Development of Extremely Acidophilic Archaea | |
| R.Y. Zhang, M. Vera, S. Bellenberg and W. Sand | 103 |
| Biofilm Formation, Communication and Interactions of Mesophilic Leaching Bacteria during Pyrite Oxidation | |
| S. Bellenberg, R. Barthen, M. Vera, N. Giuliani and W. Sand | 107 |
| New Insights into the Biofilm Lifestyle and Metabolism of <i>Acidithiobacillus</i> Species from Analysis of High Throughput Proteomic Data | |
| M. Vera, C. Janosch, S. Bellenberg, B. Krok, W. Sand and A. Poetsch | 111 |
| EPS Production during Adaptation of <i>Acidithiobacillus ferrooxidans</i> to High Ferric Ion Concentration | |
| A. Saavedra, B. Pavez, M. Diaz and J.C. Gentina | 115 |
| Galactose as Inducer of the Production of Extracellular Polymeric Substances by <i>Acidithiobacillus ferrooxidans</i> | |
| A. Saavedra, B. Pavez, M. Diaz and J.C. Gentina | 120 |
| Effect of Exogenous Galactose on EPS Production during Bioleaching of Pyrite by <i>Acidithiobacillus ferrooxidans</i> | |
| B. Pavez, A. Saavedra, M. Diaz and J.C. Gentina | 125 |
| Characterization of the Quorum Sensing Regulon in <i>Acidithiobacillus ferrooxidans</i> | |
| S. Mamani, Y. Denis, D. Moinier, M. Sabbah, L. Soulère, Y. Queneau, V. Bonnefoy and N. Giuliani | 129 |
| Functional Analysis of c-di-GMP Pathway in Biomining Bacteria <i>Acidithiobacillus thiooxidans</i> | |
| M. Diaz, S. Copaja and N. Giuliani | 133 |
| Thiol-Rich Proteins Play Important Role in Adhesion and Sulfur Oxidation Process of <i>Acidithiobacillus ferrooxidans</i> | |
| A.A. Peng, J.L. Xia, H.C. Liu, W. Zhu, R.Y. Zhang, C.G. Zhang and Z.Y. Nie | 137 |
| Metagenomic Insights into the Microbial Community Diversity between Leaching Heap and Acid Mine Drainage | |
| Q. Hu, Y.L. Liang, H.Q. Yin, X. Guo, X.D. Hao, X.D. Liu and G.Z. Qiu | 141 |
| Genome Analysis of the Psychrotolerant Acidophile <i>Acidithiobacillus ferrivorans</i> CF27 | |
| E. Talla, S. Hedrich, B.Y. Ji, D.B. Johnson and V. Bonnefoy | 145 |
| Physiological, Genomic, and Proteomic Characterization of New “<i>Ferrovum</i>” Strains Obtained from a Pilot Plant for Mine-Water Treatment | |
| M. Schlömann, J. Kipry, S. Mosler, A. Poehlein, A. Keller, E. Janneck, B. Erler, C. Tominski, R.J. Jwair, N. Gelhaar, J. Seifert, R. Daniel and M. Mühlung | 149 |
| Predicting the Metabolic Potential of the Novel Iron Oxidising Bacterium “<i>Ferrovum</i>” sp. JA12 Using Comparative Genomics | |
| S. Mosler, A. Poehlein, S. Voget, R. Daniel, J. Kipry, M. Schlömann and M. Mühlung | 153 |

| | |
|--|-----|
| Analysis of Gene Expression in Response to Copper Stress in <i>Acidithiobacillus ferrooxidans</i> Strain D2, Isolated from a Copper Bioleaching Operation | 157 |
| C.N. Salazar, M. Acosta, P.A. Galleguillos, A. Shmaryahu, R. Quatrini, D.S. Holmes and C. Demergasso | |
| Temporal Dynamics of Genes Involved in Metabolic Pathways of C and N of <i>L. ferriphilum</i>, in the Industrial Bioleaching Process of Escondida Mine, Chile | 162 |
| P.A. Galleguillos, V. Music, M. Acosta, C.N. Salazar, R. Quatrini, A. Shmaryahu, D.S. Holmes, A. Velásquez, C. Espoz, C. Pinilla and C. Demergasso | |
| Analysis of Gene Expression as Marker of Relevant Metabolisms, in Three <i>Acidithiobacillus ferrooxidans</i> Strains, in Different Growth Conditions | 166 |
| G. Araya, M. Acosta and C. Demergasso | |
| Variance Calculations for Quantitative Real-Time PCR Experiments with Multiple Levels of Replication | 172 |
| S. Soto-Rojo, G. Glonek, C. Demergasso, P.A. Galleguillos, P. Solomon, P. Tapia and M. Acosta | |
| Optimization of the Method for Simultaneous Extraction Bioleaching Bacteria DNA and RNA | 177 |
| J.P. Xie, H. Yun, G.Z. Qiu and X.X. Liu | |
| Optimization of the Separation Method for Bioleaching Bacteria DNA and RNA Extracted Simultaneously | 182 |
| H. Yun, J.P. Xie, N. Huang, X.J. Yang, J. Xu, G.Z. Qiu and X.X. Liu | |
| How the RegBA Redox Responding System Controls Iron and Sulfur Oxidation in <i>Acidithiobacillus ferrooxidans</i> | 186 |
| D. Moinier, D. Byrne, A. Amouric and V. Bonnefoy | |
| Analysis of the Bacterial Sulphur System | 190 |
| R.M. Candy, K.R. Blight and D.E. Ralph | |
| Heterodisulfide Reductase from <i>Acidithiobacilli</i> is a Key Component Involved in Metabolism of Reduced Inorganic Sulfur Compounds | 194 |
| N. Ehrenfeld, G.J. Levicán and P. Parada | |
| Biogenesis and Transfer of Iron-Sulfur Clusters from <i>Acidithiobacillus ferrooxidans</i> | 198 |
| J.S. Liu, L. Qian and C.L. Zheng | |
| Evidence for Widespread Dissimilatory Hydrogen Metabolism among Acidophilic Bacteria | 202 |
| S. Hedrich and D.B. Johnson | |
| Novel Cell Envelope Proteins Related to Copper Resistance in <i>Acidithiobacillus ferrooxidans</i> | 206 |
| R. Almarcegui, C. Navarro, A. Paradela, D. von Bernath and C.A. Jerez | |
| Conductive Filaments Produced by <i>Aeromonas hydrophila</i> | 210 |
| L. Castro, M. Vera, J.A. Muñoz, M.L. Blázquez, F. González, W. Sand and A. Ballester | |
| Comparative Study of Fluoride-Tolerance of Five Typical Bioleaching Microorganisms | 214 |
| L.Y. Ma, Q. Li, Y.H. Xiao, Q.L. Wang, H.Q. Yin, Y.L. Liang, G.Z. Qiu and X.D. Liu | |
| Estimation of Ionic Load Effect on the Oxidizing Activity of the Microbial Population in the Heap Bioleaching Process at Escondida Mine | 219 |
| D. Cautivo, P. Soto, V.J. Zepeda, P.A. Galleguillos, A. Velásquez, C. Pinilla and C. Demergasso | |
| Biomeditated Separation of Kaolinite and Hematite Using <i>Bacillus subtilis</i> | 223 |
| S. Poorni and K.A. Natarajan | |

Chapter 3: Industrial Biohydrometallurgy: Studies, Practices and Operation

| | |
|--|-----|
| Bioleaching of a Marine Hydrothermal Sulfide Ore with Mesophiles, Moderate Thermophiles and Thermophiles | 229 |
| H. Korehi and A. Schippers | |
| A Descriptive Model for Microbial Population Dynamics in a Copper Sulphide Bioleaching Heap with Spatial and Physicochemical Considerations | 233 |
| S. Soto-Rojo, G. Glonek, P. Soto, C. Demergasso and P. Solomon | |
| A Novel Apparatus to Determine the Bio-Oxidation Kinetics of Sessile <i>Leptospirillum ferriphilum</i> | 238 |
| P. Duku, S.H. Minnaar, S.T.L. Harrison and J. Petersen | |
| Two-Stage Airlift Bioreactor System for Efficient Iron Oxidation and Jarosite Precipitation | 242 |
| A.H. Kaksonen, C. Morris, F. Hilario, S. Rea, J. Li, K. Usher, J. Wylie, M.P. Ginige, K.Y. Cheng and C. du Plessis | |

| | |
|---|-----|
| A Two-Step Process for the Treatment of Refractory Sulphidic Concentrate | 246 |
| M.I. Muravyov and A. Bulaev | |
| Bio-Hydrometallurgical Processing of Non-Ferrous Metals from Copper Smelting Slag | 250 |
| S. Ilyas, J.C. Lee, D.Y. Shin and B.S. Kim | |
| Bioleaching and Electrochemical Leaching of a Pyritic Chalcopyrite Concentrate | 254 |
| M. Khoshkhoo, M. Dopson and Å. Sandström | |
| Bioleaching of a Copper Sulphide Ore at Different Temperatures | 258 |
| V.I. Groudeva, M.V. Iliev, R.V. Ilieva and S.N. Groudev | |
| Bioleaching of Covellite from Low Grade Copper Sulphide Ore and Tails | 262 |
| V.J. Zepeda, D. Cautivo, P.A. Galleguillos, J. Soto, Y. Contador and C. Demergasso | |
| Bioleaching of Phosphorus from Low Grade Ores and Concentrates with Acidophilic Iron-and Sulphur-Oxidizing Bacteria | 266 |
| T.H. Sarlin, O.K. Priha, M.E. Arnold and P. Kinnunen | |
| Two-Step Bioleaching and Spent Medium Leaching of Gold from Electronic Scrap Material Using <i>Chromobacterium violaceum</i> | 270 |
| G. Natrajan and Y.P. Ting | |
| Bioleaching of Pyrrhotite by Moderately and Extremely Thermophilic Bacteria | 274 |
| G.H. Gu, H.S. Yang and C.Q. Wang | |
| Bioleaching of Spent Hydrotreating Catalyst by Thermophilic and Mesophilic Acidophiles: Effect of Decoking | 280 |
| A. Bharadwaj and Y.P. Ting | |
| Bioleaching of Sulphide Minerals with <i>Sulfobacillus acidophilus</i> at 45°C | 284 |
| B. Escobar, D. Bravo, I. Jaque, A. Collari and T. Vargas | |
| Biological, Chemical and Transport Phenomena which Control the Rate of Copper Leaching in Heap and Dump Operations | 288 |
| T. Vargas and C.S. Davis-Belmar | |
| Biologically Assisted Copper Secondary Sulfide Ore Leaching in the Presence of Chloride | 292 |
| C.S. Davis-Belmar, D. Cautivo, G. Rautenbach and C. Demergasso | |
| Biomass Production and Inoculation of Industrial Bioleaching Processes | 296 |
| P. Parada, P. Morales, R. Collao, R.A. Bobadilla-Fazzini and R. Badilla | |
| Bioprocessing of Mining and Metallurgical Wastes Containing Non-Ferrous and Precious Metals | 301 |
| A. Bulaev, M.I. Muravyov, T. Pivovarova, N.V. Fomchenko and T.F. Kondrat'eva | |
| BioSigma Bioleaching Seeds (BBS): A New Technology for Managing Bioleaching Microorganisms | 305 |
| P. Martínez and P. Parada | |
| Biotransformation of Arsenopyrite by <i>Phanerochaete chrysosporium</i> | 309 |
| Q. Liu, H.Y. Yang and L.L. Qiao | |
| Column Bioleaching Experiment of Low Grade Uranium Ore from Xiangshan Uranium Deposit | 314 |
| J.H. Liu, Y.J. Liu, Z.H. Zheng, X.G. Wang, Y.P. Zhou, Z.X. Sun and W.J. Shi | |
| Column Bioleaching of Low Grade Copper Sulfide Ore at Extreme Conditions for Most Mineral Processing Bacteria | 318 |
| G. Zou, Z.L. Wu, X.K. Lai, L.C. Zou, R.M. Ruan, S. Papirio and J. Puhakka | |
| Copper Recovery by Bioleaching of Chalcopyrite: A Microcalorimetric Approach for the Fast Determination of Bioleaching Activity | 322 |
| B. Krok, A. Schippers and W. Sand | |
| Differences of Bioleaching of Pyrites from Different Geo-Genetic Deposits by <i>Leptospirillum ferriphilum</i> | 326 |
| X. Zhang, G.H. Gu, K.T. Hu and G.Z. Qiu | |
| Dynamic Evolution of the Microbial Community in BIOX Leaching Tanks | 331 |
| R.P. van Hille, N. van Wyk, T. Froneman and S.T.L. Harrison | |
| Effect of Bioleaching Microorganisms and Solid Ore Particles on Formation of Interfacial Crud in Solvent Extraction Plants | 335 |
| X.H. Li, G.Y. Zhou, S.T. Huang and J.K. Wen | |
| Effect of Contact with Organic Extractant LIX 841C during Solvent Extraction Process on the Re-Establishment of Growth of Bioleaching Microorganisms | 340 |
| C.S. Davis-Belmar, M. Acosta, V. Schoen, G. Rautenbach and C. Demergasso | |

| | |
|---|-----|
| Effect of Bio-Leaching Process on the Pore Structure of Packed Particle Bed via 3D Imaging and Analysis | 344 |
| A.X. Wu, B.H. Yang, J.Z. Liu and X.X. Miao | |
| Effect of Increased Acid Concentration on the Microbial Population Inhabiting an Industrial Heap Bioleaching Plant | 348 |
| V.J. Zepeda, D. Cautivo, P.A. Galleguillos, C.N. Salazar, A. Velásquez, C. Pinilla and C. Demergasso | |
| Effect of Temperature on Column Bioleaching of a Refractory Gold Ore | 352 |
| Z.L. Wu, Z.S. Huang, R.M. Ruan, S.P. Zhong and B.K.C. Chan | |
| Effects of Several Parameters on Nickel Extraction from Laterite Ore by Direct Bioelaching Using <i>Aspergillus niger</i> and Acid Rock Drainage from Coal Mine as an Organic Substrate | 356 |
| M.Z. Mubarok, H. Kusuma, W.P. Minwal and S.K. Chaerun | |
| Electrochemical Behavior of Carbon Paste Electrode with Gold-Bearing Pyrite in Bioleaching | 360 |
| Z. Wu, S.P. Zhong, Z.L. Wu, Z.S. Huang and B.K.C. Chan | |
| Evaluation of Parameters in the Bio-Oxidation Process of Refractory Gold Minerals | 364 |
| P. Aguirre, E. Diaz and J.C. Gentina | |
| Evaluation of the Electrochemical Behavior of Carbon Paste Electrode (CPE) with Chalcopyrite (CuFeS_2) in the Presence of Ferrous Ions | 368 |
| F.A. Arena, D. Bevilaqua, C.S. Fujivara and A.V. Benedetti | |
| Geobiology of <i>In Situ</i> Uranium Leaching | 372 |
| C. Zammit, K. Li, B. Etschmann, J. Brugger and F. Reith | |
| From Mesophilic to Moderate Thermophilic Populations in an Industrial Heap Bioleaching Process | 376 |
| P. Soto, M. Acosta, P. Tapia, Y. Contador, A. Velásquez, C. Espoz, C. Pinilla, P.A. Galleguillos and C. Demergasso | |
| Effects of Individual Use, Mixed Culture and Sulfur Addition on the Effectiveness of Nickel Laterite Ore Bioelaching with <i>Penicillium verruculosum</i> and <i>Galactomyces geotrichum</i> | 380 |
| M.Z. Mubarok, W. Astuti and S.K. Chaerun | |
| Hydrogen Sulphide Production at Alkaline, Neutral and Acid pH by a Bacterial Consortium Isolated from Peruvian Mine Tailing and Wetland | 384 |
| J. Mormontoy and J.E. Hurtado | |
| Immobilization of New Isolated Iron Oxidizing Bacteria on Natural Carriers | 388 |
| A.K. Vardanyan, L.S. Markosyan and N.S. Vardanyan | |
| Impact of the Hydraulic Retention Time on the Performance of a Sulfidogenic Bioreactor | 392 |
| R. Klein, M. Schlömann, Y. Zeng, B. Wacker, F. Glombitza, E. Janneck and M. Mühling | |
| Investigation of Bioleaching of a Low Grade Nickel-Cobalt-Copper Sulfide Ore with High Magnesium as Olivine and Serpentine from Lao | 396 |
| B.W. Chen, L.L. Cai, B. Wu, X. Liu and J.K. Wen | |
| Investigation of the Effect of pH Operating Conditions on Bioleaching of Low-Grade Chalcopyrite in Column Reactors | 401 |
| O.M. Tshilombo and T.V. Ojumu | |
| Isolation and Characterization of Actinomycetes from Acidic Cultures of Ores and Concentrates | 406 |
| A. Matsubara and J.E. Hurtado | |
| Low Grade Copper Sulfide Ore Bioleaching in a New Bioreactor | 410 |
| R.E. Rivera-Santillán, F. Patricio-Ramírez and I. Olvera-Pérez | |
| Minimum Aeration in <i>Acidithiobacillus ferrooxidans</i> Cultures Required to Maintain Substrate Oxidation without Oxygen Limitation | 414 |
| M. Mandl, E. Pakostova and L. Poskerova | |
| Molybdenite Bioleaching by Thermophilic Bacteria in a RELVA-ARBP Bioreactor | 418 |
| R.E. Rivera-Santillán, F. Patricio-Ramírez and F.A. López-López | |
| Potassium Extraction from Biotite by <i>Penicillium</i> and <i>Aspergillus</i> | 423 |
| M. Song, I. Pedruzzi, P. Li, J.F. Liu and J.G. Yu | |
| Pretreatment of Refractory Gold Ores Using Cell-Free Extracts of <i>P. chrysosporium</i>: A Preliminary Study | 427 |
| G. Ofori-Sarpong, K. Osseo-Asare and M. Tien | |
| Recovery of Zinc during the Pre-Treatment of a Refractory Gold-Bearing Ore | 431 |
| N. Marchevsky, M.S. Urbeta, C. Bernardelli, M. Mas and E. Donati | |

| | |
|---|-----|
| Substrate Utilisation and Chalcopyrite Concentrate Bioleaching at 60°C in the Presence of Nitrate | 435 |
| D.W. Shiers, D.E. Ralph and H.R. Watling | |
| Synthesis of Biogenic Mn Oxide and its Application as Lithium Ion Sieve | 439 |
| Q.Q. Yu, E. Morioka, T. Hirajima and K. Sasaki | |
| The Bioleaching Characteristics of Chalcopyrite with Different Genetic Types | 443 |
| J. Bai, J.K. Wen, S.T. Huang, B. Wu and B.W. Chen | |
| The Effect of Ferrous Iron Addition during Tetrathionate Utilisation by Some <i>Sulfobacillus</i> Species | 447 |
| D.W. Shiers, D.E. Ralph and H.R. Watling | |
| The Efficient Recovery of Cobalt from Low Grade Refractory Carrollite with Bioleaching Technology | 451 |
| G.B. Chen, H.Y. Yang and L.J. Zhou | |
| The Impact of Drip Irrigation on Heap Hydrology and Microbial Colonies in Bioleaching | 455 |
| M.A. Fagan, E. Ngoma, R.A. Chiume, S.H. Minnaar, A.J. Sederman, M.L. Johns and S.T.L. Harrison | |
| The Influence of Pyrite on Galvanic Assisted Leaching of Chalcocite Concentrates | 459 |
| B. Wu, X.L. Yang, L.L. Cai, G.C. Yao, J.K. Wen and D.Z. Wang | |
| Treatment of a Nickel-Copper Sulphide Concentrate Using Bioleaching | 464 |
| M. Gericke and S. Robertson | |
| True Growth Rate Kinetics: An Account of the Colonisation and Transport of Microorganisms on Whole Low Grade Ore, at the Agglomerate Scale | 468 |
| E. Govender, C.G. Bryan and S. Harrison | |
| Effect of Fe²⁺ and Cu²⁺ Ions on the Electrochemical Behavior of Massive Chalcopyrite in Bioleaching System | 472 |
| W.Q. Qin, C.R. Yang, J. Wang, Y. Zhang, F. Jiao, H.B. Zhao and S. Zhu | |

Chapter 4: Biohydrometallurgy as a Remediation Strategy

| | |
|--|-----|
| Selective Metal Removal from Scandinavian Mine Waters Using Novel Biomineralization Technologies | 479 |
| C.M. Kay, S. Hedrich and D.B. Johnson | |
| Reduction and Complexation of Copper in a Novel Bioreduction System Developed to Recover Base Metals from Mine Process Waters | 483 |
| S. Hedrich, C. du Plessis, N. Mora and D.B. Johnson | |
| Sulfate Removal from Extremely Acidic Wastewaters Using Consortia of Acidophilic Sulfate-Reducing Bacteria | 487 |
| I. Nancuchoe and D.B. Johnson | |
| Performance Evaluation of Two Anaerobic Reactors for Removing Sulphate from Industrial Effluents | 491 |
| S.M. Bertolino, L.A. Melgaço, N.C. Quites and V.A. Leao | |
| Acid Drainage and Metal Bioleaching by Redox Potencial Changes in Heavy Polluted Fluvial Sediments | 496 |
| N. Porzionato, M. Mellota, R. Candal and G. Curutchet | |
| Impact of Heavy Metals on Denitrification of Simulated Mining Wastewaters | 500 |
| G. Zou, A. Ylinen, F. Di Capua, S. Papirio, A.M. Lakanemi and J. Puhakka | |
| Bioleaching for Extraction of Metals and Detoxification of Activated Sludges | 504 |
| S.N. Groudev, M.V. Nicolova, I. Spasova and P.S. Georgiev | |
| Influences of pH Buffers on the Growth of <i>Acidithiobacillus thiooxidans</i> and Biodesulfurization Efficiency | 508 |
| X.R. Liu, C. Su, S.C. Jiang, Y.J. Liu and H. Li | |
| Evaluation of Plant Species for Phytoremediation of a Mining Waste from Andacollo, Neuquén-Argentina | 512 |
| C. Cordero, K. Incignieri, P.A. Chiacchiarini, T.L. Lavalle and A. Giaveno | |
| Field Scale Phytoremediation Experiments on a Former U Mining Site and Further Processing of the Plant Material | 516 |
| D. Mirgorodsky, D. Ollivier, L. Jablonski, D. Merten, S. Willscher, J. Wittig, G. Büchel and P. Werner | |

| | |
|---|-----|
| Optimisation of Acid Bioleaching of Metals from Pyritic Ashes | 520 |
| E.A. Vestola, J. Mäkinen, T. Korhonen, R. Neitola and A.H. Kaksonen | |
| <i>Staphylococcus equorum</i> Isolated from Seabed as Potential Biotool to Cr(VI) Remediation | 524 |
| P. Pradel, C. Hernández, M. Tello, M.P. Villarroel, G. Corsini and A. González | |
| Copper Removal by <i>Botryococcus braunii</i> Biomass with Associated Production of Hydrocarbons | 528 |
| M. Mar Areco, V. Cainzos and G. Curutchet | |
| Characterization of U(VI) Sorption and Leaching on Clay Supported Biomass Sorbents | 532 |
| M.S. Olivelli, D. Di Gregorio, H. Huck, J.F. Niello, R.M. Torres Sánchez and G. Curutchet | |
| Recovery of Metals and Stabilization of Arsenic from (Bio-)Leaching Operations by Engineered Biological Processes | 536 |
| P. Gonzales Contreras, M. Olde Wegguis, J. Weijma and C.N.J. Buisman | |
| Identification of a Bacterial Consortium with Biotechnological Potential for Arsenic Bioremediation | 540 |
| M. Moreira, S. de Queiroz Silva and M.C. Teixeira | |
| (Bio)Precipitation of Trivalent Arsenic Using an Anaerobic Bioreactor | 544 |
| L.P. de Matos, P. Freitas and M.C. Teixeira | |
| Influence of Sulfate-Reducing Bacteria on the Mobility of Arsenic in Soils an "In Vitro" Study | 548 |
| L.R. Lopes and M.C. Teixeira | |
| Development of Alamine-336-Impregnated Alginate Capsule for Selective Recovery of Gold from Multi-Metal Solution | 552 |
| W. Wei, S.W. Won and Y.S. Yun | |
| Gold, Silver and Platinum Nanoparticles Biosynthesized Using Orange Peel Extract | 556 |
| L. Castro, M.L. Blázquez, F. González, J.A. Muñoz and A. Ballester | |
| Development of Powerful Bacterial Biosorbent Fibers for Recovery of Ruthenium and Comprehension of the Role of Bacterial Biomass in the Fiber | 560 |
| S.W. Won, I.S. Kwak and Y.S. Yun | |
| Recovery of Zero-Valent Ruthenium from Acetic Acid Waste Solution by a Combined Process of Biosorption with Bacterial Biosorbent Fibers and Incineration | 564 |
| I.S. Kwak, S.W. Won, J.S. Shin and Y.S. Yun | |
| Removal of Anionic Metalloid/Metals by PEI-Modified <i>Corynebacterium glutamicum</i> | 568 |
| N. Kim, M. Park, J. Park and D. Park | |