

Table of Contents

Preface, Committees and Sponsor

Chapter 1: Composite Materials

Fibrous Cerium (IV) Hydrogen Phosphate Membrane Self-Supported Benzimidazole Polymerization Agent	
S.K. Shakshooki, F.A. El-Akari, S.M. El-Fituri and S.S. El-Fituri	3
Polystyrene/Lamellar Germanium Phosphate Nanocomposite Membranes	
S.K. Shakshooki, F.A. El-Akari, S.M. El-Fituri and S.S. El-Fituri	9
Influence of Tool Geometry and Contact Condition on Friction Stir Welding of Al-Cu Laminated Composites	
R. Beygi, M. Kazeminezhad, A.H. Kokabi, S.M.J. Alvani, D. Verdera and A. Loureiro	16
Ultrasound Assisted Synthesis of Visible Light Responsive Nitrogen Doped TiO₂ Nano Photocatalyst	
R. Batra, N. Sharotri and D. Sud	22
Epoxy Emulsion Modified Engineered Cementitious Composite for Enhanced Pipeline Coating	
Y. Wu, Q.Y. Sun and C.M. Xu	25
Study on the Dense-Pack Effect and Properties of Multi-Component Cementitious Material	
W. Yang, N.Q. Feng, T.K. Hui, L.L. Jia and B.J. Cheng	29
Machinability of Short Potassium Titanate Fiber Reinforced Aluminum Alloy Composites Fabricated by Squeeze Casting	
K. Asano, H. Yoneda and K. Higashi	36

Chapter 2. Chemical Materials and Technologies

The Effect of Silver and Silver-Platinum Doped Into 5A Zeolite on the Degradation of Naptalam	
S.M. Kanan and S.E. Nusri	43
Preparation and Characterization of Au/Al₂O₃ and Au-Fe/Al₂O₃ Materials, Active and Selective Catalysts in Oxidation of Cyclohexene	
N. Ameur, A. Berrichi, S. Bedrane and R. Bachir	48
In Situ Growth of Zinc Oxide Nanoparticles on Cotton Fabric Using Sonochemical Method	
L. Zarei, S. Shahidi, S.M. Elahi and A. Boochani	53
Effect of Cold Rolling on Sensitization of 304 Stainless Steel Weldments	
M. Milad and N. Zreiba	60
Synthesis, Characterization and Evaluation of Property Profile of Hybrid Ion- Exchanger	
B.S. Kaith, Saruchi, S. Kaur and M. Devi	64
Preparation and Characterization of Activated Carbons Based on Lignocellulosic Residues	
C.C.O. Alves, P.D. Rocha, A.S. Franca and L.S. Oliveira	69
Experimental and Numerical Study of Plain-Woven Aramid Fabric	
E.A. Flores-Johnson, J.G. Carrillo, R.A. Gamboa and L. Shen	74
Preparation of Three Dimensional Products Using Flow Deformability of Wood Treated by Small Molecular Resins	
T. Miki, M. Seki, I. Shigematsu and K. Kanayama	79
Epoxidized Vegetable Oil as a Sustainable Ingredient in Welding Electrode Coatings	
F.C. Lage, A.S. Franca, L.S. Oliveira and A.Q. Bracarense	87
Contact Width Analysis of Corrugated Metal Gasket Based on Surface Roughness	
S. Haruyama, D. Nurhadiyanto and K. Kaminishi	92
Experimental Investigation on Nanofluids Effectiveness on Heat Transfer in Oscillating Heat Pipe	
H.R. Goshayeshi, A. Khosravi and M.A. Karizaki	98

Deposition and Characterization of Electroless Ni-P/Ni-W-P Duplex Coating Using Electrochemical Impedance Spectroscopy	103
Experimental Study of Surface Roughness of Wood Plastic Composites after Turning Z. Hutyrová, M. Harničarová, J. Zajac, J. Valíček and J. Mihok	108
Utilization of Sulfur Waste from Petroleum Refinery for Sulfur Concrete C. Wongsirathat and O. Chavalparit	113
Conductivity and Transport Properties Study of Plasticized Carboxymethyl Cellulose (CMC) Based Solid Biopolymer Electrolytes (SBE) A.S. Samsudin and M.I.N. Isa	118
Biosurfactant Producing Bacteria with Tensoactive and Emulsifying Properties Isolated from Palm Oil Mill Effluent C. Marajan, K. Ramasamy and S. Abdul Talib	123
Enhanced Adsorption of Pb(II) on Chemically Treated Neem (<i>Azadirachta indica</i>) Leaf Powder M.A.K.M. Hanafiah, M. Alias, W.K.A.W.M. Khalir and H. Zakaria	128

Chapter 3: Modelling and Analysis of Materials Properties and Technologies

Numerical Analysis of Nanoscale Junctionless MOSFET Including Effects of Hot-Carrier Induced Interface Charges N. Abdelmalek, F. Djeffal, M. Meguellati and T. Bendib	137
Cutting Simulations and Experiments of Milled SiC Particle-Reinforced Aluminum Matrix Composites Q. Wu, D.P. Li and X.J. Shui	142
Validation of Nitinol SMA Characteristics Using Finite Element Analysis and Closed Form Solutions S.H. Adarsh and U.S. Mallikarjun	147
Optimization of Process Parameters of Diffusing Bonding of Titanium with Titanium and Titanium with Copper K. Chandrappa and J. Hemanth	153
Multi Regression Analysis of Flow Curve Obtained by Torsion Test L. Gusel	159
Researches Concerning the Phenomena at the Interface for the Sintered Compacts of Titan-Hydroxyapatite D.I. Băilă	164
A Comparison among Polynomial Model, Reduced Polynomial Model and Ogden Model for Polyurethane Foam M.L. Ju, H. Jmal, R. Dupuis and E. Aubry	169
Modeling and Simulation of Microwave Circuits M. Ourabia	174
Numerical Simulation of Polyurethane Foaming Process Using Finite Point Method H. Abdessalam, B. Abbès, Y.Q. Guo, E. Kwassi and J.L. Romain	179
Enhanced Efficiency of Au-Deposited BiFeO₃ Nanoparticles Based Dye-Sensitized Solar Cells N.K. Verma, I. Kaur, K. Kaur and G.S. Lotey	184
Numerical Investigation of the SiGe/Si Heterostructure Including Interfacial Defects for Photovoltaic Applications K. Kacha, F. Djeffal, T. Bentrcia, D. Arar, M. Meguellati and M. Chahdi	188
Thickness Dependence of Structural and Optical Properties of Al/ZnO Films Prepared by DC Magnetron Sputtering Z. Ghorannevis, M.A. Milani, M. Habibi and M. Ghoranneviss	193
Investigation on the Structural Properties of a New Prepared 0.2PZS-0.8PLZT Ceramics A. Sakri and A. Boutarfaia	197
Residual Stress and Microstructures Characterization in Welded Al-Si-12Cu Alloy Z. Boumerzoug, C. Bouremel and V. Ji	201

Hydroxyapatite Deposition onto Ti-6Al-4V Surface in Powder Mixed Electrical Discharge Machining	205
N. Ekmekci and B. Ekmekci	
Steady State Conduction Behaviour of Liquid Crystalline Polyurethane	210
J.K. Quamara, S.K. Mahna, S. Lal and P. Raj	
Effect of Gate Dielectrics on the Performance of P-Type Cu₂O TFTs Processed at Room Temperature	215
H. Al-Jawhari and J.A. Caraveo-Frescsa	
CFD Study on the Role of Gas Friction on the Molten Layer Shape and Melt Removal Mechanism in Laser Cutting Process of Steel	220
K. Kheloufi and E.H. Amara	
Ti-6Al-4V Surfaces in SiC Powder Mixed Electrical Discharge Machining	226
H. Yaşar and B. Ekmekci	
Analysis of Strain Hardening Behaviour of Cast Aluminium Alloy 354 Subjected to Artificial Ageing at Various Temperatures	231
A. Eswar, A. Gupta, G.D. Babu and M.N. Rao	
Effect of Melt Cooling Rate on Microstructure of Sn - Bi and Sn - Pb Eutectic Alloys	236
O. Gusakova, V. Shepelevich and L. Scherbachenko	
Analysis and Quantification of Grain Size of Various DHP Copper Tubes Manufacturing Processes	241
E.R. Bagherian, C. Bell, M. Cooper, Y.C. Fan, B. Frame and M. Rose	
Evaluation of Mechanical Behaviour of Bone Cements by Using Acoustic Emission Technique	246
R. Ríos-Soberanis, S. Wakayama, T. Sakai, J.M. Cervantes-Uc and A. May-Pat	
The Effect of Intercritical Deformation on Microstructure Development in Thermomechanically-Processed Low-Silicon TRIP-Assisted Steels	251
S.M. Kazem Hosseini, A. Zarei-Hanzaki and S. Yue	
Evaluation of the Physical and Mechanical Properties of Ceramic Tiles Processed Using Steel Slag	257
B.C. Chukwudi and B.A. Okorie	
Significant Atomic Displacement at Isostructural Transition in Li_{0.99}Cu_{0.01}CrO₂ and its Effects	262
A. Karmakar, K. Dey, S. Giri and S. Majumdar	
Modification of some Optical and Mechanical Properties of Amorphous As-S-Se Thin Films by Copper Introduction	267
D.D. Strbac, G.R. Strbac, G. Stojanovic, S.R. Lukic and D.D. Petrovic	

Chapter 4: Nanomaterials and Nanotechnologies

AFM Studies of Thin Films as Nanobiosensor for Early Detection of Prostate Cancer	275
M. Ani Najeeb and M. Chavali	
Strength and Microstructural Performance of Nano-SiO₂ Gel (NSG) Infused Alkaline Activated Ground Blast Furnace Slag-Ultrafine Palm Oil Fuel Ash (AAGU) Based Mortar	280
M.O. Yusuf, M.A. Megat Johari, Z.A. Ahmad and M. Maslehuddin	
Sol Gel Characterization of Nano Kaolin	285
M.S. Muhd Norhasri, M.S. Hamidah, A.G. Abd Halim and A. Mohd Fadzil	
Ultrafine Solid State Polymerized PA66 Nanofibers Fabrication via Air-Sealed Centrifuge Electrospinning (ASCES)	290
A. Valipouri, S.A. Hosseini and A. Pishevar	
Structure and Magnetism of Fe/Al Nanostructures Grown by Ion-Beam Sputtering	294
A. Vyas, T. Shripathi, N. Lakshmi, O.H. Seck, A. Vij and R. Brajpuriya	
Low Band Gap Co₈₀Ni₂₀@RGO Nanocomposite	299
D. De, S. Majumdar and S. Giri	
Effect of Capping Agent on Physicochemical Properties of Zinc Substituted Nanoscale Hydroxyapatite	304
S. Kapoor, U. Batra and S. Kohli	
Castor Oil Based Polyurethane Nanocomposites with Cellulose Nanocrystallites Fillers	309
A. Kaushik and A. Garg	

Chapter 5: Advances in Energy Technology

Enhancing Biogas Production from Sugarcane Bagasse Using Steam Explosion in According With Acetic Acid Pretreatment

N. Srisang and O. Chavalparit 321

Biogas Production from Napier Grass (Pak Chong 1) (*Pennisetum purpureum* × *Pennisetum americanum*)

A. Janejadkarn and O. Chavalparit 327

Effect of Building Management System on Energy Saving

S. Kamali, G. Khakzar and S. Abdali Hajiabadi 333

The Effect of Mixing Coal with Biomass in Solid Fuel Briquettes

C.Y. Sing and M.S. Aris 338

Prediction of the Remaining Service Life of Superheater and Reheater Tubes in Coal-Biomass Fired Power Plants

M. Asgaryan, N.J. Simms and S.M. Wu 343

Study on the Performance of the Organic Rankine Cycle System with Internal Heat Exchanger under Vehicle Engine Various Operating Conditions

K. Yang, H.G. Zhang, Z. Wang, J. Zhang, F.B. Yang, E.H. Wang and B.F. Yao 349

Chapter 6: Applied Mechanics and Mechanical Engineering

Current Mode Filters Using Current Feedback Amplifiers with Negative Impedance (Resistance)

A. Qadir and A. Ali 359

VPP Processed Variable Phase Controller for Array Antenna Scanning

J. Zafar, H. Zafar and A.A.P. Gibson 364

Numerical Simulation of the Mechanical Structure of a Helmet Motorcyclist

B. Naïma, B. Fatiha, L. Mourad and B. Danie 368

The Stress Field in a Flexed Beam with an Elastoviscoplastic Behavior

H. Mohamed, Y. Saadallah and B. Mebarak 373

The Chip in the Up and Down Milling Process

V. Fečová, P. Michalík, J. Zajac, J. Mihok and J. Berthoty 379

Creep Behavior of Catheter Reinforced with Braids: Analytical Simulation of Uniaxial Tension under Two-Stage Step Stress

Y. Kato 384