Table of Contents

Preface and Organizing Committee

Chapter 1: Materials Science, Technology and Applications

| 3 |
|---------------------------------|
| 7 |
| 10 |
| 15 |
| 20 |
| 2.5 |
| 2529 |
| |
| 33 |
| 36 |
| 41 |
| 71 |
| 46 |
| 50 |
| 54 |
| ٥. |
| 59 |
| 63 |
| 67 |
| 71 |
| 74 |
| 78 |
| 81 |
| |

| The Relationship of High Strength Aluminum Alloy Corrosion Behavior and Corrosion Environment | |
|--|-----|
| S. Zhou, L. Hui, L. Xu, Y.T. Guo and S.H. Ma | 86 |
| Nanoemulsion Synthesis of Magnetic-Optical CoNiAu Nanoparticles H.Q. Shao, Z. Guan, J.H. Wu and H.L. Liu | 90 |
| Low Cycle Fatigue Behavior of Q345b Steel under Uniaxial Cycle Loading X. You, R.D. Wang, S.M. Cui, Y.J. Liu and Q.Y. Wang | 95 |
| Study on a New Coumarin Derivative as Fluorescent Probe for Hg ²⁺ Ions H.Q. Li, Z. Chen, H. Chen, J.W. Zhang, Y.T. Chen, J.M. Bi and M. Zhou | 99 |
| Effect of Aluminum on Mechanical and Frictional Properties of Copper Cladding Iron-Based Braking Material P. Yang, C.Q. Fu and Z. Wang | 103 |
| Preparation of Magnetic Iron Oxide by Hydrothermal Method F.Y. Zhao, Y.L. Li, C. Lv and L.H. Li | 107 |
| Study on Conductive Polypyrrole/P(Ba-co-Aa)-g-PMMA-GMA Composites S.B. Zhou, A.G. Xiao, X.B. Huang, Z.G. Chen, Y.D. Chen and Z.F. Xing | 111 |
| Durability Analysis on the Performance of Concrete Construction Based on Reinforcement Corrosion | |
| H.W. Feng and Y.M. Wu | 117 |
| Preparation of Conductive Nanosilver Ink and its Application on RFID Tags J.L. Fu, Y.L. Li, L.X. Mo, Y. Wang, J. Ran, Z. Pang, Y. Ma and L.H. Li | 121 |
| The Application Study Status of Spacecraft Structural Materials K.R. Gai | 126 |
| Effect Factors Study on Ultimate Strength of Aluminum Stiffened Plates under Cyclic | |
| Loading H.W. Cui, P. Yang, L. Zhou, C. Shen and X.J. Chen | 132 |
| UV Curable Polyurethane Dispersions Extended by a New Chain Extender Z.X. Wang, J.L. Wang, Q.L. Liu, J.T. Yuan and H. Chen | 137 |
| Nanosurface Modifacation of Biomedical β Titanium Alloy for Dental Implant and its Antibacterial Property Y.M. Qi, B.H. Ma, Y.J. Geng, J.Y. Deng and C.X. Cui | 142 |
| Polypyrrole/Graphene Oxide Composite Electrodes for High Energy Density | 142 |
| Supercapacitor Z.W. Yang, X. Fan, L.A. Guo and W.X. Jiang | 146 |
| Graphene Oxide/Fe ₃ O ₄ Composites Prepared via <i>In Situ</i> Precipitation Z.W. Yang, X. Fan, L.A. Guo and W.T. Wei | 150 |
| Effect of Binder on Wear Behavior of HVOF WC-Based Coatings S.H. Yao | 155 |
| Well-Defined Blackberry-Like Polypyrrole Microspheres via Chemical Oxidative Polymerization in the Presence of Functional Floating Bead as <i>In Situ</i> Dopant | |
| J.P. Lao, C. Yang, H.D. Mo, Y.P. Li, L.M. Zang and L.Q. Liu | 159 |
| Purification of Epothilones A and B with Column Chromatography on a Sephadex LH-20 J.K. Yang, L. Zhao, R.C. Sun, Y.M. Shen, N.Q. Wang and X.L. Liu | 164 |
| Preparation and Characterization of Epoxy Resin Composite Modified by Flexible Polyurethane Resin R. Cheng, C. Zhang and J. Wang | 170 |
| Numerical Simulation of Filling for 7075 Alloy and TiB ₂ /7075 Composites Wheel Prepared by Low Pressure Die Casting Q. Gao, B. Yang, G.S. Gan and H.C. Wu | 173 |
| Studies on the Composition Characteristics of Pyrite from Dabaoshan Polymetallic Ore Deposit, Northern Guangdong Province | |
| W.C. Fu, H.B. Pan and Z.Q. Kang | 180 |
| Inhibition of Grain Coarsening in Nanocrystalline Fe-C Alloys by Interaction between Carbon and Grain Boundaries Y.Z. Chen, A. Herz, C. Borchers, X.H. Shi, X.Y. Ma, F. Liu and R. Kirchheim | 184 |
| Development of Edible Packaging Materials | |
| S. Zhang, W.C. Gu, Z.Y. Cheng, Y. Li and W.J. Gu Permeability of Packaging Materials | 189 |
| S. Zhang, W.C. Gu, Z.Y. Cheng, W.J. Gu and Y. Li | 192 |

| Studies on the Effectes of XC Functionals and Basis Sets on the Geometrical Structures, Absorption and Emission Spectra of a 1,8-naphthalimide Derivative | |
|--|-----|
| Y.F. Hu and G.H. Nie | 195 |
| Study on the Preparation and Adsorption Properties of Activated Carbon Obtained from Chinese Herbal Medicine Residue L. Ming, W. Xia, B. Dong, J.H. Mao, X.W. Zhoug and J.R. Pan | 200 |
| Effect of Argon Gas Pressure on Optical Properties of Zinc Oxide Thin Films Deposited by RF Magnetron Sputtering Technique | 200 |
| J.H. Gu, Z.Y. Zhong, S.B. Chen, C.Y. Yang and J. Hou | 205 |
| Research on Rolling about Copper/Aluminum/Stainless Steel Three-Ply Clad Sheet L. Sun, Y.H. Pang, L. Gao and D.R. Tian | 209 |
| The Effect of Hard Milling on Surface Finish of Medium Carbon Steel P. Chutrakul and K. Jirapattarasilp | 213 |
| Structural-Phase Transformations in R6m5 Steel while Electrolytic-Plasma Processing M. Skakov, E. Batyrbekov, B. Rakhadilov and M. Scheffler | 217 |
| The Effect of Li-Al Alloy on Combustion Performance of B/PTFE Fuel-Rich Propellant T. Liu, X. Chen, H.X. Xu, Y.Q. Wei, A.J. Han, M.Q. Ye and G.P. Pan | 222 |
| A Comparative Study on the Fire Resistance of Ordinary Grade Structural Steels I.K. Kwon | 228 |
| The Effects of Tensile Softening Curve Parameters on Fracture in Concrete Based on Initial Fracture Toughness Criterion | 222 |
| L.B. Qing and H.H. Liu Analysis of Stretching Load in Tension Stretching Process of Aluminum Alloy Thick-Plate | 232 |
| by Using Finite Element Method D.W. Zhang, S.D. Zhao, F. Jing, Q. Zhang and S.Q. Fan | 236 |
| Dynamic Rupture Analysis of Concrete Structures by FEM-DEM Method L.C. Qiu | 241 |
| Chapter 2: Bio and Sustainable Manufacturing Technologies | |
| Saporin Conjugated with Transforming Growth Factor-α Inhibit Neointimal Proliferation by Specific Cytotoxicity | |
| J. Yang, J. Luo, D. Biao, S.Y. Wang, S.L. Ding and Z.X. Wu | 249 |
| Study of Single-Phase CIP Acidic Cleaning Agent Detergency X.Z. Zeng, J.G. Duan and J. Ma | 253 |
| The Application of PDLLA/β-TCP Conduits for Repair of Injured Sciatic Nerve L.J. Xie and T. Qiu | 259 |
| A Method Optimizing the Forging Process of Titanium Alloy Blisk Based on the Processing Map | |
| Y.H. Yang, D. Liu, G.J. Gao and J.G. Wang | 262 |
| Energy Loss Analysis of Flared Cuff for Branched Endovascular Graft Application H. Jia, C.J. Li, F.J. Wang, L. Wang, Y. Mao, P.F. Chen and J.S. Guo | 269 |
| Chapter 3: Monitoring, Testing and Control Technologies | |
| Application of PEM and OBIRCH to Defect Localization of Integrated Circuits J.W. Lian, X.L. Lin and R.H. Yao | 277 |
| Research on Crack Damage Identification Based on SFRF and Fiber Bragg Grating Sensors J. Shang, Z.M. Qin, X.D. Wang, W. Li, Y.H. Bai, Y.F. Hu, G.F. Chen and B. Li | 282 |
| Study on Distributed Intelligent Control Model of the Ships Pipe Network T. Jin, Z.Y. Zhou and F. Yang | 287 |
| The Technical Development for Increasing ROP with Particle Impact Drilling in China J. Zhao and Y.J. Xu | 292 |
| Investigation of Sound Field with Water Immersion TOFD Method Basing on Electron Beam Welding | 005 |
| I Zhai C Lu and C L Yu | 296 |

| Structure and Motion Analysis of Robotic Arm Based on SolidWorks and Arduino G.Y. Lu and T. Wu | 302 |
|---|-----|
| Study on Friction Characteristics of Energizing Pneumatic Cylinders Y.J. Zhan, T. Wang and B. Wang | 306 |
| Matching Optimization of Impeller and Volute for Double-Channel with Double-Suction Pump P. J. Luc J. L. Song and P. Zhoo | 311 |
| B.J. Luo, L.L. Song and P. Zhao Study on CNC System for Concave-Convex Surface Processing of Antique Style Flooring | 311 |
| J.A. Jiang, Y.R. Wang, L.T. Zhao, L. Li and Y. Liu | 315 |
| Simulation of Taper Roll Deviation Rectification Ability in Continuous Annealing Furnace J. Shao, A.R. He and W.Q. Sun | 320 |
| An Improved Joint Target Tracking and Classification Algorithm Based on Data Fusion H.W. Quan, L. Chen and D.L. Peng | 325 |
| Comparison of the Two Methods to Determine State Parameters of Wet Saturated Steam Y.R. Wang and P.R. Wang | 330 |
| Study on Reliability Growth Test Method for Disc Magazine and Manipulator J.Y. Duan and C.J. Fu | 335 |
| Study on Wear Life Prediction of Wind Turbine Helical Gear | 340 |
| S.Q. Wan, C.H. Zhao, H.J. Dong, W. Wang and X.Y. Zhong Research on a Flow Resistance Mass Flow Sensor | 340 |
| X. Li, L. Yu and C.X. Jia | 345 |
| The Intelligent Control Method of Additive Manufacturing Flow Based on the | |
| Measurement of the Line Width R.Y. Wang, T.C. Shi and Y. Zhang | 352 |
| Dynamic Sliding Mode Control of Parallel Robot Based on AC Servo-Motor Drive C.H. Zhu and H. Sun | 357 |
| The Preparation and Performance Analysis of Metal Winding Gasket M. Zhang, M.H. Liu and Y.X. Li | 361 |
| Application of Tracked Combine Harvester Step-Less Speed Regulated System X.Y. Lou | 365 |
| Frequency Dependence Stiffness and Damping of "O" Rubber Ring J. Yan, Y.X. Wang, S.Z. Wang and X.W. Su | 368 |
| Investigation into the Influence of Drying on Backtrap Mottle of Coated Paper J.G. Li and Y. Li | 373 |
| Torsional Vibration of a Pile Embedded in Saturated Soil Considering Pile Construction Effect | |
| Z.Q. Zhang and R.F. Qin | 377 |
| Study on the Permeability Characteristics of Coarse-Grained Soil and its Permeability Rule W.B. Li | 383 |
| Study on the Anti-Seepage Reinforcement Scheme of Earth-Rock Dam for Changli Reservoir | |
| X.D. Chai, Z.Z. Shen and B.S. Nie | 389 |
| Chapter 4: Design, Modeling and Simulation | |
| Design and Application of the Testing System for a New Pipe Pressure Sensor X.M. Zhang, Y. Yuan and J.M. Liu | 395 |
| Research on Metal Ring Strain Energy Power Loss of MB-CVT W. Zhang, W. Guo and S.F. Zhao | 399 |
| Parametric Design of Static Tube for Long-Distance Outboard Precision Atmospheric Static Pressure Measurement D.X. Liu, S. Zhang, Y.L. Zhu and Q.X. Qin | 404 |
| Application of Multi-Objective Optimization Algorithm Based on Physical Programming in | 404 |
| Ship Conceptual Design Z.L. Hao, Z.Y. Liu and B.W. Feng | 408 |
| Research on Conceptual Design of Green Electromechanical Products | 400 |
| X.Y. Lou | 414 |

| Application of Planetary Gear Transmission Technology in Tracked Combine Harvester X.Y. Lou | 417 |
|--|-----|
| Design of Measurement System for Underwater Vehicle Based on NAH Q. Ji and P. Jiang | 420 |
| Design of Injection Mould with the Curved Surface and Core-Pulling X.J. Shang | 424 |
| The Design and Application of the Curved Plate Adjust Tooling of PROTOS Cigarette | |
| Machine Y.P. Liao, W.C. Li, Z.H. Zheng and C.C. Fei | 428 |
| Influence Analysis of Hull Deformation on Dynamic Behavior of Propulsion Shafting F.B. An, P. Yang, X.P. Yan and M. Li | 432 |
| Double Impulses Extraction of Faulty Rolling Element Bearing Based on EEMD and Complex Morlet Wavelet Y.B. Kong, Y. Guo and X. Wu | 437 |
| The Digital Design of Engine Connecting Rod Based on the CATIA K.X. Zhang, X.X. Liu and Y.L. Wang | 442 |
| Research on Load Bearing Behavior of Ship Stiffened Plates under Cyclic Loads H.W. Cui, P. Yang, C. Shen and L. Zhou | 446 |
| Study on Ship Hull Deformation by Integrated Model of Hull with Shaft X.K. Ruan, P. Yang, X.P. Yan and Z. Huang | 450 |
| A Study on the Mechanical Properties of Disc Spring Vibration Isolator with Viscous Dampers | |
| F. Jia and F.C. Zhang | 454 |
| Research on Load-Bearing Performance of I-Shaped Column under Cyclic Compression X.J. Chen, P. Yang and H.W. Cui | 460 |
| The Design and Application of the Platen Roller Pressure Regulating Device of PROTOS1-8 Cigarette Machine | |
| X.H. Zhang, Y.P. Liao, D.B. Lai and Y.L. Zhang | 465 |
| The Numerical Simulation of Punching and the Fatigue Analysis of Punch Based on ANSYS/LS-DYNA and ANSYS-Fatigue Tool W.M. Li, Y.Y. Yan and Y. Xing | 469 |
| Numerical Simulation of Geomembrane Defect Leakage by Saturated-Unsaturated Seepage Method | |
| L. Gan, Z.Z. Shen, Z.Q. Yan and H.C. Ren | 474 |
| Numerical Simulation of GH4169 Alloy Section of Hot Roll Forming L. Gao, Y.H. Pang, L. Sun and D.R. Tian | 479 |
| Analysis of a Material Life Model C. Huang and G.Y. Yan | 483 |
| One Kind of Mould's Geometrical Modeling and Finite Element Analysis Z.L. Guo and H.S. Zhao | 488 |
| Product Manufacturing Technology Based on Virtual Reality Modeling Language X.Y. Lou | 493 |
| Analysis of Microvibration of a Microelectronics Workshop under Multipoint Excitation Z.X. Lei, Q.Z. Ma and T.J. Qiu | 496 |
| Study on Control of the Cam Contour to Pressure Angle Base on MATLAB Modeling Z.L. Liu | 500 |
| Magnet Field Finite Element Analysis of Permanent Magnet Brushless DC Motors Based on | |
| ANSOFT C.H. Zhu and H.T. Zhang | 504 |
| Crack Initiation Life Model of Stiffened Plates Based on Damage Mechanics H. Wang, P. Yang, J.L. Deng and Q. Dong | 508 |
| A Highly Efficient Deaerator Design and Application P. Jiang, Q. Ji, H. Zhou and L. Dong | 513 |
| Analysis on Freezing Progress of Underground Frost Wall D.J. Zhao, X. Fang and Y. Zhao | 516 |
| Study of Vertical Seismic Isolation of Self-Anchored Cable-Stayed Suspension Bridge Based on Lead Rubber Bearing F. Miao | 520 |

Geometrically Nonlinear Analysis on a Double Controlled Form Finding Method Considering Construction Process of Suspen-Domes H.J. Liu, L.F. Yang, Y.L. Li and H. Xu

524