

Table of Contents

FOREWORD

| | |
|---|-----|
| Laminates for Very High Temperature Creep Resistance | |
| A. Kelly | 3 |
| Ceramic Fibre Development and Characterisation | |
| A.R. Bunsell and M.H. Berger | 15 |
| Interface Materials for Damage-Tolerant Oxide Composites | |
| D.B. Marshall, R.F. Davis, P.E.D. Morgan and J.R. Porter | 27 |
| Structure and Stability of Synthetic Interphases in CMCs | |
| M.G. Cain, R.L. Cain, A. Tye, P. Rian, M.H. Lewis and J. Gent | 37 |
| Debond Crack Roughness, Interface Properties and Fiber Coating Design in Ceramic Composites | |
| R.J. Kerans and T.A. Parthasarathy | 51 |
| Development of Ceramic Matrix Composites and the Meaning of Microcracks | |
| T. Kishi and M. Enoki | 63 |
| Novel Reaction-Based Processing of Co-Continuous Ceramic-Metal Composites | |
| J. Bruhn, S. Schicker, D.E. García, R. Janßen, F. Wagner and N. Claussen | 73 |
| The Effect of Interfacial Characteristics on the Mechanical Performance of Particulate, Fibrous and Layered Metal Matrix Composites - A Review of some Recent Work | |
| T.W. Clyne | 81 |
| Properties of Continuous Fibre Reinforced Al- and Mg-Matrix Composites Produced by Gas Pressure Infiltration | |
| H.P. Degischer, P.A. Schulz and W. Lacom | 99 |
| Microstructural Optimization of Discontinuously-Reinforced Metal-Matrix Composites | |
| J. Llorca and C. González | 111 |
| Ultra-High Strength In Situ Composites Formed by Large Plastic Straining: Structure and Mechanical Properties Modelling | |
| J. Gil Sevillano and J. Flaquer Fuster | 123 |
| Fabrication of CMCs and MMCs Using Novel Processes | |
| G.H. Schiroky, D.A. Miller, M.K. Aghajanian and A.S. Fareed | 141 |
| Status and Prospects for Metal Matrix Composites in Japan | |
| M. Noguchi and K. Takahashi | 153 |
| The Application of CMCs in High Integrity Gas Turbine Engines | |
| C.P. Beesley | 165 |
| Properties of Amorphous SIBNC-Ceramic Fibres | |
| H.-. Baldus, G. Passing, H. Scholz, D. Sporn, M. Jansen and J. Göring | 177 |
| Thermal Stability of a Silicon Nitride Based Fiber | |
| G. Chollon, T. Vogt and K. Berroth | 185 |
| The Growth of Alumina/YAG Eutectic Fibres by the Laser-Heated Floating Zone Process | |
| P.A. Doleman and E.G. Butler | 193 |
| Oxidation Behaviour of a SiC Based Fiber | |
| J.P. Viricelle, D. Bahloul-Hourlier and P. Goursat | 203 |
| Grain Growth in Alumina Polycrystalline Fibres During NiAl/Al₂O₃ Composite Processing | |
| J.M. Heintz, J.C. Bihr and J.F. Silvain | 211 |
| Influence of the Pyrolytic Carbon Fibre Coating on the Strength of Textron SiC Fibre in an Aluminium Matrix Composite | |
| L. Pambaguián | 219 |
| Processing and Properties of an Oxide/Oxide Composite | |
| S.M. Johnson, Y. Blum, C. Kanazawa, H.J. Wu, J.R. Porter, P.E.D. Morgan, D.B. Marshall and D. Wilson | 231 |
| Hot Isostatically Pressed Silicon Carbide Fibre/Mullite Composites | |
| M. Holmquist, A. Kristoffersson, R. Lundberg and J. Adlerborn | 239 |
| Densification of Si₃N₄/Si₃N₄-Fibre Composites | |
| M.I. Osendi and P. Miranzo | 247 |

| | |
|---|-----|
| Processing and Evaluation of RBSN Composite Containing SiC Filaments | 255 |
| A.M. Pritchard and R.A. Shatwell | |
| The Fabrication, Microstructure and Fracture Behaviour of Unidirectional Carbon Fibre Reinforced C/SiC Dual Matrix Composites | 263 |
| S.P. Appleyard, C.X. Jiang and B. Rand | |
| Fabrication and Properties of Fiber- and Particulate-Reinforced SiC Matrix Composites Obtained with (A)HPCS as the Matrix Source | 271 |
| L.V. Interrante, J.M. Jacobs, W. Sherwood and C.W. Whitmarsh | |
| Preparation and Characterization of SiC/C/SiC Composites by Hybrid Wet/Vapour Processing | 279 |
| A. Licciulli, F. De Riccardis, A. Quirini, C.A. Nannetti, G. Filacchioni, L. Pilloni, S. Botti, A. Ortona and A. Cammarota | |
| Reinfiltration Processes for Polymer Derived Fiber Reinforced Ceramics | 287 |
| A. Durán, M. Aparicio, K. Rebstock and W.D. Vogel | |
| Fibre Reinforced Silicon Carbide: Effect of Densification Method and Parameters | 295 |
| P.M. Farries, J.-. Veyret and R.D. Rawlings | |
| Si-C-O Fibre-Reinforced Ceramic Matrix Composites: Processing by Tape Casting and Properties | 303 |
| L. Lostec, T. Chartier, C. Gault and G. Larnac | |
| In-Situ Joined CMC Components | 313 |
| W. Krenkel, T. Henke and N. Mason | |
| On the Formation of Aluminium Carbide During Al/C-Composite Production | 321 |
| H.-. Steffens, B. Reznik, V. Kruzhakov and W. Dudzinski | |
| Carbon Fibre Reinforced Copper Matrix Composites: Processing Routes and Properties | 327 |
| Y. Le Petitcorps, J.M. Poueylaud, L. Albingre, B. Berdeu, P. Lobstein and J.F. Silvain | |
| Manufacture of Hoop Reinforced Ti-MMC Rings by Spray/Wind Process | 335 |
| Z.Y. Fan, P.S. Grant and B. Cantor | |
| Bonding of SiC Fibre Reinforced Ti-6Al-4V MMC Sheet by Resistance Heating | 343 |
| M.D.B. Ellis and T.G. Gooch | |
| Modelling Consolidation of Ti-6Al-4V / SiC Matrix-Coated Fibre Metal Matrix Composites | 351 |
| S. Schüler, B. Derby, M. Wood and C.M. Ward-Close | |
| Thermodynamic and Experimental Modeling of Interfacial Reactivity in Metal Matrix Composites | 359 |
| C. Vahlas, I.W. Hall, C.-. Ni and P.-. Chevalier | |
| The Production of Aligned Short Fibre Ceramic Matrix Composites Using a Twin Rolling Mill | 369 |
| E. Philpott, R. Shatwell and K. Kendall | |
| Densification and Microstructural Evolution in a Reactive Silicon Nitride/Alumina Platelet System | 377 |
| F.J. Oliveira, R.F. Silva and J.M. Vieira | |
| Mechanosynthesis and Consolidation of Nanocrystalline VS₂/SiC Composite | 385 |
| M. Magini, L. Liu, S. Casadio and C.A. Nannetti | |
| Fabrication and Properties of Silicon Reinforced Titanium Nitride Composite | 391 |
| A. Kamiya | |
| Microstructure and Properties of 3Y-TZP-5WT% SiC Composites | 399 |
| J. Luo and R. Stevens | |
| Ceramic and Ceramic Matrix Composites Based on Clinker Portland: Sinterability | 407 |
| N. Antón, L.E.G. Cambronero, J.M. Ruiz Prieto, F. Velasco and J.M. Torralba | |
| Titanium-Based Composites Produced by Powder Metallurgy | 415 |
| P. Wanjara, S. Yue, R.A.L. Drew, J.H. Root and R. Donaberger | |
| Microstructure and Mechanical Properties of in Situ Ti/TiB MMCs Produced by a Blended Elemental Powder Metallurgy Method | 423 |
| Z.Y. Fan, H.J. Niu, A.P. Miodownik, T. Saito and B. Cantor | |
| Ceramic-Metal Composite Formation by Reactive Metal Penetration | 431 |
| R.E. Loehman, K.G. Ewsuk, W.F. Fahrenholz and B.B. Lakshman | |
| Strengthening Porous Ceramics by Molten Metal Infiltration | 439 |
| R.M. Souza, H.N. Yoshimura, C. Xavier and H. Goldenstein | |

| | |
|---|-----|
| Effect of Iron Addition on the Mechanical Properties of Al_2O_3-NiAl CMMCs | 447 |
| W.H. Tuan, S.T. Chang, W.B. Chou, H.C. You, Y.P. Pai and I.C. Lin | |
| Effect of Particle Size on the Mechanical Properties of SiC Particulate Reinforced Aluminium Alloy AA6061 | 455 |
| S.B. Sternowski, G. O'Donnell and L. Looney | |
| Effect of Alloying Additions on Threshold Pressure for Infiltration and Porosity of Aluminium-Based Melt Infiltrated Silicon Carbide Powder Compacts | 463 |
| E. Candan, H.V. Atkinson and H. Jones | |
| A New Production Technology for Discontinuously Reinforced Al-SiC Composites | 471 |
| V.M. Kevorkian and B. Sustarsic | |
| Effects of Pre-Compaction Annealing on Mechanical Properties of SiC_p/Al Composites | 479 |
| G. O'Donnell and L. Looney | |
| Microstructure-Properties Relationship of AS9U3/SiCp Composites Formed by Sand and Permanent Mold Casting | 487 |
| J. Goñi, J. Coletto, A. García, J.K. Palacios, M.C. Castro, D. Coupard and J. Arriaran | |
| Influence of Mg and Stirring on the Strength of an Aluminium Matrix Composite Obtained by Compocasting | 495 |
| J.M. Hallén, H.M. Balmori, D. Jaramillo-Vigueras, J.L. Estrada, J.L. González and A. Manzano-Ramírez | |
| Behavior of Ceramic Particles at Solid/Liquid Interface During Solidification of Metal Matrix Composites | 503 |
| H. Nakae and S. Wu | |
| A New Metal Matrix Composite: Al-AlN from Partially Nitrided Aluminum Powders | 511 |
| G. Boitier, J. Chermant, P. Goeuriot, Y. Laurent, B.L. Mordike, C. Troadec, P. Verdier and J. Vicens | |
| Cold Plastic Formability of Aluminium-Based MMCs | 517 |
| B. Dodd and Y. Le Petitcorps | |
| Assessment of the Forging Conditions of 6061/$\text{Al}_2\text{O}_3/10\text{p}$ Using Processing Maps and Stability Criteria | 525 |
| A.M. De Sanctis, E. Evangelista and A. Forcellese | |
| High Speed Steel Sludge Waste as a Starting Material for Wear Resistance Components | 533 |
| K.U. Kainer and M. Opoku-Adusei | |
| Preparation and Characterization of SiC/SiC Microcomposites with Composition Graded C(B) Interphases | 543 |
| S. Jacques, A. Guette, F. Langlais and R.R. Naslain | |
| Zirconia Interface Layers Applied to Single Crystal Alumina Fibres by PVD and CVD | 551 |
| A.G. Razzell | |
| Laser Based Coating of Carbon Fibres for Manufacturing CMC | 559 |
| V. Hopfe, R. Weiss, R. Meistrig, K. Brennfleck, R. Jäckel, K. Schönfeld, B. Dresler and R. Goller | |
| Silicon Carbide Laminates with Carbon Interlayers by Electrophoretic Deposition | 567 |
| L. Vandeperre, O. Van der Biest and W.J. Clegg | |
| Nanostructure and Mechanical Properties of Interlayers in Fibre Reinforced Composites | 575 |
| E. Pippel, J. Woltersdorf, A. Feldhoff and A. Hähnel | |
| Interphase in Composite Materials | 583 |
| M. Wang, W. Bonfield, M. Li and F. Guiu | |
| 1D SiC_f-YMAs Glass-Ceramic Composites: Microstructure, Interfaces and Creep Behaviour | 591 |
| J. Chermant, F. Doreau and J. Vicens | |
| Interfacial Micromechanical Characterisation of a Ceramic Matrix Composite | 599 |
| A.M. Daniel, M.R. Elizalde, J.M. Sánchez, J. Janczak and J.M. Martínez-Esnaola | |
| SiC/SiC Interface Characterisation Using Nanoindentation Techniques | 609 |
| M.R. Elizalde, A.M. Daniel and J.M. Martínez-Esnaola | |
| Push-Out Tests on Small Fibres and Interfacial Properties of a Fibre-Reinforced Ceramic Matrix Composite (SiC_f/SiC) | 617 |
| J. Calderón Moreno, M.R. Elizalde and E. Lara-Curzio | |
| Interfacial Characterisation of MMCs and CMCs Using a SEM-Pushout Technique | 623 |
| J. Janczak, A. Bürger and L. Rohr | |

| | |
|---|-----|
| A Comprehensive Approach to Understanding the Influence of the Fiber/Matrix Interface on the Properties of SiC Fiber/Ti-Alloy Composites | 631 |
| D.B. Gundel, B.S. Majumdar, S.G. Warrier and M.L. Gambone | |
| Processing-Related Interface Properties in Titanium Metal Matrix Composites | 639 |
| M.N. Tamin, D.J. Osborne and H. Ghonem | |
| Study of Push-Out Micromechanical Test: Response of SCS-6/Ti-6242 Composite | 651 |
| B. Guichet, J.-. Sanglebœuf, A. Vassel and T. Bretheau | |
| The Effect of Interfacial Strength on the Response of Ti MMCs to Single Fibre Push-Out and Transverse Tensile Testing | 659 |
| A.F. Kalton, D.B. Miracle and T.W. Clyne | |
| Interfacial Studies in Titanium Aluminide/SiC_f Composites | 671 |
| S. Sandhu, P. Tsakiropoulos, M.J. Wood and C.M. Ward-Close | |
| Assessment and Control of Surface Reactions of Carbon Fibres in Light Weight Metal Matrix Composites | 679 |
| W. Lacom, H.P. Degischer and P.A. Schulz | |
| Influence of Metal-Ceramic Interfaces on the Behaviour of Metal Matrix Composites and their Joints | 687 |
| A. Ureña, J.M. Gómez de Salazar and M.D. Escalera | |
| Interface Analysis on Diffusion Bonded Bimetallic Composites. Part I: Extended Solid Solubility | 695 |
| B. López, X. Gómez, J. Echeberría, I. Gutiérrez and J.J. Urcola | |
| Interface Analysis on Diffusion Bonded Bimetallic Composites. Part II: Formation of Intermetallics | 703 |
| B. Aleman, I. Gutiérrez and J.J. Urcola | |
| First Matrix Cracking Behavior in Fiber Reinforced Ceramic Composites | 713 |
| R.N. Singh, S. Kumaria and S. Kumar | |
| A Quantitative Mesoscale Characterization of the Mechanical Behavior of Ceramic Matrix Composites | 721 |
| J.-. Sanglebœuf, T. Bretheau, O. Sudre and D. Caldemaison | |
| High Strain-Rate and High Temperature Tensile Behaviour of CAS/SiC | 729 |
| A. Martín-Meizoso, I. Puente, J.M. Sánchez and J. Gil Sevillano | |
| Experimental Technique for High Temperature and High Strain Rate Testing of CMCs | 737 |
| I. Puente, J.M. Sánchez and A. Martín-Meizoso | |
| Fatigue and Friction Heating in Ceramic Matrix Composites | 745 |
| T.K. Jacobsen, B.F. Sørensen and P. Brønsted | |
| Mechanical Properties of Hi-Nicalon Fibre-Reinforced Silicon Nitride Matrix Composites | 753 |
| C. Olivier, J.-. Veyret and M.H. Vidal-Sétif | |
| Mechanical Properties of Ceramic-Matrix Composites for Aeroengine Applications | 761 |
| E. Erauzkin, M. Gutiérrez and J. Llorca | |
| Crack Growth in the 90° Plies and Creep of 2D SiC_f-MLAS Composites | 769 |
| H. Maupas, C. Rospars and J. Chermant | |
| Microstructure of C_f-SiC Composites | 777 |
| G. Boitier, J. Vicens and J. Chermant | |
| Damage and Creep Mechanisms for a 2D SiC_f Experimental Composite Material | 785 |
| C. Rospars, J. Chermant and P. Ladeuze | |
| Material Testing for Multiaxial Macroscopic Modelling of Ceramic Matrix Composites | 791 |
| M.J.L. Percival, E. Claxton, S. Gabeltaud, B. Dambrine and J.F. Maire | |
| Bending Test for CMC's Toughness Testing | 799 |
| S. Yotte, É. Lacoste and C. Currit | |
| Local Mechanical Characterisation of the Hi-Nicalon Fibre Reinforced α - Si₃N₄ Ceramic Matrix Composite using Microindentation Tests | 807 |
| M. Drissi-Habti and K. Nakano | |
| Mechanical Behaviour of Fibre-Reinforced Aluminium Alloy Plate and Tube | 815 |
| V.D. Scott, R.S. Bushby and A.S. Chen | |
| Fibre Damage in Silicon Carbide Reinforced Aluminium Alloy in Relation to Internal Stresses | 823 |
| L. Pambaguián | |

| | |
|---|------|
| Deformation and Failure of Monofilament-Reinforced Titanium under Axial Compressive Loading | 833 |
| J.E. Spowart and T.W. Clyne | |
| Properties and Damage Mechanism in Three Classes of Titanium Composite Matrices | 843 |
| C.J. Boehlert, B.S. Majumdar and D. Eylon | |
| Measurement of Thermal Residual Stresses in Continuous Fibre Composites | 851 |
| S. Güngör and C. Ruiz | |
| Deformation of Continuous Carbon Fibre Reinforced Mg-Alloys by Thermally Induced Stresses | 861 |
| J. Kiehn, E. Böhm and K.U. Kainer | |
| Analysis of the Mechanical Behaviour of Bimetallic Composites under Uniaxial Tension | 869 |
| T. Guraya, B. Aleman and J.J. Urcola | |
| Microstructure and Properties of MoSi₂-SiC and MoSi₂-Si₃N₄ Composites | 877 |
| A.L. Chamberlain, M.H. Lewis, R. Rajput, A. Jickells and P.H.A. Roebuck | |
| The Role of Platelet Orientation on the Creep Behaviour of Al₂O₃/SiC Composites | 885 |
| R. Ham-Su and D.S. Wilkinson | |
| Evaluation of R-Curve Behavior from Indented Strength in SiC Particle-Dispersed Al₂O₃ Composite | 889 |
| B.N. Kim, Y. Katsukawa, B.W. Ahn, M. Enoki and T. Kishi | |
| Growth of Small Surface Indentation Cracks in Alumina and Zirconia Toughened Alumina | 895 |
| D. Casellas, M.M. Nagl, L. Llanes and M. Anglada | |
| Mechanical Properties of Newly Developed TiB₂ Based Cermets | 903 |
| J.M. Sánchez, I. Iturriza, J. Echeberría and R. González | |
| Influence of Microstructure on Mechanical Properties of Hypereutectic Al-Si Alloys | 911 |
| J. Valer Goñi, J.M. Rodriguez-Ibabe and J.J. Urcola | |
| The Effect of Particle Clustering on the Deformation and Failure of Al-Si Reinforced with SiC Particles: A Quantitative Study | 919 |
| A.M. Murphy, S.J. Howard and T.W. Clyne | |
| P/M Aluminum Composite Reinforced with Ni₃Al | 929 |
| J.M. Torralba, C.E.d. Costa, L.E.G. Cambronero and J.M. Ruiz Prieto | |
| The Effect of Clustering on Damage Formation in Particulate Reinforced MMCs Deformed in Compression | 937 |
| P.B. Prangnell, S.J. Barnes, S.M. Roberts and P.J. Withers | |
| Damage Nucleation and Growth in Particle Reinforced Aluminium Matrix Composites | 945 |
| I. Justice, P. Anderson, G. Davis, B. Derby and J. Elliott | |
| Superplastic Deformation of the 2009-15%SiC_w Composite | 953 |
| R. Kaibyshev, V. Kazyhanov and C.C. Bampton | |
| Structure and Texture Evolution of the Metal Matrix Composite PM2014 Al-20%Al₂O₃ during Superplastic Deformation | 961 |
| R. Kaibyshev and V. Kazyhanov | |
| On the Structure and Strength of Severe Strained Metal Matrix Composite Al-30%SiC_w | 969 |
| R. Kaibyshev and V. Kazyhanov | |
| Mechanical and Microstructural Characterization of Al-SiC Composite Material Obtained by Dynamic Compaction | 977 |
| D. Jaramillo-Viguera, G. Hinojosa, J.M. Hallen, H. Balmori and O.T. Inal | |
| The Effects of SiC_p Clusters and Porosity on the Mechanical Properties of PM Al Matrix Composites | 985 |
| H.N. Yoshimura, M.C. Gonçalves and H. Goldenstein | |
| Effect of Thermal Cycling on the Damping Behaviour of Mg Matrix Composites | 993 |
| J. Kiehn, Z. Trojanová, P. Lukáč and K.U. Kainer | |
| Dislocation Generation in Mg Matrix Composites due to Thermal Cycling | 1001 |
| Z. Trojanová, M. Pahutová, J. Kiehn, P. Lukáč and K.U. Kainer | |
| Wear Behavior of Copper Matrix Composites | 1009 |
| D. Coupard, M.C. Castro, J. Coletto, A. García, J. Goñi and J.K. Palacios | |
| Wear and Mechanical Behaviour of PM High Speed Steels with Carbide Reinforcement | 1017 |
| E. Gordo Odériz, J.M. Torralba, J.M. Ruiz Prieto and J.C. Ruiz | |

| | |
|--|------|
| Influence of Phase Morphology and Deformation Mode on the Behaviour during Hot Working of a Two-Ductile Phase Composite | 1025 |
| A. Piñol-Juez, A. Iza-Mendia, I. Gutiérrez and J.J. Urcola | |
| Study of the Role of the Interface Coherence on the Hot Deformation Behaviour of Duplex Stainless Steels | 1033 |
| A. Iza-Mendia, A. Piñol-Juez, I. Gutiérrez and J.J. Urcola | |
| Tensile Fracture of Brittle Matrix Composites Reinforced with Continuous Fibres | 1043 |
| J.M. Martínez-Esnaola, A.M. Daniel, A. Martín-Meizoso and M. Fuentes | |
| An Explicit Behavioural Damage Model for the Design of Components in Ceramic Matrix Composites | 1053 |
| J.F. Maire, P.M. Lesne and R. Girard | |
| Comparison between Experimental Stiffness Changes and Crack-Thickness-Dependent Predictions on a 1D SiC-SiC Composite | 1061 |
| J.-. Morvan and S. Baste | |
| Interface Oxidation and Stress-Rupture of NicalonTM/SiC CFCCs at Intermediate Temperatures | 1069 |
| E. Lara-Curzio, M.K. Ferber and P.F. Tortorelli | |
| Strain Redistribution around Holes and Notches in Fiber-Reinforced Cross-Woven Brittle Matrix Composites | 1083 |
| T.K. Jacobsen and P. Brønsted | |
| Modelling of Matrix Cracking in Fibre-Reinforced Ceramics | 1093 |
| P. Peters | |
| Damage Evolution in a Continuous Fibre Reinforced CMC: Measurements and Modelling | 1101 |
| S. García-Alonso, M.R. Elizalde, I. Puente, J.M. Sánchez and J.M. Martínez-Esnaola | |
| Thermal Stress in Cylinders Made of Composite Materials | 1109 |
| J.L. Shi and C. Askew | |
| A Three-Dimensional Modeling of Transverse Matrix Cracking in Laminated Composites | 1117 |
| B.N. Nguyen | |
| The Contribution of Bridging Ligament Rupture to Energy Absorption during Fracture of Metal-Ceramic Laminates | 1127 |
| S.K. Pateras, S.J. Howard and T.W. Clyne | |
| Simulation and Assessment of Crack Behaviour in Discontinuously Reinforced Composite Materials | 1137 |
| M. Bush | |
| Creep of a Metal Matrix Composite with or without Diffusion and Sliding on Matrix/Reinforcement Interfaces | 1145 |
| T. Mori, K. Tanaka, Y. Nakasone, J. Huang and M. Taya | |
| 2-Dimensional Simulation of Crack Propagation in Al₂O₃ Matrix Composites Dispersed with SiC Particles | 1153 |
| B.N. Kim, M. Watanabe, M. Enoki and T. Kishi | |
| The Stress-Strain Relationship in Al356/SiC Particulate Composites | 1159 |
| J. Luo, R. Stevens and N. Han | |
| Modelling of Damage in Particulate Metal Matrix Composites | 1167 |
| É. Maire, J.D. Embury and D.S. Wilkinson | |
| Cyclic Behavior of Metal-Matrix Composites: An Experimental and Theoretical Investigation | 1175 |
| E. Gonia-Péron, J.L. Besson, P. Pilvin and C. Peytour-Chansac | |
| Investigation of Residual Stress Induced Crack Closure and its Effects on Fatigue in Metal Matrix Composites | 1183 |
| A.M. Korsunsky and P.J. Withers | |
| A Numerical Study of Effect of Grain Boundaries on Elastic and Plastic Properties in Nanocomposite Materials | 1191 |
| H. Huang, M. Bush and G.V. Fisher | |
| Functionally Graded Material Properties for Disks and Rotors | 1199 |
| J.F. Durodola and J.E. Adlington | |
| A Microstructural Approach to the Effective Transport Properties of MMCs and CMCs | 1207 |
| Z.Y. Fan | |
| Numerical Simulation of Plane Strain Compression Tests of a Bimetallic Composite | 1215 |
| M. Tellaeche Reparaz, J.M. Martínez-Esnaola and J.J. Urcola | |

| | |
|--|------|
| Thermodynamic Modelling and Experimental Studies in the Design of Integrated Oxidation Protection Systems for Ceramic Matrix Composites | |
| J.D. Webster, F.H. Hayes and R. Taylor | 1225 |
| The Use of Finite Element Analysis in the Design of Integrated Oxidation Protection Systems for Ceramic Matrix Composites | |
| M.E. Westwood, R.J. Day and R. Taylor | 1233 |
| The Influence of Heat Treatment on the Tensile Strength of Single Fibre Composites (SiC Fibre / Titanium Alloy) | |
| H. Assler and P. Peters | 1241 |
| The Effect of W-Core/SiC Reaction on the Strength of SiC Fibers in SiC/Ti-Alloy Composites | |
| M.L. Gambone and D.B. Gundel | 1251 |
| Study of the Thermal Treatment of an Alumina Short Fibre Reinforced Aluminium Composite | |
| A. García-Romero, J. Goñi, J. Coletto, M.C. Castro, D. Coupard and J.K. Palacios | 1259 |
| Applications of CMCs to Turbojet Engines: Overview of the SEP Experience | |
| P. Spriet and G. Habarou | 1267 |
| Production of MMC-Wearparts | |
| U. Bryggman, J.-. Lindqvist and T. Garvare | 1277 |