

# Table of Contents

## Preface

<b>Piezoelectric Properties and Applications of High Q<sub>m</sub> (Li, Na)NbO<sub>3</sub> Ceramics after Heat Treatment</b>	
M. Kimura, S. Kawada, K. Shiratsuyu, A. Ando, H. Tamura and Y. Sakabe	3
<b>Ferroelectricity and Solid-Solution Structure of KNbO<sub>3</sub> Ceramics Doped with La and Fe</b>	
K. Kakimoto, I. Masuda and H. Ohsato	7
<b>Structure Analysis of A-Site Defect Perovskite-Type Crystal</b>	
A. Komeno, Y. Aoyama, K. Toda, M. Sato and K. Uematsu	11
<b>Change in Mechanical Strength of Barium Titanate Dispersed Composite on Polarization Treatment</b>	
A. Kishimoto and S. Seo	15
<b>Enhanced Piezoelectric Property of BaTiO<sub>3</sub> Single Crystals with the Different Domain Sizes</b>	
S. Wada, K. Yako, H. Kakemoto, J. Erhart and T. Tsurumi	19
<b>Growth and Characterization of Piezoelectric Ba<sub>3</sub>TaGa<sub>3</sub>Si<sub>2</sub>O<sub>14</sub> Single Crystals</b>	
H. Takeda, S. Izukawa, S. Okamura and T. Shiosaki	23
<b>Effects of Mn Doping on the Domain Structure of Bismuth Titanate Single Crystals</b>	
H. Hara, Y. Noguchi and M. Miyayama	27
<b>Radiation and Evaluation of X-Rays Using Electric Charge Generated by Temperature Change of LiNbO<sub>3</sub> Single Crystal</b>	
S. Fukao, Y. Nakanishi, Y. Ito and S. Yoshikado	31
<b>Low Temperature Sintering of (Pb<sub>0.92</sub>Sr<sub>0.06</sub>)(Zr<sub>0.52</sub>Ti<sub>0.46</sub>Nb<sub>0.02</sub>)O<sub>3</sub> Ceramics</b>	
S. Aida and T. Yamakawa	35
<b>Polarization Switching in CaBi<sub>4</sub>Ti<sub>4</sub>O<sub>15</sub> Ferroelectric Thin Films</b>	
D.S. Fu, K. Suzuki and K. Kato	41
<b>Giant Ferroelectric Polarization in Polar-Axis-Oriented Bi<sub>4-x</sub>Pr<sub>x</sub>Ti<sub>3</sub>O<sub>12</sub> Polycrystalline Thin Films</b>	
H. Matsuda, S. Ito and T. Iijima	45
<b>Construction of MFIS Structure Using Alkoxy-Derived (Y,Yb)MnO<sub>3</sub> Thin Films</b>	
K. Suzuki, K. Tanaka, D.S. Fu, K. Nishizawa, T. Miki and K. Kato	49
<b>Synthesis and Properties of Nd-Substituted Bismuth Titanate Polycrystalline Thin Films with Polar-Axis Orientation</b>	
M. Kurachi, H. Matsuda, T. Iijima, H. Uchida, S. Koda, T. Watanabe and H. Funakubo	53
<b>Composition Dependence of Lead-Free Ferroelectric Ba(Ti,Zr)O<sub>3</sub> Thin Films Fabricated by Chemical Solution Deposition Process</b>	
K. Tanaka, K. Suzuki, D.S. Fu, K. Nishizawa, T. Miki and K. Kato	57
<b>Preparation and Characterization of Lead Zirconate Titanate Thin Films on Si Substrate by Metal-Organic Chemical Vapor Deposition</b>	
A. Sakurai, T. Nakaiso, K. Nishida, A. Ando and Y. Sakabe	61
<b>Optical Properties of PLZT Thin Films Fabricated by a Sol-Gel Method</b>	
M. Ishii, K. Satoh, M. Kato and K. Kurihara	65
<b>Influence of SRO Top Electrode on Fatigue Characteristics of FRAM</b>	
O. Matsuura, M. Kurasawa, S. Umemiya, K. Maruyama and K. Kurihara	69
<b>Sintering Behavior of ZnO Nanoparticles and Preparation of Nanoporous ZnO Compacts</b>	
N. Uekawa, N. Mochizuki and K. Kakegawa	75
<b>Doping of Bonds into ZnO Films and the Changes of their Electric Properties</b>	
K. Kobayashi, T. Yamazaki, Y. Hatta and Y. Tomita	79
<b>The Effects of Si Addition on Electrical Degradation of ZnO Varistors</b>	
Y. Satoi, H. Hirai, H. Yoshino and S. Yoshikado	83
<b>Preparation of Nanoporous TiO<sub>2</sub> Film Using Aqueous Sol with Trehalose</b>	
T. Miki, K. Nishizawa, K. Suzuki and K. Kato	87
<b>Phase Control in High-Temperature Superconductors and Novel Fabrication Procedure for Superconducting Components</b>	
M. Osada, M. Kakihana, M. Käll, J. Bäckström and L. Börjesson	91

<b>Luminescence of CuAlS<sub>2</sub> Film by Iodine Transport Method</b>	95
Y. Kuroki, T. Okamoto, S. Ohara and M. Takata	
<b>Mechanoluminescence Phenomenon of Niobates</b>	99
D. Sakuraba, K. Toda, K. Uematsu and M. Sato	
<b>Deposition and Evaluation of YBCO Thin Films by Visible-Light Pulsed-Laser Ablation Method</b>	
J. Kondo, A. Yamada and S. Yoshikado	105
<b>Effect of the Nano-Sized BaTiO<sub>3</sub> Gel Particles on Dielectric Properties of Thin Films</b>	
T. Makino, M. Arimura, Y. Yamashita, K. Fujiyoshi and M. Kuwabara	109
<b>Formation and Characteristics of Ferroelectric Film on Non-Planar Substrate with Spray Coating Method</b>	
M. Ichiki, L. Zhang, Z. Yang, T. Ikehara and R. Maeda	113
<b>Thermoelectric Hydrogen Sensor Based on SiGe Thin Film</b>	
K. Tajima, F. Qiu, W. Shin, N. Sawaguchi, N. Izu, I. Matsubara and N. Murayama	117
<b>Fabrication and Evaluation of Ca, Sr-Doped-LaCrO<sub>3</sub>Thin Film Electric Heaters</b>	
K. Wakisaka, H. Kado and S. Yoshikado	121
<b>Effects of β-diketone Addition on Crystallinity of Photo-Assisted Alkoxy-Derived Zirconia Thin Films</b>	
K. Nishizawa, T. Miki, K. Suzuki, D.S. Fu and K. Kato	125
<b>Variable Thermal-Emittance Radiator Using La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub> Thick Film on PSZ Substrate</b>	
A. Ochi, T. Mori, Y. Shimakawa, Y. Kubo, A. Okamoto, Y. Nakamura, S. Tachikawa and A. Ohnishi	129
<b>Electrochemical and Thermal Behavior of Carbon Anodes for Lithium Cells</b>	
S. Tobishima, H. Morimoto, Y. Ohno, Y. Kimura and Y. Kashiwazaki	135
<b>Li Intercalation Properties of LiFePO<sub>4</sub>/Carbon Composites Prepared by Hydrothermal Method</b>	
K. Kimura and M. Miyayama	139
<b>Interfacial Control between Electrode and Electrolyte for the Fabrication of All Solid-State Rechargeable Lithium Battery with LiTi<sub>2</sub>(PO<sub>4</sub>)<sub>3</sub>-AlPO<sub>4</sub> (LTP)</b>	
Y.H. Rho and K. Kanamura	143
<b>Preparation of LiFePO<sub>4</sub> as Cathode Material for a Lithium Ion Battery by Microwave Processing</b>	
M. Higuchi, T. Tsuruoka, T. Asaka, T. Mihara, M. Suhara, K. Katayama and Y. Azuma	147
<b>Intermediate-Temperature SOFCs with Ru-Catalyzed Ni-Cermet Anodes</b>	
A. Hashimoto, D. Hirabayashi, T. Hibino and M. Sano	151
<b>Proton Conductivity of Sulfated Zirconia with Superacidity</b>	
S. Hara and M. Miyayama	155
<b>Effect of Particle Size and Mixing Homogeneity of Starting Powder on Solid State Synthesis of BaTiO<sub>3</sub></b>	
C. Ando, H. Chazono and H. Kishi	161
<b>Preparation of KNbO<sub>3</sub> Nanoparticles at Room Temperature</b>	
K. Toda, H. Sato, A. Sugawara, S. Tokuoka, K. Uematsu, M. Sato, A.A. Bokov and Z.G. Ye	165
<b>Assembly of Monodisperse Silica Spheres by Micro-Electrophoretic Deposition Process</b>	
J.I. Hamagami, K. Hasegawa and K. Kanamura	169
<b>Ceramics Processing Assisted by Centrifugal Pressure</b>	
Y. Kinemuchi, S. Uchimura and K. Watari	173
<b>Mechanisms of Texture Development in Ceramics Prepared by Templatized Grain Growth Method</b>	
T. Kimura, Y. Sakuma, H. Muramatsu and Y. Miura	177
<b>Structural Characterization of Bismuth Layered Perovskite Treated with Acids</b>	
T. Aoyagi, K. Toda, K. Uematsu and M. Sato	181
<b>Development of LTCC-Alumina Powder</b>	
H. Osuzu and Y. Takahashi	185
<b>Microwave Dielectric Property and Crystal Structure of R<sub>2</sub>O<sub>3</sub> (R = Rare Earth)-BaO-MO (M = Cu and Zn) System</b>	
A. Kan, H. Ogawa, H. Ohsato and Y. Higashida	191
<b>Microwave-Millimeterwave Dielectric Materials</b>	
H. Ohsato, T. Tsunooka, A. Kan, Y. Ohishi, Y. Miyauchi, Y. Tohdo, T. Okawa, K. Kakimoto and H. Ogawa	195

<b>Development of Forsterite with High Q and Zero Temperature Coefficient <math>\tau_f</math> for Millimeterwave Dielectric Ceramics</b>		
T. Tsunooka, T. Sugiyama, H. Ohsato, K. Kakimoto, M. Andou, Y. Higashida and H. Sugiura	199	
<b>Microwave Dielectric Homologous Materials <math>ALa_4Ti_4O_{15}</math>(A=Ba,Ca,Sr) with High Q - High Dielectric Constant for Base Station</b>		
Y. Tohdo, T. Okawa, H. Okabe, K. Kakimoto and H. Ohsato	203	
<b>Anisotropic Microwave Dielectric Properties of Textured <math>Ba_4 Sm_{9.33} Ti_{18} O_{54}</math> Ceramics</b>		
K. Wada, K. Kakimoto and H. Ohsato	207	
<b>Microwave Dielectric Film by Aerosol Deposition Method</b>		
Y. Imanaka, M. Takenouchi and J. Akedo	211	
<b>Measurement of Micro-Wave Dielectric Properties of <math>SrTiO_3</math> Substrate Thin Plates Using Planar Electrodes</b>		
T. Harigai, T. Teranishi, S.M. Nam, H. Kakemoto, S. Wada and T. Tsurumi	215	
<b>Dielectric Measurement of <math>BaTiO_3</math>-Based Ceramics in RF Region Using Electric Length Calibration Method</b>		
J. Li, H. Kakemoto, S.M. Nam, S. Wada and T. Tsurumi	219	
<b>Characteristics of Composite Electromagnetic Wave Absorber Made of Ni-Zn Ferrite and Isolated <math>SiO_2</math> Particles</b>		
H. Kusunoki, T. Kondo, K. Hiraki, K. Takada and S. Yoshikado	223	
<b>Dielectric Properties and its Frequency Dependence of <math>BaTiO_3</math> Thin Film Single-Layer Capacitor that is Applicable to Multilayer Structure</b>		
H. Yokoi, N. Wakiya, K. Shinozaki and N. Mizutani	229	
<b>The Effect of Nb Doping to Control the Oxygen Defect and Improve C-V Properties of PLD Prepared YSZ Thin Film</b>		
N. Tajiri, N. Wakiya, K. Shinozaki and N. Mizutani	233	
<b>AEM Investigation of Interface Structure of <math>Y_2O_3</math>-<math>Ta_2O_5</math> Co-Doped Zirconia Buffer Layer</b>		
T. Kiguchi, N. Wakiya, K. Shinozaki and N. Mizutani	237	
<b>Formation and its Photovoltaic Effect of Layered Ferroelectric Film Structure</b>		
M. Ichiki, H. Furue, R. Kogo, Y. Morikawa, K. Nonaka, T. Kobayashi, C. Endo and R. Maeda	241	
<b>Improvement of Magnetic Properties of (111)-Epitaxial Nickel-Zinc-Ferrite Thin Films Deposited on Si Platform</b>		
N. Wakiya, K. Shinozaki and N. Mizutani	245	