

Table of Contents

Ultrasonic Nondestructive Measurement Systems – Models and Measurements A. Lopez-Sanchez and L.W. Schmerr	1
Inverse Models and Implications for NDE K. Balasubramaniam	6
Application of Modified Grid-Based Approach for Auto Mesh Generation of IT-Related Products Y.J. Park, B.S. Kim, H.O. Ko, Y.S. Chang, J.B. Choi, Y.J. Kim, J.S. Lee and C.S. Kim	12
Application of the Refined Mesh Method for the Strength Estimation around Openings K.S. Lee, J.Y. Song, K.S. Kim, S.C. Kim and J.H. Kim	16
Finite Element Analysis of an Induced Current Potential Drop Method for the Defect Detection of Railway Axles B.C. Goo, C.H. Lim and S.J. Kwon	20
Analysis of Residual Stress Components Developed in Cold Drawing by Finite Element Method T.H. Baek	24
Evaluation of the J Integral of a Surface Crack by the Three-dimensional Local Hybrid Method K. Machida, G. Mizukami and H. Oyama	28
Examination of Accuracy of the Singular Stress Field Near a Crack-Tip by Digital Image Correlation K. Machida and Y. Suzuki	32
Limit Loads for Circumferential Cracked Pipe Bends under In-Plane Bending Y.J. Kim, C.S. Oh, B.K. Park and Y.I. Kim	38
A Micromechanical Model for Ductile Fracture of API X65 C.K. Oh, Y.J. Kim, J.H. Baek, Y.P. Kim and W.S. Kim	43
Ball SAW Sensors for Safety and Reliability of Fuel Cell Technologies K. Yamanaka	48
Optically Encoded Smart Dust from DBR Porous Silicon B.J. Lee, S.G. Kim and H.L. Sohn	53
Development of Biaxial Servo Controlled Fatigue Testing System A. Shimamoto, D.Y. Hwang and T. Nemoto	57
Separation and Concentration of Particles in Fluid Using Ultrasonic Standing Wave Y.S. Lee and J. Kwon	63
Measurement of Thermal Expansion Coefficients of Thin Film of Different Organic Coatings by Shearography K. Habib	67
Development of Novel Optical Fiber AE Sensor with Multi-Sensing Function H. Cho, T. Naruse, T. Matsuo and M. Takemoto	71
Measurement for In-Plane Displacement of Tensile Plates with Through-Thickness Circular Hole and Partly Through-Thickness Circular Hole by Use of Speckle Interferometry M.S. Kim and T.H. Baek	77
Test and Evaluation of a Newly Built Multi-Purpose Transmission Type Polariscopes T.H. Baek and M.S. Kim	81
The Detection and Imaging of Internal Defect Using ESPI-Based Strain Analysis T.H. Lee and K.Y. Jhang	87
An Optical Method for the Detection of In-Plane Motion of Acoustic Waves Propagating in Solids C.H. Yang and Y.C. Tsai	91
Quantitative Vibration Amplitude Measurement Using Stroboscopic Phase Shifting ESPI H.C. Jung and K.S. Kim	95
Surface Roughness Measurement by Using Interferometer and Active Interferometer Stabilization J.T. Kim, D. Kim, H.S. Kim and J.R. Park	99

Suppressing Technique of the Antisymmetric Mode by the Superposition of Lamb Waves Generated by Two Laser Beams in a Thin Plate S.S. Lee and S.W. Dho	103
Absolute Single-Mode Lamb Wave Generation by Laser in a Thin Plate S.S. Lee and S.W. Dho	108
Influence of Shearing Amount on Detecting Crack-Shaped Internal Defect by Shearography K.S. Kang, K.S. Kim, H.C. Jung and H.S. Jang	112
Out-of-Plane Micro-ESPI System for Measurement of Mechanical Properties of Film Materials D.I. Kim, Y.H. Huh and C.D. Kee	116
Residual Stress Evaluation of Thin Film Using Strip Bending Test J.H. Kim, H.J. Lee, S.W. Han, J.M. Kim and C.W. Baek	121
Gas Electron Multipliers for Potential Applications to Digital Radiography H.S. Cho, S.I. Choi, H.Y. Kim, B.S. Lee and S. Kim	125
A Correction of Geometric Error of Nano-Indenter Using Atomic Force Microscope and Finite Element Method S. Baek, S.K. Cho and C.S. Seok	129
Design and Characterization of Capacitive Micromachined Ultrasonic Transducer B.Y. Ahn, K.B. Kim, H.W. Park, Y.J. Kim and Y.S. Kwak	132
Novel Test Procedure of Tensile Test for MEMS Materials J.H. Park, Y.J. Kim, M.S. Myung, C.S. Lee, S.H. Choa and N.S. Choi	136
Structural Health Monitoring Based on Electrical Impedance of a Carbon Nanotube Neuron I.P. Kang, J.W. Lee, G.R. Choi, J.Y. Jung, S.H. Hwang, Y.S. Choi, K.J. Yoon and M.J. Schulz	140
PZT-Induced Lamb Waves and Pattern Recognition for On-Line Health Monitoring of Jointed Steel Plates Y.R. Roh, D.Y. Kim, S.H. Yang, S.H. Park and C.B. Yun	146
Characteristics of Fiber Bragg Grating Sensors with Various Grating Lengths Embedded in Composite Materials D.H. Kang, C.S. Hong and C.G. Kim	152
Knee Joint Analysis for Optimal Ligament Surgical Reconstruction Using Three Dimensional Motion Model B.Y. Moon, H.K. Kang, K. Son and S.W. Chung	156
Experimental Study of Evaluating Bio-Mechanical Characteristics of Cushioning System Using Nano-Shock Absorption Pocket B.Y. Moon, C.T. Lee, K. Son and S.W. Chung	161
Performance of Electro-Active Papers Made with Cellulose and Multi-Walled Carbon Nanotubes J.H. Kim, S.R. Yun and C.S. Song	166
Experimental and Analytical Studies for Impedance-Based Smart Health Monitoring of Concrete Structures S.H. Park, S. Ahmad, C.B. Yun and Y.R. Roh	170
A Study on Damage Behavior and Strength of Smart Material under Low Temperature Using Acoustic Emission J.K. Lee, Y.C. Park, S.L. Lee, J.H. Lee and J.B. Lee	174
Surface Monitoring Technique for Fatigue Effect of Shape Memory Alloys(SMAs) K.K. Chang, I.K. Rhee and Y.S. Roh	178
Strain Monitoring and Damage Detection of a Filament Wound Composite Pressure Tank Using Embedded Fiber Bragg Grating Sensors S.W. Park, D.H. Kang, H.J. Bang, S.O. Park and C.G. Kim	182
Numerical Modeling of Shape Memory Alloy Thin Film Actuators and Their Applications J.H. Roh, J.H. Han and I. Lee	186
Wireless Instrumentation for Monitoring of Smart Structures C.Y. Kim, I.B. Kwon and D.C. Seo	192
Cohesive Zone Parameters for the Interface between NiTi Shape Memory Alloy and CFRP S.Y. Yang	196
Velocity Feedback with a Non-Collocated Pair of Sensor and Actuator for Tip Vibration Suppression of a Beam Y.S. Lee and K.H. Shin	200

Biologically Inspired Smart Sensor for Acoustic Emission Detection Y.S. Lee, H.J. Im, J. Kwon and D.J. Yoon	204
Dynamic Characteristics of Novel Ionic-Polymer-Metal-Composites I.K. Oh and J.H. Jeon	208
Application of Fiber Optic BOTDA Sensor for Fire Detection in a Building I.B. Kwon, C.Y. Kim and D.C. Seo	212
Reliability-Based Assessment of Bridges Using Long-Term Monitoring Data Y.Q. Ni, X.G. Hua and J.M. Ko	217
Fatigue Reliability Analysis of a Suspension Bridge Using Long-Term Monitoring Data Y.Q. Ni, X.W. Ye and J.M. Ko	223
Embedded Fibre Bragg Grating Sensors for Internal Fatigue Damage Monitoring in Polymeric Composites C.S. Shin and C.C. Chiang	230
On-Line NDE and Structural Health Monitoring for Advanced Reactors N. Nakagawa, F. Inanc, A. Frishman, R.B. Thompson, W.R. Junker, F.H. Ruddy, A.R. Dullo, J.M. Beatty and N.G. Arlia	234
Ultrasonic Estimation of Clamping Force in High-Tension Bolts K.Y. Jhang, H.H. Quan, J. Ha and N.Y. Kim	240
Development of Smart Stress Memory Sensor Using AE Kaiser Effect S. Nambu, Y. Tsunawaki and M. Enoki	244
Assessment Model for the Safety and Serviceability of Steel Beams Using Terrestrial LiDAR H.S. Park, H.M. Lee, Y.H. Kwon, J.H. Seo and H.C. Rhim	248
Simultaneous Monitoring of Acoustic Emission and Corrosion Potential Fluctuation for Mechanistic Study of Chloride Stress Corrosion Cracking A. Yonezu, H. Cho, T. Ogawa and M. Takemoto	254
Development of Heat Resistant AE Monitoring System Using Optical Fiber Sensor T. Matsuo, H. Cho and M. Takemoto	260
Monitoring of a Steel Plate Girder Railroad Bridge with Fiber Bragg Grating Sensors W.S. Chung, D.H. Kang, E.S. Choi and H.M. Kim	264
FE Model Updating for Health Monitoring of Structures and its Experimental Verification by Damage Detection G.H. Heo, J.R. Jeon, C.O. Lee, G. Lee and W.S. Lee	268
Optimal Accelerometer Locations for Structural Health Monitoring Using Time-Domain System Identification S.J. Kwon, H.S. Lee and S.B. Shin	273
Contribution of Three-Dimensional Trabecular Bone Microstructure of the Proximal Femur to its Mechanical Properties as Assessed by Micro-Finite Element Analysis W.Q. Cui, Y.Y. Won, M.H. Baek and K.K. Kim	278
Integrity Assessment for Beam-Like Structures by Continuous Wavelet Transform H.S. Kim, J.H. Yi, K.Y. Koo, C.B. Yun and Y.H. Huh	282
Fatigue Crack Growth Monitoring by Optical Fiber Sensors in Smart Composite Patch Repairs D.C. Seo, I.B. Kwon and J.J. Lee	286
Structural Health Monitoring for Carbon Fiber/Carbon Nanotube (CNT)/Epoxy Composite Sensor S.I. Lee and D.J. Yoon	290
Making Sense of Non-Destructive Evaluation Data with an Artificial Intelligence Approach M. Nguyen, X.M. Wang and G. Foliente	294
Assessment of Structural Integrity for a Concrete Runway by Seismic Techniques S.H. Joh, T.H. Kang and S.A. Kwon	298
Structural Integrity Assessment of Tunnel Concrete Lining by the Resonance Search Technique T.H. Kang, S.H. Joh and M.R. Cho	302
The Effect of Joint Conditions on the Longitudinal and Flexural Wave Velocities of a Rock Mass M.S. Cha, Y.J. Sim, G.C. Cho and S.W. Lee	306
A Study on the Elastic Wave Propagation in the Telecommunication Pole Having Different Subsurface End Condition H.W. Kim, D.S. Kim and W.K. Kang	310

Modified Surface Wave Velocity Measurement Technique in Concrete S.W. Shin, C.B. Yun, W.J. Song and J.H. Lee	314
Nondestructive Curing Monitoring of Early-Age Concrete Using Rayleigh Wave Velocity S.W. Shin and C.B. Yun	318
Assessment of Fire-Induced Damage on Concrete Segment of Shield TBM Tunnel S.H. Chang, S.W. Choi and G.J. Bae	322
Geomechanical Characterization of Faulted Rock Materials in Korea Y.S. Seo, C.Y. Kim, K.Y. Kim and K.M. Lee	328
Evaluation of Residual and Actual Stress Levels of Steel Columns in Existing Building Structures due to Working Loads H.S. Park, W.H. Lee, K.S. Yun and H.C. Rhim	332
Improvement of the Impact-Echo Method for the Higher Reliability in the Structural Integrity Assessment M.R. Cho, K.B. Kim, S.H. Joh and T.H. Kang	336
Assessment of the Integrity of Piles by Impedance Log Technique J.R. Lai, C.P. Yu and S.T. Liao	340
Experimental Study of Sliding Load According to Changes of Axial Bolt Clamping Force of H-Beam Affected by Pure Bending C.H. Kim	344
Development of Imaging Technique for Evaluating the RC Plate Containing Epoxy-Repaired Delamination C.C. Cheng, K.C. Pei and J.H. Wu	348
Non-Contact SWP Stability Estimation Using Laser-Ultrasonic Wave K.S. Song, J.Y. Kim and Y.H. Kim	352
Damage Assessment of Reinforced Concrete Beams by Complex Ratios of Transfer Functions C.P. Yu, C.C. Cheng and C.H. Chiang	357
Non-Destructive Pile Integrity Test Using HWAW Method H.C. Park and D.S. Kim	363
Effect of Confining Pressure on Modeling High Early Strength Concrete under Uniaxial Loading B.H. Oh, H.C. Rhim and H.S. Park	367
Assessment of Local Damage Level in Engineered Cementitious Composites (ECC) Using Stress Wave Propagation D.S. Kim, K.M. Lee, N.R. Kim and S.W. Jin	371
Magnetoelastic Measurements of Steel Stress under Uniaxial Loading H.C. Rhim, B.H. Oh and H.S. Park	377
Calibration of an Impact Device and Its Application to the Normalized Spectral Analysis of Impact-Echo Tests Y.C. Lin, C.K. Yang and C.C. Cheng	381
Analytical Evaluation of Plastic Resistance of Column Base Connection Using Convex Set Theory J.H. Choi and K. Ohi	386
Detection of Debonding in Concrete Members Retrofitted with FRP Using Electromagnetic and Ultrasonic Methods H.C. Rhim, S.K. Woo and Y.C. Song	390
Crack Detection by Static Measurement in Steel Beams P. Park, Y.H. Huh, D.J. Kim and B.J. Son	394
A Study on the Diagnosis Method of Concrete Structures of School Buildings Using Non-Destructive Tests Based on Stress Waves Y.S. Cho and H.S. Lee	400
Remote Sensing of Bridge Displacement Using Digital Image Processing Techniques J.J. Lee, M. Shinozuka and S.J. Cho	404
Nondestructive Characterization Hydrogen-Charged Zircaloy with a Laser Ultrasound Technique C.H. Yang and Y.A. Lai	410
Comparison of Absolute and Differential ECT Signal Characteristics Obtained at Tubesheet and Tube Expansion Area Y.K. Shin, S.C. Song, H.S. Jung, C.J. Im and M.H. Song	414

Prediction and Analysis of ECT Signals due to Tube Defects near Support Plate in Steam Generator	
Y.K. Shin, S.C. Song, H.S. Jung and Y.T. Lee	420
A New Eddy Current 3-D Profilometry for a Quantitative Measurement of Geometric Anomaly in Steam Generator Tubes of Nuclear Power Plants	
D.H. Lee, M.S. Choi, D.H. Hur, J.H. Han, M.H. Song and U.C. Lee	426
Wear Transitions of Tube-Support Materials for a Nuclear Steam Generator through Sliding Wear Test and Fretting Wear Test	
S.H. Jeong, B.J. Lee and Y.Z. Lee	430
DC Potential-Drop Technique for the Evaluation of 3-D Back-Wall Cracks in Steel Structures	
S. Reaz Ahmed, M. Saka and F. Takeo	434
Development of On-Line Health Monitoring System for Pipes in Nuclear Power Plants	
H.S. Eom, S.H. Lim, J.H. Kim, Y.H. Kim, H.J. Kim and S.J. Song	441
Integrated Approach for On-Line Condition Monitoring of Piping	
J.T. Kim, S.H. Seong, J.H. Park, S.W. Cheon, C.K. Lee, N.Y. Lee, I.S. Hwang and S.J. Lee	445
Evaluation of Motorized Rotating Pancake Coil Probe Signals Simulated by Numerical Analysis in Steam Generator Tubes	
J.Y. Yoo, S.J. Song, C.H. Kim, H.J. Jung, Y.H. Choi, S.C. Kang and H.K. Jung	451
Fault Detection Using Acoustic Methods for the Sodium-Water Reaction Monitoring in a Liquid Metal Reactor	
S. Hur, S.H. Seong, S.O. Kim and S.J. Lee	455
Investigation on Multifrequency Eddy Current Testing Signal Analysis for Nondestructive Inspection of Steam Generator Tubes	
H.J. Jung, S.J. Song, C.H. Kim, J.Y. Yoo, Y.H. Choi, S.C. Kang and M.H. Song	460
Effects of 3D Eddy Current Finite Element Formulations on ECT Signals	
H.B. Lee	464
Water Thickness Gaging in a Bellows Tube Using Special UT Shoes & an Immersion Ultrasonic System	
K.M. Koo, S.B. Kim, I.C. Lim, C.M. Sim, Y.M. Cheong and C.S. Park	468
Research on the Method for Drill Pipe Thread Inspection	
J.F. Ding, Y.H. Kang and X.J. Wu	472
Application of Ultrasonic Test on Creep-Fatigue Life Evaluation	
B.J. Kim, B.S. Lim, S.J. Song and Y.H. Kim	476
Evaluation of Fracture Toughness for Power Plant Materials Using Continuous Indentation Technique	
J.S. Lee, J.I. Jang, K.B. Yoo and D.I. Kwon	480
The Evaluation of Material Degradation in Modified 9Cr-1Mo Steel by Electrochemical and Magnetic Property Analysis	
Y.K. Hyun, S.H. Won, J.H. Jang and I.B. Kim	486
Evaluation of Hidden Corrosion in a Thin Plate Using a Non-Contact Guided Wave Technique	
I.K. Park, T.H. Kim, H.M. Kim, Y.K. Kim, Y.S. Cho and W.J. Song	492
Prediction of Ultrasonic Signals Captured from a Side-Drilled Hole Using a Rectangular Transducer	
H.J. Kim, S.J. Song and L.W. Schmerr	497
A Model to Predict Phased Array Ultrasonic Testing Signals from a Flat-Bottomed Hole in Two Medium	
S.J. Song, J.S. Park, H.J. Kim, U.H. Seong, S.C. Kang and Y.H. Choi	501
Multi-Coil Eddy Current Probe for the Detection of Circumferential Cracks in Tubing	
Y.J. Kim, B.Y. Ahn, K.B. Kim and Y.G. Kim	505
Thermo-Mechanical Fatigue of the Nickel Base Superalloy IN738LC for Gas Turbine Blades	
J.S. Hyun, G.W. Song and Y.S. Lee	509
Non-Contact Ultrasonic Inspection Technology of Fillet Weldments Monitoring	
I.K. Park, H.M. Kim, T.S. Park, Y.K. Kim, Y.S. Cho and W.J. Song	513
Fatigue Life Prediction of Heat-Aging Vulcanized Natural Rubber	
C.S. Woo and W.D. Kim	518

Evaluation for Toughness Degradation of 2.25Cr-1Mo Steel Using Magnetic Property Measurement Method	522
S.H. Nahm, J.S. Park, I.H. Chung, K.S. Ryu and A.K. Kim	
The Application of Nondestructive Methods for Degradation Evaluation of Modified 9Cr-1Mo Steel	528
J.S. Park, U.B. Baek, S.H. Nahm, S.I. Han and S.C. Choi	
A Study on Material Degradation in Carbon Steel for Pressure Vessel at 179°C	532
U.B. Baek, J.S. Park, S.H. Nahm and H.M. Lee	
Evaluation of the Ductile-Brittle Transition Behaviour of Aging Specimens by the Fracture Toughness Test	536
H.I. Kim, Y. Huh, J.S. Park and C.S. Seok	
A Study on Estimation of the Pipe Fracture Characteristics	541
J.S. Park and C.S. Seok	
Identification of AE Source in Corrosion Process	545
A. Prateepasen, C. Jirarungsatean and P. Tuengsook	
Semi-Parametric Learning for Classification of Pitting Corrosion Detected by Acoustic Emission	549
A. Prateepasen, P. Kaewtrakulpong and C. Jirarungsatean	
Effect of Sulfuric Acid Concentration on Acoustic Emission Signals in Uniform-Corrosion	553
A. Prateepasen, C. Jirarungsatean and P. Tuengsook	
Development of a Novel Rod Compression Technique for Characterizing Local Surface Strength	557
Y.H. Lee, J.S. Park, S.H. Nahm and Y.H. Huh	
Assessment of Mechanical Degradation in Pressure Vessel Steel by Morphological Analysis of Carbides	561
J.W. Byeon, S.I. Kwun and K.M. Kang	
Creep Rupture Studies of Zirlo Tubing Using Ring Tensile Specimen	565
B.K. Bae, C.S. Seok, J.M. Koo, H.I. Kim and K.L. Murty	
Fracture Toughness with Thermal Aging in CF8M/SA508 Welds	570
S.W. Woo, J.D. Kwon and Y.H. Choi	
Simultaneous Measurement of Longitudinal and Transverse Waves Velocities Employing Spherically Focused Acoustic Transducer	574
N.Y. Kim and C.K. Lee	
Characterization of Material Degradation in Epoxy Film Based on Scanning Acoustic Microscopy (SAM)	578
N.Y. Kim, H.S. Nah and S.S. Lee	
Assessment of Insulation Degradation in Rotating Machines	582
H.D. Kim	
Nondestructive Detection of Crack and Delamination of Ceramics Coating on SUS304 Stainless Steel Using ESPI Method	586
R.G. Wang, M. Kido and Y. Shinhara	
Experimental Study on the Fatigue Strength of the Bogie Frame for Tilting Railway Vehicles	590
N.P. Kim, J.S. Kim, S.I. Seo and T.W. Park	
Study for Evaluation of Surface Cracks on Tribological Coatings Failure in Contacting Systems	594
B.Y. Moon, B.S. Kim, H.K. Kang and S.W. Chung	
Fatigue Crack Propagation of Magnesium Alloy and Aluminum Alloy in Biaxial Stress Fields	599
Y. Ito and A. Shimamoto	
Experimental Study on the Structural Safety Assessment of the Tilting Bolster Frame	603
J.S. Kim, N.P. Kim and S.H. Han	
Evaluation of Corrosion Fatigue Characteristics of Artificially Sensitized Austenitic Stainless Steel Using the DCPD Method	607
D.H. Bae, B.B. Choi and G.Y. Lee	
Corrosion Fatigue Characteristics of Artificially Degraded CF8A Steel in 3.5 WT.% NaCl Solution	611
S.C. Jang, D.H. Bae and G.Y. Lee	

Fatigue Crack Propagation Life of Welded Joints Related to the Statistical Characteristics of Multiple Surface Cracks J.W. Han and S.H. Han	615
The Effect of Cavity on the Creep Fracture in P92 and P122 Steels and Its Detection by Intelligent Phased Array Ultrasound C.S. Jeong, S.Y. Bae and B.S. Lim	620
Process Integration of Fatigue Analysis for Welded Bogie Frames S.H. Han, J.S. Bang, C.W. Rim, K.S. Lee, K.K. Lee and S.Y. Song	624
Evaluation of SCC Distribution by Means of Focusing Ultrasonic Angle Beam T. Abe, H. Endo, T. Takagi and T. Uchimoto	628
Evaluation of High Temperature Characteristics in Gas Turbine Blades H.I. Kim, H.S. Park, B.K. Bae, Y.M. Lee, C.S. Seok and M.Y. Kim	632
Evaluation of Tensile Properties and Bending-Induced Residual Stress of Slender Copper Pipe S.Y. Kim, H.I. Kim, C.S. Seok, J.K. Lee, J.Y. Mo and D.Y. Park	636
The Contact Fatigue Life Evaluation According to Contact Surface Removal J.W. Seo, S.J. Kwon, H.M. Hur, J.B. Choi and Y.J. Kim	640
Sensitive Ultrasonic NDE of Tightly Closed Small Cracks in Carbon Steel Structures S.R. Ahmed and M. Saka	644
Failure Analysis of Railway Wheel Tread S.J. Kwon, D.H. Lee, S.T. Kwon and B.C. Goo	649
Experimental Study of High-Velocity Impact Characteristic of Mg Alloy Using Ballistic Range D.Y. Hwang, A. Shimamoto, D. Numata, T. Kikuchi and K. Takayama	654
A Study on the Improvement of Durability of a Drive Plate by Investigating the Optimum Peening Intensity K.J. Lee, J.H. Lee, T.K. Lee and S.K. Cheong	658
A Study on the Improvement of Durability of Gear Steel by Shot Peening D.S. Lee, T.H. Kim, J.H. Lee, T.K. Lee and S.K. Cheong	662
Burst Pressure Estimation of Steam Generator Tubes Based on Fracture Mechanics Analyses Y.S. Chang, Y.J. Kim, S.S. Hwang and J.S. Kim	666
Fluid Structure Interaction Analysis on Wall Thinned Pipes Y.S. Chang, K.H. Song, S.M. Lee, J.B. Choi and Y.J. Kim	670
Analysis of Fatigue Crack Growth in Weld Specimen Using Three-Dimensional Cohesive Zone Model S.Y. Yang	674
Effect of Local Strain on Low Cycle Fatigue Measured by ESPI System K.S. Kim, K.S. Kim, K.H. Lee, J.M. Kwon, S.M. Park and N.H. Lee	678
Influence of Inclusion on Deformation of Crack Tip in Rotating Disc by Photoelasticity and Method of Caustics T. Ezumie and K. Nishimura	684
Study on Stress Intensity Factor under Torsion Load of Double Column for Two Dissimilar Materials S. Sasaki and T. Ezumie	688
Tribological Performance of Multi-Walled Carbon Nanotubes in Mineral Oils under Boundary Lubricated Sliding S.H. Baik, K.S. Lee, D.K. Yoon and Y.Z. Lee	694
Residual Stress Evaluation and Its Effects on the Fatigue Life of an Autofrettaged Tube S.K. Koh	699
The Evaluation of Fretting Fatigue Life for Inconel 600 and 690 Alloy D.K. Park, Y.T. Bae, S.J. Choi, Y.S. Chai and J.D. Kwon	703
Life Prediction of High Pressure Steam Turbine Rotor G.W. Song, B.S. Kim and J.S. Hyun	707
Finite Element Analysis of the Stress Intensity Factor and the Residual Stress by Cold Expansion Method in CT Specimen J.S. Jang, C. Kim, M.R. Cho and W.H. Yang	711

Failure Analysis of Reinforced Concrete Bridge Column Using Cohesive and Adhesive Interfaces	
I.K. Rhee, H.U. Lee, J.S. Lee and W. Kim	716
Effect of Biaxial Static Loads on Fatigue Crack Propagation Behavior under Cyclic Tensile and Torsional Loading	
Y.H. Huh, P. Park, D.J. Kim and J.H. Park	720
Plastic Limit Loads for Through-Wall Cracked Pipes Using Finite Element Limit Analysis	
N.S. Huh, Y.S. Chang and Y.J. Kim	724
Degradation Depth Measurement of Polycarbonate Used by Castfilm Method	
T. Nemoto, H. Matsuura, M. Nakano and A. Shimamoto	729
Mixed-Mode Fatigue Crack Growth in Orthotropic Steel Decks	
D.H. Choi, H.Y. Choi, S.H. Chung and H. Yoo	733
Study on the Control and Fabrication of Thermal Fatigue Crack for Reliability Enhancement of NDT in Reactor Coolant System	
B.Y. Lee, H.K. Jin, D.H. An, J.S. Kim, D.H. Ryu and J.H. Lee	739
Application of Laser-Generated Ultrasound for Evaluation of Thickness Reduction in Carbon Steel Pipes	
J.H. Park, J.H. Lee, G.C. Seo and S.W. Choi	743
A Study on Ultrasonic Testing for Nondestructive Evaluation of Thermal Fatigue Crack in Pipelines	
W.G. Yi, M.R. Lee, J.H. Lee, S.W. Choi and B.Y. Lee	747
Uniform Model and Fracture Criteria of Annularly Breached Bars under Bending	
Y.T. Li, Z.Y. Rui and C.F. Yan	751
Anti-Fatigued Criterion of Annularly Breached Spindle on Mechanical Design	
Y.T. Li, P. Ma and C.F. Yan	755
Structural Health Monitoring of Composite Structures Using Guided Lamb Waves	
K. Balasubramaniam, B.V.S. Sekhar, J.V. Vardan and C.V. Krishnamurthy	759
Dispersion Behaviors of Wedge Waves Propagating Along Wedges with Bilinear Cross Sections	
C.H. Yang and C.Z. Tsen	765
Numerical and Experimental Studies on the Scattering of Lamb Waves in a Bent Plate	
A. Gunawan and S. Hirose	770
Time Reversal Technique for Ultrasonic Guided Wave Inspection	
H.J. Kim, S.J. Song, J.H. Seo, J.H. Kim and H.S. Eom	776
Comparison of an Array of EMATs Technique and a Magnetostrictive Sensor Technique for a Guided Wave Inspection of a Pipe	
Y.M. Cheong, H.K. Jung and Y.S. Kim	780
A Computational Tool for Defect Analysis in Rail with Ultrasonic Guided Waves	
C.M. Lee, J.L. Rose, W. Luo and Y.H. Cho	784
A Characteristic of Scattering Patterns from Defect in a Rail	
C.M. Lee, J.L. Rose and Y.H. Cho	788
SH Guided Wave Scattering in a Structure with Thickness Variation	
Y.H. Cho, J.L. Rose and H.G. Kwun	792
A Wall Thinning Detection and Quantification Based on Guided Wave Mode Conversion Features	
Y.H. Cho, W.D. Oh and J.H. Lee	795
Long Range Ultrasonic Guided Wave Technique for Inspection of Pipes	
I.K. Park, Y.K. Kim, H.M. Kim, W.J. Song and Y.S. Cho	799
Ultrasonic Guided-Wave Mode Identification in Pipe by Using Air-Coupled Transducer and Time-Frequency Analysis	
I.K. Park, H.M. Kim, Y.K. Kim and Y.S. Cho	804
Usefulness of Thermography in Evaluation of Patients with FBSS Following Radiofrequency Dorsal Root Ganglion Lesioning	
J.Y. Park, J. Park, S.D. Kim and D.J. Lim	808
Role of Intraoperative Infrared Thermography for Prediction of Successful Percutaneous Radiofrequency Sympathectomy for Palmar Hyperhidrosis	
J.Y. Park, J. Park, S.D. Kim, S.H. Kim and D.J. Lim	813
Analysis of Thermal Distribution for LCD-TV Using Infrared Camera	
S.J. Oh, D.H. Chung and H.S. Ko	817

Infrared Thermographic Technique to Measure Corrosion in Reinforcing Bar L. Chung, I.K. Paik, S.H. Cho and Y.S. Roh	821
Thermographic Damage Detection of Ceramic Matrix Composites During Tension Testing J.H. Lee and J.G. Kim	825
Correlations between the Changes of Pain and Temperature by Infrared Thermography in Central Poststroke Pain S.Y. Kim, D.I. Lee, K.S. Kim, D.O. Kim, Y.K. Choi, D.Y. Choi, S. Lim, J.D. Lee and Y.H. Lee	831
NDT Analysis of Metal Materials with Internal Defects Using Active Infrared Thermography Method W.T. Kim, M.Y. Choi and J.H. Park	835
Influence of the Thickness of the Specimen in the Infrared Hybrid Method in Consideration of Heat Conduction K. Machida and S. Miyagawa	841
Thermographic Diagnosis of Whiplash Injury with/without Radiculopathy H.Y. Zhang, B.Y. Cho, H.S. Kim and Y.E. Cho	845
Far IR Emission and Thermal Properties of Ceramics Coated Fabrics by IR Thermography C.H. Park, M.H. Shim and H.S. Shim	849
Medical Thermography Evaluation of Anti-Fatigue Mat to Prevent Muscular Skeletal Disorder S.J. Park and H.J. Lee	853
Modeling of Ultrasonic Wave Propagation Path through Cancellous Bone and Quantitative Estimation of Bone Density and Bone Quality T. Otani	857
Optical Inspection of Interfacial Thermal Strains in IC Composite Microstructures Y. Morita, K. Arakawa and M. Todo	862
A Study on the Fracture Characteristics of Plasma-Treated Graphite/Epoxy Laminated Composites M.H. Kim, K.Y. Rhee, Y.N. Paik and S.H. Ryu	869
Matrix Crack Detection of CFRP Laminates in Cryogenic Temperature Using Electrical Resistance Change Method A. Todoroki, K. Omagari and M. Ueda	873
The Collapse Characteristics of CFRP Hat-Shaped Section Members under Axial Compression K.S. Lee and I.Y. Yang	877
The Impact Collapse Characteristics of Al/CFRP Members for Light-Weight I.Y. Yang, K.S. Lee and C.S. Cha	881
The Penetration Characteristics of CF/Epoxy Curved Sheller According to Stacking Sequence I.Y. Yang, Y.J. Cho, Y.N. Kim, U. Heo, S.G. Park, K.H. Im, J.H. Kim and J.K. Sim	885
Ultrasonic Inspection of Carbon/ Phenolic Composites Using a Peak-Delay Measurement Method I.Y. Yang, K.H. Im, D.K. Hsu, S.J. Song, H. Cho, S.K. Kim, Y.H. Seo and J.W. Park	889
Nondestructive Determination of Ply-Layup Error in Cured/Uncured CF/Epoxy Composites Y.S. Kweon, K.H. Im, D.K. Hsu, D. Fei, S.W. Ra, K.S. Lee, J.W. Park, J.K. Sim and I.Y. Yang	893
Effective Flexibility Calculation for Beams with Periodic In-Homogeneities I.S. Chung and Y.S. Chai	897
Analysis of Dominant Frequencies of Glass Fiber/Aluminum Laminates during Acoustic Emission Measurement S.C. Woo and N.S. Choi	901
Acoustic Emission Monitoring of Ablative Composite Liner Bonded on Steel Nozzle under Static Loading C.W. Shul, K.B. Lee, J.H. Kim and S.H. Koo	907
Mechanical Property and Oxidation Behavior of LPS-SiC Materials S.L. Lee, Y.S. Shin, J.K. Lee, J.B. Lee and J.Y. Park	913
Carbon Nanotubes-Adsorbed Polymeric Microspheres for Electrorheological Fluids S.H. Yoon, H.J. Choi and H.J. Jin	917

Mechanical Properties of Silk Fiber Reinforced Polymer Composites with Carbon Nanotubes	
H.S. Kim, B.H. Park, J.S. Yoon and H.J. Jin	921
Characterization of Delamination in Laminated Composites Based on Damage Indices	
H.S. Kim, J.H. Kim and S.B. Choi	925
Thermal Shock Damage and Mechanical Property of MoSi₂ Materials by NDE Technique	
S.L. Lee, Y.H. Kim, Y.S. Shin, J.K. Lee, J.H. Lee and J.Y. Park	930
Electrospun Nanofiber of Nylon 610/Multi-Walled Carbon Nanotube Composites	
M.S. Kang and H.J. Jin	934
Fiber Orientation State Depending on the Injection Mold Gate Variations during FRP Injection Molding	
J.W. Kim and D.G. Lee	938
Impact Characteristics and Damage Detection of Woven Carbon/Epoxy Laminates for Car Body Structures of a Tilting Train	
J.H. Lee, S.K. Cheong, J.S. Kim and K.Y. Eum	942
NDE Characterization and Mechanical Behavior in Ceramic Matrix Composites	
J.G. Kim, S.T. Kwon and W.K. Kim	946
The Stress Concentration Factor (K_t) and Fatigue Crack Behavior on the Relative Defect Location in Monolithic Aluminum versus GLARE	
C.W. Kim, K.L. Kim, W.P. Lee, S.H. Lee and S. Heo	952
Detectability of Bearing Failure of Composite Bolted Joints by Electric Resistance Change Method	
Y. Shimamura, K. Oda, A. Todoroki and M. Ueda	957
Compressive Deformation Analysis of Smart Skin Structure Embedded with Round Shape Antenna	
J.S. Joe, H.C. Park, K.J. Yoon and N.S. Goo	963
Laser-Generated Ultrasonic Technique for Inspecting Delamination in CFRP	
W.S. Park, S.W. Choi, J.H. Lee, K.C. Seo and J.H. Byun	968
Ultrasound Speed in Articular Cartilage under Different Bathing Saline Concentration	
Y.P. Zheng, S. Patil and Q. Wang	972
Fabrication of a 40 MHz Single Element Ultrasonic Transducer Using a PMN-PT Single Crystal	
D.G. Paeng, H.H. Kim, S.G. Lee, S.M. Rhim and M.J. Choi	978
Pressure Distributions on the Buttocks and Thighs by Electrical Stimulation in the Sitting Posture	
S.J. Hwang, H. Kaplan, G.E. Loeb, H.S. Kim and Y.H. Kim	984
3D Motion Analysis on the Hallux Valgus by Using the Multi-Segment Foot Model	
S.J. Hwang, H.S. Choi, K.T. Lee and Y.H. Kim	988
High Resolution One-Dimensional Dose Measurement Using a Movable Miniature Fiber-Optic Radiation Sensor	
B.S. Lee, D.H. Cho, S.C. Chung, J.H. Yi, K.W. Chang, S. Kim, H.S. Cho and S.Y. Kim	992
The Effect of Oxygen on Verbal Performance : An fMRI Study	
S.C. Chung, J.H. You, B.S. Lee, G.R. Tack, S. Kim and S.H. Son	996
Design of Femoral IM Nail by Analysis of Lateral Curve Angle	
S.M. Kim, S.Y. Park, M.P. Lee and B.C. Choi	1000
A Flat-Panel X-Ray Imaging Module for Medical Imaging and Nondestructive Testing	
H.S. Cho, S.I. Choi, B.S. Lee and S. Kim	1004
Assessment of Muscle Spasticity by a Simple Pendulum Test and Modeling	
J.H. Jun, S.J. Kong, C.S. Kim, G.M. Eom, S.H. Lee and K. Hase	1008
A Comprehensive Assessment of Motor Function for Use at Home	
C.S. Kim, G.M. Eom, S.M. Kim and C.H. Lim	1012
Functional Reorganization in Chronic Hemiparetic Patients after Training: fMRI Studies	
K.S. Tae, S.J. Song, S.Y. Lee, G.Y. Park, C.H. Sohn and Y.H. Kim	1016
Effects on Foot/Ankle Roll-Over Characteristics According to Different Heel Heights during Walking	
H.S. Choi, H.S. Kim and Y.H. Kim	1022
Influence of α-Adrenoceptor Mediated Vasoconstriction on Spontaneously Hypertensive Rats after Exercise Training	
Y.H. Seo and K.H. Im	1028

Development of an MR-Compatible ECG Amplifier S.C. Chung, J.H. Yi, G.R. Tack, B.S. Lee, J.H. Kwon, S. Kim and J.H. Sohn	1032
Measurement of Elastic Properties of Self-Oscillating Gel R. Aoki, M. Enoki and R. Yoshida	1036
Label-Free DNA Detection Using a Near-Field Microwave K.J. Lee, A. Babajayan and S.H. Kim	1040
Monitoring of Bone Temperature during Osseous Preparation for Orthodontic Micro-Screw Implants: Effect of Motor Speed and Ressure O. Nam, W. Yu, M.Y. Choi and H.M. Kyung	1044
Glucose Biosensing Using a Near-Field Microwave Microprobe A. Babajayan, J.C. Kim, S.H. Kim, B. Friedman and K.J. Lee	1048
Characterization of CMOS Pixel Detectors for Digital X-Ray Imaging M.K. Cho, H.K. Kim, T. Graeve and J.M. Kim	1052
Investigation of Scintillation Screens for X-Ray Imaging J.M. Kim, H.K. Kim, M.H. Cheong, M.K. Cho, C.S. Shon and C.H. Lim	1056
Computational Toolset for X-Ray Spectral Analysis C.S. Shon, H.K. Kim, M.K. Cho, M.H. Cheong, C.H. Lim and J.M. Kim	1060
Model-Based Approach for Quantitative Evaluation of Spasticity K. Hase, N. Adachi, G. Obinata, G.M. Eom, C.S. Kim and S.J. Kong	1066
Non-Invasive Analysis of the Micro-Structural and Biomechanical Properties of Trabecular Bone in Human Femoral Head Y.Y. Won, M.H. Baek, W.Q. Cui and K.K. Kim	1070
An Automated Measurement System of Ultrasonic Properties of Tofu and Acorn Curd (Dotori Muk) Y. Li, S.R.A.R. Guntur, M.J. Choi and D.G. Paeng	1074
Detecting and Tracking Changes of Morphologies and Mechanical Characteristics in the Lumbar Vertebrae of OVX Rats Using RP Technique and Micro-FE Method D.G. Woo, H.S. Kim, C.Y. Ko, B.Y. Lee, G.R. Tack and Y.H. Kim	1078
Measurment of Strain Generated Potential Near Bone and Implant Interface for Assessment of Osseointegration J.H. Hong, Y.H. Park, S.O. Ko, S.H. Lee and G. Khang	1082
A New Severity Index for Nondestructive Dynamic Analyses in Equinus Gait Y.H. Rim, Y.J. Kim, S.S. Lee and J.H. Mun	1086
Non-Invasive Kinematic Analysis of the Triceps Surae Muscle-Tendon Complex during a Gait Y.H. Rim, A.R. Choi, S.S. Lee and J.H. Mun	1090
The Analysis of Slice-Induced Factors in Golf Swing Using a 3D Motion Capture System T.Y. Sim, S.E. Oh, S.S. Lee and J.H. Mun	1094
Moment Prediction for Evaluating Stability of the Upper Cervical Spine Fixed with Wires Using Finite Element Analysis H.S. Kim, Y.S. Kim and J.H. Mun	1098
The Development Telemedicine System for Blood Pressure Monitoring via Ethernet Y.K. Moon, Y.H. Song, J.H. Kim, S.S. Lee and J.H. Mun	1103
Development of a Portable and Wireless Surface EMG S.S. Lee, K.Y. Shin and J.H. Mun	1107
Development of an Algorithm for a PZT Ceramic Foot Pressure Sensor S.S. Lee, K.Y. Shin and J.H. Mun	1111
Computer-Graphics Based Analysis of Human Foot Kinematics during the Gait H.K. Choi and S.Y. Kim	1115
The Effects of High-Heeled Posture on COP Kinematics and Muscle Fatigue during the Balance Control of Human Body H.K. Choi and W.H. Cho	1119
Characterization of the Harmonic Generation from Cavitating Bubbles Interacted with a Diagnostic Ultrasound in the Focal Region of High Intensity Focused Ultrasound M.J. Choi, G.S. Kang, D.G. Paeng, S.M. Rhim, M.H. Bae, B. Zeqiri and A. Coleman	1123
Non-Invasive Analysis of Trabecular Microstructural and Biomechanical Properties in Obese OLETF Rats M.H. Baek, Y.S. Chung, Y.Y. Won, W.Q. Cui, H.K. Kim, C.H. Chung, S.H. Yoo and K.K. Kim	1129

Ultrasonic Characterization of Thermal Distribution in Vicinity for a Cylindrical Thermal Lesion in a Biological Tissue	
M.K. Jeong, M.J. Choi, S.J. Kwon, M.H. Bae, D.G. Paeng, B. Zeqiri, L. Wright and A. Coleman	1133
A Study on the External and Internal Morphology of the Mandibular First Premolar Using a Micro-CT	
K.J. Chun and H.J. Li	1139
Binding Inhibition Assay Using Fiber-Optic Based Biosensor for the Detection of Foodborne Pathogens	
M.T. Morgan, G.Y. Kim, D. Ess, A. Kothapalli, B.K. Hahm and A. Bhunia	1145
Volume Measurement by Using Helmholtz Acoustic Resonance for Porous Produce and Foods -- Real-Time Measurement of Bread Dough Volume in Fermentation Process --	
T. Nishizu and S. Kawada	1151
Detection of Contaminants on Poultry Processing Plant Equipment Using Laser-Induced Fluorescence Imaging	
M.S. Kim, B.K. Cho, K.L. Chao, A.M. Lefcourt, Y.L. Liu and Y.R. Chen	1157
Detection of Metal Contaminants in Food Using High Tc SQUIDS Magnetometer	
S. Tanaka, H. Fujita, Y. Hatsukade, T. Nagaishi, K. Nishi, H. Ota, T. Otani and S. Suzuki	1163
Detection of Listeria Monocytogenes Using an Automated Fiber-Optic Biosensor: RAPTOR	
G.Y. Kim, M.T. Morgan, D. Ess, B.K. Hahm, A. Kothapalli, A. Valadez and A. Bhunia	1168
Application of the X-Ray CT Technique for NDE of Wood in Field	
S.J. Lee, K.M. Kim and J.J. Lee	1172
Studies about the Influence Factors on Ultrasonic Velocity of Domestic Red Pine	
S.R. Han, C.Y. Park, Y.G. Eom and J.J. Lee	1177
NDE of Decayed Wood with Ultrasonic CT	
K.M. Kim and J.J. Lee	1182
A Real-Time Automatic Inspection System for Pattavia Pineapples	
W. Kaewapichai, P. Kaewtrakulpong and A. Prateepasen	1186
Wavelet Analysis of Ultrasonic Transmitted Signal of Apple during Storage Time	
K.B. Kim, M.S. Kim, H.M. Jung, S.D. Lee, J.G. Park and G.S. Kim	1192
Measurement of Moisture Content in Powdered Food Using Microwave Free-Space Transmission Technique	
K.B. Kim, S.G. Park, J.Y. Kim, J.H. Kim, C.J. Lee, M.S. Kim and M.Y. Choi	1196
Proper Light Array Design for the Optimum Nondestructive Evaluation of Fruit's Internal Quality	
S.W. Kang, K.J. Lee and J.R. Son	1201
Nondestructive Cucumber Quality Evaluation System Using Machine Vision	
S.W. Kang, K.J. Lee and H.Y. Lee	1205
Internal Quality Estimation of Watermelon by Multiple Acoustic Signal Sensing	
K.J. Lee, W.Y. Choi, G.Y. Kim, S.W. Kang and S.H. Noh	1209
Application of Sensors to Assess Soil Conditions in a Korean Paddy Field	
S.O. Chung, B.H. Chong, S.W. Kang and G.Y. Kim	1213
Development of a Portable Electronic Nose System to Analyze Flavour Signal Patterns of Kochujang	
J.W. Lee, D.W. Shin and S.M. Kim	1217
Analysis of Characteristics of In-Line Magnetic Resonance Sensor	
S.M. Kim and M.J. McCarthy	1221
Nondestructive Evaluation System for White Ginseng Quality Using Image Processing Technique	
S.M. Kim, C.S. Kim, C.H. Lee, M.H. Kim and S.J. Park	1225
Determination of Tillage Depth Based on Physical Properties of Soil for Rice Production in Korea	
L.Y. Kim, H.J. Cho, S.O. Chung, W.Y. Park and K.S. Lee	1229
Development of Spike Wavelet Analysis and Its Application to Damage Analysis on Gearbox	
S.K. Lee and J.S. Sim	1233
Design of Adaptive Filter for Health Monitoring on a Gearbox	
S.K. Lee and J.S. Lee	1237

A New Signal Processing Technique to Estimate Velocity Dependent Dynamic Friction Coefficient K.H. Shin	1241
Frequency Windowing Technique for Reducing Multi-Path Noise in Free-Field Reciprocity Microphone Calibration Method H.S. Kwon, S.J. Suh and J.G. Suh	1245
Multi-Reference Scan-Based Nearfield Acoustical Holography H.S. Kwon	1249
A Comparative Study on the Vibration Signal-Based Damage Detection for Rotor-Bearing System in Speed-Up Process: The Feature Extraction Approach B.S. Kim, S.H. Lee, J. Ni and J.Y. Song	1253
Design of a Time-Frequency Distribution for Vibration Monitoring under Corrosions in the Pipe G.Y. Park, C.K. Lee, J.T. Kim, K.C. Kwon and S.J. Lee	1257
High Speed Decoding of Entropy Codes in H.264/AVC Based on a Symbol Prediction C.H. Kim, T.S. Kong, Y.J. Lee, H.D. Kim and Y.H. Ju	1262
Automated Multichannel Signal Classification Systems for Ultrasonic Nondestructive Evaluation J. Kim, P. Ramuhalli, L. Udpa and S. Udpa	1266
An Approach To Discrete Spectrum Correction Based on Energy Centroid D. Kang, C. Dangdang and L. Weihua	1270
An Impact Source Localization on a Spherical Shell by Using Smoothed Wigner-Ville Distributions J.H. Park and Y.H. Kim	1274
Liquid Behavior in Containers with a Liquid-Packing Bag for Liquid Products Subjected to Drop Impact E. Umezaki, Y. Shinoda and K. Futase	1280
Determination of Principal-Stress Directions by Three-Step Color Phase Shifting Technique P. Pinit, T. Susumu and E. Umezaki	1284
Image Processing Based Automatic Inspection for Assembly Line of Automobiles Y.K. Chung and K.H. Kim	1288
Development of a Manipulator Free Mobile Ultrasonic C-Scan System H. Cho, S.J. Song, H.J. Kim, H.J. Lee and S.N. Choi	1293
Fast and Accurate Color Space Conversion Matrix J.W. Seo and M.C. Shin	1297
Wavelet Based Multi-Bit Fingerprinting Against Geometric Distortions W.G. Kim, Y.S. Seo, H.W. Jung, S.H. Lee and W.G. Oh	1301
Optical Properties for ZnSe Epilayer Obtained From Photoluminescence Measurement S.Y. Lee and K.J. Hong	1306
Asymmetrical Dual Charge EPCM for Delamination Monitoring of CFRP Laminate M. Ueda and A. Todoroki	1309
Luminance Change Method for Cure Monitoring of GFRP A. Todoroki, N. Hana and M. Ueda	1316
Effect of SiO₂ Cap Layer on Thermal Stability of Nickel and Nickel-Cobalt Silicide K.J. Han, Y.J. Cho, S.Y. Oh, Y.J. Kim, W.J. Lee, H.D. Lee and Y.C. Kim	1322
Nondestructive Evaluation of Corrosion Progression on Titanium and Its Alloy Surface by Wetting Method R.G. Wang, M. Kido and K. Mukai	1326
Measurement of Carboxyl Group Separated from a Thin Film Copolymerized by Low-Temperature Plasma at Atmospheric Pressure of C₂H₂ and CO₂ H.L. Sohn, Y.T. Cho and B.J. Lee	1332
Synthesis and Characterization of Ce-Doped BZT Thin Films Deposited by a RF Magnetron Sputtering Method W.S. Choi, Y. Park, J.H. Boo, J. Yi and B.Y. Hong	1336
Evaluation of Recovery Process of Pure Magnesium at Room Temperature By Acoustic Emission Y.P. Li and M. Enoki	1340

Transition of Friction and Wear by Stick-Slip Phenomenon in Various Environments under Fretting Conditions S.H. Jeong, J.M. Park and Y.Z. Lee	1344
Residual Stress Measurement and Evaluation on Ceramics with X-Ray and Indentation Method T. Tokuda, R.G. Wang, G. Katayama and M. Kido	1348
FE Analysis of Thermoelectric Cooler Using Bi-Te-Sb Compound Alloy S.W. Han, M.H. Lee, H.W. Lee, J.H. Yu, G.H. Ha and K.H. Lee	1353
Measurement of TiAlN Coating Effects on Machining Characteristics of High Hardened Steel S.T. Won and D.Y. Jang	1357
Effect of Anisotropy on The Thermoelectric Properties of Bi₁Sb₃Te₆ Added with Au Alloys Prepared by Mechanical Alloying Process W.K. Min, C.H. Lee, Y.H. Park and I.M. Park	1360
Effect of Sr and Sb on Microstructure and Mechanical Properties of Mg-5Al-2Si Alloys D.H. Song, C.W. Lee, K.Y. Nam, S.W. Lee, Y.H. Park, K.M. Cho and I.M. Park	1365
Effect of Al on the Castability, Tensile and Creep Properties of Mg-xAl-Zn C.W. Lee, D.H. Song, K.Y. Nam, B.H. Choi, Y.H. Park, K.M. Cho and I.M. Park	1370
Fracture Characteristic of Aged DLC Films Using Nano-indentation and Micro-indentation S. Baek, J.M. Koo and C.S. Seok	1374
Analysis of Residual Stress in Thin Film Using Laser Scanning Method S.S. Lee and M.H. Yi	1377
Evaluation of Thermal Stress Resistance of Titanium Alloy for the Air Breathing Engine Y.S. Lee, H.S. Kim, Y.J. Choi and J.H. Kim	1381
Thermal Properties of a Liquid-Crystalline Polyurethanes Containing Biphenyl Mesogen J.B. Lee, K.H. Lee, B.C. Kang, B.W. Kang, S.L. Lee and J.K. Lee	1385
Influence of Anisotropic Materials on Stress Intensity Factor under Biaxial Stress Conditions T. Shimomura and A. Shimamoto	1389
Nondestructive Structural Analysis on Deformation Properties of Highly Porous Aluminum Material T. Asahina, I. Jeon, K. Katou and T. Sonoda	1395
High Resolution Electrical Resistance Profiling of Laboratory Soil Specimens J.S. Lee, G.C. Cho and E.S. Hong	1399
Strength-Based and Wave-Based Liquefaction Characterization G.C. Cho and J.S. Lee	1403
Evaluation of Grouting Performance Using Electrical Resistivity Tomography N.D. Thanh, G.C. Cho, Y.J. Sim and S.W. Lee	1407
Rock Mass Classification Using Electrical Resistivity - an Analytical Study J.S. Choi, H.H. Ryu, I.M. Lee and G.C. Cho	1411
Characterization of Clay Sedimentation Using Piezoelectric Bender Elements I.H. Chang, G.C. Cho, J.G. Lee and L.H. Kim	1415
Textures Evolution of Rolled AA5182 Alloy Sheets after Annealing K.J. Kim and J.S. Kim	1421
Inspection of Thin Copper Heat Exchanger Tubes Using SQUID-NDE System Y. Hatsukade, S. Okuno, K. Mori and S. Tanaka	1425
Determination of the Mechanism Based Deposition Processes of Thin Film in OLED K.K. Lee, K.S. Lee and T.W. Kim	1431
The Nondestructive Evaluation Method for the Optical Glass Lens by Resonant Ultrasound Spectroscopy K.S. Lee, S.H. Kim, H.K. Min, Y.N. Kim, C.S. Cha, J.H. Kim, S.H. Jeong and I.Y. Yang	1435
Spectrum Analysis of an Ultrasonic Signal According to a Surface Status by Using a Robust Laser-Based Ultrasonic System S.K. Park, S.H. Baik, C.H. Lim, C.J. Kim and Y.J. Kang	1439
Evaluation of Effect of Process Conditions on Microstructures in Plasma Sprayed Coating by In Situ Laser AE K. Taniguchi, S. Nishinoiri, M. Enoki and K. Tomita	1443

A Study of the Quantitative Nondestructive Evaluation Using the Cross Type Magnetic Source and the Magnetic Camera	
J.Y. Lee and J.S. Hwang	1447
Numerical Analysis of Magneto-Optical Eddy Current Imaging Using FEM	
J.Y. Lee, J.S. Hwang and T. Shoji	1451
Nondestructive and Non-Contact Characterization Technique for Metal Thin Films Using a Near-Field Microwave Microprobe	
H.J. Yoo, J.C. Kim, A. Babajayan, S.H. Kim and K.J. Lee	1457
Measurement of Alloying Degree of Galvannealed Steels by X-Ray Diffraction	
H.K. Park, J.H. Hong and C.S. Lee	1461
Comparisons of Precision Measurement Methods for Metallic Resistivities	
J.H. Kang, K.M. Yu, H.J. Kim, J.C. Ryu and S.O. Han	1465
Uncertainty Improvements of Metallic Resistivity Measurements by the Four-Point Probe Method	
K.M. Yu, J.H. Kang, H.J. Kim, K.S. Han and J.C. Ryu	1470
Ultrasonic Characterization of Residual Stress in Shot Peened AI 7075 Alloy Using Acoustic Signature	
C.S. Kim, D.S. Cho and I.K. Park	1475
The Influence of Microstructure and Chemical Composition on the Strength of Cast Iron Used for Railway Vehicles	
Y.M. Lee, Y. Huh, J.S. Park and C.S. Seok	1479
Evaluation of Surface and Internal Defects of Railway Wheel using Induced Current Focusing Potential Drop	
S.J. Kwon, D.H. Lee, J.W. Seo and C.W. Lee	1483
Durability Evaluations of the Car Body for Rubber-Tired Light Rail Vehicles	
Y.S. Kim, R.G. Jeong, T.K. Lim and W.J. Hwang	1487
Structural Safety Evaluations of Bogie Frames for Rubber-Tired AGT Vehicles	
Y.S. Kim, S.H. Park, R.G. Jeong and T.K. Lim	1491
The Evolution of Contact Stress and Surface Profile in Press-Fitted Shaft under Partial Slip Conditions	
D.H. Lee, S.J. Kwon, C.W. Lee, J.B. Choi and Y.J. Kim	1495
A Study on the Evaluation Methods of Running Safety for Railway Vehicle	
Y.S. Ham, J.S. Hong and T.Y. Oh	1499
Statistical Analysis of Casting Defects in Microstructure for Understanding the Effect on Fatigue Property of 17-4PH Stainless Steel	
J.Y. Kim, J.H. Lee and S.H. Nahm	1503
Consideration of Uncertainty in Diagnosis for Railway Arrester	
H.C. Kim, M.S. Han, H.J. Park, D.U. Jang, G.S. Kil and N.K. Nair	1507
Detection and Image Processing of Interfacial Micro-Delamination in the Thin-Layered Structure by Using Nonlinear Ultrasonic Effect	
J. Ha and K.Y. Jhang	1513
Application of Ultrasonic Test System for Test Performance Improvement of Welding Flaw	
C.H. Kim, J.Y. Kim, K.S. Song and Y.H. Cha	1517
Failure Analysis and Evaluation of Strength Properties for Brazed Joints	
K.W. Kang, B.J. Lee, K.Y. Jhang and J.K. Kim	1522
Risk Assessment of Axially Loaded Single Piles using RSM-based Reliability Method	
J.W. Huh and K. Kwak	1526
Formulation of Reliability-Based Fatigue Assessment of a Car Body for a High Speed Train Passing Through Tunnels	
C.S. Park, S.I. Seo, S.H. Choi and J.Y. Mok	1530
Reliability Assessment Approach Using Failure Mode Analysis in Machining Center	
B.S. Kim, S.H. Lee, J.S. Kim and J.Y. Song	1535
A Development of a New Life Test Procedure for Fan Motors	
W.G. Shin, S.H. Lee and Y.S. Song	1539
Reliability of Buried Pipeline Using FORM and Monte Carlo Simulation	
O.S. Lee and D.H. Kim	1543
The Tribological Behaviors of the Surfaces Lubricated by Polyaklylene Glycol and Polyolester Oils in Carbon Dioxide Environment	
S.D. Oh, T.S. Ahn, S.O. Cho and Y.Z. Lee	1548

Tribological Performance of Two Oilless Sintered-Metal Bearings for the Geared Motor in a Refrigerator S.D. Oh and Y.Z. Lee	1552
Gear Fault Classification Using Kernel Discriminant Analysis W.H. Li, K. Ding, T.L. Shi and G.L. Liao	1556
The Effect of the Operational Conditions on the Quantitative Leak Rate of Leak Detectors Y.H. Shin, S.S. Hong, I.T. Lim and K.H. Chung	1560
The Effect of Parameter Distribution Pattern on Frequency Response Localization in Nearly Periodic Systems S.H. Shin and H.H. Yoo	1564
Reliability Analysis of a Robot Manipulator Operation Employing Single Monte-Carlo Simulation D.H. Choi and H.H. Yoo	1568
Risk Based Optimization of the Life Assessment for Fossil Power Plant B.S. Kim, J.S. Ha, G.W. Song, J.S. Hyun and W.S. Choi	1572
Determination of the Hydrogen Concentration in Zr-2.5Nb Alloy by a Resonant Ultrasound Spectroscopy Y.M. Cheong and Y.S. Kim	1576
Probabilistic Reliability Design of Satellite Structures under Launching Environments By Metamodel J.S. Park, J.B. Im, Y.H. Ro and S.Y. Lee	1580
Characteristics of Stick Regions in Frictional Vibration with a Compressed Nonlinear Spring K.H. Shin and Y.S. Lee	1585
Evaluation of the Ride Comfort for High Speed Trains in Korea Y.G. Kim, S.W. Kim, C.K. Park, K.H. Moon and T.W. Park	1589
A Study on the Method of Vibration Analysis for Korean High Speed Train by the On-Line Test C.K. Park, K.W. Kim, J.Y. Mok, Y.G. Kim and S.W. Kim	1593
Dynamic Analysis and Fatigue Life Prediction of a Very Flexible Component in Multibody System J.W. Yoon, K.J. Jun and T.W. Park	1597
Dynamic Stress Analysis Method and Its Application for Urethane Wheels Using the Computer Model K.J. Jun, J.W. Yoon, T.W. Park and J.K. Park	1601
A Study on the Surface Characteristics with the Vibration Factor in the Micro-Machine J.M. Kim, M.S. Hong, B.S. Kim and S.H. Lee	1605
Measurement of Low-Frequency Wave Propagation in a Railway Contact Wire with Dispersive Characteristics Using Wavelet Transform S.Y. Park, B.U. Jeon, J.M. Lee and Y.H. Cho	1609
The Identification of Relationship between Vibration and Noise of Universal Motor in Working Status M.G. Kim, W.W. Hwang and S.H. Lee	1616
Characteristics of Crack Detection on Plates Using Strain Mode Shapes; Sensor Grids and Geometry B.S. Kim, S.H. Yoo, S.J. Lee and S.K. Baik	1620
Analysis of Vibration Caused by Ball Bearing in a HDD Spindle System at Elevated Temperature D.K. Kim and G.H. Jang	1624
Robust Measurement of Damping Ratios of a Railway Contact Wire Using Wavelet Transforms Y.H. Cho, J.M. Lee, S.Y. Park and E.S. Lee	1629
A Diagnostic Technique for the Inspection of Pipes in MOCVD System J.Y. Yun, Y.H. Shin and K.H. Chung	1636
Image Reconstruction of Blockage in the Continuous and Stepped Pipelines by Noninvasive Acoustic Method S.S. Jung, S.I. Cho, Y.T. Kim, C.U. Cheong and H.C. Kim	1640

Nonlinear Structural Dynamic Analyses of Micro Cantilever Beams Actuated by Electrostatic Force	1644
H.H. Yoo, S. Song, K.S. Jung and K.Y. Kim	
Dynamic Impact Analysis of a Rotating Beam Having a Tip Mass	1649
H.S. Lim and H.H. Yoo	
Dynamic Stability Characteristics of Axially Accelerated Beams	1654
H.H. Yoo and S.J. Eun	
Portable Neutron Source Using by Spherically Convergent Beam Fusion Device for Nondestructive Testing	1659
J.H. Park, H.J. Ju and K.C. Ko	
Application of Spectroscopic Radiography Using Pulsed Neutron Time-of-Flight Method for Material Characterization	1663
Y. Kiyanagi, T. Kamiyama, T. Nagata and F. Hiraga	
Nondestructive SANS Study of Reactor Pressure Vessel Steel after Irradiation	1667
Y.S. Han, E.J. Shin, B.S. Seong, C.H. Lee and D.G. Park	
Nondestructive Dynamic Process Monitoring Using Electrical Capacitance Tomography	1671
U.Z. Ijaz, J.H. Kim, M.C. Kim, S. Kim, J.W. Park and K.Y. Kim	
Interfacial Reaction of Cu-Tie Coating-Polyimide Flexible Copper Clad Laminates	1675
J.W. Lee, I.S. Lee, T.W. Kang, D.W. Kim and S.H. Kim	
Evaluation of Shockproofness of Small Form Factor Mobile TFT-LCD	1679
B.S. Kim, D.J. Lee, J.C. Koo, J.B. Choi, Y.J. Kim, J.N. Lee and Y.B. Chu	
Preparation and Characterization of Nanosized Al₂O₃ Particles Synthesized by the thermal MOCVD and Plasma CVD	1683
H.J. Kim, S.W. Oh, H. Noda, H.J. Chang and L.H. Kim	
Growth of Highly Oriented Zinc Oxide Thin Films by Plasma Enhanced Chemical Vapor Deposition	1687
H.J. Kim, D.Y. Jang, P.K. Shishodia and A. Yoshida	
Optical Emission Spectra Related to Microstructures of Diamond Film Deposited by Plasma Enhanced Chemical Vapor Deposition	1691
M. Noda, M. Umeno and H.J. Kim	
Thermal Diffusivity and Phase Transition of Rare Earth Manganites	1695
M. Kobayashi, H. Sato, Y. Hiyoshi, N. Kamegashira, D.J. Lee and H.J. Kim	
Preparation and Characterization of Polymer Light Emitting Diodes with ITO/PEDOT:PSS/MEH-PPV/LiF/Al Structure	1699
J.H. Yoo, H.J. Chang, S.C. Gong, I.J. Baek, H.S. Lim, G.K. Chang, Y.C. Chang and H.J. Kim	
(110) Silicon Hard Master Fabrication Using Wet Etching for Multi-Mode Planar Optical Splitter	1704
Y.M. Jung, Y.C. Kim and H.I. Seo	
Development of In-Situ SUB-100nm Particle Detection in Vacuum System	1707
K.H. Ahn and Y.M. Kim	
Ultrasonic Measurement of Elastic Properties of Nanostructured Alumina	1711
N.Y. Kim, H.J. Kim, S.W. Oh, N. Hozumi, C.K. Lee and M.S. Hong	
A Study on the Measurement System Using an Ultrasonic Sensor in Electron Beam Welding	1715
M.S. Hong, N.Y. Kim and J.M. Kim	
Reliability of Flip Chip Package with Underfills under Thermal Shock	1719
B.I. Noh and S.B. Jung	
The Evaluation of Weldability for AZ31B-H24 and AZ91C-F Mg Alloys in Friction Stir Welding	1723
W.S. Chang, H.J. Kim, J.S. Noh and H.S. Bang	
Study on Evaluation of AE Signals at Weld Region of SA 516 Steel	1729
N.E. Gyun, K. Hoon and K. Ono	
The Study on Mechanical Properties in Narrow-Gap Welds for SA312 TP347	1733
S.W. Woo, C.Y. Lee, J.D. Kwon, Y.H. Choi and H.S. Shin	
Numerical Simulation of Al-SPCC Weldment	1738
S.M. Joo, H.S. Bang and H.S. Bang	
The Weldability of Primer-Coated Steel for Shipbuilding by CO₂ Laser	1745
J.D. Kim, J.S. Oh and H.J. Park	

Implementation of Performance Demonstration Programs for Steam Generator Tubing Analysts	
C.H. Cho, M.W. Nam, D.H. Jee, J.H. Jung and H.J. Lee	1750
Comparison between Conventional and Performance Demonstration UT Method by Round Robin Test	
Y.S. Kim, S.H. Yang, B.S. Yoon and H.J. Lee	1754
Development of a Partial Blockage Detection Algorithm through Temperature Fluctuation Analyses in a Liquid Metal Reactor	
S.H. Seong, W.D. Jeon, S. Hur and S.O. Kim	1758