

Table of Contents

| | |
|--|----|
| Widespread Fatigue Damage – An Issue for Aging and New Aircraft P. Horst | 1 |
| Modelling Intergranular Microfracture Using a Boundary Cohesive Grain Element Formulation G.K. Sfantos and M.H. Aliabadi | 9 |
| An Overview of the Surveillance Measurements Made to Support the Integrity of Magnox Steel Reactor Pressure Vessels R. Moskovic, M.R. Wootton and P.E.J. Flewitt | 13 |
| The Perfect Elastic-Viscoplastic Field at Mode I Quasi-Static Propagating Crack-Tip in Rate-Sensitive Material W.Y. Liang, Y.J. Wang, Z.Q. Wang and H.Q. Lv | 17 |
| Study on the Crack-Tip in the Pressure-Sensitive Dilatant Materials Y. Yang, L.Q. Tang and Y.D. Li | 21 |
| The Analysis of Fracture and Damage Mechanics on the Wellbore Stability Y. Wang, L.Q. Tang and Y. Yang | 25 |
| Dynamic Anti-Plane Behavior of the Interaction Between a Crack and a Circular Cavity in a Piezoelectric Medium T.S. Song, H.L. Li and J.Q. Dong | 29 |
| Fracture Behaviour and Temper Embrittlement Induced by NGS of Phosphorus Q.F. Li, L. Li and H.M. Zhou | 33 |
| A Control Method of Grain-Boundary Brittleness by Step Cooling Technique L. Li, Q.F. Li and H.M. Zhou | 39 |
| A Damage Model Containing Delamination in Composite Laminates Y.P. Ma, X.Z. Lin, Q.F. Li and Z. Li | 43 |
| Effect of the Welding Heat on Fracture Toughness and Fatigue Property in a T₁-Alloy J.K. Sun, Z. Li and Q.F. Li | 47 |
| Sustained Loading Fracture and Strength of Concrete Modelled by Creep-Damage Interaction T. Xu, G. Lin, C.A. Tang and Z.Q. Hu | 51 |
| A Numerical Method for Predicting the Time to Surface Cracking of Corrosion Affected RC Structures X.Z. Zhou and J.J. Zheng | 55 |
| Fracture Appearance Evaluation of High Performance Pipeline Steel DWTT Specimen with Delamination Cracks Z. Yang, W.L. Guo, C.Y. Huo and Y. Wang | 59 |
| Effect of Plastic Deformation on Torsional Fatigue Properties of a Low Carbon Steel S. Nishida, N. Hattori, C.L. Zhou and A. Uchisako | 63 |
| Numerical Simulation on 3-D Crack Coalescence in Rock-Like Materials Containing Pre-Existing Surface Closed Flaws Y.J. Zuo, C.A. Tang, Z.Z. Liang and Y.B. Zhang | 69 |
| Elastic-Plastic Finite Element Analysis of the Effect of the Compressive Loading on the Crack Tip Plasticity J.Z. Zhang, X.D. He, X. Song and S.Y. Du | 73 |
| Numerical Modelling and Assessment of Excavation Damaged Zone around the Underground Excavations: A Case Study D.P. Qiao, Z.S. Zhang, S.H. Wang and Y.B. Zhang | 77 |
| Micromechanical Analysis of Excavation Damaged Zone in Anisotropic Rock Mass S.H. Wang, D.P. Qiao, P. Jia and N. Zhang | 81 |
| A Nonhomogeneous Piezoelectric Material Plate with a Moving Crack B.L. Wang and J.C. Han | 85 |
| Surface Stress Evaluation from Indentation Load-Depth Curves Q. Wang and K. Ozaki | 89 |
| Analysis of the Surface Cracks of Long Range Storage Solid Motor Grain D.C. Yuan, G.J. Tang, Y.J. Lei and S.Y. Meng | 93 |

| | |
|---|-----|
| Determination of Splitting Force in Process of Fracture Splitting Connecting Rod Z.Q. Zhang, S.H. Yang, S.Q. Kou and Y. Zhao | 97 |
| Dislocation Distribution Function of the Surfaces of Mode III Dynamic Crack Subjected to Unit-Step Loads and Moving Increasing Loads X.G. Li, N.C. Lv, G.Z. Song and C. Jin | 101 |
| Creep Crack Interaction of High Temperature Structure with Multiple Cracks J. Si, F.Z. Xuan and S.T. Tu | 105 |
| Initial Damage Detection Based on Elastic Modulus Randomness F.S. Liu, H.J. Li, G.M. Yu, Y.C. Liu and W.Y. Wang | 109 |
| The Effect of the Property of Non-Linear Viscosity on the Interfacial Debonding of Particulate-Reinforced Polymers J.K. Chen and L.H. Chang | 113 |
| Experimental Study on Mechanism of Crack Coalescence between Two Pre-Existing Flaws under Dynamic Loading P. Zhang, N. Li and R.L. He | 117 |
| Percolation-Relaxation Model with Critical Damage for Describing the Dynamic Tensile Spall of Ductile Metals Y.G. Wang, H.L. He, L.L. Wang and F.Q. Jing | 121 |
| Crack Propagation under Compressive Stress Influenced by Crack Face Asperity A. Saimoto, A. Toyoda and Y. Imai | 125 |
| Real-Time Monitoring and Simulating the Load Effects of Smart” CFRP- Strengthened RC Beams S.W. Lu and H.Q. Xie | 129 |
| Fracture and Crack Mechanism of Bond-Slip Behaviors in SRC Composite Structures S.S. Zheng, G.Z. Deng and W. Tian | 133 |
| Fracture Analysis of Side-Gusset Plate of Combined-Roller Based on Finite Element Method L.G. Qu and H. Gao | 137 |
| Large Deformation Dynamic Meshfree Simulation of Damage and Failure in Geomaterials D.D. Wang | 141 |
| Forced Response of Harmonic Mistuned Blade Disks K.C. Lee, K.C. Li, H.H. Yu and C.C. Lin | 145 |
| Interfacial Fracture Toughness of Adhesively Bonded Joints M. Alfano, F. Furguele and C. Maletta | 149 |
| Tensile Failure for Notched Unidirectional Laminates Q.D. Zeng, D.M. Li and C.S. Tan | 153 |
| Testing System for Mechanical Behaviors Analysis and Cracking Resistance of Concrete at Early Age X.W. Ma, D. Hooton and J.P. Ou | 157 |
| Crack Identification by Jointly Time-Frequency Analysis X. Feng and J. Zhou | 161 |
| Synthetical Numerical Model for Evaluating Blade Fatigue Life of Liquid Corrosion in Steam Turbine Y.H. Xie, D. Zhang, Z.P. Feng and B. Sun | 165 |
| Numerical Study on Damage of Half-Infinite Bar G.H. Zhao, N.M. Zhang and G.T. Yang | 169 |
| Temperature Effect on Yield Stress of Electrorheological Fluids: Experimental Investigation S.B. Choi, J.W. Sohn and Y.S. Lee | 173 |
| Dynamic Fatigue Characteristics of Electrorheological Fluids: Experimental Results S.B. Choi and K.G. Sung | 177 |
| Fatigue Life Evaluation of Rubber Components for Automobile Vehicles C.S. Woo, W.D. Kim and J.D. Kwon | 181 |
| Treatments with Fracture Mechanics in Debonding of FRP-Strengthened Concrete Beams H.N. Li, Y.W. Zhou, S.Y. Wang and M. Yang | 185 |
| Ultrafine Oxides during Detonation Expanse at A Fast Quenching Rate X.J. Li, X.H. Xie, L.J. Zou, H.H. Yan, Y.D. Qu, Q. Xu and X. Ouyang | 189 |

| | |
|--|-----|
| Low Temperature Explosion for Nanometer Active Materials X.H. Xie, X.J. Li, S.L. Yan, M. Wang, M. Xu, Z.G. Ma, H. Liu and Z.R. Guo | 193 |
| A Study of Damage in Aluminum Dual-Wall Structure by Hypervelocity Impact of AL-Spheres G.S. Guan, B.J. Pang, R.Q. Chi and Y. Zhu | 197 |
| Numerical Study of Crack Propagation in Stiff Clays S.Y. Wang, K.C. Lam, I.W.H. Fung, W.C. Zhu, T. Xu and L.C. Li | 201 |
| Structural Damage Identification Using Wavelet Packet Analysis and Neural Network Q.G. Fei, A.Q. Li, C.Q. Miao and Z.J. Li | 205 |
| Study on the Mechanism about the Effect of Technological Parameters on Performance of Fiber Coupler C.J. Shuai, J.A. Duan and J. Zhong | 209 |
| Effect of Roller Working on Fatigue Strength of Structural Metals C.L. Zhou, S. Nishida and N. Hattori | 213 |
| Cumulative Damage-Based Stiffness Reliability Analysis of the Stochastic Structural System X.C. Yan and W.T. Zhao | 219 |
| Failure Analysis of the Stochastic Structural System X.C. Yan and Y. Hua | 223 |
| Thermo-Mechanical Behavior of MEMS Gyroscope Sensor Package Subjected to Temperature Change J.W. Joo, Y.C. Cho, J.H. Won and S.H. Choa | 227 |
| Experimental Studies of Through-Wafer Copper Interconnect in Wafer Level MEMS Packaging S.H. Choa | 231 |
| Numerical Simulation of Rock Fracture under Dynamic Loading Using Manifold Method P.W. Chen, T. Huang, J. Yang and G.X. Zhang | 235 |
| Investigation into the Dynamic Fracture Properties of Large Scale Functionally Graded Materials X.B. Yang, Z. Zhuang and X.F. Yao | 239 |
| Effects of Randomness of Material Parameters on Crack Failure of Concrete C.B. Du, C.J. Ren and Z.Q. Ying | 243 |
| Plane Electromechanical Fieldes in a Piezoelectric Material with a Crack S.H. Liu, M. Wu, S.M. Duan and H.J. Wang | 247 |
| Fatigue Damage Analysis on Crack Growth and Fatigue Life of Welded Bridge Members with Initial Crack T.Q. Zhou, T.H.T. Chan and Y. Hua | 251 |
| Fatigue Damage and Life Prediction under Sequential Biaxial Loading D. Jin, J.H. Wu and X. Chen | 255 |
| Detection of Multiple Cracks in Triangular Cantilevers Based on Frequency Measurements F. Wang, X.Z. Zhao and J.Y. Chen | 259 |
| Size Effect and Microscopic Experimental Analysis of Copper Foils in Fracture H.W. Wang and H.W. Ji | 263 |
| Fracture Analysis on the Interface Crack of Concrete Gravity Dam Z.H. Chen, J.J. Feng, L. Li and H.P. Xie | 267 |
| Prediction of Mixed Mode Crack Propagation Direction in Carbon Fiber Reinforced Plastic Plate S.Q. Zhang, J.L. Li and W.Y. Yang | 271 |
| Measuring of Damage Parameters in Adhesive Bonding I. Hilmy, M.M. Abdel Wahab, I.A. Ashcroft and A.D. Crocombe | 275 |
| Effect of Transverse Shear on Deformation of Thick Laminated Sandwich Plates K. Gordnian, H. Hadavinia and J. Karwatzki | 279 |
| Prediction of Cleavage Fracture in the Ductile-to-Brittle Transition Region of Pressure Vessel Steels: A Probabilistic Model X.S. Gao, G.H. Zhang and T.S. Srivatsan | 283 |
| Mode III Yoffe Dynamic Crack in an Infinite Length Strip for Orthotropic Anisotropy Functionally Graded Material C. Jin, X.G. Li and N.C. Lv | 287 |

| | |
|---|-----|
| Two-Dimensional Analysis of Fretting Fatigue of Functionally Graded Materials L.L. Ke and Y.S. Wang | 291 |
| The Prediction of Fatigue Crack Opening Behavior Using Cyclic Crack Tip Opening Displacement by Finite Element Analysis H.C. Choi | 295 |
| Nonlinear Dynamic Response of Piezoelectric Plates Considering Damage Effects Y.M. Fu and X.Q. Wang | 299 |
| Vibration Analysis of Non-Uniform Beams with an Arbitrary Number of Cracks Z.G. Yu, F.L. Chu and Y. Cheng | 303 |
| Fracture Morphology and Residual Stresses of TiAl-Based Alloys Sheet Fabricated by EB-PVD D.M. Zhang, G.Q. Chen, C.M. Zhang and J.C. Han | 307 |
| An Closed Form Solution for Antiplane Problem of Doubly Periodic Non-Uniform Cracks Y.L. Xu and W.F. Tan | 311 |
| Digital Image Based Simulation on Failure Process of Heterogeneous Brittle Materials W.C. Zhu, J.C. Duan, C.A. Tang and S.Y. Wang | 315 |
| Numerical Simulation on Fast Crack Propagation in a Bi-Material Involving interfaces under Dynamic Loading Y.S. Wang, J. Lei and D. Gross | 319 |
| Numerical Analysis on Fatigue Failure of Sleeve in Oil-Film Bearing J.M. Wang, Q.X. Huang, C.J. Zhao and L.F. Ma | 323 |
| Crack Growth Behavior of Al Alloy under Ultrasonic Fatigue N. Kawagoishi, Q. Chen, M. Oki and Q.Y. Wang | 327 |
| On Damage Evaluation Method of the Ferromagnetic Material Based on Weak Magnetic Field Detection Technology F.Y. Yu, C.X. Zhang and M. Wu | 331 |
| Study on Phase Transformation Constitutive Behaviors of Shape Memory Alloy B. Zhou and S.H. Yoon | 335 |
| A Theoretical Model for Nondestructive Evaluation of Damage of Adhesive Joints G.S. Shui, Y.S. Wang and J.M. Qu | 339 |
| Novel Structural Damage Indices: Vibration Transmissibility and its Curvatures M.S. Cao, Q.W. Ren and P.Z. Qiao | 343 |
| Study on Characteristics of Damage Mechanics of Ductile Iron Z.Q. Jiang, X.L. Feng and J.F. Shi | 347 |
| Fracture Strength and Damage Resistance of Freeze Cast Alumina/Zirconia Layered Composites S.W. Lyu, D.S. Han, Y.M. Park, T.Y. Yang, J.M. Lee and H.C. Park | 351 |
| Microstructure and Mechanical Properties of Zr(Y,Ce)O₂ TZP Ceramics Y.M. Park, T.Y. Yang, S.Y. Yoon and H.C. Park | 355 |
| Finite Element Analysis for the Fatigue Behavior of Steel Plates Strengthened with CFRP Plates Z. Yun, L.P. Ye, X.Z. Lu and Q.R. Yue | 359 |
| Experimental Investigation of Typical Environmental Corrosion Influence on Fatigue Life in 2024-T3 Aluminium Alloy R. Bao, J.Y. Zhang and B.J. Fei | 363 |
| Contact Damage and Damage Tolerance of Dental Ceramics Y. Qiu, Y.W. Bao and Y.H. Liu | 367 |
| Application of Fractional Spline Wavelet in Detection of Abrupt Information from Fault Gear System Y.J. Shen, S.P. Yang and B.Y. Ma | 371 |
| A Three-Dimensional Finite Element Model of Hydraulic Progressive Damage B. Xue, H.A. Wu, X.X. Wang, Z.L. Lian, J. Zhang and S.C. Zhang | 375 |
| An Energy-Based Approach for Fatigue Crack Growth D.L. Fu, L. Zhang and C. Jin | 379 |
| Modeling and Simulation of Hydraulic Fracturing Propagation in Permeable Reservoirs Z.L. Lian, X.X. Wang, H.A. Wu, B. Xue, J. Zhang and S.C. Zhang | 383 |

| | |
|---|-----|
| Formulation of Three-Dimensional Green's Function and its Application to Fatigue Life Evaluation of Pressurizer | |
| Y.S. Chang, S.B. Choi, J.B. Choi, Y.J. Kim, M.J. Jhung and Y.H. Choi | 387 |
| Simulation Study on Impact Damage of Aircraft Panel Structure under Stress | |
| M.Y. Hou, S.L. Li, Y.Y. Jiang and S.A. Li | 391 |
| Study of Three-Dimensional Stress Distribution and Damage Characterization of Bolt Composite Joint | |
| Y.S. Liu, X.J. Shao and Z.F. Yue | 395 |
| Bifurcation and Chaos of the Rectangular Moderate Thickness Cracked Plates on an Elastic Foundation | |
| Y.G. Xiao | 399 |
| Analysis of Mixed Mode Cracks in Two-Dimensional Magnetoelastic Media | |
| H. Wang, X.H. Ke and M.H. Zhao | 403 |
| Remaining Life Evaluation and Maintenance of Service-Exposed HP-Nb Reformer Tubes | |
| Y. Jiang, J.M. Gong and S.T. Tu | 407 |
| An Experimental Study on the Axial Collapse Characteristics of Hybrid Side Member | |
| K.S. Lee, K.H. Im and I.Y. Yang | 411 |
| Accuracy of Intersection Counting Method in Measurement of Fiber Orientation Angle Distribution Using Image Processing | |
| J.W. Kim and D.G. Lee | 415 |
| Non-Contact and Contact Ultrasonic Detection of Fiber Orientation in Orthotropic Composite Laminates | |
| I.Y. Yang, U. Heo, K.S. Lee, J.W. Park, Y.S. Kweon, D.K. Hsu, Y.T. Cho, C.H. Lee and K.H. Im | 419 |
| Numerical Simulation of 3-D Fracture Behaviors on the FRP-Strengthened Concrete Structures | |
| J.X. Zhang, C.A. Tang, X.J. Hui, W.C. Zhu, Z.Z. Liang, Y.B. Zhang and X.Z. Guo | 423 |
| Research on the Crack Forming and Control of Centrifugal Cast High Speed Steel Rolls | |
| X.L. Feng, Z.Q. Jiang and J.F. Shi | 427 |
| Fatigue Life Prediction of Gear Based on Simulation Technology | |
| Q.B. Cui, J.Z. Zhang, G.H. Xue, S.C. Chen and L. Lei | 431 |
| Fatigue Reliability Evaluation of Old Steel Bridges Based on Probabilistic Fracture Mechanics | |
| C.S. Wang, J.G. Nie, A.R. Chen, W.Z. Chen and Y. Xu | 435 |
| Improved Damage Model of 2-D Delamination | |
| G. Yang, A.F. Zhang, W.P. Hu and B.Z. Huang | 439 |
| Fracture Behavior in a Rock Pillar Subjected to Coupled Thermo-Mechanical Loading | |
| L.C. Li, C.A. Tang and P.A. Lindqvist | 443 |
| Characteristics of Low Temperature Brittle Fracture Surface of High Nitrogen Austenitic Steel | |
| S.C. Liu, S.Y. Liu and D.Y. Liu | 447 |
| Investigation on Creep Damage of Natural Gas Storage in Salt Rock Layer | |
| F. Chen, C.H. Yang, C. Zhang and S.W. Bai | 451 |
| Failure Modes and FEM Analysis of Microelectronic Packaging | |
| G.Y. Lu and D.Y. Hu | 455 |
| Analysis of Cracks and Stresses of Welded Attachments on Full-Scale Plate Girder under Fatigue Loading | |
| M.G. Lee, S.Y. Lee and C.W. Park | 459 |
| Influence of Microstructure on the Fracture Mechanism and Mechanical Behavior in 7010 and 7150 Alloys | |
| X.G. Fan, D.M. Jiang, C.L. Wang, Y.L. Guo and X.Q. Liu | 463 |
| The Study of Fatigue Life of the Crack of Weld Bead | |
| D.X. Li, Y. Mei, F. Jia and B.C. Jia | 467 |
| Numerical Calculation of Peeling Strength in Anisotropic Conductive Adhesive Bonding | |
| J. Zhang, X. Chen and X.L. Wei | 471 |
| Fatigue Strength of Ion Nitrided Tool Steel | |
| M. Zhang, S. Nishida and N. Hattori | 475 |
| Nonlinear Free Vibration for Cross-Ply Laminated Damaged Plates with Piezoelectric Actuators | |
| Y.F. Zheng, Y.M. Fu and K. Qi | 479 |

| | |
|---|-----|
| A Numerical Study on Ductile Material Failure K. Qin and L.M. Yang | 483 |
| Effects of Polypropylene Fiber on Plastic Shrinkage Crack and Mechanical Properties of Concrete X.Y. Li, J. Zhao, W.Z. Wang and A. Jiang | 487 |
| Shear Failure Load of SFR-UHPCC I-Beam without Stirrup Based on Limit Analysis of Concrete Plasticity X.G. Wu, S.M. Han, S.W. Kim and S.T. Kang | 491 |
| Numerical Simulation for Dynamic Crack Propagation by MLPG Y. Liu and L.T. Gao | 495 |
| Fracture Analysis and Mechanical Property of AZ91D Magnesium Alloy Chips Prepared by Solid State Recycling Z.S. Ji, M.L. Hu and X.Y. Chen | 499 |
| Investigation of Fracture Design for Bi-Steel Materials Y.T. Li, P. Ma and C.F. Yan | 503 |
| Applied Investigation of Fracture for Low Carbon Steel in Extra-Low Cycle Inverse Rotating Bending Fatigue Y.T. Li and Z.Y. Rui | 507 |
| Study on Fracture Behavior of Alumina Ceramics Toughened by Combining In Situ Growth Abnormal Grains, 3Y-TZP and Cu S.F. Rong, J.Q. Zhang and Z.S. Ji | 511 |
| Passivation Cracking Analyses of Micro-Structures of IC Packages Y.T. He, H.P. Li, R. Shi, F. Li, G.Q. Zhang and L.J. Ernst | 515 |
| Effect of Heat Treatment Temperature on the Fracture Characteristics of Carbon/Carbon Composite Discs M.X. Fan, H.J. Li, Y.D. Yuan and K.Z. Li | 519 |
| Numerical Simulation on Failure Process of Internally Pressured Cylindrical Shell Subjected to Wedge Impact G. Chen, Q.P. Zhang, Z.F. Chen, S.Z. Li and Y.Z. Chen | 523 |
| An Investigation on Piston Pin Seat Fatigue Life on the Mechanical Fatigue Experiments Y.Q. Liu, Y.X. Wang, X.H. Men and F.H. Lin | 527 |
| Fracture Failure Prediction of a Mode III Crack in Orthotropic Functionally Graded Strip J.M. Chang and W.J. Feng | 531 |
| Improvement of Earthquake-Resistant Performance of Squat Shear Walls under Reversed Cyclic Loads C.S. Choi | 535 |
| Vibration-Based Damage Detection of Composite Wingbox Structures Using Improved Hilbert-Huang Transform H.G. Chen, Y.J. Yan and J.S. Jiang | 539 |
| Effect of Geometry Factors on Dynamic Fracture Behavior for Mechanical Heterogeneous Welded Joint F.Q. Tian, X.Y. Li and Y.W. Shi | 543 |
| Feature Extraction for Gear Failure Detection Based on Nonlinear Mapping G.L. Liao, T.L. Shi and L. Nie | 547 |
| Failure Behavior of Pressurized Spherical Tanks Depending on Manufacturing Method H.S. Lee, J.H. Yoon and Y.M. Yi | 551 |
| Plastic Zone Study by Means of Tri-Dimensional Finite Element Models on Fatigue Crack Closure A. González-Herrera, J. Garcia-Manrique, A. Cordero and J. Zapatero | 555 |
| Maintenance Scheduling in Risk Assessment Procedures A. Soprano and F. Caputo | 559 |
| Numerical Study on Elastic-Plastic Stress Field Near the Cooling Holes of Nickel-Based Single Crystal Air-Cooled Blades Q.M. Yu, Z.F. Yue and Y.S. Liu | 563 |
| Failure Process of Rock Sample Observed by AE Source Locating Technique under Uniaxial Compression Y.H. Li, R.F. Yuan and X.D. Zhao | 567 |
| A Short Fatigue Crack Growth Law for 1Cr18Ni9Ti Weld Metal Y.X. Zhao, B. Yang and W.H. Zhang | 571 |

| | |
|---|-----|
| 3D Anisotropic Elastoplastic-Damage Model and its Application in Simulating the Behavior of Rock Materials J.F. Zhang and T. Qi | 579 |
| A Constitutive Damage Model for Dynamic Response of Dry/Water-Saturated Granite with Application to Study on Stress Waves Z. Zhou and X.J. Wang | 583 |
| Fracture Parameters and Post-Peak Behavior Evaluation under LEFM on Bonded Cement-Based Materials C.W. Park and D.A. Lange | 587 |
| Flexural Failure Analysis of Concrete Beams Reinforced with Newly Developed Deformed GFRP Bars J.S. Sim, C.W. Park and M.K. Ju | 591 |
| Oxidation Damage of APS Thermal Barrier Coatings under High Temperature H.Y. Qi, X.G. Yang, R. Li and H.L. Wei | 595 |
| Evolution of Porous Structure and Fatigue Behavior of C/C Composites X.L. Liao, W.F. Xu and H.J. Li | 599 |
| Cyclic Plasticity and Fatigue Crack Growth R. Zhang and S. Yi | 603 |
| Research on Fatigue S-N Curves of Corrosion-Damaged Reinforcement H.W. Tang, S.B. Li, D.H. Xie and C. Zhu | 607 |
| Damage and Crack Analysis for Reinforced Concrete Energy Dissipation Braced Frame (EDBF) under Low Cyclic Loads M.L. Xiao, L.Y. Ye, S. Miao and B.Y. Liu | 611 |
| A New Method for Parameters Estimation of Probabilistic Fatigue Crack Growth Rate Model B. Yang and Y.X. Zhao | 615 |
| MMM Fatigue Damage Evaluation and Life Prediction Modeling for Ferromagnetic Materials H.Y. Xing, M.Q. Xu, R.X. Wang and J.Z. Zhang | 619 |
| Failure Mechanism of Concrete in Dynamic Loading D.M. Yan and G. Lin | 623 |
| Acoustic Emission Characteristics of Initial Failure for Carbon/Fabric Composite Edge Closeout S.W. Eun, J.W. Lee, C.W. Kong, J.S. Park, Y.S. Jang and H.S. Lee | 627 |
| The Thermal Cyclic Behavior of the TBCs with the MCrAlY Coating Method J.S. Jung, K.B. Yoo, E.H. Kim, C.H. Jeon and D.H. Kim | 631 |
| Rehabilitation of Reinforce Concrete Frames with Reinforced Concrete Infills C.S. Choi and H.Y. Lee | 635 |
| Retrofit Using Increased Section Area Method of Artificially Perforated Shear Wall in Existing Wall Dominant Structure C.S. Choi, Y.C. Choi and H.D. Yun | 639 |
| Analysis of Cracking Phenomenon Occurring during Cold Forging of ML25Mn Steel Z. Li, D. Wu and J.X. Liu | 643 |
| Frequency Tuning Characteristics of Multi-Layered Micro-Resonators Using Thermal and Piezoelectric Actuation I.K. Oh and D.H. Kim | 647 |
| Simulation of Welding Deformations of Ship Structures L. Hong and H.L. Ren | 651 |
| Phase Constitution, Mechanical Property and Corrosion Resistance of the Ti-Nb Alloys B.L. Wang, Y.B. Wang and Y.F. Zheng | 655 |
| Synthesis and Characterization of Magnetic Nanoparticles and Their Reinforcement in Polyurethane Film X.X. Xu and Y.F. Zheng | 659 |
| Damage Mechanisms in Polymer Matrix Composites in Extreme Environments M.S. Kumosa | 663 |
| Application of the GTN Model to Quantify Constraint Effects on Ductile Fracture of API X65 Steels Y.J. Kim, C.K. Oh and C.S. Oh | 667 |

| | |
|---|-----|
| Mechanical Properties and Fracture Mechanism of TiCp/ZA-12 Composites W. Xiang and X.H. Xue | 671 |
| Research on the Microstructure and Micro-Mechanics Properties of NiAl Intermetallic Coatings G. Jin, Q.F. Li, B.S. Xu, H.D. Wang and S.C. Wei | 675 |
| Dynamics of a Mode III Crack Impacted by Elastic Wave in Half Space with a Removable Rigid Cylindrical Inclusion Z.L. Yang, D.K. Liu and X.L. Lv | 679 |
| Microscopic Study of Structural Failure Mechanism and Reliability Considering Dead and Fatigue Load W.G. An, Y.W. Gu and W.T. Zhao | 683 |
| The Reliability Analysis for Piezoelectric Truss Structure in Consideration of Electroelastic Damage B.S. Wang, W.G. An and D.H. Yang | 687 |
| Mechanical Properties and Fracture Analysis of Mn-Rich Ni-Mn-Ga Polycrystalline Alloys F. Chen, W. Cai, L.C. Zhao and Y.F. Zheng | 691 |
| Mechanical Properties and Corrosion Behavior of a Beta Titanium Alloy Y.F. Zheng and B.L. Wang | 695 |
| Vibration Analyses of Cylindrical Hybrid Panel with Viscoelastic Layer Based on Layerwise Finite Elements I.K. Oh and T.H. Cheng | 699 |
| Fatigue Life Supervision of Aircraft Structures under Corrosive Conditions Y.T. He, C.H. Fan, H.X. Zhang, F. Li and H.P. Li | 703 |
| Mechanics Characteristics and Failure Criteria of Concrete Confined by One-Way Lateral Stress after Suffering High Temperature L.K. Qin, Y.P. Song, Y.J. Wang, D.S. Zhao and J.W. Yao | 707 |
| Fatigue Assessment of High Loaded Bolted Bar Connection Using Strain-Life Approach S. Glodež, M. Knez, J. Kramberger and B. Aberšek | 711 |
| Tensile Response and Fracture Process of High-Performance Hybrid Fiber-Reinforced Cement Composites H.D. Yun, S.W. Kim and E. Cheon | 715 |
| Fatigue Test on a Full Scale Panel A. Apicella, E. Armentani and R. Esposito | 719 |
| Effects of Matrix Ductility on Damage Tolerance of Diagonally Reinforced Coupling Beams H.D. Yun, S.W. Kim, E. Cheon and W.S. Park | 723 |
| Failure Analysis of Adhesively Bonded Single Lap Joints Embedded with Metal Component as Part of Fillet M. You, Y. Zheng, X.L. Zheng, Z.M. Yan and Z. Li | 727 |
| Effect of Stress-Induced Damage Evolution on Long-Term Creep Behavior of Nonlinear Viscoelastic Polymer R.G. Zhao, W.B. Luo, C.H. Wang and X. Tang | 731 |
| The Impact Damage Evolution of Steel Fiber Reinforced and Polymer Modified Concrete Y.P. Liu, L.Q. Tang and X.Q. Huang | 735 |
| The Mechanism Investigation on Propagation and Coalescence Pattern of Three Internal Plane Flaws in Brittle Materials Y.S. Guo, W.S. Zhu, R.H.C. Wong, S.C. Li and C.J. Lin | 739 |
| Lamination Optimization of Composite Curved Wing for Maximum Flutter Stability Using Micro Genetic Algorithm D.H. Kim and I.K. Oh | 743 |
| Multiaxial Fatigue Damage Models D.G. Shang, G.Q. Sun, J. Deng and C.L. Yan | 747 |
| Dynamic Damage and Microscopic Analysis of Frozen Aeolian Soil in the West of Liaoning Province S.G. Zhang and X.D. Zhang | 751 |
| Semi-Analytical Finite Element Method for Bilinear Cohesive Crack Model in Mode I Crack Propagation C.Q. Wang, Z.H. Chen and C.L. Zheng | 755 |
| Study on Compound Type Crack Propagation Behavior of Asphalt Concrete T. Xie, Y.J. Qiu, Z.Z. Jiang and C.F. Al | 759 |

| | |
|--|-----|
| The Ductile Damage and Fracture Mechanisms Analysis with Random Dispersion Multivoids | |
| H.D. Yu, Z.Q. Lin, K.S. Zhang and Y.J. Guo | 763 |
| Non-Linear Fracture Mechanics Analyses of Vibrating Screen Arthropleure | |
| H. Sun | 767 |
| Numerical Evaluation of Ultimate Strengths of Composites Considering Both In-Plane Damage and Delamination | |
| W.J. Peng and J.Q. Chen | 771 |
| Fuzzy-Random FOSM and its Application in Low Cycle Fatigue Life Reliability Analysis of an Aeronautical Engine Turbine Disk | |
| Y.L. Xu, C.L. Liu and Z.Z. Lu | 775 |
| Hot Spot Stress Fatigue Evaluation to Duplex Stainless Steel Welded Joints | |
| F.Y. Jia, L.X. Huo, G. Chen and Q.P. Zhong | 779 |
| Combination Optimization Design Method of Vibration Isolation and Shock Resistance System | |
| C.S. Zhao and S.J. Zhu | 783 |
| Initiation and Crack Propagation in Complex Structures Considering Total Value of Loading | |
| B. Aberšek, J. Flašker and S. Glodež | 787 |
| Development of Mathematical Model for Detection of Cracks in Tooth Root Using an Adaptive Algorithm | |
| M. Ploj Virtič, B. Aberšek, M. Čudina and A. Belšak | 793 |
| Interface Shear Strength of Carbon Fiber Mesh (CFM) Attached to RC Surface for External Reinforcing | |
| S.Y. Seo, H.D. Yun, C.S. Choi and K.B. Choi | 799 |
| Computation of Effective Fatigue Thresholds Based on a New Concept of Crack Closure | |
| J. Horníková, P. Šandera and J. Pokluda | 803 |
| Experimental Research on Crack Propagation in U71Mn and U75V Rail Steels | |
| J.J. Li, Y.F. Guo, Y.S. Wang and C.H. Tian | 807 |
| Fatigue Life Estimating Method for Multiple-Site Structure | |
| L.P. Long and J.Y. Zhang | 811 |
| Plastic Deformation of Rivet in Cylindrical Structure | |
| J.W. Lee, C.W. Kong, S.W. Eun, J.S. Park, Y.S. Jang and Y.M. Yi | 815 |
| Fatigue Life Evaluation of Bolt Having Tightening Torque under Random Loading | |
| Y.W. Choi, B.W. Noh, J.I. Song and S.I. Bae | 819 |
| Unified Solution of Expansion of Cylindrical Cavity of Elastic-Brittle-Plastic Strain-Softening Materials with Different Elastic Modulus in Tensile and Compression | |
| J.Z. Xia, Z.Y. Luo, W.T. Wang and W. Liu | 823 |
| Flexural Fatigue Damage Evolution for Partially High Percentage Fiber Reinforced Concrete | |
| C. Yi, S.Z. Shen, H.P. Xie and C.J. Wang | 827 |
| Modeling the Damage Progression in the Composite Structure Subjected to Static Contact Crush | |
| Y.P. Jiang and W.L. Guo | 831 |
| Vibration Analysis of Gears with Fatigue Crack in Tooth Root | |
| A. Belšak and J. Flašker | 835 |
| Evaluation of Fatigue Life of Automotive Bevel Gear | |
| J.H. Kim, D.H. Kim, Y.S. Lee and G.G. Kim | 839 |
| Hybrid Electro-Active Papers of Cellulose and Carbon Nanotubes for Bio-Mimetic Actuators | |
| S.R. Yun, L.J. Zhao, N.G. Wang and J.H. Kim | 843 |
| Numerical Study of the Fatigue Crack in Welded Beam-To-Column Connection Using Cohesive Zone Model | |
| C. Lequesne, A. Plumier, H. Degee and A.M. Habraken | 847 |
| Study on the Low Cycle Fatigue Damage of Nodular Cast Iron Based on Elastic Modulus | |
| J.H. Liu, X.Y. Hao, G.L. Li, X.B. Zhao and G.S. Liu | 851 |
| Effects of the Length of Carbon Nanotube (CNT) in CNT Reinforced Composites | |
| Q. Wang, X.F. Sun and K. Ozaki | 855 |

| | |
|---|-----|
| A Study on Measurement of Welding Residual Stress Using ESPI System K.S. Kim, S.B. Choi, J.H. Lee, S.M. Park, B.I. Kim, N.H. Lee, C.H. Lee and M. Woo | 859 |
| Numerical Simulation of Fatigue Crack Growth for Curved Cracks Emanating from Fastener Holes in Sheets by the MVCCI Method H. Theilig, M. Goth and M. Wünsche | 863 |
| Bond Strength and Damage of Long Rebar Anchored in HPC under Static and Fatigue Loading J.Z. Xiao, C.Z. Zhang and H. Falkner | 867 |
| Global-Local Hierarchical Analysis Techniques for Damaged Aircraft Fuselage Considering Bulging Deformation of Crack J.S. Ju, X.G. Jiang and X.R. Fu | 871 |
| Line Sampling Reliability Analysis for Low Cycle Fatigue Life of Aeronautical Engine Disc Structure S.F. Song and Z.Z. Lu | 875 |
| Study on Bending Fatigue Life of 42CrMo Steel with M+F Dual-Phase Structure B.L. He, Y.X. Yu and E.Y. Shao | 879 |
| Effect of Thickness in Intermediate Layer on Intensity of Stress Singularity at a Vertex in Three-Dimensional Bonded Joints H. Koguchi | 883 |
| Dynamic Fracture Behaviors of Polypropylene/Polyamide-6 Blends Z. Li, J. Wang and W.Z. Qin | 887 |
| Application of Multifractal to Characterize Microscopic Crack Propagation in Red Sandstone M.S. Cao, Q.W. Ren and P.Z. Qiao | 891 |
| Plastic Dissipation and Temperature Field around a Steady Running Crack W.B. Luo and T.Q. Yang | 895 |
| Study on Constitutive Relation and Permeable Coefficient Tensor of Rocks under Tensile Stress Loading with Micromechanics L. Wei, C.X. Chen and C.H. Yang | 899 |
| Research on Fracture Behavior of a Cracked Film-Substrate Medium B.L. Liu and X.S. Bi | 903 |
| Microstructure and Mechanical Properties of A Ultra-High Carbon Steel W.P. Lin, Y.J. Fan, Z.L. Zhang, J.W. Zhu and Y.N. Liu | 907 |
| Feasibility and Application on Ultrasonic-Polarized Shear Wave of Fiber Orientation Detection in Orthotropic Composite Laminates J.W. Park, K.H. Im, D.K. Hsu, S.K. Kim and I.Y. Yang | 911 |
| FEM Formulation and Analysis of Elasto-Plastic Stress Singularity W. Attaporn and H. Koguchi | 915 |
| Experimental and FEM Analysis of the Fracture Behavior in NiTi Shape Memory Alloys X.M. Wang and Z.F. Yue | 919 |
| Simulation of Fatigue Crack Growth Under Random Overloads with Retardation X.L. Zou and J.H. Yang | 923 |
| A Numerical Study of MSD in Aircraft Lap Joints Y.L. Chen, D.Z. Yu and C.M. Duan | 927 |
| Numerical Simulation and Analysis on Crack Path Deviation in Brittle Solid T.H. Ma, C.A. Tang, T. Xu and Z.Z. Liang | 931 |
| A Fracture Crystallography and Anisotropy of Propagation of Microcracks Nucleated in Stainless Austenitic Steels after LCF T. Eterashvili and M. Vardosanidze | 935 |
| Three Phase Micromechanical Modeling for a Shape Memory Alloy Reinforced Composite Y.P. Zhu and G.S. Dui | 939 |
| Prediction Approach for Corrosion Fatigue Life of Aircraft Structure Based on Probabilistic Fracture Mechanics X.M. Tan, Y.L. Chen and P. Jin | 943 |
| Numerical Simulation of Short Cracks in Fiber-Reinforced Ceramics D.G. Wang, J.Y. Yang, L.C. Li and W. Jiang | 947 |
| Finite Element Analysis of Creep Damage Behavior Near the Cavity on Bimaterial Interface Q.M. Yu, Z.F. Yue and Y.S. Liu | 951 |

| | |
|---|------|
| Nonlocal Theory Solution for Mode III in an Infinite Strip of FGMs X.S. Bi and B.L. Liu | 955 |
| Factors Affecting the Low Cycle Fatigue Behavior around the Weak Axis of Welded I-Section Bracing Members Y.C. Zhang, W.A. Lian and W.Y. Zhang | 959 |
| The Crack Growth Life Predictions for High Cycle Dynamic Components Z.T. Mu, W.L. Liu and P. Jin | 963 |
| Modeling of Dry Sliding Wear Using a Systematic Approach M.A. Ashraf, B. Sobhi-Najafabadi, M.G. Ellis and H.Y. Hsu | 967 |
| An Interval Analysis for the Mesco Ductile Fracture C.H. Liu and H. Huang | 971 |
| Dependence of Localized Deformation on Point Defect Development Caused by Intersected Cross Slip Among Dislocations S. Hashiba, M. Kobayashi, S. Miura and J. Shibano | 975 |
| Mechanical Performances and Failure Modes of Direct Diffusion Bonding Joints of 316L Stainless Steel Z.L. An and S.T. Tu | 979 |
| The Effect of Imperfect Inner Interface on the Stress Fields of Three-Phase Composite Materials M. Zhang, P.C. Zhai, J.Z. Tong and J.T. Zhang | 983 |
| Modelling of Rolling Contact Fatigue of Rails G. Fajdiga, M. Šraml and J. Kramar | 987 |
| Axial Dynamic Tensile Strength of Concrete under Static Lateral Compression J. Weerheijm | 991 |
| Shear Failure Analysis of Concrete Beams Reinforced with Newly Developed GFRP Stirrups C.W. Park and J.S. Sim | 995 |
| Vibration Characteristics of Fatigue Crack Damage in Simplified Beam Structure Q. Pei, G.X. Wang and X. Guo | 999 |
| A Finite-Width Crack Model for Rotor Dynamic Analysis by Transfer Matrix Method K.M. Wang and S. Xiang | 1003 |
| Finite Element Fracture Mechanics Study of Pre-Northridge Connections H.B. Liu, C.H. Zhai, Y.S. Shao and L.L. Xie | 1007 |
| Finite Element Analysis Model for Estimating the Dynamic Crush Strength of the Spacer Grid Assembly for PWRs K.N. Song, K.H. Yoon, J.J. Lee and K.J. Park | 1011 |
| Reliability-Based Seismic Performance Evaluation of RC Columns J.H. Kim and J.Y. Choi | 1015 |
| Seismic Performance of RC Structures Using an Improved Inelastic Analysis Method J.H. Kim and S.C. Yang | 1021 |
| Analysis of Interlaminar Stresses and Failure around Hole Edge for Composite Laminates under In-Plane Loading L. Li and Z.F. Yue | 1027 |
| Studies of Fuel-Air Mixture Explosion Characteristics and Structure Fracture and Damage in Large-Scale Metal Oil Storage Tank Y. Du, J.F. Gao and X.S. Jiang | 1031 |
| Crystal Plasticity Analysis of Thermal Deformation and Dislocation Accumulation in ULSI Cells M. Sato, T. Ohashi, T. Maruizumi and I. Kitagawa | 1035 |
| Numerical Investigation on the Crack Propagation in a Flat Stiffened Panel L. Nobile, G. Lamanna and A. Soprano | 1039 |
| Reconstruction of the Material Probabilistic S-N Relations under Fatigue Life Following Lognormal Distribution I-without Given Confidence Y.X. Zhao, B. Yang and W.H. Zhang | 1043 |
| Residual Stress and Damage Evolution in TBCs by Optical Method F.H. Wang, Y. Zhang and H. Wang | 1047 |
| Stress Intensity Factor of Notch/Crack Configuration under Bending Load for Brittle Materials F.H. Wang | 1051 |

| | |
|--|------|
| Behavior and Fracture Mechanism of Brittle Rock with Pre-Existing Parallel Cracks M.X. Zhang, X.L. Lee and A.A. Javadi | 1055 |
| Prediction of Crack Propagation under Dynamic Loading Conditions by Using the Enhanced Point Collocation Meshfree Method H.J. Kim, S.H. Lee and M.K. Kim | 1059 |
| A Numerical Study and Design of Turbine Blade under High Temperature and Rotational Speed Using FEM J.H. Lee, K.H. Lee and K.S. Kim | 1063 |
| Experimental Study of Steel Fibre Bridging Action on Crack Propagation in Fibre Reinforced Concrete Z.H. Xu, W.Y. Liang and Y.J. Liang | 1067 |
| High-Velocity Impact Characteristic of Carbon Fiber Reinforced Plastic Laminates Using Ballistic Range D.Y. Hwang, A. Shimamoto and K. Takayama | 1071 |
| Experimental and Numerical Study on the Melting Acceleration of Phase Change Material by Ultrasonic Vibrations Y.K. Oh and H.D. Yang | 1075 |
| Evaluation of Fatigue Strength Improvement of Ship Structural Details by Weld Toe Grinding M.H. Kim, S.W. Kang, J.M. Lee and W.S. Kim | 1079 |
| Damage Mechanics Implementation of Material Design Simulator for Layered Ceramic Composites J.M. Lee, J.K. Seo, D.S. Han, M.H. Kim and H.C. Park | 1083 |
| A Numerical Study on Thermal Strain Control of Aluminum Alloy Mold for Tire Manufacturing Y.K. Oh, H.D. Yang and Y.B. Kim | 1087 |
| Fracture Initiation and Propagation in Fatigue Contact Loading of AA6082 Aluminium Alloy A. Benedetti, P.G. Molari and P. Morelli | 1091 |
| Thermal Ageing Effects on the Residual Fatigue Strength of AA2618-T6511 Aluminium Alloy P.G. Molari, P. Morelli, S. Maldotti and T. Poli | 1095 |
| On the Progressive Buckling Behaviour of Power Screw Actuators G. Cricca, P.G. Molari and P. Morelli | 1099 |
| Evaluation of Stress Intensity Factors in Biaxial Tensile Stress using Thermalelasticity and Photoelasticity A. Shimamoto, H. Ohkawara and H.Y. Zhao | 1103 |
| Comparison of Computational Crack Path Predictions with Experimental Findings for a SEN-Specimen under Anti-Plane Shear Loading F.G. Buchholz and V. Teichrieb | 1109 |
| Fractography and Crack Initiation of Very-High-Cycle Fatigue for a High Carbon Low Alloy Steel C.E. Zhou, G.A. Qian and Y.S. Hong | 1113 |
| Damage and Crack Initiation Behavior of Duplex Stainless Steel during Cyclic Loading G.C. Chai and R. Lillbacka | 1117 |
| DBEM Crack Growth Simulation and Experimental Results for a Multi-Layer and Multi-Material Aeronautic Panel R. Citarella, M. Silvestri and A. Apicella | 1123 |
| Buckling of Thin-Walled Cracked Columns C. Carloni, C. Gentilini and L. Nobile | 1127 |
| Application of Non-Linear Notch Mechanics to Biaxial Stress Problems T. Teranishi, H. Nisitani and K. Ushijima | 1131 |
| Stress Intensity Factor in Alumina-Zirconia Composites by a Hybrid Finite Element Method M. Alfano, F. Furgiule and C. Maletta | 1135 |
| Sliding Wear Characteristics of Plasma Sprayed 8%Y₂O₃-Zr Coating for Post-Spray Heat Treatment Y.H. Chae, M.S. Suh and S.S. Kim | 1139 |

| | |
|--|------|
| Analysis of Edge Bridged Crack in Bimaterial Anisotropic Half-Space T. Profant, M. Kotoul and O. Ševeček | 1143 |
| Experimental Investigation on Mode II Fracture Toughness K_{IIC} of Concrete and Fracture Behavior S.L. Xu, H.B. Gao and X.F. Zhang | 1149 |
| Influence of Residual Stresses on Threshold Values for Crack Propagation Through an Interface Between Two Materials L. Náhlík, P. Hutař and Z. Knésl | 1153 |
| A Fracture Based Model for Wear Debris Formation Q. Li, J. Loughran, Z.X. Peng and J. Osborne | 1157 |
| Study on Generalized Fatigue Damage under Random Loading Z.W. Chen and J.G. Wu | 1161 |
| Fracture Mechanics Analysis of 2-D FGMs by a Meshless BEM C.Z. Zhang, X.W. Gao, J. Sladek and V. Sladek | 1165 |
| Transformation Cyclic Damage of Near-Equiatomic Ni-Ti Y. Liu, Y.F. Zheng, A. Mahmud and J. Laeng | 1173 |
| Tribological Characteristics Manufactures SiC by Liquid Phase Sintered Method W.J. Park, S.C. Huh, S.H. Park and H.T. Song | 1177 |
| The Effect of Compressive Residual Stress on the Fatigue Characteristics of Al6061 W.J. Park, S.C. Huh, K.Y. Lee, S.H. Park and H.S. Hwang | 1181 |
| Effective Material Properties of Damaged Elastic Solids U. Lee and D. Youn | 1185 |
| Experimental Simulation of Neutron Irradiation Damage in Reactor Pressure Vessel Steels F. Hashmi, S.J. Wu and H.X. Li | 1189 |
| Thermal and Mechanical Effects on the Flexible Polymer Substrate M.C. Tseng, H.H. Yu, S.J. Hwang, C.C. Lin and K.C. Lee | 1193 |
| A Study on the Development of Reflective Photoelastic Experimental Hybrid Method on the Static Plane Problems of Orthotropic Material J.S. Hawong, D.C. Shin and S.L. Han | 1197 |
| Finite Element Analysis of Contact Stress for Particle Reinforced Composites Y.T. Cho, C.H. Lee, K.H. Im and I.N. Hwang | 1201 |
| Blast Performance and Its Assessment on Excavation Damaged Zone of Anisotropic Rock H.R. Sun, S.H. Wang, S. Xu and W.L. Chen | 1205 |
| Asymptotic Analysis of Boundary-Induced Size Dependence of Fracture Properties K. Duan and X.Z. Hu | 1209 |
| Experimental Investigations of Thermal Damage for Rocks D.Y. Xi, S.L. Xu, Y.Z. Tao and T. Li | 1213 |
| Fracture Study on Mode I-III Crack of Rock L.Y. Li, F.G. Xu, H.P. Xie and W. Ning | 1217 |
| The Damage Inspection and Safety Assessment on Steel-Sheet Pile Wharf Structural System H.H. Lee and P.Y. Chang | 1221 |
| Strain Measurement in the Depth of the Order of Millimeter Using High Energy White X-Rays T. Hirata, J. Shibano, T. Shobu, K. Suzuki, H. Kaneko and M. Kobayashi | 1225 |
| Effects of Water Jet Peening on Fatigue Properties of SPA-H and SPCC Steel W.P. Jia, D.Y. Ju and A. Shimamoto | 1229 |
| Comparison of Mechanical Properties of the 32CrMoV12-28 Hot Work Tool Steels Alloyed with WC, VC and TaC Powder Using HPDL Laser L.A. Dobrzański, K. Labisz and A. Klimpel | 1233 |
| Compressive Failure of Carbon/Epoxy Laminate Composites under High Impact Loading W. Zhou, M.S. Cao, H.B. Jin, Y.L. Lei and J.L. Rong | 1237 |
| Low-Cycle Fatigue Behavior of Small Slice Specimens of Zircaloy-4 at Elevated Temperature L.X. Cai and Y.M. Ye | 1241 |
| Relaxation Analysis of Bolt Load in Single Bolted Joints Fastening Thermosetting Polymer S.S. Lee and N.Y. Kim | 1245 |
| Analysis of Interface Crack in Polymer Liner Subjected to Hygrothermal Stress S.S. Lee | 1249 |

| | |
|--|------|
| Microstructural Evaluation of Isothermally Aged 12Cr Steel by Magnetic Property Measurement | |
| C.S. Kim, J.H. Kang, J.W. Byeon and S.I. Kwun | 1253 |
| Contact-Driven Crack Formation in Dental Ceramic Materials | |
| W. Li, Q. Li, J. Loughran, M. Swain, I. Ichim and N. Fujisawa | 1257 |
| Isotropic Damage Analysis of Elastic Solids Using Meshless BEM | |
| X.W. Gao and C.Z. Zhang | 1261 |
| Development of Web-Based Fatigue Analysis System for Machine Components and Structures | |
| B.W. Noh, S.I. Bae and K.C. Ham | 1265 |
| Fatigue Life Evaluation for Notched Components of Automatic Transfer Devices | |
| Y.W. Choi, B.W. Noh, K.C. Ham and S.I. Bae | 1269 |
| A Study on Load Analysis and Durability Test Condition of Automobile Brake Pedal | |
| B.W. Noh, Y.W. Choi and S.I. Bae | 1273 |
| Fracture Mechanics and Fatigue Cracks Reduction of Polymeric Asphalt Pavements | |
| A.K. Haghi, M. Arabani and M. Shakeri | 1277 |
| Fatigue Strength Evaluation of the Load-Carrying Cruciform Fillet Welded Joints Using Hot-Spot Stress | |
| B.W. Noh, J.I. Song and S.I. Bae | 1281 |
| Synthesis of Ba(Mg_xNb_{1-x})O₃ Nanoparticles by a Glycothermal Process | |
| R.H. Kim, J.H. Son and D.S. Bae | 1285 |
| Seismic Capacity Requirements for Low-Rise Reinforced Concrete Buildings Comprised of Members Failing in Shear and in Flexure | |
| K.S. Lee and C.S. Choi | 1289 |
| Discrete-Continuous Configuration Optimization Methods for Structures Using the Harmony Search Algorithm | |
| K.S. Lee and C.S. Choi | 1293 |
| Synthesis and Characterization of the ZnO-TiO₂ Nanoparticles by a Hydrothermal Processing | |
| J.W. Kim, S.W. Kim, K.S. Park, J.K. Lee, B.I. Kim and D.S. Bae | 1297 |
| Optimization Conditions of Spot Welding Using Genetic Algorithm | |
| J.H. Song, S.R. Sin, H.Y. Kang, C.W. Kim, H.S. Yu and S.M. Yang | 1301 |
| A Bi-Material Wedge – a Model for the Prediction of Failure Initiation at Shape and Material Discontinuities | |
| J. Klusák and Z. Knésl | 1305 |
| Damage Detection Based on ESPI and SVM | |
| L. Liu, G. Meng and H. Huang | 1309 |
| Punching Shear Strength Considering Cumulative Damage for FRP Strengthened Bridge Decks under Fatigue Loading | |
| C.W. Park, J.S. Sim and T.S. Lee | 1313 |
| Quasi-Brittle Fracture of Lamellar γTiAl: Simulation Using a Cohesive Model with Stochastic Approach | |
| R. Kabir, A. Cornec and W. Brocks | 1317 |
| Fatigue Threshold of Nitrided and Shot Peened Specimens | |
| C. Colombo, M. Guagliano and L. Vergani | 1321 |
| Analysis of Premature Rip-Off Failure Mechanism of Reinforced Concrete Beams Strengthened with FRPs | |
| C.W. Park, J.S. Sim and S.J. Park | 1325 |