

Table of Contents

Sponsors

Reviewers

Preface

I. Micro/ Nano-Metrology

Engineering Nanotechnology: The Top Down Approach R.J. Hocken, R. Feserman, J. Overcash, O. Ozturk and C. Stroup	3
Dimensional Measurements for Micro- and Nanotechnology G.L. Dai, F. Pohlenz, H.U. Danzebrink and L. Koenders	7
Recent Advances in our Research on Ultrahigh Resolution Laser Confocal Microscopy J.B. Tan and J. Liu	11
Reliable Detection of Periodic Micro Structures on Open Surfaces F. Härtig, M.P. Krystek and S. Klein	15
The Assessment of Functional Properties of Surfaces with Morphological Operations M. Dietzsch, S. Gröger, M. Gerlach and M.P. Krystek	19
Tactile and Optical Microsensors - Test Procedures and Standards U. Neuschaefer-Rube, M. Neugebauer, W. Ehrig, M. Bartscher and U. Hilpert	23
Simulation of Light Scattering from Nanostructured Surfaces A. Tausendfreund, S. Patzelt, S. Simon and G. Goch	27
Characterization and Manipulation of Boron Nanowire inside SEM M. Chang, C.H. Lin and J.R. Deka	31
AFM with the Slope Compensation Technique for High-Speed Precision Measurement of Micro-Structured Surfaces Y.G. Cui, B.F. Ju, J. Aoki, Y. Arai and W. Gao	35
Compact Displacement Measurement System Based on Microchip Nd:YAG Laser with Birefringence External Cavity Y. Tan and S. Zhang	39
New Synthetic Heterodyne Laser Doppler Vibrometer for Measurement of Mechanical Vibrations with Submicron Amplitude S.G. Kang, J.P. La, H.S. Yoon, D.Y. Choi and K.H. Park	43
Development of the Precision Stage with Nanometer Accuracy and a Millimeter Dynamic Range D.H. Jeong, H.K. Kweon and Y.S. Kim	47
Quasi-Common-Path Laser Feedback Interferometers for Precision Measurement of Non-Cooperative Targets X.J. Wan and S.L. Zhang	49
Self-Mixing Interferometer Based on Four-Bucket Integration Technique for Micro-Displacement Measurement D.M. Guo and M. Wang	53
Micro-Nanometer Positioning Control of Bimodal Ultrasonic Motor Based on Wavelet Differential Actuation Pattern C.Y. Xu and X.F. Yu	57
Adaptive Fiber-Optical Sensor System for Pico-Strain and Nano-Displacement Metrology R.V. Romashko, Y.N. Kulchin, S.D. Girolamo, A. Kamshilin and J.C. Launay	61
The Development of a Separated Mini-Environment H. Zhang, Z. Cai and K.C. Fan	65
Signal Denoising of MEMS Microstructure Profile K. Hu, X.Q. Jiang and X.J. Liu	69
Measurement and Analysis of Radial Error Motion of a Miniature Ultra-High-Speed Spindle K. Fujimaki and K. Mitsui	73

II. Precision Measurement

Development of Measurement System for Accuracy Control in Subsection Manufacture F. Zhang, X.H. Qu, J.F. Dai and S. Ye	79
Study on the Composite Measuring Method for Small Module Gears J.J. Ding, Z.D. Jiang, B. Li and J.J. Guo	83
Collinear Constraint Based Mobile Vision Coordinate Measurement System Z.J. Yu, X. Li, X. Si, J. Zhu, D. He and Q. Gao	87
Designing a System of Interferometry Based on DSP X. Ding, Z.M. Zhao, Y. Chen and Y. Hou	91
Multiple Measurement Techniques for Coordinate Metrology S. Osawa, O. Sato and T. Takatsuji	93
Novel High-Precision Pitch Artifact Using Balls M. Komori, S. Osawa, O. Sato, T. Kiten, D. Shirasaki and T. Takatsuji	95
Refractive Index and Thickness Determinations Using a Dual-Path Mach-Zehnder Interferometer S.T. Lin and T.L. Lin	97
Measuring and Machining of Ripples on Silicon Surface with Femtosecond Pulse Laser X. Fu, L. Li, Y. Wu and N. Geng	101
Straightness Error Compensation for Ultra-Precision Machining Based on a Straightness Gauge G.H. Cao and Y. Namba	105
R&D of Ray Tracing Simulation Software and Fabrication Technologies Based on VCAD (Volume-CAD) Concept for GRIN Lens N. Itani, Y. Watanabe, W. Lin, Y. Uehara, S. MORITA, T. Mishima, H. Ohmori and A. Makinouchi	109
Surface Topography of Chromium Coatings after Pneumatic Ball Peening A. Dzierwa, P. Pawlus and R. Reizer	113
A Calculating Method in Design Flat Air Bearing with Central Feedhole and Pocket V.T. Thang and L.C. Du	117
Research on a Novel Vibration System for Dynamic Balancing Measurement Based on Flexure Hinge Mechanism D. Zhao, P. Qin and P. Cai	121
Hydraulic Pressure Wave Generator for Performing the Calibration of Hydraulic Components S.H. Wang, L.L. Han and T.T. Tsung	125
The Research of Data Acquisition and Control Method about On-Line Measurement System on High Precision of Large Diameter B. Wang, X.F. Yu and H. Zeng	129
Online Measurement for Dimensions of Thermal Train Wheel Y. Yang, S. Deng and Z. Hong	133
Stability Derivatives Estimation of Unmanned Aerial Vehicle Y.P. Sun, L.T. Wu and Y.C. Liang	137
Design of a Compliant Micromechanism for Optical-Fiber Alignment Y.H. Hu, K.H. Lin, S.C. Chang and M. Chang	141
Measurement Method for Measuring Circular Motion Error of CNC Machine Tools K.H. Lin, Y.H. Hu, C.A. Chan and M. Chang	145
Optical-Electronic System for Remote Measurements of Shifts and Deformations in Huge Mechanical and Engineering Constructions Y.V. Chuguy, A.G. Verkhogliad, V.S. Bazin, V.E. Kalikin, S.V. Kalichkin, S. Makarov and S.G. Savkov	149
Incompressible and Analytical Study on a Basic Model of Out-Pump Type Complex Journal Gas Bearings S. Yao, S.M. Barrans and L. Blunt	153
Capacitance Automatic Measurement Method of the Thickness of Liquid Film on Plat Form S.X. Xu, B. Wang and Y.Z. Zheng	157

Calibration Technology of the Articulated Arm Flexible CMM X.Y. Wang, S.G. Liu, G.X. Zhang, B. Wang and L.F. Guo	161
Theory and Application Research of Dynamic Measuring Accuracy Y.T. Fei and M. Jiang	165
Research on the Application Technology of Linear CCD in Dynamic Measuring Molten Tin Glass Surface Y. Yu and S.X. Xu	169

III. Online and In-Process Measurement

Online Measurement of Micro-Aspheric Surface Profile with Compensation of Scanning Error Y. Arai, A. Shibuya, Y. Yoshikawa and W. Gao	175
Development of Ultra Precision Gear Measuring Instrument/UPGMI H. Ogasawara, N. Maeda and T. Hayashi	179
Use of Air Beam for In-Process Optical Measurement in Precision Machining Y. Gao, K. Xiao, Y. Zhang and Y.S. Chan	183
Development and Evaluation of a Non-Contact On-Machine Profile Measurement System Using a Compact Laser Probe R. Kobayashi, S. MORITA, Y. Watanabe, Y. Uehara, W. Lin, T. Mishima and H. Ohmori	187
Measurement Method for Micro-Cavity Based on Improved MAP Algorithm J.W. Cui, J.B. Tan and Q. Shi	191
A Novel Control Method Using Nonlinear Observer for a $XY\theta_z$ Planar Actuator Y. Arai, S.Y. Dian and W. Gao	195
Machining Accuracy Improvement by Automatic Tool Setting and On Machine Verification E.S. Lee, C.H. Lee and S.C. Kim	199
Study on the Multifunctional Bearing Test-Bed for Testing the Limit PV Performance J.W. Yu, T. You and X.F. Yu	203
Online Stereo Vision Coordinate Measurement System Using on Aircraft Assembly Z.J. Yu, X.X. Li, D.R. He, J.G. Zhu, X.Y. Si and L. Zhang	207
Laser Remote Inspection of Live Contact Wire for Railways Y.V. Chuguy, A.G. Verkhogliad, V.S. Bazin, V.E. Kalikin, S.V. Kalichkin, S. Makarov and I.A. Vykhristyuk	211

IV. Surface Metrology

Analysis of Digitizing and Traditional Measuring System at Surface Measurement of Lids B. Barisic, M. Rucki and Z. Car	217
High Precision Measurement and Evaluation of the Fine Mould Surface Structures M.N. Durakbasa, P.H. Osanna, M.E. Yurci and A. Nomak-Akdogan	221
3D Topography for Drilled Surfaces G. Varga and I. Dudas	225
Study on the Key Technology of Airport Runway Frictional Coefficient Measurement L.W. Wang, Z.J. Yu, L. Zhang, J. Gao and J. Song	229
Simultaneous Flatness and Surface Roughness Measurement of a Plastic Sheet Using a Fan-Shaped Laser Beam Scanning System F.J. Shiou and Y.W. Deng	233
A Surface Texture Information System Integrated with AutoCAD for Next Generation GPS Q. Qi, X. Liu and X.Q. Jiang	237
A Study on Surface Material Measures for Areal Surface Texture Measuring Instruments: Measuring Conditions for the Areal Profiling K. Nemoto, K. Yanagi, M. Aketagawa, D. Kanda, I. Yoshida and M. Uchidate	241

V. Optical Metrology and Image Processing

Laser Diode Self-Mixing Interference Based on Phase Measurement Method M. Wang and D.M. Guo	247
A Novel Laser Feedback Interferometer for Metrology of Large Range Displacement W. Mao and S.I. Zhang	251
Eliminate of the Nonlinearity in Heterodyne Interferometer W.M. Hou, L.Y. Shen and X. Ren	255
Characterizing the Thermal Properties of Solid Materials with Weakly Absorption by the Transient Thermal Grating Method X.D. Xu and X.J. Liu	259
Aspheric Surface Testing Using a Partial Compensation Lens Q. Hao and Q.D. Zhu	263
New Approach to Fringe Pattern Analysis Obtained by Scanning Polished Metal Cylinders with Gaussian Beam R. Jabłoński and J. Mąkowski	267
Theoretical Study on Self-Calibration for the Wide-Range Laser Auto-Collimation Method H. Shimizu and O. Hayashi	271
Study on the Phase Unwrapping Method with Colored Encoded Grating Pattern in 3-Dimension Profile Measurement B. Li, Z.D. Jiang and X.Q. Wang	275
A Study of the Surface Profile Measurement Using a Reference Error Free Interferometer E. Okuyama and T. Yamasuge	279
3D Displacement Measurement with Pico-Meter Resolution Using Single Heterodyne Grating Interferometry C.C. Hsu, J.Y. Lee, C.C. Wu and H.C. Shih	283
Merging Phase Shifting Interferometry with Confocal Chromatic Microscopy J. Cohen-Sabban	287
Positional Detection in Grating Mosaic Based on Image Processing of Far-Field Diffraction Intensity Patterns in Two Wavelengths Y. Hu and L.J. Zeng	291
A Comparison of Image Registration Methods Used for Printed Circuit Board Inspection S.C. Lin, C.T. Chen and C.H. Chou	295
Analyzing the Grating Profile Parameters Based on Scanning-Electron Microscope Images Y. Li and L.J. Zeng	299
Machine Vision Based Tracking Control of a Ball-Beam System C.C. Ho and C.L. Shih	301
A Point Matching Method for Stereovision Measurement N.G. Lu, M.L. Dong, P. Sun and J.W. Guo	305
Photogrammetric Measurement of Deformation of Large Deployable Mesh Microwave Antenna M.L. Dong, W.Y. Deng, Y.N. Sun and Y.Q. Wang	309
Photogrammetric Method with Distance Constraint for Profile of Inflatable Space Antenna W.Y. Deng, M.L. Dong, N.G. Lu and Y.Q. Wang	313
A Research on the Colorimetric Characterization of Digital Camera G.X. Jia, X.H. Qu, H. Gong and S.H. Ye	317
Autofocusing System for Optical Microscope Based on DVD Pick-Up Head C.L. Chu, C.Y. Chung, C.M. Tseng, Y.C. Lin, C.F. Li and K.M. Yeh	321
Automatic Inspection System for Grain Size Distribution Using a Commercial Grind Gauge M. Yoshida, K. Yanagi, M.H. Hafiz and M. Hara	323
Optical Detection Using Multi-Wavelength Modulation B.P. Ng, S.H. Luen, Y. Zhang and Y.C. Soh	325
An Improved Active Homodyne Detector H.L. Seck, Y. Zhang and Y.C. Soh	329
Improved Accuracy of 2-D Non-Contact Range Sensors Using 2-D Lateral Effect Position Sensitive Detector S. Cui, Y. Zhang, S.Y. Lim and Y.C. Soh	333
A Dynamic Model of Two-Beam Tuning Fork Z.G. Dong, Y. Zhang and Y.C. Soh	337

VI. Biomeasurement

Direct Measurement of NO in Biological Samples S. Mochizuki, M. Goto, Y. Ogasawara and F. Kajiya	343
On the Measurement of the Effective Refractive Index of Biological Colloids A. García-Valenzuela, C. Sánchez Pérez, A. Reyes-Coronado and R.G. Barrera	345
Surface Plasmon Resonance Bio-Sensor with Full Field Phase Detection J.Y. Lee, T.K. Chou, H.C. Shih and C.C. Hsu	349
Study on the Intravenous Lung Assist Device (ILAD) Using PZT Actuators and PVDF Sensors G.B. Kim, S.J. Kim, Y.C. Lee, C.U. Hong, H.S. Kang, J.S. Kim, S.Z. Kim, S.J. Yoon and M.H. Kim	353
Study on the Immobilization of Ni-NTA and NTA on PMMA Substrate Base W.S. Chong, G.B. Kim and C.U. Hong	357
A Basic Study of the CNT-Biomolecule Conjugation by Molecular Dynamics Analysis S.M. Kim and H.K. Kweon	361
Lie Detection Experiment Methodology: Infrared Image and Spectrum Analysis W.S. Li, H. Li, S. Lu and Q. Hu	365
Study of Equilibrium Sense Improvement Displaying Visual Information G.B. Kim, S.H. Jeong, W.S. Chong, H.S. Kang, S.J. Kim, M.H. Kim, J.W. Hwang and C.U. Hong	369

VII. Sensor Technology

A Robotic Facial Expression Recognition System Using Real-Time Vision System K.T. Song, M.J. Han, F.Y. Chang and S.H. Chang	375
Freeform Surface Measurement from a Single Encoded Image Captured by a Camera with Varying Parameters R.S. Lu, Z.J. Liu, X.M. Dang and P.H. Hu	379
Development of a Flexible Temperature Sensor Array System Y.J. Yang, B.T. Chia, D.R. Chang, H.H. Liao, W.P. Shih, F.Y. Chang and K.C. Fan	383
Signal Detection and Control of an Intelligent Robot F.C. Wang, H.M. Lin, P.K. Chen, F.Y. Chang and K.C. Fan	387
Fabrication and Characterization of Electro-Active Polymer for Flexible Tactile Sensing Array L.C. Tsao, D.R. Chang, W.P. Shih and K.C. Fan	391
Advanced Measurement Methods of Geometric Object Properties Using Airborne Ultrasound H.F. Schweinzer, G. Kaniak and J. Kellner	395
Measurement of Acoustic Emission Wave by Using Optical Fiber Sensor during Microsecond Discharge Y. Akematsu, A. Hirao, H. Takezawa, K. Kageyama, N. Mohri and H. Murayama	399
Predictive Measurement Method for Time Grating Displacement Sensor X.K. Liu, Y.T. Fei, D. Peng and X. Wang	403
Intelligent Profile Measurement for Wide-Area Resist Surface Using Multi-Sensor AFM System S.J. Liu, K. Watanabe, S. Takahashi and K. Takamasu	407
Increasing the Metrological Reliability of Sensors. New Problems and Ways of Solution K. Sapozhnikova and R.E. Taymanov	411
Consistency Checking and Combining Measurement Results for a Wireless Sensor Network M.D. Duta and M.P. Henry	415
Validated Uncertainty Evaluation for Self-Validating Sensor Z.G. Feng, Q. Wang and K. Shida	419
Ultrareliable Measuring Complex for Nuclear Reactor of New Generation R.E. Taymanov, I. Druzhinin and K. Sapozhnikova	423
Key Technique of Tip Clearance Measurement for Rotational Blades Y.Z. Ma, F.J. Duan, Y.Z. Zheng, C.S. Ai and S.H. Ye	427

Optimal Design of Microaccelerometer Y.C. Liang and Y.P. Sun	431
Measurement of Strain Induced by Impact with Fiber Bragg Grating P.Y. Zhu, D. Liu and Y. Lin	435
Sensor Dynamic Modeling Based on LS-SVM and NGA Q. Wang, Z.G. Feng and K. Shida	439
Application of Particle Swarm Optimization-Based Digital Beamforming Technique to the Identification of Multiple SAW Tags H. Zhu, Q. Li and W. Shi	443
Study on Oil and Gas Pipeline Leakage Real-Time Inspection System Based on Distributed Optical Fiber Y. Zhou, S.J. Jin, H. Feng, Z.M. Zeng and Z.G. Qu	447
Effect of Arc Discharge Pressure on Discharge Current in EDM A. Hirao, S. Tai, H. Takezawa, N. Mohri, K. Kageyama, H. Murayama and Y. Akematsu	451

VIII. Intelligent Measurement and Instrumentation

Material Tester Using a Controlled Oscillator and an Inertial Mass S. Hashimoto and Y. Fujii	457
Reconsideration of Body Mass Measurement on the International Space Station and Beyond K. Shimada and Y. Fujii	461
Flatness-Based Control of a Coriolis Mass Flowmeter H. Röck, T. Schröder, K. Kolahi and F. Koschmieder	465
Fabrication of Micro Tetrahedron Patterns Using Ultra-Precision Shaping System J.W. Park, S.C. Choi, H.S. Oh, Y.W. Kim, S.W. Kim, C.M. Lee and D.W. Lee	469
Load and Damage Monitoring of Intelligent Structures Based on Optical Fibers Z.M. Zhao, L. Guo, W. Li, X. Hong and C. Ma	473
Development of a High-Precision Temperature Measurement Instrument Based on Quartz Tuning-Fork Temperature Sensor J. Xu, B. You and X. Li	477
A New Method and Characterization for Pollution Preventing of Camera Window D.H. Kim, J.Y. Song and M.R. Lee	481
Measurement Method for Four Degrees of Freedom Using Reflective Diffraction Grating T.H. Ha, C.W. Lee and J.W. Song	485
Development of Durability Test Bench and Experimental Evaluation for Refrigerant Compressor of Automotive Air Conditioning System J.N. Lee, C.B. Huang, K.J. Jang and C.W. Tsai	489
A Study on Dynamic Performance of Precise XY Stages Using Real-Time Input Shaping S.W. Park, S.W. Hong, H.S. Choi and W.E. Singhose	493
Performance Evaluation of Ultra-Precision Motion Controlled Positioning Stage E.S. Buice, S.T. Smith, R.J. Hocken, D.L. Trumper and D. Otten	497
Theory Study of Nanometer Metrological Grating Based Two Times Moiré Fringe X.S. Ma, Y.T. Fei, G.H. Li, Z.Y. Ying and S.Y. Li	501
Lag Time and Working Frequency of FBG Strain Sensor L. Sun, H.N. Li, D.Z. Liang and J. Fang	505
A Planar Capacitive Sensor for Large Scale Measurement W. Wang, X.X. Li and Z.C. Chen	509
Temperature Characterization for Nano-Polishing of PCD Composites Y. Chen, L.C. Zhang and J.A. Arsecularatne	513
Measurement and Characterization of Surface Quality in Fast Tool Servo Machining of Optical Microstructures C.F. Cheung, T.C. Kwok, S. To, W.B. Lee, X.Q. Jiang and H.F. Li	517
Abrasive Dispersing in Ultra-Fine Diamond Tools J. Liu, H. Huang and X.P. Xu	521
Nanomechanical Properties and Nanostructure of CMG and CMP Machined Si Substrates B.L. Wang, H. Huang, J. Zou and L.B. Zhou	525

Development of Nanometrology for Nanoelectronics: Growth and Characterization of Transition Metal Monolayer Films on Silicon N.I. Plusnin, W.M. Il'yashenko, S.A. Kitan and S.V. Krylov	529
On the Measurement of Dielectric Constant of Coatings with Capacitance Sensors A. Guadarrama-Santana and A. García-Valenzuela	533
Broadband Dielectric Properties of the Ba₃MnTa₂O₉ Complex Perovskites J.W. Chen, B.K. Wang, J.C. Hsu and G.N. Rao	537

IX. Uncertainty, Traceability and Calibration

ESAD Shearing Deflectometry: A Primary Flatness Standard with Sub-Nanometer Uncertainty R.D. Geckeler	543
Achieving Nanorad Level Stability of Beam Deflection with Scanning Pentaprisms R.D. Geckeler	547
Traceable Dimension Metrology by AFM for Nanoscale Process Control T. Bao	549
Test Artefacts for the Verification of Optical Digitizers O. Sato, S. Osawa, T. Takatsuji, M. Murakami and R. Harada	553
Kalman Filter for Estimation of a Linear Regression Model with Account of the Regression Vector Error and its Application to Calibration of Measuring Instruments C. Hajiyev	557
Research on Specification Uncertainty in the Next Generation GPS W. Lu, X. Liu, X. Jiang and Z. Xu	561
Traceable Nanometrology Realized by Means of Nanopositioning and Nanomeasuring Machine G. Jäger, E. Manske, T. Hausotte, R. Mastlylo, N. Dorozhovets and N. Hofmann	565
Study on Scanning Squareness Measurement Method and Uncertainty Estimation X. Chen and K. Takamasu	569
Improved Abbe Vertical Metroscope for the Calibration of Gauge Blocks S.Z.A. Zahwi, M. Bahrawy, M. Amer and N. Farid	573
Analysis of Gear Measurement Using Virtual Gear Checker (VGC) F. Takeoka, M. Komori, M. Takahashi, A. Kubo, T. Takatsuji, S. Osawa and O. Sato	577
Industrial Robot Error Compensation Using Laser Tracker System J.F. Ouyang, W. Liu, X.H. Qu and Y. Yan	579
Research on Measurement Uncertainty Evaluation Methods Based on Bayesian Principle X.H. Chen, Z.Y. Cheng and Y.T. Fei	583
Uncertainty Estimation Using Monte-Carlo Method Constrained by Correlations of the Data M. Nara, M. Abbe and K. Takamasu	587
Analysis of Deformation and Stress Distribution of the Poly-Axial Pedicle Screw S.M. Kim, I.C. Yang, D.K. Kim and H.S. Bae	591
Tooth Form Evaluation Using Ball Artifact Development of a Measuring Instrument of a Ball Center Distance Traceable to National Standard of Length Y. Kondo, K. Sasajima, S. Noguchi, K. Kondo, S. Osawa, K. Naoi and T. Takatsuji	595
Using of Validated Software for Uncertainty Analyses Tools in Accredited Laboratories O. Velychko	599

X. Signal Processing and Algorithm

Universal Designed Structures for Strict Pitch Measurements Using Scanning Probe Microscopes K. Sugawara, O. Sato, K. Yoshizaki, I. Misumi and S. Gonda	605
An Intelligent Design for Foot Orthoses S.E. Hussein	607

Study on In-Process Detection and Diagnosis of Faults Arc Based on Early Sounds Signature and Intermittent Chaos	
R.C. Zhang, J.H. Yang and J.H. Du	611
Processing of Complex Modulated Ultrasonic Signals in Gas Flow Metering	
O. Ricken and V. Hans	615
Investigation on the Noise Separation in Watt Balance Experiments	
W. Zeng, X.Q. Jiang, P. Scott and L. Blunt	619
Advanced Analog-to-Digital Conversion Using Voltage-to-Frequency Converters for Remote Sensors	
S.Y. Yurish	623
Correlation Processing of the Signals of the Single-Fiber Intermode Interferometer with a Small Number of Excited Modes	
Y.N. Kulchin, O.B. Vitrik and A.D. Lantsov	627
Research on Automatic Flaw Classification and Feature Extraction of Ultrasonic Testing	
J. Li, X. Zhan, J. Zhuge, Z. Zeng and S.J. Jin	631
Simulation of Profiles of Normal Ordinate Distribution	
P. Pawlus, R. Reizer and A. Dzierwa	635
Processing Speed Acceleration of an Intelligent Communication Instrument	
H. Kikuchi, H. Shen and S. Iwasaki	639
The Design and Use of F1 Softgauges for Validating Surface Metrology Software	
T. Li, X.Q. Jiang, L. Blunt, P. Scott and S. Xiao	643
Instruction Scheduling on a Pipelined Processor for Mechanical Measurements	
H. Shen and N. Numata	647
The Influence of Form Deviations and Surface Topography of Micro-Components on the Uncertainty of their Geometrical Parameters	
M. Neugebauer and M.P. Krystek	649