

Table of Contents

Preface, Committees and Sponsors

Chapter 1: High Precision Machining

Study on the Mechanism of Optical Glass Sub-Surface Crack Formation in Single Abrasive Grinding J. Chen, F.H. Zhang, H. Zhao, Z. Yong and L.F. Liu	1
Study on Micro/Nano-Indentation of Typical Soft-Brittle Materials W. Hang, L.B. Zhou, J. Shimizu, T. Yamamoto and J.L. Yuan	7
Wear Characteristics of Cutting Tools in Turning of Sintered Steel under Different Lubrication Conditions T. Obikawa, T. Ohno, M. Yamaguchi, T. Maetani, S. Unami and Y. Ozaki	13
Evaluation of Surface Roughness and Subsurface Damage of 4H-SiC Processed by Different Finishing Techniques H. Deng and K. Yamamura	19
Fabrication of Smooth Surface on 4H-SiC Substrate by Ultraviolet Assisted Local Polishing in Hydrogen Peroxide Solution A. Kubota, K. Kurihara and M. Touge	24
Figuring of Aspherical Metal Mirror Substrate for Neutron Focusing by Numerically Controlled Electrochemical Machining T. Tabata, M. Nagano, D. Yamazaki, R. Maruyama, K. Soyama and K. Yamamura	29
Study on <i>In Situ</i> Etching Rate Monitoring in Numerically Controlled Local Wet Etching N. Shimozone, M. Nagano, T. Tabata and K. Yamamura	34
Fabrication of Ultrathin Bragg Beam Splitter by Plasma Chemical Vaporization Machining T. Osaka, M. Yabashi, Y. Sano, K. Tono, Y. Inubushi, T. Sato, S. Matsuyama, T. Ishikawa and K. Yamauchi	40
Rapid Planarization Method by Ultraviolet Light Irradiation for Gallium Nitride Using Platinum Catalyst H. Asano, S. Sadakuni, K. Yagi, Y. Sano, S. Matsuyama, T. Okamoto, K. Tachibana and K. Yamauchi	46
Development of an Ultraprecise Piezoelectric Deformable Mirror for Adaptive X-Ray Optics H. Nakamori, S. Matsuyama, S. Imai, T. Kimura, Y. Sano, Y. Kohmura, K. Tamasaku, M. Yabashi, T. Ishikawa and K. Yamauchi	50
Generation of Regularly Aligned Curved Surface Patches on Free-Form Surface for Patch Division Milling K. Xu and H. Sasahara	54
Effect of Cutting Revolution Speed on Cutting Temperature in Helical Milling of CFRP Composite Laminates S. Sakamoto and H. Iwasa	58
Experimental Study of Cutting Performance and Tool Wear in Dry Side Milling of Aluminum Alloy with DLC-Coated HSS-Co Cutter Y. Mizugaki, K. Takafuji, K. Kikkawa, T. Kuroda and T. Kimura	64
Machinability of CBN Tool in Turning of Tungsten Carbide S. Tsurimoto, T. Moriwaki and M. Nagata	70
Fabrication of Micropins Using Micro Turning Tools T. Furukawa, Y. Nomura, K. Harada and K. Egashira	76
Ultra-Precision Cutting of Single Crystal Silicon Using Diamond Tool with Large Top Corner Radius Y. Kobaru, E. Kondo and R. Iwamoto	81
Micro-Milling of Fully Sintered ZrO₂ Ceramics with Diamond Coated End Mills R. Bian, E. Ferraris, J. Qian, D. Reynaerts, L. Li and N. He	87
Micro-Groove Cutting for Different Materials Using an Elastic Leaf Spring Type Tool Holder G. Herrera-Granados, K. Ashida, I. Ogura, Y. Okazaki, N. Morita, L. Ruiz-Huerta and A. Caballero-Ruiz	93

Micro Cutting of Sapphire T. Matsumura, Y. Endo and H. Ozawa	99
Cutting Performances of Nano-Polycrystalline Diamond K. Harano, H. Sumiya and D. Murakami	105
Fundamental Experiment of Near-Dry Deep Hole Drilling with BTA Tool - The Optimal Cutting Conditions and Tool's Geometry F. Nagata, K. Akashi and D. Ishibashi	109
Influence of Material Composition on Ductile Machining of Tungsten Carbide in Elliptical Vibration Cutting J.G. Zhang, N. Suzuki, T. Kato, R. Hino and E. Shamoto	113
The Effect of Cutting Point Swivel Machining by Using Round Tool with Special Chamfer X.R. Tang, K. Nakamoto, K. Obata and Y. Takeuchi	119
Temperature Measurement of Surface Grinding Using a Fluid Supplying System from inside of Grinding Wheel Z. Li, Y. Yao, K. Nakae and H. Sasahara	125
Edge Sharpening and Surface Modification of PcBN Cutting Tool by Pulsed Laser Grinding D. Suzuki, F. Itoigawa, K. Kawata, T. Suganuma and T. Nakamura	131
Formation Mechanism of Grain Cutting Edges in Micro Dressing of Polycrystalline cBN Grinding Wheels Y. Ichida	137
Grinding of Super-Alloys Using Metal-Bonded CBN Wheel Y. Hasuda, A. Handa, Y. Kobori, S. Kinebuchi, T. Furusawa and Y. Harigaya	143
Soft-Consolidation Abrasives Pneumatic Wheel Technology Oriented to Finishing of High-Hardness Free-Form Surface S.M. Ji, X. Zeng and M.S. Jing	149
Investigation into Chemo-Mechanical Fixed Abrasive Polishing of Fused Silica with the Assistance of Ultrasonic Vibration Y.G. Li, Y.B. Wu, L.B. Zhou, H.R. Guo, J.G. Cao, M. Fujimoto and M. Kemmochi	155
Technical Performance of Zirconia-Coated Carbonyl-Iron-Particles Based Magnetic Compound Fluid Slurry in Ultrafine Polishing of PMMA H.R. Guo, Y.B. Wu, Y.G. Li, J.G. Cao, M. Fujimoto and S.D. Jacobs	161
Molecular Dynamics Simulation of Metal Cutting with Local Hydrostatic Pressure Field Formation K. Uezaki, J. Shimizu, L.B. Zhou, T. Onuki and H. Ojima	167
First-Principles Study of Reaction Process of SiC and HF Molecules in Catalyst-Referred Etching P.V. Bui, K. Inagaki, Y. Sano, K. Yamauchi and Y. Morikawa	173
Simulation Investigation Ultrasonically Assisted Grinding of SiC Ceramics with Single Diamond Abrasive Grain J.G. Cao, Y.B. Wu, H.R. Guo, Y.G. Li, M. Fujimoto and A. Ohmura	178
Investigation of Particle Impact Phenomena in Powder Jet Deposition Process C. Nishikawa, K. Mizutani, T.F. Zhou, J.W. Yan and T. Kuriyagawa	184

Chapter 2: Non-Conventional Machining

Effect of Ultrasonic Vibration Drilling on Cutting Stress Distribution H. Isobe, Y. Uehara and K. Hara	191
Experimental Verification of Effect of Grinding Fluid Excited by Ultrasonic Vibration J. Ishimatsu, H. Isobe and K. Hara	197
Influence of Different Steel Alloys on the Machining Results in Ultrasonic Assisted Diamond Turning B. Bulla, F. Klocke, O. Dambon and M. Hüntel	203
Investigation of Cutting Phenomena in High Speed Ultrasonic Turning K. Hara, D. Hashikai, H. Isobe, J. Ishimatsu, Y. Take and T. Koiwa	209
Investigation of Ultrasonic-Assisted Drilling of Al/SiC Metal Matrix Composite with Taguchi Method M.A. Kadivar, J. Akbari and R. Yousefi	215
Development of a Novel Surface Processing System Using Femtosecond Pulse Train Y. Fukuta, T. Hayashi, M. Michihata and Y. Takaya	220

Development of the Hole Generation Technology for Aircraft CFRP Parts H. Fukagawa, T. Hirogaki, T. Kato, A. Kato and M. Seki	226
High Efficiency and Eco-Friendly Heat Treatment of Small Parts with a Low-Power Diode Laser Beam T. Hirogaki, E. Aoyama, K. Ogawa, S. Ogawa, R. Okamoto and R. Oda	232
Novel System Technology for Trepanning a Laser Beam at Arbitrary Developments of Angle of Incidence and Lateral Focus Position P. Bechtold, G. Mayer, P. Lühring and M. Schmidt	238
Thermal Conductivity of Metal Powder and Consolidated Material Fabricated via Selective Laser Melting M.R. Alkahari, T. Furumoto, T. Ueda, A. Hosokawa, R. Tanaka and M.S. Abdul Aziz	244
A Study on Driven-Type Rotary Cutting for Finish Turning of Carburized Hardened Steel H. Kato, T. Shikimura, Y. Morimoto, K. Shintani, T. Inoue and K. Nakagaki	250
Development of a New Ultra-Precision Magnetic Abrasive Finishing Process Y.H. Zou and T. Shinmura	256
Adhesion Strength of Electroless Copper Plated Layer on Fluoropolymer Surface Modified by Medium Pressure Plasma K. Ooka, Y. Yamamoto, Y. Hara, N. Zettsu and K. Yamamura	262
Material Removal Rate Control in Open-Air Type Plasma Chemical Vaporization Machining Using Optical Actinometry Y. Yamamoto, Y. Hata, M. Hosoda, Y. Oshikane and K. Yamamura	267
Quadruple Stacked Elliptical Supermirror Device for One Dimensional Neutron Focusing M. Nagano, F. Yamaga, D. Yamazaki, R. Maruyama, K. Soyama and K. Yamamura	272
A Simulation Study on Figure Error Correction Using Near-Gaussian Removal Function in Numerical Controlled Local Wet Etching X.M. Shen, M. Nagano, W.Q. Peng, Y.F. Dai and K. Yamamura	276
Analysis of Discharge Current in Wire-EDM Considering Electromagnetic Fields in and between Electrodes K. Hada and M. Kunieda	281
Challenge to Development of Functional Multi-Wire EDM Slicing Method Using Wire Electrode with Track-Shaped Section Y. Okamoto, Y. Kimura, A. Okada, Y. Uno, J. Ohya and T. Yamauchi	287
Development of Deburring Technology with Whirling EDM - Influence of the Motor Rotational Speed Control Conditions and the Electrical Conditions on the Machining Characteristics A. Nakayama, V. Lertphokanon, M. Ota, K. Egashira, K. Yamaguchi, N. Kawada and S. Kouno	293
Performance of Wire-Sawing of Glass Assisted by Electro-Chemical Discharge K. Furutani and M. Tomoto	299
Electrochemical Micromachining Using Electrostatic Induction Feeding Method T. Koyano and M. Kunieda	305
Generation of Microelectrodes for Micro EDM K. Miura, S.I. Kohmo, R. Naruoka, T. Yamada and H.S. Lee	310
Multiple Discharges Phenomena in EDM Using Electrostatic Induction Feeding Method G.L. Feng, X.D. Yang, K. Tian and X.Z. Wang	316
Relationship between Magnetic Flux Density and Temperature Distributions of Permanent Magnets by EDM Y. Ichimura, H. Takezawa and N. Mohri	322
The Machining Characteristics of Insulating AlN Ceramics by EDM K. Kaneko, K. Yamashita and Y. Fukuzawa	328

Chapter 3: CAD/CAM Technology

Detection of Surfaces and Edges in Large Point-Clouds Using Region-Growing on Spherical Space H. Masuda, R. Matsuoka and Y. Abe	333
Simulation of Contact Deformation Property of Digital Hand Skin and its Experimental Verifications Y.L. Xie, S. Kanai and H. Date	339
Nano-Micro Geometric Modeling Using Microscopic Image S. Usuki and K.T. Miura	345

Manhattan-World Assumption for As-Built Modeling Industrial Plant T. Mizoguchi, T. Kuma, Y. Kobayashi and K. Shirai	350
Evaluating Positioning Uncertainty of Spherical Targets in Laser Scanning I. Tanaka, H. Masuda, M. Enomoto and K.T. Miura	356
Improvement of Color Information in the Generation of 3D Models of Real Objects Using Range Intensity Images T. Takahama, R. Inomata, K. Terabayashi, K. Umeda and G. Godin	362
Surface Generation for Magic-Mirror by End-Milling and Magnetic Polishing with Digitally Functioned CNC Machining Center R. Kawai, E. Aoyama, T. Hirogaki, K. Ogawa and K. Sawa	368
Biofabrication of Biopolymer and Biocomposite Scaffolds for Bone Tissue Engineering Y.Y. Chen, H.L. Li, C.C. Chen and C.P. Jiang	374
Method to Decide Paths and Postures of Flat End Mill for 5-Axis Control Machining Based on Minimum Cusp Height T. Hokkyo, H. Aoyama and N. Sano	380
Proposal of Ball End-Milling Condition Decision Methodology Using Data-Mining from Tool Catalog Data H. Kodama, T. Hirogaki, E. Aoyama, K. Ogawa and H. Hukasawa	386
Indexing 5-Axis Machining Process Design Support System Shortening Die Fabrication Lead Time Y. Yamada, T. Okita and Y. Kuwano	392
Generation of NC Program for Realizing High Speed Feed Rate of Cutting Tool S. Sakurai, H. Aoyama and N. Sano	398
Development of Orthros, an Evaluation System for Free Curved Plate Thickness with a Robot - Generation of the Path Considering Collision Y. Okugawa, N. Asakawa and M. Okada	404
Reuse of Digital Mock-Up Data by Using Shape Matching S. Ranglani, T. Michikawa and H. Suzuki	410
Automatic Reverse Engineering Based on Reconstructing Measurement Data in 3D-Lattice K. Tsushima and H. Aoyama	414
Cutter Engagement Feature Extraction by Using Dixel Representation Solid Model M. Inui and N. Umezu	420

Chapter 4: Machine Tools and Control

In-Process Monitoring of Tool Behavior and Tool Wear in End Milling by Use of Projection Image S. Yoshimitsu, S. Satonaka, Y. Kawano, C. Iwamoto, D.W. Zuo and S. Yamashita	433
Sensor-Less Tool Fracture Detection Applying Disturbance Observer Theory R. Koike, Y. Kakinuma and T. Aoyama	439
On the Extraction of Milling Tools Out of Shrink Fit Chucks B. Denkena and D. Heinisch	445
Method of Improvement in Identification Accuracy of the Dynamic Characteristics of Joints in Jointed Structure S. Shimizu, Y. Kabaya, H. Sakamoto and K. Yamashita	451
Measurement of Contact Stiffness for Stiffness Estimation of Machine Tool Supports D. Kono, T. Inagaki, A. Matsubara and I. Yamaji	457
Measurement of Movement Error and its Compensation for 6-DOF Parallel Mechanism Worktable Y.R. Zhang, J. Zhu, T. Tanaka and Y. Saito	463
Concept for Temperature Control in Broaching Nickel-Based Alloys F. Klocke, S. Gierlings and D. Veselovac	469
Proposal of a Machining Test of Five-Axis Machining Centers Using a Truncated Square Pyramid K. Ohta, Z.M. Li and M. Tsutsumi	475
Polishing Process Automation by Industrial Robot with Polished Surface Quality Judgment Based on Image Processing - Visual Inspection Based on Pattern Matching K. Okamoto and K. Morishige	481

Analysis of Kinematic Motion Deviations of Machining Centers with Rotational Axis Based on Geometric Tolerances	
N. Sugimura, W. Thasana, K. Iwamura and Y. Tanimizu	487
Cutting Performance of Ceramic Tools in Turning of Mild Steel	
R. Tanaka, A. Hosokawa, T. Furumoto and T. Ueda	493
Development of New Scaife Machine for Making the High Precision Diamond Cutting Tools	
K. Nishimura, M. Ooka and H. Sasaoka	497
Development of Pipe Structure Frame for CNC Lathe – Adaptation of Thermal Displacement Control	
N. Suzuki, Y. Morimoto, Y. Kaneko, H. Sugino, M. Isobe and Y. Okazaki	503
Optimization of Feed Speed and Stroke for Step Micro Hole Drilling of Printed Wiring Boards by Response Surface Method	
N. Noguchi, T. Hirogaki, E. Aoyama, K. Ogawa and Y. Takeda	509
Development of a Drum-Type Manufacturing Method for Electroplated Diamond Wire Tools	
S.M. Yang, Y. Tani, Y. Zhang and J. Murata	515
Change in Dynamic Characteristics of Spindle for Machining Centers Caused by Chucking Mechanism of Clamped Toolholders	
H. Sakamoto, Y. Maeki and S. Shimizu	521
A Thermally Stable High Speed Spindle System Equipped with Self-Cooling Function	
Y. Tamura, H. Sawano, H. Yoshioka and H. Shinno	527
Hydrostatic Bearing with High Bulk Modulus Fluid	
K. Kuze, H. Sawano, H. Yoshioka and H. Shinno	532
Precise Positioning of an Air Bearing Lead Screw Stage by Semi-Closed Loop Control	
M. Fukuda and Y. Niwase	538
Development of Dynamic Loading Device for Rotating Spindle of Machine Tools	
R. Sawamura, S. Ikenaga and A. Matsubara	544

Chapter 5: MEMS/NEMS

A Valveless MEMS Pump Utilizing a Thin Film Permanent Magnet	
C. Zhi, T. Shinshi and M. Uehara	551
A Prototype MEMS Actuator Driven by Magnetic Fluid Enclosed with Polyimide Diaphragms	
Y. Okubo, H. Ota, K. Syoji and S. Imai	557
Thermal Driving Method and Displacement Properties of a Thin-Film Polyimide Diaphragm for a MEMS Actuator	
S. Mifuji, K. Adachi, T. Tsukioka and S. Imai	563
Fabrication and Characterization of AFM Probe Integrated with High-Aspect-Ratio Diamond Tip	
T. Shibata, K. Maruno, M. Nagai, T. Kawashima, T. Mineta and E. Makino	569
Fabrication of Acoustic Emission Sensor Integrated with Cantilever Array for Detection of Signals Divided into Frequency Domain	
T. Kawashima, A. Matsui, K. Muto, M. Nagai and T. Shibata	575
Multi-Scale Product Design and Lifecycle Simulation System for Nano Product Design	
K. Sakita	581
Fabrication of Si Mold Using ICP Etching for X-Ray Diffraction Grating	
D. Noda, A. Tokuoka and T. Hattori	587
Fabrication of Micro-Capacitive Inclination Sensor Using the LIGA Process	
Y. Kuboyama, S. Nishida, D. Noda and T. Hattori	592
A Novel Batch Fabrication of Micro Parts Using DNA Pattern Recognition	
M. Yasuda, T. Hayashi, M. Michihata and Y. Takaya	598
Nanowire Fabrication by DNA Metallization and Positioning	
H.W. Guan, S.C. Liu, Y. Yanagida and T. Hatsuzawa	604
Fundamental Study on Nanoremoval Processing Method for Microplastic Structures Using Photocatalyzed Oxidation	
T. Sekino, S. Takahashi and K. Takamasu	610

Fabrication of Spatially-Patterned Cells Using Selective Adhesion on Pre-Structured Fine Particles	
A. Kaneko, T. Sugihara, H. Murakami, I. Takeda, Y. Tanaka and N. Moronuki	615
MPF-FDTD Simulations of Fabrication and Optical Analysis of Ordered Gold Nano-Dots Array	
A. Yamanaka, Z.X. Li and M. Yoshino	621
A New Process to Fabricate Three Dimensional Ordered Nano Dot Array Structures by Nano Plastic Forming and Dewetting	
Z.X. Li, A. Yamanaka and M. Yoshino	627
High Throughput Method to Fabricate Ordered Nano Dot Array on Various Plastic Films	
P.D. Truong, A. Yamanaka and M. Yoshino	633

Chapter 6: Precision/ Medical Devices

Motion Artifact Compensation for Wristwatch Type Photoplethysmography Sensor	
D. Horiguchi, H. Naito and K. Sasaki	639
Development of Wire-Connected Mechanism for Precise Positioning	
M. Shinoda, S. Hirata and H. Aoyama	645
A Micro-Stage for Linear-Rotary Positioning	
Y.X. Peng, S. Ito, Y. Shimizu and W. Gao	650
Quantitative Evaluation Method for Damping Capacity of Linear Rolling Bearings for Feed Drive Mechanisms	
Y. Sakai and M. Tsutsumi	656
About Determining the Error Budget of a Miniaturized, Modular Machine Tool System for Micro Production	
N.X. Kong, S. Grimske, B. Roehlig and J.P. Wulfsberg	662
Self-Assembly of Fine Particles on Optical Element for Sensitivity Improvement of Biochemical Sensor	
N. Moronuki and M. Nishio	668
Microstructuring of Culture Media and its Effect on Cell Adhesion	
Y. Tanaka, H. Satou and N. Moronuki	674
Fabrication of Precise Asymmetric Nanoshells Array with Nanogaps for a Label-Free Immunoassay Based on NIR-Light Responsive LSPR	
S. Uchida, K. Yamamura and N. Zettsu	680
The Study of Equalizing Injection Force in Multiple Injecting Needle-Free Injector	
M. Kudo, M. Nomoto, N. Takahashi and J. Fukushima	686

Chapter 7: Mechatronics

Autonomous Conveyance Control of AGV Based on Knowledge of Taxi Transportation Rules	
T. Hirogaki, E. Aoyama, K. Ogawa, T. Kono and D. Mitsuoka	693
Control of Percussion Motion by Sound Feedback with a Humanoid Robot	
E. Aoyama, T. Hirogaki, H. Kiuchi and Y. Sugiura	699
Development of a Small Hovering Robot with High Lifting Force Using Coaxial Double Rotors Driven by Twin Motor Pairs	
Y. Kobayashi, K. Kanamori, Y. Imai, R. Eda and T. Horiuchi	705
Vibration Suppression Control Using Vibration Node of Articulated Robot with Multiple Vibration Modes	
H. Hamamatsu, Y. Hitaka, S. Furuno and T. Matsuo	711
Nonlinear Modeling of Human Quiet Standing	
H. Takagi, T. Tabata and K. Sasaki	717
Non-Contact Actuation of Less-Invasive Bone Lengthening Device Using Embedded Cycloidal Motor Driven by Permanent Magnets from the outside	
Y. Matsuzaki, Y. Kadota, K. Uzuka, H. Suenaga, K. Sasaki and T. Morita	722
Actuation Force Measurement Mechanism for Non-Contact Ultrasonic Suspension	
M. Takasaki, S. Chino, Y. Kato, Y. Ishino and T. Mizuno	727
Development of 2-DOF Hybrid Actuator System	
R. Okeya and M. Aoyagi	733

A 3-DOF Friction-Free Planar Motor Using Piezoelectric Elements A. Torii, M. Nishio, Y. Itatsu, K. Doki and A. Ueda	739
A Method for Online Identification of Two-Inertia Mechanical System Including Nonlinear Friction Y. Toyozawa, N. Sonoda, H. Harada and H. Kashiwagi	745
Development of Transient Thermal Deformation Control Techniques Using Thermal Modal Analysis Based Design Methods T. Morishima, R. van Ostayen, J. van Eijk and R.M. Schmidt	750
Development and Evaluation of Miniaturized 6-DOF Parallel Link Manipulator R. Kobayashi, R. Tsuboi and S. Sasaki	756
Influence of Servo Characteristics on Motion Accuracy of Parallel Kinematic Mechanism R. Sato, M. Maegawa, G. Tashiro and K. Shirase	762
Micro-Aspheric Mold Polishing Utilizing Magnetostrictive Vibration-Assisted Polishing Machine J. Guo, H. Suzuki, S. MORITA, Y. Yamagata and T. Higuchi	768
Development of a Lens Driving Maglev Actuator for Laser Beam Off-Axis Cutting and Deep Piercing D.J. He, T. Shinshi and T. Nakai	774

Chapter 8: Mechanical Design and Tribology

Advanced Tolerancing Based on Product Performance by Using Statistical Tolerance Index C_{pk} and C_c A. Otsuka	781
A Design Method for Thin Film Patterning Process via Lift-Off Technique E. Morinaga, Y. Matsuura, H. Wakamatsu, R. Satoh, K. Nakagawa, Y. Iwata and E. Arai	787
Detecting Method of Bulk Defects in DLC Films Using Light Scattering Y. Sakurada, M. Takashima, T. Yasuhara, Y. Iwamoto, M. Matsuo and N. Ohtake	793
Manufacturing of Tribologically Optimized Surfaces for Powertrain Applications A. Schubert, P. Steinert, T. Schmidt and M. Hackert-Oschätzchen	799
Effects of Penetrated Graphite on Tribological Properties of Copper Based Journal Bearing K. Tanizawa, H. Usami, T. Sato, Y. Hirai and T. Fukui	805

Chapter 9: Precision Metrology

Thermal Test for Error Maps of Rotary Axes by R-Test S. Ibaraki and C.F. Hong	809
Development of a Cutting Tool with Micro Built-In Thermocouples - Characteristic of the Micro Cu/Ni Thermocouples Fabricated by Electroless Plating and Electro Plating J. Harashita, Y. Tomoda and J. Shinozuka	815
Passive THz Near-Field Imaging and its Applications for Engineering Y. Kajihara, T. Mizutani and S. Komiyama	821
Design and Experiment of Thermal Contact Sensor Detecting Defects on Si Wafer Surface W.J. Lu, Y. Shimizu, S. Ito and W. Gao	826
Novel Measuring Principle of Pitch Deviation Evaluated through Double-Flank Gear Rolling Test with Rack Probe J. Tang, Z.Y. Shi and Z.Q. Fang	832
Dynamic Response of an Air-Bearing Displacement Sensor for on-Machine Surface Form Measurement K.W. Lee, S. Ito, Y. Shimizu, W. Gao, K. Tanaka, M. Fukuta and Y. Kai	836
Absolute Calibration of the Rotary Encoder Considering the Influence on-Machine for Development of High-Speed Nanoprofiler T. Kojima, K. Usuki, T. Kitayama, D. Tonaru, H. Matsumura, J. Uchikoshi, Y. Higashi and K. Endo	842
Analysis and Measurement of the Dynamic Motions of a Large-Scale Rotating Roll Workpiece J.C. Lee, W. Gao, Y. Shimizu, S. Ito, J. Hwang, J.S. Oh and C.H. Park	847
Eccentric Error Compensation for Pitch Deviation Measurement of Gears B. Xu, S. Ito, Y. Shimizu and W. Gao	853

Form Error Characterization of Reflective-Type Gratings Y. Shimizu, W.J. Kim, S. Ito and W. Gao	859
Development of an Optical Heterogeneity Evaluation System Using Phase-Shift Digital Holography T. Hayashi, M. Michihata and Y. Takaya	865
New Non-Contact Measurement of Small inside-Diameter Using Tandem Low-Coherence Interferometer and Optical Fiber Devices K. Matsui, H. Matsumoto, S. Takahashi and K. Takamasu	871
Development of a Non-Contact Precision Measurement Technique Using Optical Frequency Combs T. Onoe, S. Takahashi, K. Takamasu and H. Matsumoto	877
Sphericity Measurement Using Stitching Interferometry T. Hagino, Y. Yokoyama, Y. Kuriyama and H. Haitjema	883
Proposal of Improving Method of Rotational 2-Axis Synchronous Accuracy of Plate Motion Control with a Dual Arm Robot by Estimating Ball Rolling Motion on the Plate W. Wu, T. Hirogaki and E. Aoyama	889
Pivot Turning Measurement of Relative Position and Posture for Moving Robots System Using Stereo-Camera T. Sasaki, T. Ushimaru, T. Yamatani, Y. Ikemoto and H. Obara	895
Geometric Quality Indicators for Scanned Point Clouds H. Suzuki, Y. Ohtake, S. Shibata and T. Michikawa	901
Analysis and Evaluation of Surface Force Effects in Vibrating Fiber Probing System for 3-D Micro Structure Measurements H. Murakami, A. Katsuki and T. Sajima	907
Design of a Three-Axis Surface Encoder with a Blue-Ray Laser Diode X.H. Li, Y. Shimizu, H. Muto, S. Ito and W. Gao	913
Design and Test of a Three-Axis Mosaic Surface Encoder W.J. Kim, Y. Shimizu, K. Hosono, S. Ito and W. Gao	919
Edge Contour Measurement of Single Point Diamond Cutting Tools by an Optical Probe S.H. Jang, Y. Shimizu, T. Asai, S. Ito and W. Gao	925
Automatic Recognition of a Piping System from Laser Scanned Points by Eigenvalue Analysis K. Kawashima, S. Kanai and H. Date	932
Cr-N Strain-Gauge-Type Precision Displacement Sensor for Measuring Positions of Micro Stage T. Azuma, E. Niwa, Y.X. Peng, J. Kaneko, Y. Shimizu, S. Ito and W. Gao	939
Improvement of an Air-Bearing Displacement Sensor with Nanometric Resolution S. Ito, K.W. Lee, Y. Shimizu and W. Gao	945
Effect of Discharge Condition on Cavitations Behavior by Single Pulse Discharge Y. Akematsu, K. Kageyama, N. Mohri and H. Murayama	951
Sub-Nanometer Line Width and Line Profile Measurement Using STEM Images with Metal Coating H. Okito, S. Takahashi and K. Takamasu	957
Characterization of TMR Head Durability against Lapping Based on Magnetic Performance H. Tanaka and Y. Maeda	961

Chapter 10: Green Manufacturing

Cutting Performance of Oxygen-Including Compounds in MQL Machining of Aluminum T. Wakabayashi, T. Atsuta, A. Tsukuda, N. Sembongi, J. Shibata and S. Suda	967
Development of Electric Rust Preventive Machining Method – Optimization of Water Recycle System N. Nishikawa, Y. Sato, F. Andou, T. Sawa, Y. Hagihara, H. Kato, N. Yoshihara, H. Okawai, T. Murase, T. Iyama, M. Mizuno and S. Tsukamoto	973
Development of Electric Rust Preventive Machining Method - Improvement of Electric Rust Preventive Chip Sedimentation System N. Nishikawa, Y. Sato, F. Andou, T. Sawa, Y. Hagihara, H. Kato, N. Yoshihara, H. Okawai, T. Murase, T. Iyama, M. Mizuno and S. Tsukamoto	979

Energy Reduction of Machine Tools Y. Oda, M. Fujishima, Y. Kawamura and M. Hideta	985
Simulations on Wear of a Reused Part that Consider Deviation of Product's Motion due to Deterioration of the Part M. Arita, H. Kawaharada and H. Hiraoka	991
 Chapter 11: Advanced Moulding and Forming	
Basic Study on Laser Forming Method for Curved Surfaces K. Keisuke, T. Nakamura, H. Aoyama, N. Mastushita and A. Ushimaru	995
Wafer Level Glass Molding M. Hüntten, D. Hollstegge and F. Klocke	1001
Lateral Extrusion of A6063 Pipes with a Lost Core of Alumina Powder Bonded with Wax T. Ohashi, N. Thanh and R. Miyajima	1006
Shape Recovery Method for Repairing Dents on Stainless Steel Sheets by Laser Forming M. Nunobiki, S. Fukuoka, K. Okuda and H. Shizuka	1012
Advanced Machining Processes for Micro Mold Fabrication E. Brinksmeier, O. Riemer, C. Robert and S. Twardy	1018
 Chapter 12: Other Related Technologies	
Fabrication and Characterization of Electrodes for Microbial Fuel Cell H. Ogikubo and N. Ohtake	1025
Control of Built-Up Edge Behavior by Chamfered Cutting Edge Preparation and Surface Modification H. Kiyota, F. Itoigawa and T. Nakamura	1029
Micro-Drilling of CFRP Plates Using a High-Speed Spindle K. Ogawa, H. Nakagawa, T. Hirogaki and E. Aoyama	1035
Cutting Experiments in Cutting Speeds of up to 200 m/s with a High-Speed Impact Cutting Tester T. Higashi, M. Sando and J. Shinozuka	1041
Portable 532 nm Iodine-Stabilized DPSS Laser for Length Standard H. Oozeki, H. Masuda, K. Miyata, T. Matsuura and T. Takahashi	1047
Influences of the Inserted Angle of an Optical Fiber for an Optical Trapping N. Watanabe and K. Taguchi	1053
Theoretical Investigation of an Optical Vibration Using Laser Beams from Optical Fibers Inserted at an Angle of 35 Degrees N. Watanabe and K. Taguchi	1059
Investigation on Dynamic Chemical Etching of Fiber Probe for Cell Isolation K. Taguchi, J. Okada and N. Watanabe	1065
Two-Dimensional Cell Trapping Using Single Axicon Fiber without Physical Contact K. Taguchi	1070
Improvement of Interface Roughness in Platinum/Carbon Multilayers for X-Ray Mirrors J.W. Kim, S. Matsuyama, Y. Sano and K. Yamauchi	1076
Surface Nitriding of Al-Mg Alloys Using a Rotary Barrel Tank Z. Tao, M. Yoshida, M. Okumiya, N. Utsumi and Y. Tsunekawa	1080
Improvement of Finished Surface Integrity of High Chromium Cast Iron in Reaming R. Hikiji	1086
Improving Anti-Adhesion in Cutting of Aluminum Alloy by Micro Stripe Texture – Considering Texture Combination T. Sugihara, T. Enomoto, S. Yukinaga, K. Hirose and U. Satake	1092