

Table of Contents

Preface and Committees

Interference Analysis between Crack and General Inclusion in an Infinite Plate by Body Force Method	1
T. Ino, S. Ueno and A. Saimoto	
Stress Corrosion Cracking in Pipeline Steels	5
A. Plumtree and S.B. Lambert	
Structural Integrity of a Shaft Subjected to Multiaxial Fatigue Loads in Presence of Short Crack	
M. Fossati, A. Manes, G. Ceresoli, M. Dell'Oro and M. Giglio	9
Blunt Cracks and Two Parameter Fracture Criteria	
J.G. Williams and Y. Patel	13
Flexural and Shear Capacity Evaluation of Reinforced Ultra-High Strength Concrete Members with Steel Rebars	
B.I. Bae, H.K. Choi and C.S. Choi	17
Evolution of Shear Localization in an Elasto-Plastic Cosserat Material under Shearing	
B. Ebrahimian	21
Recent Developments in Brittle and Quasi-Brittle Failure Assessment of Graphite by Means of SED	
F. Berto, P. Lazzarin and M.R. Ayatollahi	25
Principle of Universality in Crack Incubation and Propagation	
B. Aberšek, S. Kralj and J. Flašker	29
Experimental Soil - Concrete Plate Interaction Test and Numerical Models	
R. Čajka, K. Burkovič, V. Buchta and R. Fojtík	33
Modelling Microstructural Effects on the Mechanical Behaviour of a Friction Stirred Channel Aluminium Alloy	
C. Vidal, V. Infante, Y. Lage and P. Vilaça	37
Nonlinear Thermo-Mechanical Coupled Modeling for the Analysis of Stress Distribution in Air-Plasma-Sprayed Thermal Barrier Coatings	
Y.H. Chen, S.C. Zhong and X.X. Yang	41
A Parametric Investigation of Surface Initiated Rolling Contact Fatigue Using the Asperity Point Load Mechanism	
D. Hannes and B. Alfredsson	45
The Cohesive Crack Model Applied to Notched PMMA Specimens Obeying a Non Linear Behaviour under Torsion Loading	
D.A. Cendón, F. Berto, P. Lazzarin and M. Elices Calafat	49
Micromechanical Modelling of Advanced Ceramics Using Statistically Representative Microstructures	
P. Alveen, D. McNamara, D. Carolan, N. Murphy and A. Ivanković	53
The Role of Microstructure on the Fracture Behaviour and Statistics of Advanced Ceramics	
D. McNamara, P. Alveen, D. Carolan, N. Murphy and A. Ivanković	57
Effect of Contact between the Crack Faces on Crack Propagation	
G. Dhondt	61
Statistical Ensemble Interactions in Microstructures where Damage Events Present	
G. Qi, M. Fan and J.Y. Li	65
Evaluation of the Fatigue Limit of Materials in Static Test Using Thermal Analysis: Effect of the Cross-Head Speed	
G. La Rosa and A. Risitano	69
Effect of Carbon Milled Fiber Addition on Interlaminar Fracture Toughness of Carbon Fiber Reinforced Plastics	
H. Katogi and K. Takemura	73
Effect of Crystallinity on Mechanical Properties of Carbon Fiber Reinforced Polypropylene	
H. Katogi and K. Takemura	77
Mechanical Characterization of Bamboo Fiber-Reinforced Green Composites	
H. Takagi and T. Fujii	81

Characterization of Al Metal Matrix Composites Produced by the Stir-Casting Method	85
K.G. Anthymidis, K. David, A. Trakali and P. Agrianidis	
Fatigue Strength of Aluminum Cast Alloy in Plant Oil	89
N. Kawagoishi, K. Kariya, Y. Maeda, E. Kinoshita, Q. Chen and M. Goto	
Improvement of an Ellipsoidal Void Model for Simulating Ductile Fracture Behavior	93
K. Komori	
Fracture Toughness of Advanced TRIP-Aided Martensitic Steels	97
K.I. Sugimoto, J. Kobayashi and D. Ina	
Probabilistic Failure Analysis of Steel Structures Exposed to Fatigue	101
M. Krejsa	
Strength Analysis of Energy Storage Flywheel Wrapped with Composite Material	105
H. Li, Y.M. Pang, F.F. Xu and L. Li	
Green's Function Solution of Multiple Shallow-Buried Cavities and Inclusions in Elastic Semi-Space	109
H.L. Li and L. Liu	
Assessment of UMTS and Averaged SED Fracture Criteria for U-Notched Specimens	113
H. Filipescu, C. Caplescu and N. Pasca	
Evaluation of Generalized MTS Criterion for Mixed-Mode Fracture of Polyurethane Materials	117
R. Negru, L. Marşavina and H. Filipescu	
Effects of Variable Loading on Residual Fatigue Life of the Railway Wheelset	121
P. Pokorný, L. Náhlík, M. Ševčík and P. Hutař	
A Multiaxial Notch Fatigue Methodology to Estimate In-Service Lifetime of Corroded Cast Iron Water Pipes	125
W. Brevis, L. Susmel and J.B. Boxall	
Length Influence on Stress Concentration in Orthotropic Plates	129
M. Sánchez and N. Troyani	
Lamb-Wave Based Technique for Multi-Site Damage Detection	133
Z. Sharif-Khodaei, O. Bacarreza and F. M.H. Aliabadi	
Application of the Monkman-Grant Relationship for Ultrafine-Grained Metallic Materials	137
M. Kvapilová, J. Dvořák, P. Král, M. Svoboda and V. Sklenička	
Multiscale Modeling of Nanocomposite Structures with Defects	141
M. Brćic, M. Canadija and J. Brnic	
Surface Damage and Fatigue Strength of Ultrafine Grained Copper Treated by Mild Annealing	145
N. Teshima, M. Goto, S.Z. Han, K.J. Euh, K. Yamauchi and N. Kawagoishi	
Current Activities for Standardization of Test Method for Interfacial Fracture Toughness of Thermal Spray Coatings in Japan	149
M. Arai, Y. Yamazaki, M. Suzuki, Y. Miyashita and H. Waki	
Numerical Prediction of the Long Term Creep Crack Growth Behaviour in Type 316H Stainless Steel	153
A. Mehmanparast and K.M. Nikbin	
Crack Deflection from the Interface between Two Orthotropic Materials-Effect of Higher Order Terms in Asymptotic Analysis	157
P. Damborský, O. Ševeček, T. Profant and M. Kotoul	
Anisotropic Damage Phenomena in Filled Elastomers: Experimental Observation and Constitutive Modeling	161
M. Itskov and R. Dargazany	
FE Modeling of FRP-Concrete Interface for very High Cycle Fatigue Behavior	165
M. Mahal, T. Blanksvärd and B. Täljsten	
Numerical Lifetime Prediction of Polymer Pipes Taking into Account Residual Stress	169
P. Hutař, M. Ševčík, L. Náhlík, A. Frank, J. Kučera and G. Pinter	
Numerical Modelling of the Change in Stiffness Properties of Cross-Ply Laminates Subjected to Large Bending Curvatures	173
A. Schmitz and P. Horst	
Virtual Testing for Fracture Toughness, Fatigue Crack Growth and Fatigue Life Data Estimation of Metallic Components	177
M. Pettinà, B. Farahmand, F. Berto and F. Abdi	

Effect of Fabric Weave Geometry and Strand Orientation on Mode I Interlaminar Toughness of Glass-Epoxy Laminates	181
P. Czanocki and B. Hernik	
A Study of Rock Crack Fracture under Different Temperatures	185
L.Y. Li, M.X. Li, Z.Q. Xu, C. Fan and D.A. Liu	
Path-Independent \hat{J}-Integral Based on Finite Deformation Theory	189
Z.M. Liu, J.Z. Mao and H.Y. Song	
Grain Boundary Fracture Behavior and Segregation of P under Low Tensile Stresses in Steel 2.25Cr1Mo and 12Cr1MoV	193
Y.D. Fu and Q.F. Li	
Damage-Involved Response of Two Colliding Buildings under Non-Uniform Earthquake Loading	197
R. Jankowski	
Practical Method for Estimating Corrosion Depth of Uncoated Carbon Steel Using Thickness of the Corrosion-Product Layer	201
S. Kainuma, Y. Yamamoto, H. Hayashi and Y. Ito	
Fracture Toughness and Cracking Behaviour of SCC Compared to VC	205
S. Korte, V. Boel, W. de Corte and G. de Schutter	
Hypersingularities in Three-Dimensional Crack Configurations in Composite Laminates	209
S. Hell and W. Becker	
Influence of Crack Front Shape on 3D Numerical Modelling of Plasticity-Induced Closure of Short and Long Fatigue Cracks	213
S. Fiordalisi, C. Gardin, C. Sarrazin-Baudoux, M. Arzaghi and J. Petit	
Corrosion Behavior of a WC/C Coated 7075-T6 Aluminum Alloy	217
S. Baragetti, M. Daurù, R. Gerosa and B. Rivolta	
Fatigue Behaviour of Thin Coated Al 7075 Alloy with Low Temperature PVD Coatings	221
S. Baragetti, R. Gerosa and F. Villa	
The Competition between Adhesive and Cohesive Fracture at Amicro-Patterned Polymer-Metal Interface	225
O. van der Sluis, J.J.C. Remmers, M.A.C. Thurlings, B.J. Welling and S.P.M. Noijen	
Evaluation of Elastic Properties of Satin Composites	229
S. Patel, O. Bacarreza and F. M.H.Aliabadi	
Computational Modelling of Brittle Failure in Polycrystalline Materials Using Cohesive-Frictional Grain-Boundary Elements	233
I. Benedetti and F. M.H.Aliabadi	
Dislocation Clusters and Microcracks in Thin Films of LCF-Tested Austenitic Steel	237
T. Eterashvili, T. Dzigrashvili and M. Vardosanidze	
Application of Laplacian Operators on Noisy Data to Compute Curvature with Proper Orthogonal Decomposition	241
M. Thiene, U. Galvanetto, M. Gherlone and F. M.H.Aliabadi	
Fatigue Crack Growth in Fe Mini-Samples Consolidated by Means of Impact Sintering	245
T. Brynk, B. Romelczyk-Baishya, A. Laptiev, O. Tolochyn and Z. Pakiela	
Application of Ductile Damage Concepts in the Evaluation of Material Formability during Screw Head Cold Forming	249
T. Coppola, L. Cortese, C. Guarnaschelli and I. Salvatori	
Modeling of Cure-Induced Residual Stresses in 3D Woven Composites of Different Reinforcement Architectures	253
I. Tsukrov, B. Drach, H. Bayraktar and J. Goering	
Determination of Triaxial Tensile Failure Surfaces for Curing Epoxy Resins	257
T. Gross, J. Kusch and I. Tsukrov	
Fatigue Performance of Copper Alloys in Seawater Environment	261
J. Aufrecht, A. Drach, A. Grohbauer, U. Hofmann, S. Theobald and I. Tsukrov	
Investigation of Fracture and Electrical Resistivity Parameters of Cementitious Composite for their Utilization in Deterioration Models	265
V. Veselý, P. Konečný, P. Lehner, P. Pařenica, J. Hurta and L. Žídek	
Balanced Energy Dissipation at Propagating Crack Tip in Quasi-Brittle Materials? - Analysis via Soft-Computing Methods	269
V. Veselý, P. Frantík, R.V. Sagar, M. Štafa and T. Pail	

Influence of Dissipative Structures Formed by Impulsed Loads on the Processes of Deformation and Fracture	
V. Hutsaylyuk, M. Czausow, V. Berezin, A. Pylypenko and K. Volyanska	273
Mass-Optimized Design of Guyed Wind Turbine Tower Using Struts	
R.T. Rudolf, F. Roscheck, Y. Aono and T. Faber	277
Numerical Modelling and Bearing Capacity of Reinforced Concrete Beams	
O. Sucharda, J. Brozovsky and D. Mikolášek	281
Determination of Stress Intensity Factor for Cracked Brazilian Disc Using Weight Function	
Y.H. Zhao, J. Liu, H.B. Gao, H.A. He and T. Zhang	285
Torsion Characteristics on Drive Shaft of Independent Wheel Drive for Articulated Vehicle	
Y.S. Kim, S.H. Park, S.C. Yoon and J.K. Mok	289
Giga-Cycle Property of a New Age-Hardened Aluminium Alloy Containing Excess Solute Magnesium	
Y. Takahashi, H. Yoshitake, T. Shikama, H. Noguchi and M. Takuma	293
Boundary Conditions in a Multiscale Homogenization Procedure	
T. Lesičar, Z. Tonković and J. Sorić	297
A Study on the Structural Fracture of Body Structure in Railroad Car	
S.C. Yoon, Y.S. Kim, J.G. Kim, S.H. Park and H.U. Lee	301
Recrystallization Technique of Plastic and High Strain Zones and Fracture in Small Punch Specimen Loaded at Rt and 77K of 304 Stainless Steel	
Y. Iino, H.S. Yu, T.Y. Kim and S.H. Chung	305
Partial Transient Liquid Phase Metals Layer-Surface Coating for Improved Oxidation Resistance and Low Cycle Fatigue Crack Initiation Life at 1073K in Air of TiAl Alloy	
Y. Iino	309
Cracks Interaction due to Sequential Indentation in Curved Brittle Coating: Effect of Relative Orientation	
T. Qasim and S. Al-Khateeb	313
Detailed Crack-Tip Stress Field Description in a Specimen Subjected to Mixed-Mode Loading	
L. Šestáková	317
Evaluation of Fatigue Crack Growth Rates and Threshold Conditions in an Al 2124-T851 Alloy at Different Load Asymmetry Considering Microstructure Orientation	
I. Černý	321
Evaluation of Overloading and Crack Closure Effects on Fatigue Crack Growth in an Aircraft 7075-T7351 Al-Alloy	
I. Černý and D. Mikulová	325
Effects of the Interference Level on the Residual Stresses in a Cold-Working Expansion Method	
M. Giglio, M. Lodi and L. Giudici	329
Evaluation of Elastic Structural Integrity of a 70 kW Class Lab-Scale PCHE Prototype under the Test Conditions of HELP	
K.N. Song and S.D. Hong	333
Modelling Porosity in Quasi-Brittle Reactor Core Graphite	
G.E. Smith, P.E.J. Flewitt and A. Hodgkins	337
J Integral Computation for Repaired Cracks with Bonded Composite Patch in Aircraft Structures	
F. Benyahia, A. Albedah, B.A. Bachir Bouiadra and M. Belhouari	341
Crack Length Estimation from the Damage Modelisation around a Cavity in the Orthopedic Cement of the Total Hip Prosthesis	
S. Benbarek, A. Sahli, M.M. Bouziane, B.A. Bachir Bouiadra and B. Serier	345
Finite Element Analysis of the Mechanical Behaviour of the Different Cemented Hip Femoral Prostheses	
M.M. Bouziane, S. Benbarek, S.M.H. Tabeti, B.A. Bachir Bouiadra, B. Serier and T. Achour	349
Experimental Investigation about Surface Damage in Straight and Crowned Misaligned Splined Couplings	
V. Cuffaro, F. Curà and A. Mura	353
Simulation of Adhesion Performance of Mortar-Mortar Interface with Varied Fractographic Features	
A. Satoh, K. Yamada and Y. Shinohara	357

Bi-Material Notches under Various Normal-Shear Loading Modes	361
J. Klusák, D. Kopp and T. Profant	
Microtensile Video Tester for Observation of Banana and Abaca Reinforced Composites Failure	365
Z. Ortega, M.D. Monzón, A.N. Benítez, A. Tcharkhtchi and S. Farzaneh	
Analytical Design of Gigacycle Fatigue Specimens for Size Effect Evaluation	369
A. Tridello, D.S. Paolino, G. Chiandussi and M. Rossetto	
Propagation Behavior of Naturally Initiated Small Crack in Austenitic Heat Resistant Steel under Thermo-Mechanical Fatigue Loading	373
Y. Yamazaki, W. Fujiki and Y. Hara	
The Role of Methane Hydrates in the Failure of a Gas Pipeline	377
F. Caputo, F. Cascetta, G. Lamanna, G. Rotondo and A. Soprano	
Numerical Investigation on LEFM Limits under LSY Conditions	381
F. Caputo, G. Lamanna, L. Lanzillo and A. Soprano	
Modeling Fatigue Damage of Concrete	385
D. Pryl, J. Mikolášková and R. Pukl	
Experimental and Numerical Investigation of Delamination in Curved-Beam Multidirectional Laminated Composite Specimen	389
L. Michel, S. Garcia, C. Yao, C. Espinosa and F. Lachaud	
Three-Dimensional Finite Element Analysis of Single-Lap Joints: Effect of Adhesive Thickness and Poisson's Ratio	393
R. Afshar, F. Berto and P. Lazzarin	
Experimental Investigation of Corrosion Processes on Weathering Steel Structures	397
V. Křivý, V. Urban and L. Fabián	
BEM Analysis of a Piezoelectric Structural Health Monitoring System for Delamination Detection	401
A. Alaimo, A. Milazzo and C. Orlando	
Influence of Reinforcement Particle Sizes on the Joining Strength of the FSSWed PVC Joint Compounded SiC Particle in Welded Area	405
Y. Kurabe, Y. Miyashita and H. Hori	
Gun Bullet Deformation Analysis for Protection Board Development	409
H. Sakamoto, Y. Ohbuchi and H. Kuramae	
Effect of Triaxiality and Lode Angle on the Plasticity Behaviour of a Ti-6Al-4V Titanium Alloy	413
A. Gilioli, A. Manes, M. Giglio and N. Allahverdizadeh	
Fatigue Characteristics of Nonferrous Bolts	417
S. Hashimura, T. Torii, Y. Miyashita, S. Yamanaka and G. Hibi	
Ultrasonic Corrosion Fatigue Behavior of Duplex Stainless Steel	421
R. Ebara and Y. Miyoshi	
Evaluation of Torsional Rigidity for Micro-Lattice Plates	425
K. Ushijima, D.H. Chen and W.J. Cantwell	
Effect of Processing Layer on Fatigue Strength of Extruded AZ61 Magnesium Alloy	429
Y. Miyashita, K. Kushihata, T. Kakiuchi and M. Kiyohara	
Fracture Mechanics of Fiber-Matrix Interfaces in Composites under Transverse Loading	433
C. Marotzke and T. Feldmann	
Thermal Conductivity Design for Locally Orthotropic Materials	437
R. Piat and Y. Sinchuk	
Experiments Method Design Applied to Optimization of Patch Repairs for Cracked Plates	441
M. Belhouari, S.M. Fekih, M. Kouider, A. Amiri and B.A. Bachir Bouiadra	
An Automated Method for the Measurement of Fatigue Crack Progression	445
P.J. Tavares, N.S. Viriato and P.M.G.P. Moreira	
Dynamic Crack Analysis in Layered Piezoelectric Composites under Time-Harmonic Loading	449
M. Wünsche, F. García-Sánchez, C.Z. Zhang and A. Sáez	
A Synthesis of the Fatigue Behavior of Stainless Steel Bars under Fully Reversed Axial or Torsion Loading by Using the Specific Heat Loss	453
G. Meneghetti, M. Ricotta, L. Negrisolo and B. Atzori	

Inner Damage and External Dent in Composite Structures after Impact – Part I: Experimental Observations	457
C. Espinosa, M. Ruiz-Ayuso and F. Lachaud	
Numerical Prediction of Damage Interaction during L-Shaped Laminated Composite Structures Unfolding	461
C. Espinosa, K. Bodjona, L. Michel and F. Lachaud	
A Unified Model for Micromechanics Damage in the Asphalt Concrete	465
M. Buonsanti, G. Leonardi and F. Scoppelliti	
Fatigue Properties of a Low-Alloy Steel with a Nano-Structured Surface Layer Obtained by Severe Mechanical Treatments	469
S.M. Hassani-Gangaraj, A. Moridi and M. Guagliano	
Nodular Cast Iron – Fatigue Crack Measurement and Simulation	473
P. Čanžar and Z. Tonković	
Thermographic Determination Methodology: Application on Fatigue Limit of AL 2024 for R=-1	477
S. Seitl, J. Klusák, F. Pelayo and A.F. Canteli	
Selecting a Suitable Specimen Shape with Low Constraint Value for Determination of Fracture Parameters of Cementitious Composites	481
S. Seitl, S. Korte, W. de Corte, V. Boel, J. Sobek and V. Veselý	
Fracture Characterisation of Reactor Core Graphite under Biaxial Loading	485
D. Liu, M. Mostafavi, P.E.J. Flewitt, T.J. Marrow and D.J. Smith	
A Study on Impact Damage Analysis of Composite Propeller Blade of Turboprop Aircraft	489
H.B. Park	
Thermo-Mechanical Investigation of Ultra-High Molecular Weight Polyethylene for High Strain-Rate Applications	493
I.A. Ashcroft, C.V. Gorwade, A.S. Alghamdi, V.V. Silberschmidt and M. Song	
Large Deformation and Failure of Thin-Walled Film at the Post-Buckling Delamination	497
V. Pavelko, I. Pavelko and M. Smolyaninov	
An Estimation on the Performance of High Fluidity Anti-Washout Underwater Concrete	501
J.J. Park, J.H. Moon, J.H. Park and S.W. Kim	
3D Global-Local Analysis Using Mesh Superposition Method	505
A. Sellitto, R. Borrelli, F. Caputo, T. Ludwig, A. Riccio and F. Scaramuzzino	
High Accurate Solutions of Nonlocal Elasticity for Sphere	509
P.H. Wen, X.J. Huang and F. M.H. Aliabadi	
A Numerical Model to Study the Hydrogen Embrittlement Effect on Low-Alloy Steels	513
L. Vergani, G. Gobbi and C. Colombo	
An Experimental-Numerical Hybrid Method to Determine Dynamic Elastic-Plastic Fracture Toughness	517
S.F. Zhu, Y. Cao, C.H. Guo and F.C. Jiang	
Evaluation of Interlaminar Shear Strength of Longitudinal GRP Railway Bogie Frames Considering Microstructure Aspects	521
I. Černý	
The Danger of Self-Organizing Structures in Materials Subjected to Dynamical Non-Equilibrium Processes	525
V. Hutsaylyuk, L. Śnieżek, M. Czausow, V. Berezin and A. Pylypenko	
Failure of the Crude-Oil Tank Induced by Two Independent Corrosion Processes	529
J. Sís and B. Votava	
Pressure Pipe Damage: Numerical Estimation of Point Load Effect II	533
Z. Majer, M. Zouhar, M. Ševčík, L. Náhlík and P. Hutař	
Studying the Effects of Internal and External Microstructure on Fatigue Strength of Materials by Electromagnetic Excitation Technique	537
M. Syed, I. Ahmed, C. Müller and J. Wilde	
Numerical Analysis of the Damage in a Flanged Joint	541
L. Vergani, G. Gobbi and C. Colombo	
Contact Behaviour of Composite Laminate under Quasi-Static Indentation Load	545
Z. Shen, Y.G. Xu and A. Chrysanthou	
Initiation of Fatigue Cracks in Bolted Joints	549
J. Toribio, B. González and J.C. Matos	

Influence of the Die Bearing Length on the Hydrogen Embrittlement of Cold Drawn Wires J. Toribio, M. Lorenzo, L. Aguado, D. Vergara and V. Kharin	553
Study of Multi Pass Welding Temperature Distribution in Dissimilar Steels L. Li, K. Asifa, H. Li and Z. Li	557
Probability Distribution Analysis of Rock Salt Creep Parameters Based on Comprehensive Optimal Acceptance Criteria J.W. Ma, Z.Y. Wang and J.P. Wu	561
The Study on Damage Failure of Pipeline under Flood Using Entropy Identification Method M. Liu, Z.Y. Wang and X. Wang	565
Effect of Stress Wave Dispersion on Hopkinson Pressure Bar Loaded Fracture Test C.H. Guo, X.H. Shen, F.C. Jiang and G.P. Zou	569
Investigation of Bearing Strength of Single-Bolt Double-Lap Joints in Composite Laminate L.N. Cheng, X.T. Zheng and C.Y. Tan	573
Effects of Ceramic Particle Reinforcement Distribution on the Penetration of FGM Armor	577
Numerical Observation of Damage and Cracking Behavior in Three-Point Bending Asphalt Mixture Beam X.H. Yang, G.W. Zeng and Q. Qian	581
Numerical Simulation on the Oblique Penetration of Ceramic Particles Reinforced Metal Matrix Functional Gradient Armor Z.Q. Wang, X.J. Tang, X.T. Wang, X.N. Meng and H.Q. Lv	585
Effects of Loading Rate on Strength and Failure of Coal Rock from Hancheng B. Zhao, Z.Y. Wang and Y.L. Cui	589
Fracture Toughness of Large forgings for Power Producing Industry V. Mentl	593
Effect of Tearing Strength by Variations in Amount of Adhesive in Laminated Film for Liquid Package Y. Machida, A. Shimamoto and H. Aoki	597
Long-Term Monitoring of FRP-Concrete Composite Bridge Deck for Cable-Stayed Bridges Using Optical Fiber Sensors S.T. Kim, S.Y. Park, K.H. Cho and J.R. Cho	601
Skin Stringer Debonding Evolution in Stiffened Composite Panels under Compressive Load: A Novel Numerical Approach A. Riccio, A. Raimondo and F. Scaramuzzino	605
Damage and Fracture during Contact between a Spherical Indenter and Ice: Experimental Results and Finite Element Simulations R.S. Taylor and I.J. Jordaan	609
Molecular Dynamics Studies of Spalling and Melting in Shocked Nanocrystalline Pb M.Z. Xiang, H.B. Hu and J. Chen	613
Numerical Simulation on Failure Process of Rubber-Sleeved Headed Stud Shear Connector X.Q. Xu, Y.Q. Liu, J. He and J. Luo	617
The Deflection of Donut Type Hollow Slab Considering Crack Behaviors J.H. Chung, H.K. Choi, S.C. Lee and C.S. Choi	621
Evaluating the Critical Temperature of Creep-Fatigue Interaction a Nickel-Based Powder Metallurgy Superalloy H. Liu, R. Bao, W.M. Lei and B.J. Fei	625
Research of Performance about Ceramic Coating on Aluminum Bumper to Resist Hypervelocity Impact G.S. Guan, Q. Bi and Y. Zhang	629
Closed Crack Detection with Nonlinear Instantaneous Baseline W.L. Wu, W.Z. Qu and L. Xiao	633
Comparison between Fracture Behaviour of Pipe-Line Ring Specimens and Standard Specimens N. Gubeljak, A. Likeb, J. Predan and Y.G. Matvienko	637
Corrosion and Wear Behavior of CAE Deposited CrN-PVD Coatings L. Montesano, C. Petrogalli, A. Pola, M. Gelfi, V. Sisti and G.M. La Vecchia	641
Modelling of Impact Behavior of Concrete Subjected to Shock Loading Y.X. Sun and L. Xu	645

A Constitutive Model for Bovine Cortical Bone under Cyclic Creep-Recovery Loading	649
M. Lovrenić-Jugović, Z. Tonković and A. Bakić	
The Creep and Fracture Behaviour of the Polyethylene PE100	653
I. Skozrit, Z. Tonković and J. Kodvanj	
Cyclic Creep and Recovery Behaviour of Glass Fibre Reinforced Epoxy Composite	657
M. Lovrenić-Jugović, Z. Tonković and L. Slokar	
Damage Imaging of Pipes in Nuclear Power Plants Using Torsional Guided Wave Modes	661
Z.X. Wei, H. Xu and H.Y. Li	
The Influence of Cycling Frequency to Response Loading in Fatigue Tests for Sandwich Beam with Viscoelastic Core	665
Q.C. Xue, G.P. Zou and T. Xue	
Assessment of Crack Growth from a Cold Worked Hole by Coupled FEM-DBEM Approach	669
R.G. Citarella, G. Cricri, M. Lepore and M. Perrella	
Parameter Identification of Crack Growth in Helicopter Blade	673
A. Chellil, A. Nour, S. Lecheb, M. Chibani and H. Kebir	
Dynamic Behavior to Fatigue Crack Initiation of a Glass/Epoxy Laminate	677
S. Lecheb, A. Nour, A. Chellil, R. Lechani and H. Kebir	
Analysis of Thermal Residual Stresses Distribution in Circular and Elliptical Bonded Composite Repair of Metallic Cracked Structures	681
A. Albedah, R. Mhamdia, F. Benyahia, B. Bachir Bouiadra and B. Serier	