

Table of Contents

Preface and Committees

Interference Analysis between Crack and General Inclusion in an Infinite Plate by Body Force Method	
T. Ino, S. Ueno and A. Saimoto	1
Stress Corrosion Cracking in Pipeline Steels	
A. Plumtree and S.B. Lambert	5
Structural Integrity of a Shaft Subjected to Multiaxial Fatigue Loads in Presence of Short Crack	
M. Fossati, A. Manes, G. Ceresoli, M. Dell'Oro and M. Giglio	9
Blunt Cracks and Two Parameter Fracture Criteria	
J.G. Williams and Y. Patel	13
Flexural and Shear Capacity Evaluation of Reinforced Ultra-High Strength Concrete Members with Steel Rebars	
B.I. Bae, H.K. Choi and C.S. Choi	17
Evolution of Shear Localization in an Elasto-Plastic Cosserat Material under Shearing	
B. Ebrahimi	21
Recent Developments in Brittle and Quasi-Brittle Failure Assessment of Graphite by Means of SED	
F. Berto, P. Lazzarin and M.R. Ayatollahi	25
Principle of Universality in Crack Incubation and Propagation	
B. Aberšek, S. Kralj and J. Flašker	29
Experimental Soil - Concrete Plate Interaction Test and Numerical Models	
R. Čajka, K. Burkovič, V. Buchta and R. Fojtík	33
Modelling Microstructural Effects on the Mechanical Behaviour of a Friction Stirred Channel Aluminium Alloy	
C. Vidal, V. Infante, Y. Lage and P. Vilaça	37
Nonlinear Thermo-Mechanical Coupled Modeling for the Analysis of Stress Distribution in Air-Plasma-Sprayed Thermal Barrier Coatings	
Y.H. Chen, S.C. Zhong and X.X. Yang	41
A Parametric Investigation of Surface Initiated Rolling Contact Fatigue Using the Asperity Point Load Mechanism	
D. Hannes and B. Alfredsson	45
The Cohesive Crack Model Applied to Notched PMMA Specimens Obeying a Non Linear Behaviour under Torsion Loading	
D.A. Cendón, F. Berto, P. Lazzarin and M. Elices Calafat	49
Micromechanical Modelling of Advanced Ceramics Using Statistically Representative Microstructures	
P. Alveen, D. McNamara, D. Carolan, N. Murphy and A. Ivanković	53
The Role of Microstructure on the Fracture Behaviour and Statistics of Advanced Ceramics	
D. McNamara, P. Alveen, D. Carolan, N. Murphy and A. Ivanković	57
Effect of Contact between the Crack Faces on Crack Propagation	
G. Dhondt	61
Statistical Ensemble Interactions in Microstructures where Damage Events Present	
G. Qi, M. Fan and J.Y. Li	65
Evaluation of the Fatigue Limit of Materials in Static Test Using Thermal Analysis: Effect of the Cross-Head Speed	
G. La Rosa and A. Risitano	69
Effect of Carbon Milled Fiber Addition on Interlaminar Fracture Toughness of Carbon Fiber Reinforced Plastics	
H. Katogi and K. Takemura	73
Effect of Crystallinity on Mechanical Properties of Carbon Fiber Reinforced Polypropylene	
H. Katogi and K. Takemura	77
Mechanical Characterization of Bamboo Fiber-Reinforced Green Composites	
H. Takagi and T. Fujii	81

Characterization of Al Metal Matrix Composites Produced by the Stir-Casting Method K.G. Anthymidis, K. David, A. Trakali and P. Agrianidis	85
Fatigue Strength of Aluminum Cast Alloy in Plant Oil N. Kawagoishi, K. Kariya, Y. Maeda, E. Kinoshita, Q. Chen and M. Goto	89
Improvement of an Ellipsoidal Void Model for Simulating Ductile Fracture Behavior K. Komori	93
Fracture Toughness of Advanced TRIP-Aided Martensitic Steels K.I. Sugimoto, J. Kobayashi and D. Ina	97
Probabilistic Failure Analysis of Steel Structures Exposed to Fatigue M. Krejsa	101
Strength Analysis of Energy Storage Flywheel Wrapped with Composite Material H. Li, Y.M. Pang, F.F. Xu and L. Li	105
Green's Function Solution of Multiple Shallow-Buried Cavities and Inclusions in Elastic Semi-Space H.L. Li and L. Liu	109
Assessment of UMTS and Averaged SED Fracture Criteria for U-Notched Specimens H. Filipescu, C. Caplescu and N. Pasca	113
Evaluation of Generalized MTS Criterion for Mixed-Mode Fracture of Polyurethane Materials R. Negru, L. Marşavina and H. Filipescu	117
Effects of Variable Loading on Residual Fatigue Life of the Railway Wheelset P. Pokorný, L. Náhlík, M. Ševčík and P. Hutař	121
A Multiaxial Notch Fatigue Methodology to Estimate In-Service Lifetime of Corroded Cast Iron Water Pipes W. Brevis, L. Susmel and J.B. Boxall	125
Length Influence on Stress Concentration in Orthotropic Plates M. Sánchez and N. Troyani	129
Lamb-Wave Based Technique for Multi-Site Damage Detection Z. Sharif-Khodaei, O. Bacarreza and F. M.H.Aliabadi	133
Application of the Monkman-Grant Relationship for Ultrafine-Grained Metallic Materials M. Kvapilová, J. Dvořák, P. Král, M. Svoboda and V. Sklenička	137
Multiscale Modeling of Nanocomposite Structures with Defects M. Brcic, M. Canadija and J. Brnic	141
Surface Damage and Fatigue Strength of Ultrafine Grained Copper Treated by Mild Annealing N. Teshima, M. Goto, S.Z. Han, K.J. Euh, K. Yamauchi and N. Kawagoishi	145
Current Activities for Standardization of Test Method for Interfacial Fracture Toughness of Thermal Spray Coatings in Japan M. Arai, Y. Yamazaki, M. Suzuki, Y. Miyashita and H. Waki	149
Numerical Prediction of the Long Term Creep Crack Growth Behaviour in Type 316H Stainless Steel A. Mehmanparast and K.M. Nikbin	153
Crack Deflection from the Interface between Two Orthotropic Materials-Effect of Higher Order Terms in Asymptotic Analysis P. Damborský, O. Ševeček, T. Profant and M. Kotoul	157
Anisotropic Damage Phenomena in Filled Elastomers: Experimental Observation and Constitutive Modeling M. Itskov and R. Dargazany	161
FE Modeling of FRP-Concrete Interface for very High Cycle Fatigue Behavior M. Mahal, T. Blanksvärd and B. Täljsten	165
Numerical Lifetime Prediction of Polymer Pipes Taking into Account Residual Stress P. Hutař, M. Ševčík, L. Náhlík, A. Frank, J. Kučera and G. Pinter	169
Numerical Modelling of the Change in Stiffness Properties of Cross-Ply Laminates Subjected to Large Bending Curvatures A. Schmitz and P. Horst	173
Virtual Testing for Fracture Toughness, Fatigue Crack Growth and Fatigue Life Data Estimation of Metallic Components M. Pettinà, B. Farahmand, F. Berto and F. Abdi	177

Effect of Fabric Weave Geometry and Strand Orientation on Mode I Interlaminar Toughness of Glass-Epoxy Laminates P. Czanocki and B. Hernik	181
A Study of Rock Crack Fracture under Different Temperatures L.Y. Li, M.X. Li, Z.Q. Xu, C. Fan and D.A. Liu	185
Path-Independent $\hat{J}$-Integral Based on Finite Deformation Theory Z.M. Liu, J.Z. Mao and H.Y. Song	189
Grain Boundary Fracture Behavior and Segregation of P under Low Tensile Stresses in Steel 2.25Cr1Mo and 12Cr1MoV Y.D. Fu and Q.F. Li	193
Damage-Involved Response of Two Colliding Buildings under Non-Uniform Earthquake Loading R. Jankowski	197
Practical Method for Estimating Corrosion Depth of Uncoated Carbon Steel Using Thickness of the Corrosion-Product Layer S. Kainuma, Y. Yamamoto, H. Hayashi and Y. Ito	201
Fracture Toughness and Cracking Behaviour of SCC Compared to VC S. Korte, V. Boel, W. de Corte and G. de Schutter	205
Hypersingularities in Three-Dimensional Crack Configurations in Composite Laminates S. Hell and W. Becker	209
Influence of Crack Front Shape on 3D Numerical Modelling of Plasticity-Induced Closure of Short and Long Fatigue Cracks S. Fiordalisi, C. Gardin, C. Sarrazin-Baudoux, M. Arzaghi and J. Petit	213
Corrosion Behavior of a WC/C Coated 7075-T6 Aluminum Alloy S. Baragetti, M. Daurù, R. Gerosa and B. Rivolta	217
Fatigue Behaviour of Thin Coated Al 7075 Alloy with Low Temperature PVD Coatings S. Baragetti, R. Gerosa and F. Villa	221
The Competition between Adhesive and Cohesive Fracture at Amicro-Patterned Polymer-Metal Interface O. van der Sluis, J.J.C. Remmers, M.A.C. Thurlings, B.J. Welling and S.P.M. Noijen	225
Evaluation of Elastic Properties of Satin Composites S. Patel, O. Bacarreza and F. M.H.Aliabadi	229
Computational Modelling of Brittle Failure in Polycrystalline Materials Using Cohesive-Frictional Grain-Boundary Elements I. Benedetti and F. M.H.Aliabadi	233
Dislocation Clusters and Microcracks in Thin Films of LCF-Tested Austenitic Steel T. Eterashvili, T. Dzigrashvili and M. Vardosanidze	237
Application of Laplacian Operators on Noisy Data to Compute Curvature with Proper Orthogonal Decomposition M. Thiene, U. Galvanetto, M. Gherlone and F. M.H.Aliabadi	241
Fatigue Crack Growth in Fe Mini-Samples Consolidated by Means of Impact Sintering T. Brynk, B. Romelczyk-Baishya, A. Laptiev, O. Tolochyn and Z. Pakielia	245
Application of Ductile Damage Concepts in the Evaluation of Material Formability during Screw Head Cold Forming T. Coppola, L. Cortese, C. Guarnaschelli and I. Salvatori	249
Modeling of Cure-Induced Residual Stresses in 3D Woven Composites of Different Reinforcement Architectures I. Tsukrov, B. Drach, H. Bayraktar and J. Goering	253
Determination of Triaxial Tensile Failure Surfaces for Curing Epoxy Resins T. Gross, J. Kusch and I. Tsukrov	257
Fatigue Performance of Copper Alloys in Seawater Environment J. Aufrecht, A. Drach, A. Grohbauer, U. Hofmann, S. Theobald and I. Tsukrov	261
Investigation of Fracture and Electrical Resistivity Parameters of Cementitious Composite for their Utilization in Deterioration Models V. Veselý, P. Konečný, P. Lehner, P. Pařenica, J. Hurta and L. Židek	265
Balanced Energy Dissipation at Propagating Crack Tip in Quasi-Brittle Materials? - Analysis via Soft-Computing Methods V. Veselý, P. Frantík, R.V. Sagar, M. Štafa and T. Pail	269

Influence of Dissipative Structures Formed by Impulsed Loads on the Processes of Deformation and Fracture	
V. Hutsaylyuk, M. Czausow, V. Berezin, A. Pylypenko and K. Volyanska	273
Mass-Optimized Design of Guyed Wind Turbine Tower Using Struts	
R.T. Rudolf, F. Roscheck, Y. Aono and T. Faber	277
Numerical Modelling and Bearing Capacity of Reinforced Concrete Beams	
O. Sucharda, J. Brozovsky and D. Mikolášek	281
Determination of Stress Intensity Factor for Cracked Brazilian Disc Using Weight Function	
Y.H. Zhao, J. Liu, H.B. Gao, H.A. He and T. Zhang	285
Torsion Characteristics on Drive Shaft of Independent Wheel Drive for Articulated Vehicle	
Y.S. Kim, S.H. Park, S.C. Yoon and J.K. Mok	289
Giga-Cycle Property of a New Age-Hardened Aluminium Alloy Containing Excess Solute Magnesium	
Y. Takahashi, H. Yoshitake, T. Shikama, H. Noguchi and M. Takuma	293
Boundary Conditions in a Multiscale Homogenization Procedure	
T. Lesičar, Z. Tonković and J. Sorić	297
A Study on the Structural Fracture of Body Structure in Railroad Car	
S.C. Yoon, Y.S. Kim, J.G. Kim, S.H. Park and H.U. Lee	301
Recrystallization Technique of Plastic and High Strain Zones and Fracture in Small Punch Specimen Loaded at Rt and 77K of 304 Stainless Steel	
Y. Iino, H.S. Yu, T.Y. Kim and S.H. Chung	305
Partial Transient Liquid Phase Metals Layer-Surface Coating for Improved Oxidation Resistance and Low Cycle Fatigue Crack Initiation Life at 1073K in Air of TiAl Alloy	
Y. Iino	309
Cracks Interaction due to Sequential Indentation in Curved Brittle Coating: Effect of Relative Orientation	
T. Qasim and S. Al-Khateeb	313
Detailed Crack-Tip Stress Field Description in a Specimen Subjected to Mixed-Mode Loading	
L. Šestáková	317
Evaluation of Fatigue Crack Growth Rates and Threshold Conditions in an Al 2124-T851 Alloy at Different Load Asymmetry Considering Microstructure Orientation	
I. Černý	321
Evaluation of Overloading and Crack Closure Effects on Fatigue Crack Growth in an Aircraft 7075-T7351 Al-Alloy	
I. Černý and D. Mikulová	325
Effects of the Interference Level on the Residual Stresses in a Cold-Working Expansion Method	
M. Giglio, M. Lodi and L. Giudici	329
Evaluation of Elastic Structural Integrity of a 70 kW Class Lab-Scale PCHE Prototype under the Test Conditions of HELP	
K.N. Song and S.D. Hong	333
Modelling Porosity in Quasi-Brittle Reactor Core Graphite	
G.E. Smith, P.E.J. Flewitt and A. Hodgkins	337
J Integral Computation for Repaired Cracks with Bonded Composite Patch in Aircraft Structures	
F. Benyahia, A. Albedah, B.A. Bachir Bouiadjra and M. Belhouari	341
Crack Length Estimation from the Damage Modelisation around a Cavity in the Orthopedic Cement of the Total Hip Prosthesis	
S. Benbarek, A. Sahli, M.M. Bouziane, B.A. Bachir Bouiadjra and B. Serier	345
Finite Element Analysis of the Mechanical Behaviour of the Different Cemented Hip Femoral Prostheses	
M.M. Bouziane, S. Benbarek, S.M.H. Tabeti, B.A. Bachir Bouiadjra, B. Serier and T. Achour	349
Experimental Investigation about Surface Damage in Straight and Crowned Misaligned Splined Couplings	
V. Cuffaro, F. Curà and A. Mura	353
Simulation of Adhesion Performance of Mortar-Mortar Interface with Varied Fractographic Features	
A. Satoh, K. Yamada and Y. Shinohara	357

Bi-Material Notches under Various Normal-Shear Loading Modes J. Klusák, D. Kopp and T. Profant	361
Microtensile Video Tester for Observation of Banana and Abaca Reinforced Composites Failure Z. Ortega, M.D. Monzón, A.N. Benítez, A. Tcharkhtchi and S. Farzaneh	365
Analytical Design of Gigacycle Fatigue Specimens for Size Effect Evaluation A. Tridello, D.S. Paolino, G. Chiandussi and M. Rossetto	369
Propagation Behavior of Naturally Initiated Small Crack in Austenitic Heat Resistant Steel under Thermo-Mechanical Fatigue Loading Y. Yamazaki, W. Fujiki and Y. Hara	373
The Role of Methane Hydrates in the Failure of a Gas Pipeline F. Caputo, F. Cascetta, G. Lamanna, G. Rotondo and A. Soprano	377
Numerical Investigation on LEFM Limits under LSY Conditions F. Caputo, G. Lamanna, L. Lanzillo and A. Soprano	381
Modeling Fatigue Damage of Concrete D. Pryl, J. Mikolášková and R. Pukl	385
Experimental and Numerical Investigation of Delamination in Curved-Beam Multidirectional Laminated Composite Specimen L. Michel, S. Garcia, C. Yao, C. Espinosa and F. Lachaud	389
Three-Dimensional Finite Element Analysis of Single-Lap Joints: Effect of Adhesive Thickness and Poisson's Ratio R. Afshar, F. Berto and P. Lazzarin	393
Experimental Investigation of Corrosion Processes on Weathering Steel Structures V. Křivý, V. Urban and L. Fabián	397
BEM Analysis of a Piezoelectric Structural Health Monitoring System for Delamination Detection A. Alaimo, A. Milazzo and C. Orlando	401
Influence of Reinforcement Particle Sizes on the Joining Strength of the FSSWed PVC Joint Compounded SiC Particle in Welded Area Y. Kurabe, Y. Miyashita and H. Hori	405
Gun Bullet Deformation Analysis for Protection Board Development H. Sakamoto, Y. Ohbuchi and H. Kuramae	409
Effect of Triaxiality and Lode Angle on the Plasticity Behaviour of a Ti-6Al-4V Titanium Alloy A. Gilioli, A. Manes, M. Giglio and N. Allahverdzadeh	413
Fatigue Characteristics of Nonferrous Bolts S. Hashimura, T. Torii, Y. Miyashita, S. Yamanaka and G. Hibi	417
Ultrasonic Corrosion Fatigue Behavior of Duplex Stainless Steel R. Ebara and Y. Miyoshi	421
Evaluation of Torsional Rigidity for Micro-Lattice Plates K. Ushijima, D.H. Chen and W.J. Cantwell	425
Effect of Processing Layer on Fatigue Strength of Extruded AZ61 Magnesium Alloy Y. Miyashita, K. Kushiata, T. Kakiuchi and M. Kiyohara	429
Fracture Mechanics of Fiber-Matrix Interfaces in Composites under Transverse Loading C. Marotzke and T. Feldmann	433
Thermal Conductivity Design for Locally Orthotropic Materials R. Piat and Y. Sinchuk	437
Experiments Method Design Applied to Optimization of Patch Repairs for Cracked Plates M. Belhouari, S.M. Fekih, M. Kouider, A. Amiri and B.A. Bachir Bouiadjra	441
An Automated Method for the Measurement of Fatigue Crack Progression P.J. Tavares, N.S. Viriato and P.M.G.P. Moreira	445
Dynamic Crack Analysis in Layered Piezoelectric Composites under Time-Harmonic Loading M. Wünsche, F. García-Sánchez, C.Z. Zhang and A. Sáez	449
A Synthesis of the Fatigue Behavior of Stainless Steel Bars under Fully Reversed Axial or Torsion Loading by Using the Specific Heat Loss G. Meneghetti, M. Ricotta, L. Negrisolo and B. Atzori	453

Inner Damage and External Dent in Composite Structures after Impact – Part I: Experimental Observations	
C. Espinosa, M. Ruiz-Ayuso and F. Lachaud	457
Numerical Prediction of Damage Interaction during L-Shaped Laminated Composite Structures Unfolding	
C. Espinosa, K. Bodjona, L. Michel and F. Lachaud	461
A Unified Model for Micromechanics Damage in the Asphalt Concrete	
M. Buonsanti, G. Leonardi and F. Scoppelliti	465
Fatigue Properties of a Low-Alloy Steel with a Nano-Structured Surface Layer Obtained by Severe Mechanical Treatments	
S.M. Hassani-Gangaraj, A. Moridi and M. Guagliano	469
Nodular Cast Iron – Fatigue Crack Measurement and Simulation	
P. Čanžar and Z. Tonković	473
Thermographic Determination Methodology: Application on Fatigue Limit of AL 2024 for R=-1	
S. Seitzl, J. Klusák, F. Pelayo and A.F. Canteli	477
Selecting a Suitable Specimen Shape with Low Constraint Value for Determination of Fracture Parameters of Cementitious Composites	
S. Seitzl, S. Korte, W. de Corte, V. Boel, J. Sobek and V. Veselý	481
Fracture Characterisation of Reactor Core Graphite under Biaxial Loading	
D. Liu, M. Mostafavi, P.E.J. Flewitt, T.J. Marrow and D.J. Smith	485
A Study on Impact Damage Analysis of Composite Propeller Blade of Turboprop Aircraft	
H.B. Park	489
Thermo-Mechanical Investigation of Ultra-High Molecular Weight Polyethylene for High Strain-Rate Applications	
I.A. Ashcroft, C.V. Gorwade, A.S. Alghamdi, V.V. Silberschmidt and M. Song	493
Large Deformation and Failure of Thin-Walled Film at the Post-Buckling Delamination	
V. Pavelko, I. Pavelko and M. Smolyaninov	497
An Estimation on the Performance of High Fluidity Anti-Washout Underwater Concrete	
J.J. Park, J.H. Moon, J.H. Park and S.W. Kim	501
3D Global-Local Analysis Using Mesh Superposition Method	
A. Sellitto, R. Borrelli, F. Caputo, T. Ludwig, A. Riccio and F. Scaramuzzino	505
High Accurate Solutions of Nonlocal Elasticity for Sphere	
P.H. Wen, X.J. Huang and F. M.H. Aliabadi	509
A Numerical Model to Study the Hydrogen Embrittlement Effect on Low-Alloy Steels	
L. Vergani, G. Gobbi and C. Colombo	513
An Experimental-Numerical Hybrid Method to Determine Dynamic Elastic-Plastic Fracture Toughness	
S.F. Zhu, Y. Cao, C.H. Guo and F.C. Jiang	517
Evaluation of Interlaminar Shear Strength of Longitudinal GRP Railway Bogie Frames Considering Microstructure Aspects	
I. Černý	521
The Danger of Self-Organizing Structures in Materials Subjected to Dynamical Non-Equilibrium Processes	
V. Hutsaylyuk, L. Śnieżek, M. Czausow, V. Berezin and A. Pylypenko	525
Failure of the Crude-Oil Tank Induced by Two Independent Corrosion Processes	
J. Sís and B. Votava	529
Pressure Pipe Damage: Numerical Estimation of Point Load Effect II	
Z. Majer, M. Zouhar, M. Ševčík, L. Náhlík and P. Hutař	533
Studying the Effects of Internal and External Microstructure on Fatigue Strength of Materials by Electromagnetic Excitation Technique	
M. Syed, I. Ahmed, C. Müller and J. Wilde	537
Numerical Analysis of the Damage in a Flanged Joint	
L. Vergani, G. Gobbi and C. Colombo	541
Contact Behaviour of Composite Laminate under Quasi-Static Indentation Load	
Z. Shen, Y.G. Xu and A. Chrysanthou	545
Initiation of Fatigue Cracks in Bolted Joints	
J. Toribio, B. González and J.C. Matos	549

Influence of the Die Bearing Length on the Hydrogen Embrittlement of Cold Drawn Wires J. Toribio, M. Lorenzo, L. Aguado, D. Vergara and V. Kharin	553
Study of Multi Pass Welding Temperature Distribution in Dissimilar Steels L. Li, K. Asifa, H. Li and Z. Li	557
Probability Distribution Analysis of Rock Salt Creep Parameters Based on Comprehensive Optimal Acceptance Criteria J.W. Ma, Z.Y. Wang and J.P. Wu	561
The Study on Damage Failure of Pipeline under Flood Using Entropy Identification Method M. Liu, Z.Y. Wang and X. Wang	565
Effect of Stress Wave Dispersion on Hopkinson Pressure Bar Loaded Fracture Test C.H. Guo, X.H. Shen, F.C. Jiang and G.P. Zou	569
Investigation of Bearing Strength of Single-Bolt Double-Lap Joints in Composite Laminate L.N. Cheng, X.T. Zheng and C.Y. Tan	573
Effects of Ceramic Particle Reinforcement Distribution on the Penetration of FGM Armor	577
Numerical Observation of Damage and Cracking Behavior in Three-Point Bending Asphalt Mixture Beam X.H. Yang, G.W. Zeng and Q. Qian	581
Numerical Simulation on the Oblique Penetration of Ceramic Particles Reinforced Metal Matrix Functional Gradient Armor Z.Q. Wang, X.J. Tang, X.T. Wang, X.N. Meng and H.Q. Lv	585
Effects of Loading Rate on Strength and Failure of Coal Rock from Hancheng B. Zhao, Z.Y. Wang and Y.L. Cui	589
Fracture Toughness of Large Forgings for Power Producing Industry V. Mentl	593
Effect of Tearing Strength by Variations in Amount of Adhesive in Laminated Film for Liquid Package Y. Machida, A. Shimamoto and H. Aoki	597
Long-Term Monitoring of FRP-Concrete Composite Bridge Deck for Cable-Stayed Bridges Using Optical Fiber Sensors S.T. Kim, S.Y. Park, K.H. Cho and J.R. Cho	601
Skin Stringer Debonding Evolution in Stiffened Composite Panels under Compressive Load: A Novel Numerical Approach A. Riccio, A. Raimondo and F. Scaramuzzino	605
Damage and Fracture during Contact between a Spherical Indenter and Ice: Experimental Results and Finite Element Simulations R.S. Taylor and I.J. Jordaan	609
Molecular Dynamics Studies of Spalling and Melting in Shocked Nanocrystalline Pb M.Z. Xiang, H.B. Hu and J. Chen	613
Numerical Simulation on Failure Process of Rubber-Sleeved Headed Stud Shear Connector X.Q. Xu, Y.Q. Liu, J. He and J. Luo	617
The Deflection of Donut Type Hollow Slab Considering Crack Behaviors J.H. Chung, H.K. Choi, S.C. Lee and C.S. Choi	621
Evaluating the Critical Temperature of Creep-Fatigue Interaction a Nickel-Based Powder Metallurgy Superalloy H. Liu, R. Bao, W.M. Lei and B.J. Fei	625
Research of Performance about Ceramic Coating on Aluminum Bumper to Resist Hypervelocity Impact G.S. Guan, Q. Bi and Y. Zhang	629
Closed Crack Detection with Nonlinear Instantaneous Baseline W.L. Wu, W.Z. Qu and L. Xiao	633
Comparison between Fracture Behaviour of Pipe-Line Ring Specimens and Standard Specimens N. Gubeljak, A. Likeb, J. Predan and Y.G. Matvienko	637
Corrosion and Wear Behavior of CAE Deposited CrN-PVD Coatings L. Montesano, C. Petrogalli, A. Pola, M. Gelfi, V. Sisti and G.M. La Vecchia	641
Modelling of Impact Behavior of Concrete Subjected to Shock Loading Y.X. Sun and L. Xu	645

A Constitutive Model for Bovine Cortical Bone under Cyclic Creep-Recovery Loading M. Lovrenić-Jugović, Z. Tonković and A. Bakić	649
The Creep and Fracture Behaviour of the Polyethylene PE100 I. Skozrit, Z. Tonković and J. Kodvanj	653
Cyclic Creep and Recovery Behaviour of Glass Fibre Reinforced Epoxy Composite M. Lovrenić-Jugović, Z. Tonković and L. Slokar	657
Damage Imaging of Pipes in Nuclear Power Plants Using Torsional Guided Wave Modes Z.X. Wei, H. Xu and H.Y. Li	661
The Influence of Cycling Frequency to Response Loading in Fatigue Tests for Sandwich Beam with Viscoelastic Core Q.C. Xue, G.P. Zou and T. Xue	665
Assessment of Crack Growth from a Cold Worked Hole by Coupled FEM-DBEM Approach R.G. Citarella, G. Cricri, M. Lepore and M. Perrella	669
Parameter Identification of Crack Growth in Helicopter Blade A. Chellil, A. Nour, S. Lecheb, M. Chibani and H. Kebir	673
Dynamic Behavior to Fatigue Crack Initiation of a Glass/Epoxy Laminate S. Lecheb, A. Nour, A. Chellil, R. Lechani and H. Kebir	677
Analysis of Thermal Residual Stresses Distribution in Circular and Elliptical Bonded Composite Repair of Metallic Cracked Structures A. Albedah, R. Mhamdia, F. Benyahia, B. Bachir Bouiadjra and B. Serier	681