

Table of Contents

Preface

Chapter 1: Materials and Technologies in the Scale of Micro and Nano

Study of PSG Thickness Uniformity Influencing Factors in LPCVD W.L. Lü, Z. Zhan, X.H. Du, R.H. Zhou, H.E. Zhang, L.Y. Wang and D.H. Sun	3
Anisotropic Elastic Properties of Chiral Sculptured Thin Films at Micro-Scale Evaluated by Resonance Frequency Spectra H. Fang, K. Matsumoto, T. Sumigawa and T. Kitamura	9
The Dilute Magnetic Properties of Monolayer MoS₂ Doped with Transition Metal Fe and VA Atoms L. Lan, J.M. Cao, Y.J. Cao, D.S. Xu and J. Zhou	15
Strategies for Defect-Free and Deep Wet Etching of Pyrex 7740 Z. Zhan, L.K. Yu, C. Zheng, J.F. Cai, D.H. Sun and L.Y. Wang	21
Effect of Hydrophilic and Hydrophobic SiO₂ Particles on Performances of PI/Al₂O₃ Composite Films Y.Y. Li, L.Z. Liu, H. Shi, L. Weng and W.W. Cui	26
Synthesis and Characterization of Topological Insulator Bi₂Te₃ Nanowires Z. Guo, L. Lu, J.Y. Wang and Y.J. Xing	32
Electronic and Magnetic Properties of Rare-Earth Atoms Absorbed on Graphene Sheet: A Theoretical Study Q.X. Zhou, Z.B. Fu, C.Y. Wang, X. Yang, L. Yuan and Y.J. Tang	40
Melt Electrohydrodynamic Direct-Writing Micro/Nano Fiber with Restriction of Heated Sheath Gas Z.J. Yu, L.J. Wang, L.L. Sun, Y.H. Lin, W. Wang, G.F. Zheng and D.H. Sun	45
Experimental Study on WEDM Machining of PCD and PCBN Compacts M.C. Song, J.L. Zhang, C. Yu, M.J. Wang, C. Liu and Y. Liu	52
Wet Anisotropic Etching Characteristics of Si{100} in TMAH+Triton at near the Boiling Point M.Q. Yao, B. Tang, W. Su and G. Tan	58
Hierarchically Ordered Porous Carbon as a Host Material for Energetic Composites J. Chen, S.M. He, H.Q. Cai, Q.L. Hao and H. Huang	64
TCAD Study of the Raised SiGe Source/Drain in 40nm PMOS M. Zhong, Y.H. Zhao, S.M. Chen, M. Li, S.H. Zeng and W. Zhang	70
Adsorption of Silver Nanoparticles on Modified Surfaces C. Gao, T. Guo, X.S. Ye, H.F. Zhang, H.N. Liu and Z.J. Wu	75
W-Band Quadrupler Based on Multi-Chip Module and Schottky Barrier Diodes Y. He, X.J. Deng, C. Wang and B. Lu	80
Intermediate Layer Bonding for Silicon and Piezoelectric on UV Adhesive X.Y. Wang, H. Liu, R. Lei and W.G. Liu	86
Quantitative Production of Charges with a Carbon Nanotubes Coated Electrode Based on Trichel Pulses F.C. Deng, L.Y. Ye and K.C. Song	92
Band Engineering of Graphene Nanomesh Field Effect Transistor under Multiscale Simulation Framework Y.W. Lv, H. Wang, S. Chang, Z.H. Yu, J. He and Q.J. Huang	98
Growth and Magnetic Properties of Three-Dimensional Firtree-Like Cobalt Microcrystals with Hierarchical Dendritic Superstructures X. Yang, Z.B. Fu, L. Yuan, C.Y. Wang and Q.W. Chen	104
The Thermal Decomposition Behavior of Graphene Oxide/HMX Composites G.Y. Zeng, J.H. Zhou and C.M. Lin	110
Facile Fabrication of Super-Hydrophobic Surfaces by Spray PTFE Y. Wang, H.F. Zhang and X.W. Liu	115

Frequency Characteristics Research for the Negative Resistance Oscillations Phenomenon of a Silicon Magnetic Sensitivity Transistor	120
X.F. Zhao, Y.F. Li, M.W. Lv, D.Z. Wen and H.Q. Zhang	
Large-Scale Synthesis and Microwave Absorption Properties of CoFe₂O₄/ Co_{0.4}Zn_{0.6}Fe₂O₄ Hollow Nanospheres	126
Q.G. Ren, X.J. Qiao, Y. Li, Z.G. Sun, X.D. Guo and S.Z. Zhang	
Research of Magnetic Characteristics of the Split-Drain MAGFET Based on Nano-Polysilicon TFTs	132
X.F. Zhao, H.Y. Guan, M.W. Lv, Y.N. Bai and D.Z. Wen	
Graphene Field Effect Transistor's Circuit Modeling and Radio Frequency Application Study	139
R. Zhu, Y. Zhang, J. Luo, S. Chang, H. Wang, Q. Huang and J. He	
Synthesis and Dispersity of YBCO Powder Produced by Oxalic Acid Precipitation Method	145
A.Q. Wang, H.H. Han, M. Li, J.P. Xie, Q.J. Wu and D.Q. Ma	
Influence of Defects on the Young's Modulus of [110] Silicon Nanowires with Different Cross Sections	151
F. Gu, J.H. Zhang, M. Li, L.Y. Liu and J. Su	
Sintering Behavior and Electrical Property of Surface Treated Silver Nanoparticle for Electronic Application	157
H. Xie, N.N. Xiong, Y.Z. Zhao and Y.H. Wang	
Study on the Etching Technique of Non-Photosensitive Polyimide	163
R. Lei, W.G. Liu, C.L. Cai, S. Zhou, J. Nie and X.Y. Wang	
An Investigation on Resistive Switching Characteristics Induced by HfO_x and Electrode Interfaces	169
X.R. Chen and J. Feng	
Study on Internal Stress in Micro-Electroformed Layer	178
L.Q. Du, Z.C. Tan, C. Song, Z. Zhao, Q.F. Li and P.H. Yin	
Low Temperature Eutectic Alloy Bonding Used in MEMS-Based Solid Propellant Microthrusters Array	184
C.B. Ru, Y.H. Ye, J.B. Xu, Z.Y. Zou, J. Dai, P. Zhu and R.Q. Shen	
Simulation and Test of through Silicon Vias Impacted by Large Current Pulse	190
X.R. Ding, Y.B. Wang, W.Z. Lou and F.Y. Liu	
Preparation of Strongly Hydrophobic Film with Large Area and Flexibility Based on Micro Fabrication	195
Y.B. Zeng, T.T. Wang, J.Y. Wang and H. Guo	
Preparation of TiO₂ Nano-Film by Anodic Oxidation Method and its Hydrophobic Modification	201
F.B. Liu and B. Jing	
Fabrication and Thermal Performance of Copper Pillars Modified Micro Heat Pipe (MHP)	208
L.L. Zou, Y. Luo, J.G. Liu, B.K. Yu, Q. Shan and X.D. Wang	
Research on TSV Dry Etching Technology	216
G.Q. Jiang, L. Kuang and J. Zhu	
Research on Microstructure and Wear Resistance of Cast-Penetrated Layer Strengthened by Nano-Sized TiN Intermediate Alloy	221
J.P. Xie, X.H. Shao, S. Liu, F.M. Wang, A.Q. Wang and D.Q. Ma	
Research on Delamination of Plastic Packaging Device during Reflow Soldering	226
P.S. Liu, Y. Lu, J.X. Huang and L.L. Yang	
Preparation of Nano α-Fe₂O₃ Powders and Characterization of their Photo-Catalysis Capacities	232
N.Y.S. Zhang, Y.A. Zen, S.B. Wang and B. Zhu	
Research on the Preparation of Nanoporous Copper Using Taguchi Method	238
K.C. Li, X.G. Liu, Y. Chen and M.X. Chen	
Preparation of Mn-Zn Ferrite Flake Absorbent by Self-Reactive Spray Forming Technology	246
H.T. Gao, J.J. Wang, H.F. Lou, X.D. Cai and Y.S. Hou	
Intermolecular-Interaction and Mechanical Properties of MNs-Plasticizer Modified 2,4,6-Trinitrotoluene/1,3,5-Trinitrohexahydro-1,3,5-Triazine Molten-Energetic-Composite(MEC)	252
Q. Ma, M.P. Wen, B.H. Zheng, H.J. Huang, D.B. Liu and J.S. Li	
Research Survey of Electroformed Nickel Material Properties Used in MEMS	259
G.Z. Li, G.C. Shi, L. Sui, F.T. Yi and B. Wang	

The Effect of Thermal Accumulation to the Field Emission Properties of the Carbon Nanotubes	265
F. Yan, N.N. Li, L. Chen, D.Z. Jin and W. Xiang	
Effect of Ammonia as an Inert Solvent on Structure and Separation Performance for Oil/Water Mixtures of PVDF Porous Membranes	269
W.W. Cui, J.Q. Liu, L.Z. Liu, W.H. Xu, Y.Y. Li and Z.Q. Gao	
Size Effect of Piezoelectricity in ZnO Nanowires: A First-Principles Study	275
C.Q. Qin, Y.S. Gu, X. Sun, C. Li and Y. Zhang	
Ejection and Motion Behaviors Simulation for Multi-Jet Electrospinning	281
W.W. Li, Z.W. Luo, X. Wang, J.Y. Zheng, G.F. Zheng and D.H. Sun	
Measurement on the Mechanical Properties of SiC Thin Films Based on Square Thin Films Theory	287
Y.M. Chen, P.T. Dong, X.Z. Wu and Y.L. Wu	
Optimization of Chemical Mechanical Planarization Process of High Enrichment Slurry Under Low Pressure	291
Y. Li, Y.L. Liu, H.B. Li, A.C. Wang, W.J. Liu and J. Hong	
Effect of Reaction Inhibitors on Synthesized Silver Nanostructures via Solvothermal Method	297
H. Xie, N.N. Xiong, J.Z. Liu, Y.Z. Zhao and Y.H. Wang	
Effects of NaOH Concentration on Section Structures of Oxide Films Based on TC4 by Anodic Oxidation Process	303
J.K. Yan, G. Yang, Z. Shi, W.X. Tang and Y.F. Wu	
A Novel High Precision Analytic Potential Function for Diatomic Molecules	313
C.F. Yu	
The Simulation and Analysis of Current Crowding and Joule Heat in Flip Chip Solder Bumps	319
P.S. Liu, L.L. Yang, J.X. Hang and Y. Lu	
Effects of n-Type Dopants on Electronic Properties in 4H-SiC	325
J.L. Tang, J.N. Zhong and C. Wen	
Fabrication of Ultrasmooth Polymer Films by Concentration Control and Spin Speed Adjustment	330
Y. Guo, W.G. Liu, H. Liu, S. Zhou, L. Wu and F. Li	
Nanopore in C-S-H Gel Stability Analysis of Hardened Cement Pastes	335
L. Wu, N. Xiong and F.Y. Yu	
Simulation and Typical Application of Multi-Step Diffusion Method for MEMS Device Layers	341
L.Y. Wang, R.H. Zhou, Y.F. Liu, C. Zheng, J.F. Cai and Y. He	
Synthesis of Nano-Al with Fe₂O₃ Nanowires to Realize Core-Shell Composite Materials Arrays Based on Colloidal Templates	347
S.M. He, J. Chen, K. Fang, Z.Q. Qiao and J.S. Li	
Evaluation of the Stability on the New Alkaline Copper Bulk Slurry	352
J. Wang, R. Wang and G.D. Chen	
Research on Low Temperature Anodic Bonding Based on Interface Pretreatment of Dielectric Barrier Discharge Plasma	356
M.Q. Pan, L.N. Sun, Y.J. Wang, J.Z. Liu, T. Chen, H.C. Liu and L.G. Chen	
The Study on the Selectivity Ratio of SiC/Epoxy Resin Based on ICP Etching	362
J. Hu, S. Zhou, C.L. Cai, Y.F. Zhu, S. Hu and W.G. Liu	
High-Efficiency Preparation of N-Doped Titania with High Visible Light Photocatalytic Activity Using Composite N Precursor	368
Y.L. Hu, X.D. Zhang, H.F. Liu and X.P. Guo	
UV Photocatalytic Digestion Utilizing TiO₂ Nano-Fiber for the Determination of Total Phosphorus	375
Q. Zhang, J.H. Tong, C. Bian and S.H. Xia	
Research of Thin Film for Laser Polarization Beam Splitter	381
X.H. Fu, Y.G. Pan, D.M. Liu, J. Zhang and X.J. Wang	
Micro Laser Joining between Dissimilar Materials of 200μm Thick TiNi Alloy and Stainless Steel and the Joint's Electrochemical Behavior	388
Y.H. Chen, J.L. Xie and W.H. Gong	

Electrokinetic Research on the Dispersion Behavior of Nano-Ceria Particles in Concentrated Suspensions	
W. Gao, Q.L. Wei, L. Ding, X.Y. Li, C. Wang, G.P. Tang and J.G. He	394
Study of SiC's Mechanical Property Variance Caused by Film Thickness	
Z.L. Jiao and J. Zhu	400
Experimental Study on the Relationship between Dislocation Density and Internal Stress in Micro Electroforming Layer	
C. Song, L.Q. Du, T. Yang, L. Luo, Y.S. Tao and X. Zhang	405
Influence of Hybrid Fibers on Flexural Properties of Ultra High Toughness Cementitious Composites with Nano-SiO₂	
X. Gao, Q.H. Li and S.L. Xu	411
The Influence of Polyhedral Oligomeric Silsesquioxane on Heat Resistance and Curing Kinetics of Potting Materials	
J.H. Fan, H. Jing and J.Y. Wu	416
Study on Mechanism of Phase Forming in Ni⁺ Implantation into Ti6Al4V at Elevated Temperature	
Y. Wang, X.H. Yu and H.L. Yang	421
Preparation and Mechanical Properties of Ultra-Fine Grain Medium-Carbon Steel Based on Equal-Channel Angular Pressing	
J.M. Wang, W.T. Hou and L. Lu	427

Chapter 2: Micro/Nanofluids Research and Technologies

Tribological Properties of Oil-Based ZnO Nanofluids	
X. Ran, X.Y. Yu, Y. Wang and Z. Xiao	437
Performance Investigation of TiO₂ Nanofluid Coolant for Automobile Cooling Applications	
J.M. Chen, X.Y. Sun, G.J. Leng and J.H. Feng	444
The Simulation and Experimental Analysis of Hydrodynamic Focusing Effect inside a Rectangular Microchannel	
S.J. Feng, X.Q. Shi, J. Zeng, Y. Peng and M. Liu	449
Threshold Model of Micro-Fluidic Inertial Switch Based on Orthogonal Regression Design	
T.T. Liu, W. Su, C. Wang and T. Yang	455
Effect of Flow Rate of Slurry in Micro-Channels on the Consistency of Polishing Rate	
Y. Li, M. Sun, Y.L. Liu, A.C. Wang, J.Y. Tang and S.Y. Fan	462
Discrimination of Low-Grade Oil from Edible Oil by a Microfluidic Device	
M. Liu, S.J. Feng, X.Q. Shi, Y. Peng and Z.Z. Wu	469
Effect of Elliptical Dimples on Hydrodynamic Lubrication	
J.H. Ji, H. Wang and Y.H. Fu	474

Chapter 3: Measurements, Sensors and MEMS

Study of Bandwidth Expansion Based on Electrochemical Vibration Sensor	
Z.Y. Zhang, J.B. Wang, D.Y. Chen and Y.A. Li	483
A Novel Micro-Machined Out-of-Plane Resonant Accelerometer with Differential Structure of Different-Height Resonant Beams	
S.M. Zhao, Y.F. Liu and J.X. Dong	488
The Research of Turn-On Time for Silicon Micromechanical Gyroscope on a Chip	
Y. Bian, Q. Shi and G.M. Xia	492
3D Indoor Positioning System Based on MEMS Sensors	
J.L. Zhu, B. Mo, C.D. Ling and W.Y. Fu	498
Analysis Temperature Characteristics of Atmosphere Pressure Sensor Caused by Residual Gas	
L.D. Du, Z. Zhao, S.H. Wu and Z. Fang	504
Q-Factor Improving of Film Bulk Acoustic Wave Resonator for Chip-Scale Atomic Clocks	
Z.S. Zhang, L. Tang and L. Ji	509

Study on a Planar Interdigitated MEMS Supercapacitor Using Modeling and Simulation Method	513
K.R. Dai, X.F. Wang, W.S. Lv and Z. You	
Passive Acoustic Localization Based on MEMS Microphone Arrays	517
X.M. Dai, W.Z. Lou, M.R. Guo, F.F. Wang and X. Jin	
An Electromagnetic Vibrating Ring Gyroscope Using SOI-MEMS Technology	522
Y.X. Li, D.Y. Chen, G. Huang and Q. Li	
The Research on MEMS Micro Capacitance Sensor Detection Based on MS3110	528
H.J. Yu, Z.Q. Ding, X.P. He, L.M. Du, H. Qu, W. Zhou and B. Peng	
The Influence of Die-Attach Adhesives on the Packaging of MEMS Accelerometer	533
P. Peng, X.P. He, L.M. Du, W. Zhou, H.J. Yu and B. Peng	
High Resolution Micro-Displacement Sensing Circuit for Rotor Micro-Gyroscope	538
M.Y. Ren, X.W. Liu, H.F. Zhang and Z.G. Mao	
Simulation and Experimental Verification of Silicon Microgyroscope's Closed-Loop Driving Circuits Based on Cadence	543
W.F. Tang, G.M. Xia, A.P. Qiu and Y. Su	
Design of 16 bit 200kHz Feedforward Sigma-Delta ADC Applied in Silicon Gyroscope	548
F.X. Huang, Z.Q. Gao and X.W. Liu	
Advancements in Micro-Structure with Multiple Stress Concentration Region for Bionic Vector Hydrophone	555
G.J. Zhang, P. Zhao and W.D. Zhang	
High-Precision Quadrature Signal Generator for Digital Demodulation of MEMS Gyroscope	561
D.H. Chen, L. Chen, H. Zhou and Y. Tian	
Study of Thin Film Pressure Sensor by Magnetron Sputtering	566
D.P. Hu and X.L. Wang	
FPGA-Based Test Equipment for System-Level MEMS Switch Series	572
P. Liu, W.Z. Lou, Y.F. Lu and X.Y. Feng	
Design and Analysis of Capacitive Micromachined Ultrasonic Transducers Based on SU-8	577
Y.P. Li, C.D. He, J.T. Zhang, J.L. Song, W.D. Zhang and C.Y. Xue	
Passive Wireless Multi-Parameter Sensor System for Hermetic Environment Monitoring	583
D. Tang, L.F. Wang and Q.A. Huang	
Statistical Analysis and Yield Enhancement of MEMS Devices by Considering Multi-Process Variations	589
L.L. Gao, W.H. Li and Q.A. Huang	
Effects of Hall Output Probes Shape on Magnetic Characterization of Hall Magnetic Field Sensor Based on MOSFET	595
X.F. Zhao, Q.R. Lin, A.L. Mu, D.Z. Wen and H.Q. Zhang	
Chip-Level Active Temperature Control for Improving Temperature Robust of a Micro-Gyroscope	600
Z.H. Chen, L.L. Liu, D.B. Xiao, H.J. Cui and X.H. Wang	
A 16 Bits 500 kHz Sigma-Delta DAC for Silicon Micro Gyroscope	605
Y.K. Zhao, L. Yin, Z.T. Liu, W.P. Chen and X.W. Liu	
An Integrated Pressure and Magnetic Field Sensor Based on Piezoresistance Effect	610
T. Wu, X.F. Zhao, X.H. Yang, D.Z. Wen and G. Li	
The SOI Micro-Accelerometer Fabricated by Sacrificial Process	616
Z.Y. Zhang, W. Su, Z.G. Shi, B. Tang, Z. Xiong, Y.H. Chen and B. Peng	
Noise Analysis of Silicon Microgyroscope's Transimpedance Amplifier Interface Circuit	624
W.F. Tang, A.P. Qiu, G.M. Xia and Y. Su	
Micromachined Tri-Axis Capacitive Accelerometer Based on the Single Mass	630
F. Yuan, L.G. Chen, T. Chen and L.N. Sun	
Multi-Chip Module Design of a MEMS Air Pressure Sensor	636
G.X. Yao, H.Y. Du, Q.A. Huang and M. Nie	
A Modulated Feedback Approach to Improve Closed Loop MEMS Accelerometer Bias Instability	640
M.J. Ma, Z.H. Jin and Y.D. Liu	
A Second Differential Bandpass Filter with Tuning Center Frequency and Constant Q	646
Y.X. Zhao, W.R. Zhang, H.Y. Xie, X. Huang and L.H. Zhang	

Trajectory Guidance Law for MAV Based on MEMS Sensor/GPS	653
Y. Cai, W. Xiong, X.T. Cao and Z.Y. Zhou	
A Feed-Forward Sigma-Delta Modulator Applied in Silicon Gyroscope	657
Q. Shao, Q.Y. Lv, H. Meng, Q. Fu and X.W. Liu	
A Novel Capacitive Temperature Sensor for Real-Time Monitoring of Temperature in the Silicone Oil Fan Clutch	662
Q.Y. Ren, L.F. Wang, J.Q. Huang and Q.A. Huang	
Active Disturbance Rejection Control Design for Fast AFM	670
D.X. Chen, B.H. Yin, J.B. Liu, W.P. Li, L.Q. Wu and H. Li	
Plastic Strain Effect in Progressive Multi-Cycle Nano-Indentation Measurement	675
Q.L. Wei, X.Y. Li, X.B. Yue and D.J. Lei	
Micro-Fabricated Pre-Concentrator Filled with Single-Walled Carbon Nanotubes as Adsorbent Material	681
X.F. Zhu, Z.W. Ning, J.H. Sun, T.J. Ma, Y.N. Zhang and J.H. Liu	
Research on Rapid Detection and Accounting of Small Particles in Marine Hydraulic Oil	687
L. Zeng, H.P. Zhang, E.C. Liu, H.Q. Chen and F.Y. Cui	
Dissemination of Micro-Gram Weights from 500 µg to 50µg Based on Automatic Mass Measuring System	693
X.P. Ren, J. Wang, L. Dong and O. Wilson	
Design and Fabrication of High Vacuum Gauge Based on Micro Hotplate	698
F.T. Zhang, Y.B. Zheng, B. Tang, W. Su and Z. Tang	
Analysis of Impact of Bottom Electrode Position on Dynamic Pull-In Parameters of Microcantilevers	706
S.K. Chang, G.F. Zhang and Z. You	
Fabrication and Formaldehyde-Sensing Property of Quartz Crystal Microbalance (QCM) Coated with PVP-MWCNTs Composites	719
Y.F. He, Y.D. Jiang, H.L. Tai and G.Z. Xie	
A Micro Direct Formic Acid Fuel Cell with PDMS Fluid Flow Plates	724
T.T. Wang, Y.B. Zeng, Z.G. Zhao and H. Guo	
A Novel Microfluidic Time Gate for Controlling Flow of Liquids	730
L. Gan, C. Liu, J.M. Li, Y.H. Ma, L.J. Zhou, H. Zhang, T. Li and L. Wang	
Microfluidic Amperometric Detection Sensor with Integrated Ag/AgCl Reference Electrode	736
H. Zhang, X.W. Liu, L. Tian, X.W. Han and T. Dai	
Optimization of Microfluidic Chip Bonding Technology Based on Polydimethylsiloxane	741
J. Mao, W. Chen, L. Zhao, L.X. Yang and B.Z. Zhang	
Applied Research on Self-Sensing Micro-Flow Injection Device Based on Piezoelectric Ceramics	746
J. Huang, L.P. Shi, H.M. Zhou, X.W. Wei and Y.B. Wei	
Iron Wear Particle Content Measurements in Process Liquids Using Micro Channel – Inductive Method	756
Z. Bo, X.M. Zhang, H.P. Zhang, E.C. Liu and H.Q. Chen	
Fluid Dynamic Analysis on Solar Heating Error of Radiosonde MEMS Humidity Measurement	761
X.L. Mao, J.H. Zhang, M. Li, S.R. Xiao and Q.Q. Liu	
Experimental Study on Velocity of Flyer Based on Silicon	766
Q.B. Fu, Y. Wang, M. Wang, W.Z. Qin and F. Guo	
A New Method of Design and Verification of Digital Silicon Gyroscopes Closed-Loop Driving System Based on MicroBlaze	771
P. Sun, Q. Shao, Y.Y. Liu and W.P. Chen	
Design and Fabrication of a SOI Optical Waveguide Sensing Platform for Biochemical Sensor Application	777
Y.J. Liu, Y. Dong, D.P. Yuan and T.J. Li	
The Research on Electroplating Technology Used for RF Micro Inductor Coil	783
R.K. Bi, X.Y. Wei, J.L. Wu and H. Guo	
Study on Magnetization and Detection the Metal Particle in Harmonic Magnetic Field	790
X.M. Zhang, H.P. Zhang, Z. Bo, H.Q. Chen and Y.Q. Sun	
The Buckling Simulation of Planar W-Form Micro-Spring in MEMS Safety and Arming Device	796
F.F. Wang, W.Z. Lou, F.Y. Liu, D.K. Wang, J. Lu, J. Wu, X.H. Guo and Z. Zhang	

Design, Optimization and Simulation of an Electric Field Microsensor Based on PZT Piezoelectric Interdigitated Cantilevers	800
K. Feng, J.H. Tong, Y. Wang and S.H. Xia	
Design and Application of Digitally-Programmable Delay-Time Microchip in Detonating System	806
Y.F. Lu, W.Z. Lou, X.R. Ding and Y.B. Wang	
A Traceable Metrological Method with Nanometer Scale Resolution for Micro-Structure	810
B.H. Yin, D.X. Chen, H. Xue, Y.S. Lin, S.T. Gao, W. Li and L. Han	
Accurate and Traceable Calibration of the Stiffness of Various AFM Cantilevers	817
Y.W. Zhao, Y.P. Song, S. Wu and X. Fu	
Design of Minimal Capacitance Detect Circuit for MEMS Capacitive Sensor	824
H. Qu, H.J. Yu, W. Zhou, X.P. He, L.M. Du and B. Peng	
Micro-Spring's Variable Stiffness Design and Characteristics Analysis	830
G.H. Liu, L. Sui, G.C. Shi and X.H. Guo	
Fabrication Process and Electro-Thermal Modeling for the Cathode of the CMOS-Compatible Hot-Filament Vacuum Gauge	836
J.Q. Wang and J. Yu	
A New Design of a Piezoelectric Triaxial Micro-Accelerometer	841
J.Y. Wang, T.T. Wang and H. Guo	
UVC-Thermal Coupled Digestion without Oxidant for the Detection of Total Phosphorus	847
L. Li, C. Bian, J.H. Tong, H. Li and S.H. Xia	
Fabrication of SU-8 Microneedle Based on Backside Exposure Technology	853
L.Q. Du, Z.Z. Wang, X.P. Ruan, S.L. Chen and Q. Shan	
Analysis on the Effect of Machining Error on the Vibration of MEMS Device	859
H. Wang, W.H. Li and L.L. Gao	
A Variable Resistor Micro System Based on Electro-Explosion	865
X.R. Ding, Y.B. Wang, W.Z. Lou and Y.L. Guo	
Design and Experimental Study of a Composite Materials Micro-Deformation Measurement Device	869
Y. Yuan, H. Bao, H. Xu and Z.L. Li	
A Low-Frequency Filter in Inertial Applications	875
Q. Li, X.W. Liu, L. Yin and J.J. Zhou	
Experimental Investigations on New Characterization Method for Giant Piezoresistance Effect and Silicon Nanowire Piezoresistive Detection	881
J.H. Zhang, M. Yang, Q.Q. Liu, F. Gu, M. Li and Y.X. Ge	
Application of Magnetic Filter Technology in Improving the Precision of a Micro Attitude Reference System	888
G.M. Yuan, X.R. Cao, Y.M. Zhao, P. Wang, J.B. Xie and H.L. Chang	
Intelligent Logistics Monitoring Microsystem Based on STM32	896
F. Wang, W.Z. Lou, M.R. Guo and Y.F. Lu	
Nondestructive Microscopy Test on Damage of Waterproof Material in Underground Engineering	900
Q.G. Wang, Q.X. Yang, Y.J. Jiang and J. Yang	
A Robust Adaptive Angle Algorithm for Imaging Bionic Polarization Navigation Sensor	906
B. Li, L. Guan, S.Y. Li, J.K. Chu and Y. Cui	
A Nano-Cantilever Bending Method for Interface Cracking in Nanoscale Materials	912
X.Y. Wang and Y.B. Yan	
The Displacement Characteristics of Piezoelectric Ceramic Micro Actuators Evaluated by Laser Interferometer	920
H. Wu, L.B. He, J.L. Zhou and P. Yang	
On the Temperature-Related Mechanical Properties of UV-LIGA Nickel Material	926
S.S. Yuan, G. He, M. Zhang and G.Z. Li	
Design and Experiment Research on MEMS Vector Hydrophone Vibration Damping Structure	931
N. Guo, G.J. Zhang and W.D. Zhang	
The Test and Simulation Modeling of Micro Scale Solid Particles Fuel Cloud Dispersal under High Dynamic	942
X. Jin, W.Z. Lou, M.R. Guo and X.M. Dai	

Chapter 4: Micro Actuators and Devices

Performance-Enhanced Heat Converter Used in FPA Utilizing a SiO_x/Al Corrugated Micro-Cantilever Actuator		
Y.M. Kong, R.W. Liu, B.B. Jiao, D.K. Lu, E.C. Zhu, Q.S. Fu and D.P. Chen	951	
Modeling of Hysteresis in Piezoelectric Actuator Using Linear Play Operator Adaptive Filter		
R. Xiong, X.D. Liu and F.M. Shan	957	
The Dynamic Characteristics Research of MEMS V-Shaped SiO₂/Al Electrothermal Actuator		
Y.Y. Shen, R.C. Song, H.M. Tang, Q.S. Chen and P. Guan	963	
The Parametric Analysis of the Threshold Value Judging Mechanism in MEMS Safety and Arming Device		
F.F. Wang, W.Z. Lou, F.Y. Liu, D.K. Wang, M.R. Zhang and C.G. Xu	968	
The Error Analysis of Micro-Flow Self-Sensing Actuator		
Y.B. Wei, L.P. Shi and H. Zhou	972	
Analysis of Harmonic Distortion of Sigma-Delta Modulator		
D. Yan, W.N. Jiang, S.Q. Tao, J. Yang, L. Yin and X.W. Liu	980	
The Parametric Analysis of the Lock-Releasing Mechanism in MEMS Safety and Arming Device		
F.F. Wang, W.Z. Lou, F.Y. Liu, D.K. Wang, J. Lu, J. Wu, X.H. Guo and Z. Zhang	986	
Theoretical Investigation of the Electronic Properties in BN Nanowires		
C.C. Zhuang, L. Li, S.D. Fan, C.C. Ban and X.W. Liu	990	
Dynamic Modeling and Output Characteristic Analysis of a Micro Bistable Piezoelectric Generator		
X.H. Mao, Q. He and T.T. Huang	995	
Impact of Cross-Section and Size on Vibration of Silicon Nanowires		
P. Zhang, H.B. Chen and H. Yu	1004	
Controlled Encapsulation of Micron-Sized Beads in a Droplet Based on Pulse Inertia Force Driving of Micro-Fluids		
H.C. Wang, L.J. Yang, J. Liu and Z.D. Dai	1009	
Interference Fit Assembly of Micro-Parts Based on Microscopic Vision and Force		
J. Zhang, W.R. Wu, F. Shen and Y.J. Deng	1016	
Scalable Electrical Model and Performance Analysis of a Novel Bar TSV Structure		
Z.S. Li, M. Miao, S.C. Yang and D.C. Yang	1024	
Experimental Investigation of Thermal Conduction Performance on Silicon-Based Micro Flat Heat Pipe		
C.M. Li, Y. Luo, C.P. Zhou, L.L. Zou, X.D. Wang and Q. Shan	1032	
Analysis of Effective Field Emitting Angle for Spindt Cathode		
N.N. Li, S.C. Pang, F. Yan, D.Z. Jin, W. Xiang, D. Zhang, J.Y. Dai and B.Q. Zeng	1038	
Fabrication of Convex Plate-Shaped Micro Tool Electrode and its Application in Micro Hole Machining by ECM		
Z.W. He, M.H. Wang, L. Zhang and W. Peng	1043	
Design of Micromachining System Based on Nanosecond Pulsed Laser		
D. Xu, Y. Yao, X. Fu and C. Wang	1049	
Experimental Research on Nanostructure Fabricated by AFM Probe Combining with a CW Laser		
L.J. Yang, B. Cheng and Y. Wang	1054	
Constructing Dual Band Metamaterial Absorbers at Mid-Infrared by Employing Multi-Resonant Structures		
W. Ma, Y.Z. Wen, R. Zhao and X.M. Yu	1059	
Structure Design of Large Travel One-Arm Bridge Type Z-Axis Nano-Positioning Stage		
W. Fan, Z.S. Li and S.Y. Jiang	1064	
Effect of Undercut on the Characterization of the Mechanical Properties of Silicon Nanocantilevers with Dynamic and Static Test		
J.H. Zhang, F. Gu, X.L. Zhang, M. Li, Y.X. Ge and X.L. Mao	1072	

Implementation of Convolutional Encoder in Quantum-Dot Cellular Automata M.L. Zhang, L. Cai, X.K. Yang, H.Q. Cui and Z.C. Wang	1078
--	------

Chapter 5: Optics in the Scale of Micro and Nano

Theoretical and Experimental Studies on Microcavity Organic Light-Emitting Diodes with Different Emitters C.Y. Peng, M.J. Wei, R.J. Huang, K.P. Guo, Y.L. Jing, T. Xu and B. Wei	1087
A Method to Fabricate Thin Micro Silicon Cantilever Based on Optical Lithography with AZ 1518 C.Z. Tang	1093
Design and Experiment of Phase Laser Ranging System Based on MEMS Mirror for Scanning Detection C. Zhang and H. Huang	1099
High-Frequency InP-InGaAsP Heterojunction Phototransistor Employing a UTC Structure Z.Y. Jiang, H.Y. Xie, W.R. Zhang and L.H. Zhang	1105
A Compact Infrared Gas Sensor Based on an Asymmetry Gas Cavity A.J. Ming, Y.H. Ren, Y. Zhang, L. Zhang, W.B. Zhang, Z.X. Tan, W. Ou, Q.L. Tan, H.Y. Mao, J.J. Xiong and D.P. Chen	1111
Surface Micromachined Mirror Based on Pre-Stress Comb-Drive Actuator W.M. Wang, S.M. Yan, Q. Wang, C.K. Qiu, Z.X. Chen and B. Fan	1115
Design and Simulation of MEMS Mirror Based 3D Shape Measurement System C. Zhang	1120

Chapter 6: Energy Harvesting, Power Supply and Technologies for Fuel Cells

The Design of an Interface Circuit for Micro-Electrostatic Vibration Energy Harvesters and Super-Capacitor S. Chen, Y.X. Lu and X.H. Wang	1127
Fabrication of Aluminum Nitride Films by Reactive Pulse DC Magnetron Sputtering for Vibration Energy Harvester Z.G. Shang, D.L. Li and S.Q. Wang	1133
Novel Wind Energy Harvesting Device for City Building Based on ZnO Films Array S.H. Wu, L.D. Du, Z. Zhao, D.Y. Kong and Z. Fang	1139
VCu_xO_y Thin Film by Magnetron Sputtering as Cathode Material for Thin Film Lithium-Ion Microbatteries J. Lin, J.L. Guo, C. Liu and H. Guo	1145
High Performance Supercapacitor Electrode Materials Based on Activated Carbon and Conducting Polypyrrole W.T. Yuan, Y.J. Yang, Y.L. Qiu, J.H. Xu, W.Y. Yang and S. Xia	1150
Electrohydrodynamic Atomization Deposition of Fuel Cell Catalyst-Coated Membrane with Structure and Material Gradient Variation D.Z. Wang, W. Zha, X.H. Zhu, Y. Li, J.S. Liang, T.Q. Ren, Y. Luo, X.D. Wang and C. Liu	1156
Secondary Synthesis of Microporous Heteroatoms Y Zeolite and their Hydrodesulfurization Properties for Model Fuel X. Hong and K. Tang	1163
A 3D All-Solid-State Thin Film Microbattery with Inverted Pyramid Arrays J. Lin, J.L. Guo, C. Liu and H. Guo	1170
Formation of Membrane Electrode Assembly for High Temperature Methanol Fuel Cells D.Z. Wang, X.H. Zhu, W. Zha, T.Q. Ren, M.Q. Li, J.S. Liang and C. Liu	1175
Asymmetric Design of Anode and Cathode Current Collectors for Micro Direct Methanol Fuel Cells Y.F. Zhang, S.B. Zhang, Z.Z. Ma, H.L. Chen and X.W. Liu	1181
Study on the Energy Harvesting Performance of PE Cantilever Beam H.P. Liu, S.Q. Gao and L. Jin	1189

To Improve Micro-Planar-Magnetic Generator Performance Based on Addition of Magnetic Material	
L. Du, G.C. Shi and J.J. Zhao	1195
Electrospun PVDF/PMMA/SiO₂ Membrane Separators for Rechargeable Lithium-Ion Batteries	
X.L. Wu, J. Lin, J.Y. Wang and H. Guo	1201
Electrospun SnO₂-Graphene Composite Nanofibers as High Performance Anode for Lithium Ion Batteries	
Y.L. Wu, J. Lin, J.Y. Wang and H. Guo	1207
Numerical Optimization Approach of the Gap between the Magnet and Coil for Electromagnetic Vibration Energy Harvesters Design	
Y.M. Lei and Z.Y. Wen	1214
Design and Comparison of Micro Electromagnetic Vibration Energy Harvesters	
Y.M. Lei, Z.Y. Wen and L. Chen	1223
Corrosion Behavior of SAMs Modified Silver-Coated 316LSS as PEMFC Bipolar Plates	
X.J. Yan, J.B. Zhuang, N.B. Huang, C.H. Liang, H.T. Wang and L.S. Xu	1233

Chapter 7: Bioresearch and Biomedical Engineering

Stabilization of Pickering Emulsions by Bacterial Cellulose Nanofibrils	
W. Fu, Y. Liu, C. Yang, W.H. Wang, M. Wang and Y.Y. Jia	1247
Enrichment Efficiency Optimization of Dielectrophoresis Cell Chip Based on Interdigitated Microelectrodes Array	
W.W. Gu and J. Huang	1255
Functionalization of Mesoporous SBA-15 with APTES by Co-Condensation and its Effect on Immobilization of <i>Candida rugosa</i> Lipase	
X.Y. Li, Y.Q. Xu and G.W. Zhou	1261
Fabrication of a Pendulous Resonant Micro-Machined Biosensor for Direct Liquid Detection	
G. Huang, Y.X. Li, L. Qian and Q. Li	1267
In Situ Synthesis of the Hollow Silica Microspheres with Porous Surface by Using Chemical Modified Pollen Grains as Biotemplate	
F. Cao, D.X. Li and Z.Y. Wu	1273
CMOS Amplifier for Neural Signal Recording Applications	
Z. Zhang, Z.X. Cheng and Y.W. Zhuang	1279
Analysis and Simulation of a Planar Microelectrode Structure for Dielectrophoretic Manipulation of a Single Cell and Cell Cluster	
P. Chen, X.L. Ma, H. Zhang, M.J. Han, Y.C. Wang, B.B. Li and H.X. Zhu	1285
A Biological 3D Printer for the Preparation of Tissue Engineering Micro-Channel Scaffold	
Y.N. Zhang, Y.Y. Liu, Y. Li, S. Li and Q.X. Hu	1290
Specific Detection of <i>Staphylococcus Enterotoxin B</i> in Milk Using Piezoresistive Cantilever Aptasensor	
R. Zhao, Y.Z. Wen, W. Ma, J.C. Yang and X.M. Yu	1298
Biological CAD/CAM/3D Printing Integrated Molding Platform and System Building	
Y.M. Ma, Y.Y. Liu, H.P. Chen and Q.X. Hu	1303
A CMOS Automatic Gain Control Circuit for Biomedical Applications	
Z.Q. Gao, F.X. Huang, J. Li, L. Yin and X.W. Liu	1308
Facile Preparation of Cu/TiO₂ Nanocomposite via Photocatalysis and their Antibacterial Performance	
B.X. She, J.B. Long, Y.M. Deng, X.J. Wan, K.J. Zhu and J.N. Tang	1314
Design of a Microfluidic Chip for Enrichment of Circulating Tumor Cells	
X.X. Ling, D.H. Ren and Z. You	1320
Biological Effect of Single Wall Carbon Nanotubes on <i>Skeletonema costatum</i> and <i>Prorocentrum donghaiense</i> in Seawaters	
F.F. Li, J.T. Wang and L.J. Tan	1326
Expansion Performance of Novel Balloon-Expandable Stent for Tapered Vessel	
X. Shen, Y.Y. Sun and B.B. Wu	1333

Synthesis of Silica Modified Large-Sized Hydroxyapatite Whiskers by a Hydrothermal Co-Precipitation Method	1339
Y.T. Yin, Q.H. Chen, T.T. Yan and Q.H. Chen	
Flow Field Analysis for Plant Vessel and Bionic Structural Microfluidic Chip	1345
C. Zheng, C.Y. Guo, J.W. Xue, S.B. Liu and T. Chen	
The Application of Micro-Flow Extrusion Forming Technology in the Denture Preparation	1351
J. Zhou, G.L. Duan, D.B. Zhu and J. Cai	
Yeast Cells Immobilization in Microfluidic Channels Based on a Self-Polymerized Nano-Film of Poly(Dopamine)	1357
X. Chen, L.L. Zhang, J.H. Sun, H. Li and D.F. Cui	
An Ultrasonic Micro Knife Based on Triangular Silicon Horn Chip	1363
T.T. Wang, J. Wu, K.M. Ying, W.G. Li and H. Guo	
Preparation and Characterization of Tissue Engineering Scaffolds by Composite Molding of 3D Printing and Electrospinning	1368
Y.M. Ma, Y.Y. Liu, H.P. Chen and Q.X. Hu	
Pretreatment with Huperzine A-Loaded Poly(lactide-co-glycolide) Nanoparticles Protects against Lethal Effects of Soman-Induced in Mice	1374
R.H. Zhang, L.Q. Li, C. Wang, X.J. Lu, T. Shi, J.F. Xu, L.C. Song and H.F. Wang	