

Table of Contents

Preface, Committees and Sponsors

Chapter 1: Materials for Biomedical Application

<i>In Vitro</i> Resorbability of Three Different Processed Hydroxyapatite F. Thammarakcharoen, P. Palanuraksa and J. Suwanprateeb	3
Bleached Shellac as an Alternative Polymeric Matrix for <i>In Situ</i> Microparticle P. Praphanwittaya and T. Phaechamud	8
Metrodidazole <i>In Situ</i> Forming Eudragit RS Gel Comprising Different Solvents J. Mahadlek and T. Phaechamud	13
Physical and Mechanical Characterizations of Oxidized Regenerated Cellulose/Polycaprolactone Composite for Use as a Synthetic Dura Mater T. Theeranattapong, T. Luangwattanawilai, J. Suwanprateeb, W. Suvannapruk, S. Chumnavej and W. Hemstapat	19
Physical Properties of Xyloglucan/Bacterial Cellulose Composite Film Plasticized with Glycerol S. Oontawee, P. Jittavisuttiwong and C. Phonprapai	24
Preparation and Characterization of Polymer Blends from <i>Nang noi srisaket 1</i> Silk Fibroin, Gelatin and Chitosan Nanofiber Mats Using Formic Acid Solution P. Siridamrong, S. Swasdison and N. Thamrongananskul	28
Sintered Titanium-Hydroxyapatite Composites as Artificial Bones P. Moonchaleanporn, N. Poolthong and R. Tongsri	35
Synthesis and Characterization of Artificial Bone Material Using Calcium from a Natural Source P. Chutong, N. Poolthong and R. Tongsri	40
Properties of Deproteinized Natural Rubber Latex/Gelatinized Starch Blended Films R. Waiprib, W. Pichayakorn, P. Boonme, W. Taweepreda and J. Suksaeree	45

Chapter 2: Ceramic-Based Materials

Application of Statistical Analysis in the Powder Injection Molding (PIM) of Mullite P. Chakartnarodom, N. Kongkajun and N. Chuankrerkkul	53
Composition-Microstructure-Property Relationships in BaTiO₃ with Mg Addition O. Jongprateep, T. Khongnakhon and J. Palomas	58
Compressive Strength in Various Submersion Tests of Fired Clay Bricks from Chi River Sub-Basin S. Promkotra and T. Kangsadan	64
Dispersion Stability of Drinking Water Treatment Sludge S. Larpiattaworn, W. Khongwong, S. Tong-On, C. Eamchotchawalit and C. Vorapeboonpong	69
Effect of Rice Husk and Rice Husk Ash on Properties of Lightweight Clay Bricks S. Janbuala and T. Wasanapiarnpong	74
Effect of Silica to Alumina Ratio on the Compressive Strength of Class C Fly Ash-Based Geopolymers P. Timakul, K. Thanaphatwetphisit and P. Aungkavattana	80
Effect of Sintering Additive and Pyrolysis Temperatures on Porous Silicon Carbide C. Makornpan, C. Mongkolkachit, S. Wanakitti and T. Wasanapiarnpong	85
Effects of Water Temperatures on Water-Soluble Binder Removal in Ceramic Materials Fabricated by Powder Injection Moulding W. Buggakupta, N. Chuankrerkkul and J. Surawattana	90
Electromechanical Displacement of Soft/Hard PZT Bi-Layer Composite Actuator P. Ngerchuklin, A. Boonruang, C. Jeerapan, P. Laoauyporn, S. Kanchanasutha and J.H. Ryu	96

Fabrication of Fiber Cement Using Tobacco Stalk Pulp from Agricultural Residue T. Wasanapiarnpong, S. Nilpairach, K. Siraleartmukul, O. Charoenvai, O. Aungatichart and N. Laoharungpisit	102
Influence of Alkaline Concentration on Physical Properties of Porous Geopolymer Using Silica Fume as Foaming Agent A. Saikrasoon, S. Jiemsirilers and P. Laoratanakul	106
Influences of Inhibitor and Firing Temperature on Efflorescence Reduction of Clay Products S. Jindasuwan, P. Chakornnipit and S. Supothina	111
Microstructure and Properties of Zirconia Toughened Alumina Fabricated by Powder Injection Moulding N. Chuankrerkkul, R. Charoenkijmongkol, P. Somboonthanasarn, C. Auechalitanukul and R.C. McCuiston	116
Morphology and Phase Composition of Sol-Gel Derived Aluminum Borate Nanowhiskers P. Sooksaen	121
Preparation and Characterization of Clays from Different Areas in Ban Bo Suak, Nan Province, Thailand U. Malee and S. Thiansem	127
Preparation and Properties of PSZTM Ceramics with Different Methods A. Boonruang, P. Ngerchuklin, S. Daungdaw, N. Yongpraderm and C. Jeerapan	132
Properties of Sintered Brick Containing Lignite Bottom Ash Substitutions C. Auechalitanukul, R.C. McCuiston, T. Prasartseree, P. Pungpipat and S. Olanaront	138
Properties of Steel Fiber Reinforced Geopolymer R. Wongruk, S. Songpiriyakij, P. Sukontasukkul and P. Chindaprasirt	143
The Effect of Alumina/Glass Composite Composition on the Adhesion and Strength of a 96% Alumina Joint K. Somton, M. Rodchom, K. Dateraksa and R.C. McCuiston	149
The Effects of Solvents on the Solvothermal Synthesis of BiVO₄ Photocatalyst Powders N. Thanomsri, C. Mongkolkachit, T. Sato, X. Wu and P. Sujaridworakun	154
The Effects of Water Removal Process on the Properties of Magnesium Aluminate Spinel Nanopowders Synthesized by Co-Precipitation Method S. Teerasoradech and K. Serivalsatit	159
The Study of Physical and Thermal Conductivity Properties of Cement Paste Containing Nanosilica P. Jittabut, P. Chindaprasirt and S. Pinitsoontorn	164
Utilization of Glass Cutting Sludge and Sanitary Ware Sludge in Ceramic Pressed Bodies A. Theerapavisetpong and S. Nilpairach	169
Effect of Firing Temperature and Mo Doping on the Synthesis of Solar-Reflective Sm₂Ce₂O₇ Yellow Pigment M. Suwan, P. Sakchaikul, S. Yoriya and S. Supothina	175
Effect of Bi₂O₃ on Thermal Properties of Barium-Free Glass-Ceramic Sealants in the CaO-MgO-B₂O₃-Al₂O₃-SiO₂ System P. Lawita, A. Theerapavisetpong and S. Jiemsirilers	180
Figures of Merit of Low-Cost CuAl_{0.9}Fe_{0.1}O₂ Thermoelectric Material Prepared at Different Solid State Reaction Sintering Temperatures A. Sakulkalavek, R. Thonglamul and R. Sakdanuphab	185
Study of the Hydrolytic Resistance of Glass Bottles under a High Fluctuated Weather Condition U. Naknikham, S. Thepbutdee, T. Jitwatcharakomol and K. Tapasa	190
The Effect of Heat Treatment on Fe²⁺/Fe³⁺ Ratio in Soda-Lime Silicate Glass E. Meechoowas, S. Poosrisoma, P. Jampeerung and T. Jitwatcharakomol	194

Chapter 3: Materials and Technologies for Fuel Production

Comparison of Pyrolysis of Jatropha Cake with Different Catalysts Using PY-GC/MS S. Jariyaphinyo, S. Larpkiattaworn and O. Chienthavorn	201
Cu/ZnO Catalysts for Enhancing the Methanol Selectivity in Fischer-Tropsch Synthesis P. Kongkinka, K. Chatrewongwan, P. Saiwattanasuk and P. Viravathana	206

Effect of Gallium Loading on Reducibility and Dispersion of Copper-Based Catalyst P. Udomsap and S. Supasitmongkol	211
Natural Hydroxyapatite (NHAp) Derived from Pork Bone as a Renewable Catalyst for Biodiesel Production via Microwave Irradiation A. Buasri, T. Inkaew, L. Kodephun, W. Yenying and V. Loryuenyong	216
Preparation of Co/SiO₂-Al₂O₃ Fiber Catalyst by Electrospinning for Fischer-Tropsch Synthesis N. Prasongthum and P. Reubroycharoen	221
Electrochemical Fabrication of Cu₂O Photocathode for Photoelectrochemical Hydrogen Evolution Reaction P. Thongthep, S. Moonmangmee and C. Ponchio	226
Visible Light Driven Photocatalytic Hydrogen Evolution by Lanthanum and Carbon-co-Doped NaTaO₃ Photocatalyst H. Husin, Mahidin, Zuhra, F. Hasfita and Yunardi	231
Utilization of Waste Enamel Venus Shell as Friendly Environmental Catalyst for Synthesis of Biodiesel A. Buasri, T. Sriboonraung, K. Ruangnam, P. Imsombati and V. Loryuenyong	237
Total Energy Requirement for Hydrogen Production Reactor Using Various Porous Media Materials M. Srilomsak, W. Aungkharuengrattana, T. Sesuk, J. Charoensuk and S. Charochrojkul	242
The Effect of Ternary Catalyst Atomic Ratios (PtRuSn/C and PtRuNi/C) on Ethanol Electrooxidation for Direct Ethanol Fuel Cell N. Sudachom, C. Warakulwit and P. Prapainainar	247
LPG Synthesis from Syngas over Cu/ZnO-Pd-β Catalysts Prepared by Ultrasonic Spray Pyrolysis S. Chaiwatyothin, W. Ratanathavorn, T. Vitidsant and P. Reubroycharoen	252

Chapter 4: Eco-Friendly Materials, Technology and Materials in Environmental Engineering

Gas-Sensing Properties of Pt-V₂O₅ Thin Films for Ethanol Detection V. Kruefu, P. Pookmanee, A. Wisitsoraat and S. Phanichphant	259
High Density Polyethylene Catalyst Waste as a Filler in Papermaking W. Buggakupta, S. Chaiarekij, K. Suvarnakich, A. Niravittanon and T. Apisampinvong	264
Material Safety and Integrity of Water-Filled Low-Density Polyethylene Bags in an Accelerated Weathering Investigation for Applications in Solar Water Disinfection (SODIS) W. Terdthaichairat, R. Techapiesancharoekij, A. Laobuthee, S. Danwittayakul and S. Sukkasi	269
Photocatalytic Degradation of Phenol by Impure BiFeO₃ under Visible Light Irradiation K. Wanchai	274
Pomelo (<i>Citrus maxima</i>) Peel-Inspired Property for Development of Eco-Friendly Loose-Fill Foam J. Looyrach, P. Methacanon, C. Gamonpilas, P. Lekpittaya and A. Lertworasirikul	279
Treatment of Textile Dyeing Wastewater by Electrocoagulation P. Chantes, C. Jarusutthirak, P. Kanchanapiya and S. Danwittayakul	284
Effect of Crystallinity of Hydroxyapatite Nanoparticles Prepared from Bovine Bone on Adsorption of Ammonia Gas T. Choochaisangrat, T. Powduang, N. Kuanchertchoo and D.P. Kashima	289
Fabrication and Photocatalytic Degradation of TiO₂/Porous Activated Carbon-Zeolite Composite Cylinder N. Nawaukkaratharnant, T. Wasanapiarnpong, P. Sujaridworakul and C. Mongkolkachit	294
Fabrication of Zeolite Na-A and Activated Carbon Composites by Slip Casting for Drinking Water Filtration T. Tepamat, T. Wasanapiarnpong, P. Sujaridworakul and C. Mongkolkachit	299
Forming of Zeolite/Carbon Composite Substrate Coated with Titania for Photocatalyst Decomposition of Organic Compound K. Gomonsirisuk and T. Wasanapiarnpong	304
Homogeneous Precipitation Synthesis and Sintering of Magnesium Aluminate Spinel Nanoparticles K. Serivalsatit, T. Pornpatdetaudom, A. Saelee and S. Teerasoradech	310

Influence of Carbon Nanotubes on Photocatalytic Activities of Titanium Dioxide Nanocomposite Powders P. Daram, W. Thongsuwan and S. Jiansirisomboon	315
Organic Based Heat Stabilizers for PVC: A Safer and more Environmentally Friendly Alternatives A. Asawakosinchai, C. Jubsilp and S. Rimdusit	321

Chapter 5: Steels, Metals, Alloys and Intermetallic Compounds

Fe-Sn Intermetallics Synthesized via Mechanical Alloying-Sintering and Mechanical Alloying-Thermal Spraying P. Meesa-Ard, V. Uthaisangsuk, N. Tosangthum, P. Sheppard, P. Wila and R. Tongsri	329
Machined Surface Quality of Pre-Sintered Hardenable PM Steel T. Khantisitthiporn, M. Morakotjinda, B. Vetayanugul and R. Tongsri	335
Microstructural and Phase Analysis of Service-Exposed Ni-Cr Alloy Turbine Blade N.H.M. Hanafi and A. Amrin	340
Sintered Frictional SiC-Reinforced Cu-Base Composites J. Damnernsawat, P. Kaewtatip, N. Tosangthum, B. Vetayanugul, P. Wila and R. Tongsri	345
Application of Numerical Method and Statistical Analysis in the Integrated Intensity Calculation of the Peaks from the X-Ray Diffraction (XRD) Pattern of α-Iron P. Chakartnarodom, N. Kongkajun and P. Senthongkaew	350
Investigation of Fracture Location of T22/T91 Dissimilar Welds S. Petchsang, I. Phung-On, H. Terasaki, Y.I. Komizo and H. Yamamoto	355

Chapter 6: Polymers and Composites

Biaxially-Stretched Poly(Lactic) Acid (PLA) and Rubber-Toughened PLA Films: Tensile and Physical Properties L. Boonthamjinda, N. Petchwatana, S. Covavisaruch, W. Chinsirikul and N. Kerddonfag	363
Characterizations of Fluorine-Containing Polybenzoxazine Prepared by Solventless Procedure P. Pattharasiriwong and S. Rimdusit	368
Characterizations of Silicon Carbide Whisker-Filled in Benzoxazine-Epoxy Shape Memory Polymers C. Likitaporn and S. Rimdusit	373
Effect of Fiber Surface Modification on Properties of Artificial Leather from Leather Fiber Filled Natural Rubber Composites J. Sakmat, N. Lopattananon and A. Kaesaman	378
Effect of Particle Sizes on Film Formation Behavior of <i>Hevea brasiliensis</i> Natural Rubber Latex N. Churinthorn, A. Nimpai boon, J. Sakdapipanich and C.C. Ho	383
Effect of Various Extracted Solvent on DPPH Radical Scavenging Activity of Natural Rubber S. Siriwong, A. Rungvichaniwat and P. Klinpituka	388
Effects of Particles Size of Nanosilica on Properties of Polybenzoxazine Nanocomposites N. Liawthanyarat and S. Rimdusit	394
Fabrication and Application of Nanostructures Using Gas-Assisted Hot Embossing and Self-Assembled Nanospheres R.H. Hong, C. Cih, T.C. Shu and S.Y. Yang	399
Fabrication of Novel Polyhydroxybutyrate-co-Hydroxyvalerate (PHBV) Mixed with Natural Rubber Latex K. Kuntanoo, S. Promkotra and P. Kaewkannetra	404
Functionalization of Styrene-Butadiene Rubber and Skim Latex by Photo-Catalytic Reaction Using Nanometric TiO₂ Film as a Photocatalyst S. Nijpanich, A. Nimpai boon and J. Sakdapipanich	409
Improvement of Filler-Rubber Interaction by Grafting of Acrylamide onto Saponified Natural Rubber under Ultraviolet Radiation as a Continuous Process N. Dechnarong, A. Nimpai boon and J. Sakdapipanich	414

Improvement of Structure and Properties of Nanocomposite Foams Based on Ethylene-Vinyl Acetate (EVA)/Natural Rubber (NR)/Nanoclay: Effect of NR Addition J. Julyanon, A. Kaesaman, T. Sakai and N. Lopattananon	418
Influence of Processing Oil Based on Modified Epoxidized Vegetable Oil with N-Phenyl-<i>p</i>-Phenylenediamine (PPD) on Extrusion Process Behaviors of Natural Rubber Compounds C. Moojea-Te, A. Rungvichaniwat and K. Sahakaro	423
<i>In Situ</i> Reinforcement of PLA Using Nylon 6 in PLA/Nylon 6 Extrudate Blend via Twin-Screw Extrusion C. Thongpin, K. Chaemprasith, J. Teeralertpanich, P. Saensuk and N. Kritape	428
Investigation of Synthesis Parameters for Modification of Chitosan with Enrofloxacin S. Srithongkham, P. Sutcharee and A. Lertworasirikul	436
Mechanical and Thermal Properties of Hemp Fiber Reinforced High Density Polyethylene Composites T. Soitong	441
Mechanical and Thermal Properties of Silane Treated Pineapple Leaf Fiber Reinforced Polylactic Acid Composites S. Wangsoub, P. Soison and S. Ross	446
Mechanical Properties of All-Cellulose Composites Made from Pineapple Leaf Microfibers S. Tanpichai and S. Witayakran	453
More Values of L-Quebrachitol from Skim Natural Rubber Latex T. Wannuch, A. Nimpaiboon and J. Sakdapipanich	458
Morphology and Mechanical Properties of Polyoxymethylene and Acrylonitrile-Butadiene-Styrene Blends with Compatibilizer S. Wacharawichanant, P. Amorncharoen and R. Wannasirichoke	463
Organomodified Clay and its Influence on Thermal and Fire Behaviors of Clay/Fire Retardant/Poly Vinyl Ester Composites K.R.V. Mahesh, H.N.N. Murthy, B.E.K. Swamy, N. Raghavendra and M. Krishna	468
Photocatalytic Activity and Properties of Nanotitanium Dioxide-Filled Natural Rubber in the Presence of Coupling Agents P. Toh-Ae, B. Junhasavasdikul, N. Lopattananon and K. Sahakaro	474
Polycarbonate Track-Etched Membranes by Nuclear Fission Reaction: Preparation and Characterization S. Jetawattana, P. Pichestapong, S. Charoen and R. Picha	479
Preparation and Characterization of Natural Rubber/Chitosan Films K. Paoribut, W. Taweepreda and K. Boonkerd	484
Properties of Thermoplastic Elastomer Composites Prepared from Para Rubber Wood Sawdust Filled-Polypropylene/Natural Rubber Blends R. Phakdee and P. Boochathuma	490
Spectroscopic and Thermo-Mechanical Studies of Liquid Crystal Elastomer R.A. Gharde, S. Mani, P.J. Jessy, J.R. Amare and P. Keller	495
Surfactant Treatment and Leaching Combination Process for Preparation of Deproteinized Natural Rubber Latex J. Suksaeree, W. Taweepreda and W. Pichayakorn	500
Synthesis and Characterization of PolyHIPEs Composites with Silica and Iron Oxide Nanoparticles P. Seeharaj, T. Eamsa-Ard and E. Thasirisap	505
Thermal and Mechanical Properties of Acrylonitrile-Butadiene Rubber Modified Polybenzoxazine as Frictional Materials J. Jantaramaha, C. Jubsilp and S. Rimdusit	511
Thermal Properties of Banana Starch Nanocrystals Prepared by Acid Hydrolysis as Reinforcing Filler J. Saeng-On and D. Aht-Ong	516
Use of Coir-Filled LLDPE as a Reinforcement for Natural Rubber Composite M. Kaewduang, E. Chaichana, B. Jongsomjit and A. Jaturapiree	522
Polyurethane Synthesis from Sugarcane Bagasse Organosolv and Kraft Lignin C. Sakdaronnarong, N. Srimarut and N. Laosiripojana	527

Chapter 7: Coatings and Surface Engineering

Effect of Saccharin Sodium on the Microstructure and Hardness of Electrodeposited Ni-W Coatings M. Kumar Das, R. Hao, E. Srikaen, A. Thueploy, S. Limpanart, Y. Boonyongmaneerat and J.Q. Qin	535
The Effects of O₂:N₂ Gas Ratios on Structural, Optical, Electrical Properties of TiO_xN_y Thin Film Deposited by Reactive DC Magnetron Sputtering T. Khumtong and R. Sakdanuphab	540
The Effect of Rotational Speed on Steel Pipe Lined Fe-WB Based Composite Coating by Centrifugal-SHS Process S. Saowanee, V. Rachphet and S. Niyomwas	545
The Influence of N₂ Partial Pressure on Color, Mechanical, and Corrosion Properties of TiN Thin Films Deposited by DC Reactive Magnetron Sputtering P. Nimnual, A. Sakulkalavek and R. Sakdanuphab	550
Changes in Structural, Morphological, and Corrosion Properties of CrN Thin Film Effected by Varying N₂ Pressure in the Sputtering Process W. Wongtanasarsasin, R. Sakdanuphab, K. Suwansukho and A. Sakulkalavek	555
Evaluation of Corrosion Performance of Zinc-Plated Underhood Automotive Fasteners Using Salt Spray Test A. Astuty, S.M.Z. Dalila, M.A. Liza and M.F. Aezal	560
Low Cost Synthesis of Hydrophobic Aluminum Alloy for Self-Cleaning Applications P. Sooksaen, P. Janmat, W. Thovasakul and O. Chulasinont	565
Preparation of Poly(Lactic Acid) Acrylate for UV-Curable Coating Applications A. Musidang and N. Jiratumnukul	570
An XRD Phase Analysis of Al-F Re-Deposition Produced from Reactive Ion Etching C. Pakpum	575

Chapter 8: Semiconductors and Materials for Microelectronics

Confined Growth of WO₃ for High-Performance Electrochromic Device S. Adhikari and D. Sarkar	583
Resistive Switching Behavior of Ti/ZnO/Mo Thin Film Structure for Nonvolatile Memory Applications R. Sakdanuphab and A. Sakulkalavek	588
Effect of Sputtering Power on Morphological, Structural and Optical Properties of Al-Doped Zinc Oxide Film P. Boonprakom and W. Rattanasakulthong	593
Morphological and Magnetic Properties of Co_{100-x}Cu_x Film Prepared by RF-Sputtering G. Chaloeipote and W. Rattanasakulthong	599
Physical and Optical Properties of Indium Oxide: Tin Nanoparticles Synthesized by Co-Precipitation Method J. Kanoksinwuttipong, W. Pecharapa, R. Noonuruk and W. Techitdheera	604
Surface Modification of Zinc Oxide Nanoparticles Using Polyethylene Glycol under Microwave Radiation P. Sooksaen, A. Keawpimol, P. Deeniam and P. Boonkum	609
Comparative Study of Non-Annealing and Annealing on Properties of ITO Deposited by RF Magnetron Sputtering S.T. Khlayboonme and W. Thowladda	615

Chapter 9: Techniques of Testing and Measurements

Analysis of Eddy-Current Measurement System for Residual Stress Assessment in Stainless Steel Grade 304 C. Jomdecha and I. Phung-On	623
Correlation of Acoustic Emission and Corrosion Resistance of Lacquer Coatings on Tin-Free Steel P. Srisungsitthisunti, S. Daopiset and N. Kanjanaprayut	628

Nondestructive Evaluation for Duplex Stainless Steel Tube Using Multi-Frequencies Remote Field Testing	
C. Jomdecha, I. Phung-On and K. Sritarathorn	633
The Comparison of Acoustic Emission Activities between Material Integrity and Leakage during CNG Cylinder Testing	
C. Jirarungsatian, C. Jomdecha and K. Pojnsirisilp	638

Chapter 10: Simulation and Design of Technological Equipments and Processes

Design of Runner and Gating Systems for the Investment Casting of 431 Stainless Steel Netting Hook through Numerical Simulation	
P. Suwankan, N. Sornsuwit and N. Poolthong	647
Effect of Vortex Finder, Inlet and Body Diameter on Separation Efficiency of Hydrocyclone for Crude Palm Oil Industry	
S. Pakpoom, K. Prarop, S. Thanit and W. Pratarn	652
Effect of Weld Line Formation on Morphology and Mechanical Properties for 3D-MID Technology	
S. Chuaping, T. Mann, R. Dangtungee and S. Siengchin	659
Influence of Process Parameters on Spinning Force Using Finite Element Analysis and the Taguchi Method	
T. Sangkharat and S. Dechjarern	666
Numerical Simulation of Fluid Mixing in Micro-Mixers	
S. Prasertlar and S. Putivisutisak	671
Production of a Permanent Mold Gravity Die Cast A356.0 Aluminum Alloy Motorbike Shock Absorber through Casting Simulation	
M.S. Qayyum	676
Wet Etching Technique to Reduce Pyramidal Hillocks for Anisotropic Silicon Etching in NaOH/IPA Solution	
C. Pakpum	681
Remaining Creep Life Assessment of Service Superheat Tube Boiler	
P. Thasananaphan, P. Thapnuy, D. Ounpanich and P. Vongbandit	686