

# Table of Contents

## Preface

## Chapter 1: Polymer Matrix Composites (PMC)

|                                                                                                                                                                                            |    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>Evaluation of DOPO and Nano-Silica Modified Epoxy Resin Systems as Low Viscous, Flame Retardant Additives for Infusion and Injection Processing of Carbon Fiber Reinforced Plastics</b> |    |
| M. Häublein, K. Peter, A. Brückner and V. Altstädt                                                                                                                                         | 3  |
| <b>Comparison of Low-Velocity Impact Damage Behavior of Unidirectional Carbon Fiber-Reinforced Thermoset and Thermoplastic Composites</b>                                                  |    |
| F. Schimmer, S. Ladewig, N. Motsch, J.M. Hausmann and I. Ehrlich                                                                                                                           | 9  |
| <b>New Silicone-Resin-Compounds for Casting and Molding Applications</b>                                                                                                                   |    |
| J. Lambrecht and M. Winterer                                                                                                                                                               | 15 |
| <b>Fatigue Behaviour of Triaxial Braided Composites under Tension-Tension and Compression-Compression Loading</b>                                                                          |    |
| F. Herrla and H. Rapp                                                                                                                                                                      | 23 |
| <b>Investigation on the Crack Evolution in Glass-Fiber Laminates Depending on the Stacking Sequence</b>                                                                                    |    |
| B. Begemann and P. Horst                                                                                                                                                                   | 29 |
| <b>Development of a Modular Draping Test Bench for Analysis of Infiltrated Woven Fabrics in Wet Compression Molding</b>                                                                    |    |
| F. Albrecht, C. Zimmerling, C.T. Poppe, L. Kärger and F. Henning                                                                                                                           | 35 |
| <b>Tailor Made Hybrid Laminates Based on UD-Tapes - A Way to Efficient Thermoplastic Components</b>                                                                                        |    |
| F. Habla, M. Kropka, M. Muehlbacher, T. Neumeyer and V. Altstädt                                                                                                                           | 41 |
| <b>Experimental Characterization of the Structural Deformation of Type IV Pressure Vessels Subjected to Internal Pressure</b>                                                              |    |
| M. Nebe, D. Maraite, C. Braun, D. Hülsbusch and F. Walther                                                                                                                                 | 47 |
| <b>Textile-Integrated Elastomer Surface for Fiber Reinforced Composites</b>                                                                                                                |    |
| J.E. Semar and D. May                                                                                                                                                                      | 53 |
| <b>Dispersion of Mechanical Properties at Nanoscale Studied by Indentation Mapping of a Fiber Reinforced Composite</b>                                                                     |    |
| U.D. Hangen and D. Stauffer                                                                                                                                                                | 59 |
| <b>Rotational Moulding and Mechanical Characterisation of Micron-Sized and Nano-Sized Reinforced High Density Polyethylene</b>                                                             |    |
| G. Höfler, K. Jayaraman and R. Lin                                                                                                                                                         | 65 |

## Chapter 2: Metal Matrix Composites (MMC)

|                                                                                                                                                                                         |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Influence of the Process Parameters on the Penetration Depth of the Reinforcing Phase during Composite Peening for the Production of Functionally Graded Metal Matrix Composites</b> |     |
| M. Seitz and K.A. Weidenmann                                                                                                                                                            | 73  |
| <b>Influence of Distinct Manufacturing Processes on the Microstructure of Ni-Based Metal Matrix Composites Submitted to Long Thermal Exposure</b>                                       |     |
| G. Lemos, M.C. Fredel, F. Pyczak and U. Tetzlaff                                                                                                                                        | 79  |
| <b>Investigation of the Creep Resistance of a Spray-Compacted Si-Particle Reinforced Al-Based MMC (Dispal® S270)</b>                                                                    |     |
| U. Tetzlaff, A. Gerber, R. Amelang and G. Lemos                                                                                                                                         | 87  |
| <b>High-Speed Laser Melt Injection of Tungsten Carbide in Highly Conductive Copper Alloys</b>                                                                                           |     |
| P. Warneke and T. Seefeld                                                                                                                                                               | 94  |
| <b>Cold Roll Cladding of Carbon Steels</b>                                                                                                                                              |     |
| C. Etzlstorfer, A. Leitner, E. Arenholz and E. Kozeschnik                                                                                                                               | 100 |

|                                                                                                                                                        |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Heat Exchange Structures Based on Copper/CNT Composite</b><br>A. Schlott, T. Hutsch, S. Hampel, J. Lohse, T. Weißgärber and B. Kieback              | 106 |
| <b>Effect of Processing Conditions on Bonding Strength at Al(Si)/Diamond Interfaces</b><br>C. Edtmaier, J. Segl, R. Koos, M. Schöbel and C. Feldbaumer | 115 |
| <b>Agglomerated Tungsten Carbide: A New Approach for Tool Surface Reinforcement</b><br>A. Ditsche and T. Seefeld                                       | 121 |

### **Chapter 3: Ceramic Matrix Composites (CMC)**

|                                                                                                                                                                                                                                                                 |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Investigation of Statistical Distribution of C/C-SiC Composite's Mechanical Properties</b><br>Y. Shi, Y.L. Xiu and D. Koch                                                                                                                                   | 131 |
| <b>Injection Moulding of Oxide Ceramic Matrix Composites: Comparing Two Feedstocks</b><br>M. Böttcher, D. Nestler, J. Stiller and L. Kroll                                                                                                                      | 140 |
| <b>Powder Injection Molding of Oxide Ceramic CMC</b><br>V. Piottter, M. Tueluemen, T. Hanemann, M.J. Hoffmann and B. Ehreiser                                                                                                                                   | 148 |
| <b>Modification of the Thermoset Injection Moulding Process for Shaping to Increase the Fibre Length in C/C-SiC Ceramics Produced by the LSI Process</b><br>J. Stiller, D. Nestler, E. Päßler, F. Kempe, H. Wätzig, H. Ahmad, L. Kroll, M. Sommer and G. Wagner | 153 |
| <b>Evaluation of Ceramic Matrix Composite Edge and Surface Damage</b><br>R. Goller, A. Rösiger and Y. Azzaz                                                                                                                                                     | 161 |
| <b>Custom-Made Reinforcement Structures Made of Inorganic Fibers Challenges, Chances and Technical Approaches</b><br>M. Becker, F. Ficker, R. Miksch and S. Olbrich                                                                                             | 167 |
| <b>Influence of Initial Fibre Length and Content Used in the Injection Moulding of CFRP on the Properties of C/C and C/C-SiC Composites</b><br>H. Ahmad, J. Stiller, E. Päßler, D. Nestler, G. Wagner and L. Kroll                                              | 171 |

### **Chapter 4: Hybrid Structures and Materials**

|                                                                                                                                                                                                                                                                  |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>One-Sided Resistance Spot Welding of Plastic-Metal Hybrid Joints - Characterization of the Joining Zone</b><br>K. Szallies, M. Friedmann, M. Bielenin and J.P. Bergmann                                                                                       | 183 |
| <b>Metal Polymer Connections: Laser-Induced Surface Enlargement Increases Joint Strength</b><br>D. Woitun, M. Roderus, T. Bein and E. Kroner                                                                                                                     | 190 |
| <b>Influence of Process Parameters, Surface Topography and Corrosion Condition on the Fatigue Behavior of Steel/Aluminum Hybrid Joints Produced by Magnetic Pulse Welding</b><br>S. Mrzljak, N. Gelinski, D. Hülsbusch, E. Schumacher, S. Böhm and F. Walther    | 197 |
| <b>Sintered Connection - A Steel/CFRP Connection Module</b><br>A. Marx, T. Hutsch, P. Schiebel, D. Feltin, F. Hoffmeister, A. Babbel, T. Weißgärber and A. Herrmann                                                                                              | 203 |
| <b>Thermoplastic Multi-Material Nonwovens from Recycled Carbon Fibres Using Wet-Laying Technology</b><br>M. Sauer, J. Feil, F. Manis, T. Betz and K. Drechsler                                                                                                   | 210 |
| <b>Influence of Welding Temperature and Weathering on Inductive Welded Hybrid Joints Made of Steel and TP-FRPC</b><br>S. Weidmann and P. Mitschang                                                                                                               | 217 |
| <b>Surface Modification of Polymeric Fibers to Control the Interactions with Cement-Based Matrices in Fiber-Reinforced Composites</b><br>A. Drechsler, R. Frenzel, A. Caspari, S. Michel, M. Holzschuh, A. Synytska, M. Liebscher, I. Curosu and V. Mechtcherine | 225 |
| <b>Location-Dependent Mechanical Properties of <i>In Situ</i> Polymerized Three-Dimensional Fiber-Metal Laminates</b><br>H.O. Werner, C. Stern and K.A. Weidenmann                                                                                               | 231 |
| <b>Ultrasonic Torsional Welding of Metal/Glass Ceramics Joints</b><br>A. Gester and G. Wagner                                                                                                                                                                    | 237 |

|                                                                                                                                            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Development of Tailored Hybrid Laminates: Manufacturing of Basalt Fibre Reinforced Thermoplastic Orthoses with Aluminum Thin Sheets</b> |     |
| C. Karapepas, M. Trautmann, A. Todt, A. Al-Obaidi, S. Nendel, V. Kräusel and G. Wagner                                                     | 245 |
| <b>Forging of Copper and Iron Plates by the Damascus Technique</b>                                                                         |     |
| S. Strobl, W. Scheiblechner and R. Haubner                                                                                                 | 253 |
| <b>Temperature Dependency of the Deformation Behavior of Hybrid CFRP/Elastomer/Metal Laminates under 3-Point Bending Loads</b>             |     |
| V. Sessner and K.A. Weidenmann                                                                                                             | 259 |
| <b>Polymer-Steel-Sandwich-Structures: Influence of Process Parameters on the Composite Strength</b>                                        |     |
| C. Lohr, M. Muth, R. Dreher, C. Zinn, P. Elsner and K.A. Weidenmann                                                                        | 266 |

## **Chapter 5: Compounds, Laminated Materials, Sandwich Structures, Cellular Materials**

|                                                                                                                                                                                         |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Lightweight Potential of 3D Endless Fiber Reinforcement of Polyurethane Foam Cores with Spacer Fabrics in Hybrid Sandwich Structures with Fiber Reinforced Thermoplastic Facings</b> |     |
| K. Schäfer, D. Nestler, K. Jahn, H. Jentsch and L. Kroll                                                                                                                                | 277 |
| <b>Analysis of the Macroscopic Behaviour of PMI Foam</b>                                                                                                                                |     |
| M. Nagler, M. Thor, P. Peyrer, G. Schneiderbauer, F.M. Sendner, M. Wolfahrt and R. Hinterhölzl                                                                                          | 285 |
| <b>Modeling of Organosandwich Structures Using an RVE Model of the Thermoplastic Honeycomb Core</b>                                                                                     |     |
| A. Geyer, M. Petersilge, M. John, J. Pflug and R. Schlimper                                                                                                                             | 291 |
| <b>Parameter Selection for Peel Strength Optimization of Thermoplastic CF-PA6 for Humm3™</b>                                                                                            |     |
| N. Yadav and R. Schledjewski                                                                                                                                                            | 297 |
| <b>Development of a Laser Structuring Process for Ceramic Coatings on Injection Molding Tools Produced by MOCVD</b>                                                                     |     |
| M. Sommer, G. Fornalczyk and F. Mumme                                                                                                                                                   | 303 |
| <b>Realization of Diamond/Metal Laminates through Brazing of Freestanding Diamond Foils</b>                                                                                             |     |
| T. Fromm, R. Borchardt, Y. Xuan, K. Durst and S.M. Rosiwal                                                                                                                              | 309 |
| <b>Environmental Compatibility of Carbon Reinforced Concrete: Irrigated Construction Elements</b>                                                                                       |     |
| L. Weiler and A. Vollpracht                                                                                                                                                             | 314 |
| <b>Influence on the Microstructure of Powder Metallurgical Metal Foam by Means of Mechanical Alloying</b>                                                                               |     |
| S. Siebeck, M. Trautmann, J. Hohlfeld, T. Hipke and G. Wagner                                                                                                                           | 320 |

## **Chapter 6: Joining, Manufacturing Technologies, Additive Manufacturing, Handling**

|                                                                                                                                      |     |
|--------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Ultrasonic Assisted Thermal Direct Joining of Thermoplastic Composites and Aluminum for Multi Material Design</b>                 |     |
| M. Roderus, D. Woitun and E. Kroner                                                                                                  | 329 |
| <b>Influence of Composition on Mechanical Properties of Additively Manufactured Composites Reinforced with Endless Carbon Fibers</b> |     |
| M. Czasny, O. Goerke, O. Kaba, S. Koerber, F. Schmidt and A. Gurlo                                                                   | 335 |
| <b>Surface Topography Influences on the Fatigue Behavior of Composite Joints</b>                                                     |     |
| T. Thäsler, J. Holtmannspötter and H.J. Gudladt                                                                                      | 341 |
| <b>Deflection Sheaves for Elevator Application in Lightweight Design</b>                                                             |     |
| H. Gerlach, H. Müller, M. Klingelhöfer, R. Ziesch, M. Katkowski, M. Spieler, W. Nendel, L. Kroll and F. Bochmann                     | 347 |
| <b>Generating Permanent and Temporary Material Compounds in FLM Processes</b>                                                        |     |
| C. Doerffel, R. Schmidt, M. Spieler, W. Nendel, L. Kroll, J. Petzold, D. Schreiter and M. Hunold                                     | 353 |
| <b>Analysis of a Process Approach for Production of Triaxial Braids with Locally Customized Filler Yarn Count</b>                    |     |
| E. Eschler, J. Hüls, S. Zaremba and K. Drechsler                                                                                     | 360 |

|                                                                                                                                                                                                     |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Comparison of Electroplated Ni and PVD Ni Coating Layers after Soft Soldering Process</b><br>J. Richter, B. Schellscheidt, A. Steenmann and T. Licht                                             | 367 |
| <b>Manufacturing CFRP-Parts Using a Modified Co-Curing Method – Fundamental Experimental Analysis</b><br>F. Rieger, T. Rief, N. Motsch and J.M. Hausmann                                            | 372 |
| <b>Temperature- and Time-Dependent Penetration of Surface Structures in Thermal Joining of Plastics to Metals</b><br>K. Schricker and J.P. Bergmann                                                 | 378 |
| <b>Quasi-Static Characterization of Polyamide-Based Discontinuous CFRP Manufactured by Additive Manufacturing and Injection Molding</b><br>P. Strieman, D. Hülsbusch, M. Niedermeier and F. Walther | 386 |
| <b>Adhesive-Free Bonding of Web-Like Plastic-Metal Combinations at Low Temperatures</b><br>A. Lehm, D. Romstedt, V. Schoenberger, H.T. Meyer and M. Eichler                                         | 392 |

## Chapter 7: Structural Health Monitoring (SHM)

|                                                                                                                                                                                                           |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Scalable Monitoring System for the Localization of Damaging Events in Thin-Walled CFRP Structures Based on Acoustic Emission Analysis and Neural Networks</b><br>B. Kelkel, P. Argus and M. Gurka      | 401 |
| <b>Influence of Carbon Roving Strain Sensory Elements on the Mechanical Properties of Carbon Fibre-Reinforced Composites</b><br>O. Weißenborn, E. Häntzsche, A. Nocke, S. Geller, C. Cherif and N. Modler | 407 |
| <b>Influence of Sputtering Temperature and Layer Thickness on the Electrical Performance of Thin Film Strain Sensors Consisting of Nickel-Carbon Composite</b><br>C. Karapapas, D. Nestler and G. Wagner  | 413 |

## Chapter 8: Coatings

|                                                                                                                                                                                                                                 |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>BN-Based Fiber Coatings by Wet-Chemical Coating</b><br>J. Maier, A. Nöth and K. Schönfeld                                                                                                                                    | 421 |
| <b>Chemical Vapor Deposition of AlZrN Coatings by the Reaction of <i>In Situ</i> Produced <math>ZrCl_4</math> and <math>AlCl_3</math> with <math>NH_3</math></b><br>E. Rauchenwald, M. Lessiak, R. Weissenbacher and R. Haubner | 427 |
| <b>Thermal Stability of Natural Fibers via Thermoset Coating for Application in Engineering Thermoplastics</b><br>N. Vellguth, T. Rudeck, M. Shamsuyeva, F. Renz and H.J. Endres                                                | 433 |
| <b>Tribological Properties of Multi-Layer a-C:H:W/a-C:H PVD-Coatings Micro-Structured by Picosecond Laser Ablation</b><br>H. Hasselbruch, Y. Lu, H. Messaoudi, A. Mehner and F. Vollertsen                                      | 439 |

## Chapter 9: Modeling, Simulation, Material Design

|                                                                                                                                                                                                                  |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Efficient Characterization and Modelling of Material Behaviour of LFT for Component Simulations</b><br>H. Grimm-Strele, M. Kabel and J. Köbler                                                                | 447 |
| <b>Mechanical Design of Intersection Points of Tailored Fiber Placement Made Carbon Fiber Reinforced Plastic Truss-Like Structures</b><br>E. Richter, A. Spickenheuer, L. Bittrich, K. Uhlig and G. Heinrich     | 452 |
| <b>Effective Modeling of Load Applications in Composite Structures - Accuracy, Complexity, Computational Time</b><br>M. Schlosser, A. Schumacher and K. Bellendir                                                | 461 |
| <b>Material Characterization and Compression Molding Simulation of CF-SMC Materials in a Press Rheometry Test</b><br>D. Schommer, M. Duhovic, V. Romanenko, H. Andrä, K. Steiner, M. Schneider and J.M. Hausmann | 467 |
| <b>Efficient Multiscale Methods for Viscoelasticity and Fatigue of Short Fiber-Reinforced Polymers</b><br>F. Welschinger, J. Köbler, H. Andrä, R. Müller, M. Schneider and S. Staub                              | 473 |

|                                                                                                                                                     |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Investigation on the Influence of Pressure Terms in a Volume-Averaged Energy Balance in the Modelling of Liquid Composite Moulding Processes</b> |     |
| R.G. Sebastian, C. Obertscheider, E. Fauster and R. Schledjewski                                                                                    | 480 |
| <b>A Novel Simulative-Experimental Approach to Determine the Permeability of Technical Textiles</b>                                                 |     |
| T. Schmidt, F. Schimmer, A. Widera, D. May, N. Motsch and C. Bauer                                                                                  | 487 |
| <b>Flexible Graph Syntax for the Topology Optimization of Crashworthiness Profile Structures Made from Thermoplastic Composites</b>                 |     |
| D. Schneider, A. Schumacher, T. Donhauser, A. Huf and S. Schmeer                                                                                    | 493 |
| <b>Sensitivity Study of Material Input Data on FE Forming Results for Wrinkling and Shearing of Fiber Reinforced Thermoplastic Parts</b>            |     |
| B. Engel and J. Graef                                                                                                                               | 500 |

## Chapter 10: Recycling, Repair

|                                                                                                                                                            |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Innovative rC Staple Fiber Tapes - New Potentials for CF Recyclates in CFRP through Highly Oriented Carbon Staple Fiber Structures</b>                  |     |
| O. Reichert, L. Ausheyks, S. Baz, J. Hehl and G.T. Gresser                                                                                                 | 509 |
| <b>RecyCarb: Process Optimization and On-Line Monitoring in the Recycling of Carbon Fibre Waste for the Re-Use in High-Grade Fibre Reinforced Plastics</b> |     |
| M. Hofmann, H. Fischer, K. Heilos and A. Miene                                                                                                             | 515 |
| <b>Novel Approach in B-Staging of an Epoxy Resin for Development of rCF Non-Woven Prepregs for RTP Processing</b>                                          |     |
| C. Goergen, A. Klingler, S. Grishchuk, D. May, B. Wetzel and P. Mitschang                                                                                  | 521 |
| <b>Development of a Novel Textile Process for the Production of Highly Oriented Nonwovens Made from Recycled Carbon Fibres</b>                             |     |
| M. Petrich, C. Hoffmeister and A. Herrmann                                                                                                                 | 527 |

## Chapter 11: Applications

|                                                                                                                          |     |
|--------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Liquid Metal Embrittlement of Copper Brazed Plate Heat Exchangers</b>                                                 |     |
| R. Haubner, S. Strobl, L.P. Bichler and P. Linhardt                                                                      | 535 |
| <b>Development of a Variable Gridshell for Application in Mobile Architecture</b>                                        |     |
| E. Rudolph, C. Müller, A. Ehrlich, S. Gelbrich and L. Kroll                                                              | 541 |
| <b>CMC-Jacketed Piping for High-Temperature Applications: Concept, Laboratory Tests and Large-Scale Application Test</b> |     |
| M. Friedrich, M. Huang, A. Jüngert, A. Klenk, S. Weihe and K. Metzger                                                    | 547 |

## Chapter 12: Testing and Characterization, Quality Assurance

|                                                                                                                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Experimental Characterization of the Fiber Angles of Multiple Curved Laminate Segments Using Prepreg-Based Carbon Fiber Reinforced Polymers as a Structure for a Non-Engaging Bellows Coupling</b> |     |
| C. Oblinger, A. Baeten and K. Drechsler                                                                                                                                                               | 555 |
| <b>Development of a 25kN <i>In Situ</i> Load Stage Combining X-Ray Computed Tomography and Acoustic Emission Measurement</b>                                                                          |     |
| F. Thum, P. Potstada and M.G.R. Sause                                                                                                                                                                 | 563 |
| <b>Assessment of Secondary Fiber Print-Through Effects on Class-A CFRP Parts Produced with Highly Cost Efficient Processes</b>                                                                        |     |
| D. Metzger, J. Meeß, M. Heine and T. Henke                                                                                                                                                            | 569 |
| <b>Microscopic Measurement of Strain Fields with Digital Image Correlation and Comparison to Finite Element Modelling</b>                                                                             |     |
| M. Korkisch and M.G.R. Sause                                                                                                                                                                          | 575 |
| <b>Passive Thermography for Detection of Damaging Events during Quasi-Static Tensile Testing</b>                                                                                                      |     |
| V. Popow and M. Gurka                                                                                                                                                                                 | 581 |

|                                                                                                                                                                                                                                                                       |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Region-of-Interest X-Ray Tomography for the Non-Destructive Characterization of Local Fiber Orientation in Large Fiber Composite Parts</b><br>S. Zabler, K. Schladitz, K. Dremel, J. Graetz and D. Dobrovolskij                                                    | 587 |
| <b>Optimization of the Specimen Geometry of Unidirectional Reinforced Composites with a Fibre Orientation of 90° for Tensile, Quasi-Static and Fatigue Tests</b><br>C. Schneider, M. Drvoderic, C. Schuecker and G. Pinter                                            | 594 |
| <b>Model-Based Quality Control System for Error Reduction in the Thermoforming Process</b><br>R. Vocke, J. Stempin, P. Schiebel, A. Herrmann and A. Fischer                                                                                                           | 598 |
| <b>Combined <i>In Situ</i> X-Ray Computed Tomography and Acoustic Emission Analysis for Composite Characterization - A Feasibility Study</b><br>M. Bartkowiak, L. Schoettl, P. Elsner and K.A. Weidenmann                                                             | 604 |
| <b>Controlling Moisture Content of Natural Fibres in RTM-Process</b><br>M. Salzmann and R. Schledjewski                                                                                                                                                               | 610 |
| <b>Mechanical and Fracture Mechanical Properties of Matrix-Reinforced Carbon Fiber Composites with Carbon Nanotubes</b><br>G. Sinn, G. Singer, L. Jocher, M.M. Unterlass, H. Rennhofer, U. Windberger, J. Wendrinsky, W. Stöger, K.H. Semlitsch and H.C. Lichtenegger | 615 |
| <b>Novel Approach for the Lifetime Prediction of Composite Materials under Static Loads</b><br>S. Gloggnitzer, G. Pilz, C. Schneider and G. Pinter                                                                                                                    | 620 |
| <b>Testing of Composite Material for Transport Tanks for LNG</b><br>P.W. Kutz, J. Werner and F. Otremba                                                                                                                                                               | 625 |

## **Chapter 13: Renewable Raw Materials, Sustainability**

|                                                                                                                                                                                                 |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Potential for Use of Veneer-Based Multi-Material Systems in Vehicle Structures</b><br>D.B. Käse, G. Piazza, E. Beeh, H.E. Friedrich, D. Kohl, H. Nguyen, D. Berthold and C. Burgold          | 633 |
| <b>Composite Materials Made of Basalt Fibres and Biobased Matrix Material for Technical Applications</b><br>S. Buschbeck, F. Tautenhain, C. Reichelt, R. Rinberg and L. Kroll                   | 639 |
| <b>Novel Lightweight Semi-Finished Products Made of Poplar Veneer Plywood with Basalt Fibre Reinforcement</b><br>F. Tautenhain, R. Rinberg and L. Kroll                                         | 645 |
| <b>Bio-Based and Renewable Filler Materials for Thermoset Compounds</b><br>F. Gortner and P. Mitschang                                                                                          | 650 |
| <b>Efficient Process Chain for Processing Natural Fiber Reinforced Thermoplastics</b><br>F. Gortner, P. Mitschang, W. Neu, A. Dittrich, L. Schmidt, I. Braun, L. Zhao, A. Ziesak and V. Schäfer | 658 |