

Table of Contents

Preface

Damage of Solid Phase due to Explosion Effect Using Uzawa's Algorithm	1
P. Prochazka	
Numerical Modelling of Plasticity Induced Crack Closure with Rough Fracture Surfaces	7
A. Materna, H. Lauschmann and J. Ondráček	
Fibreglass Reinforced Polymer Structure Response under Different Impact Scenarios	13
G. Lamanna, A. Greco, M. Manzo, E. Armentani and C.G. Opran	
Numerical and Experimental Investigation on the Energy Absorption Capability of a Full-Scale Composite Fuselage Section	19
D. Perfetto, G. Lamanna, M. Manzo, A. Chiariello, F. di Caprio and L. di Palma	
Finite Element Modelling of Delamination Onset in Polymeric Composite Material	25
A. Ferrari, S. Fanelli and M. Parlamento	
Ultrasonic Damage Detection of Impacted Long and Short Fibre Composite Specimens	31
A. Sellitto, A. Riccio, A. Russo, C. Napolitano, M. Zarrelli and M. Meo	
Optimum Design of Damage Resistant Reinforced Composite Panels	37
A. Sellitto	
Nanofillers' Effects on Fracture Energy in Composite Aerospace Structures	43
A. Sellitto, A. Riccio, A. Russo, A. Garofano and M. Zarrelli	
Experimental Investigation on the Mechanical Behaviour of Natural Fibre Sandwich Panels with Posidonia Core	49
A. Sellitto, V. Iodice, G. Zampini, M. Zarrelli, A. Riccio, R. Sansone and A. Caraviello	
Material Model Development of Sandwich Composite: Numerical-Experimental Investigation of Head Dummy Impacting at Vehicle Interior Components	55
A. Vettorello and G.A. Campo	
Production and Characterization of Boride Coatings on Steels	61
K. Anthymidis, A. Trakali and D.N. Tsipas	
Probability Ellipse Method for Damage Detection in a Composite Winglet	67
G. Petrone, A. de Fenza, D. Perfetto, A. de Luca, A. Sorrentino and F. Caputo	
A Microscale Approach for Modelling Concrete Fatigue Damage-Mechanisms	73
A. Caggiano, D.S. Schicchi, S. Yang, S. Harenberg, V. Malarics-Pfaff, M. Pahn, F. Dehn and E. Koenders	
Fracture Surface of a Ti-6Al-4V Specimen with EDM Notches Tested under Quasi-Static Loading in Methanol	79
S. Baragetti, E. Borzini and E.V. Arcieri	
Crack Tip Stress Field Analysis of Crack Surface Contact and Opening during <i>In Situ</i> Wedge Loading of Human Enamel	85
E. Salvati, C. Besnard, R.A. Harper, T. Moxham, R.M. Shelton, G. Landini and A.M. Korsunsky	
A Study on the Influence of Laser Parameters on Laser-Assisted Machining of AISI H-13 Steel	92
E. Kaselouris, A. Baroutsos, T. Papadoulis, N.A. Papadogiannis, M. Tatarakis and V. Dimitriou	
Turbine Blade Distortion after Heat Treatment: Preliminary Experimental Investigation and FEM Analysis	98
F. de Bona, A. Lanzutti, G. Lucacci, L. Moro and J. Srnec Novak	
Hybrid Equilibrium Finite Element Formulation for Cohesive Crack Propagation	104
F. Parrinello	
Mechanical Properties and Fracture Surface Analysis of Vinyl Ester Resins Reinforced with Recycled Carbon Fibres	110
G. Žattini, L. Mazzocchetti, T. Benelli, E. Maccaferri, G. Brancolini and L. Giorgini	
Optimization Methodology for Continuous Heterogeneous Structures: A Preliminary Design of an Engine Mounting Bracket	116
G.A. Campo, A. Vettorello and M. Giacalone	
Analysis of the Heat Affected Zone and Surface Roughness during Laser Micromachining of Metals	122
E. Kaselouris, A. Skoulakis, Y. Orphanos, K. Kosma, T. Papadoulis, I. Filitis, E. Clark, A.P. Markopoulos, M. Bakarezos, N.A. Papadogiannis, M. Tatarakis and V. Dimitriou	

Virtual Element Method: Micro-Mechanics Applications	128
M. Lo Cascio, A. Milazzo and I. Benedetti	
A Model for Low-Cycle Fatigue in Micro-Structured Materials	134
F. Parrinello, V. Gulizzi and I. Benedetti	
Lifetime Calculation of Soil-Loaded Non-Pressure Polymer Pipes	141
J. Poduška, P. Hutař, A. Frank, G. Pinter and L. Náhlík	
Size Dependent Thermo-Piezoelectricity for In-Plane Cracks	147
J. Sladek, V. Sladek, M. Repka and C.L. Tan	
Study on Generalization of Lefort's Approach to Critical Crack Length	153
J. Horníková, P. Šandera, S. Žák and J. Pokluda	
Modelling the Strength of Cellulose Nanofiber-Filled Rigid Low-Density PU Foams	159
J. Andersons, M. Kirpluks and U. Cabulis	
Evaluation of Residual Stresses in Laser Welded High-Pressure Vessels Steels by X-Ray Diffraction	165
J. Čapek and N. Ganev	
DIC Measurement of the Full Strain Field in a Tiled Laminate to Determine Local and Global Stiffness Properties	171
J. Uyttersprot, W. de Corte and W. van Paepengem	
Influence of Unsizing and Carbon Nanotube Grafting of Carbon Fibre on Fibre Matrix Interfacial Shear Strength of Carbon Fibre and Polyamide 6	178
K. Tanaka, K. Yamada, Y. Hinoue and T. Katayama	
Effect of Air Oxidation Treatment of CNT on Tensile Strength of CNT / Polyamide 6 Nanofibres and their Dispersion	184
K. Tanaka, M. Kamada and T. Katayama	
Influence of Magnetite Dispersion on Tensile Properties	190
K. Tanaka, Y. Ishii and T. Katayama	
Fracture Toughness Evaluation of a Cracked Au Thin Film by Applying a Finite Element Analysis and Bulge Test	196
H.A. Tinoco, P. Hutař, B. Merle, M. Göken and T. Kruml	
Utilization of Williams' Power Series for Estimation of Crack Behavior under Mixed-Mode Loading	203
L. Malíková, P. Miarka and H. Šimonová	
A Combined Numerical and Experimental Approach to Evaluate the Hardness of AA Aluminum 6063 T6 with A Ni-P Coating	209
B.J.S. León, A. Pertuz and M. Martínez	
Growth Rate of Small Surface-Cracks in Age Hardening Cu-Ni-Si Alloy under Cyclic Stressing	216
M. Goto, T. Yamamoto, J. Kitamura, S.Z. Han, R. Takanami, T. Yakushiji and J.H. Lee	
Prediction of the Ceramic Foam Structure Failure Using a Detailed Finite Element Model	222
O. Ševeček, J. Hanák, Z. Majer, D. Drdlík, Z. Chlup and M. Kotoul	
A Comparison of the Fracture Behaviour of Various Concrete Grades under Mixed Mode I/II Loading	228
P. Miarka, R. Janssen, S. Seitl and W. de Corte	
Numerical Studies of the Correlation between Inclusion Shape and Effective Elastic Properties of the Particle Reinforced Composites	234
R. Piat and P.A. Happ	
On the Strength Weakening Effect of Stiffening Ribs in the Design of Machine Components	240
A. Strozzi, E. Bertocchi and V. Mangeruga	
High-Temperature Creep Tests of Two Creep-Resistant Materials at Constant Stress and Constant Load	246
V. Sklenička, K. Kuchařová, M. Kvapilová, L. Kloc, J. Dvořák and P. Král	
Hierarchical Reinforcing Fibers for Energy Harvesting Applications - A Strength Study	252
G. Karalis, C. Mytafides, A. Polymerou, K. Tsirka, L. Tzounis, L.N. Gergidis and A.S. Paipetis	
Recovery of Fracture Toughness on Self-Healing Epoxies Using Ternary Nanomodified Microcapsules: A Parametric Study	258
M. Kosarli, K. Tsirka, S. Chalari, A. Palantza and A.S. Paipetis	
Computational Multi-Scale Modelling of Fiber-Reinforced Composite Materials	263
T. Eleftherios, L.N. Gergidis and A.S. Paipetis	

Water Effect on the Deformation Behavior of Nafion Membrane I. Riku and K. Mimura	269
An Influence of Cyclic Loading on Behaviour of a Hysteretic Interface Damage Model R. Vodička	275
Gun Bullet Collision and Penetration Behaviors for Protecting Board Y. Ohbuchii, T. Yamaguchi and H. Sakamoto	282
A Finite Element Numerical Methodology for the Fatigue Analysis of Cylinder Liners of a High Performance Internal Combustion Engine S.G. Barbieri, V. Mangeruga, M. Giacopini, C. Laurino and M. Lorenzini	288
Evaluation of Quasi-Static and Dynamic Fracture Toughness on the Low-Alloy Reactor Pressure Vessel Steel JRQ in the Transition Region P. Spätiig, V. Mazánová, S. Suman and H.P. Seifert	294
TEM Study of Junctions between Martensite Laths and Changes in Microstructure of Low-Carbon Steel before LCF II T. Eterashvili, M. Vardosanidze and T. Dzigrashvili	300
TEM Study of Martensite Microstructure in the Junctions of Laths in Low-Carbon Chromium Steel after LCF III T. Eterashvili, T. Dzigrashvili and M. Vardosanidze	306
On the Crack Quasi-Static Growth V. Pavelko	312
The Role of Replicated Service Atmosphere on Deformation and Fracture Behaviour of Carburised AISI Type 316H Steel X. Warren, P.J. Heard, P.E.J. Flewitt and T.L. Martin	318
Analysis of Maximal Operation Amplitudes of Piezoelectric Vibration Energy Harvesters Z. Majer, O. Ševeček, K. Štegnerová, O. Rubeš, P. Tofel and Z. Hadas	324
Photoelastic Analysis of the Stressed State of a Flat Element with Geometrical Stress Concentrators (Cutout and Cuts) M. Tabanyukhova	330
Low Cycle Fatigue Behavior of Superalloy GH4169 in High Temperature Gas Environment X. Ding, D.W. Huang and X.J. Yan	336
Comprehensive Numerical Simulation on Thermally Grown Oxide and Internal Stress Evolutions in Thermal Barrier Coatings R. Nakajima, H. Katori, M. Arai and K. Ito	343
Damage Analysis of Thermal Barrier Coatings Subjected to a High-Velocity Impingement of a Solid Sphere K. Ito, F. Gao and M. Arai	349
Prediction of Indentation Size Formed by a High-Velocity Impingement of a Solid Sphere Based on an Expanding Cavity Model K. Ito and M. Arai	355
Damage Evaluation of TBC by Rapid Thermal Cycling Test Utilizing a Laser Irradiation Y. Hayashi, K. Suzuki, M. Arai, K. Ito, T. Higuchi, Y. Suzuki and T. Suidzu	361
Numerical Simulation of Volcanic Ash Infiltration into Thermal Barrier Coatings M. Arai, Y. Fukushima and K. Ito	367
Morphology Evolution and Probability Characteristic of γ' Phase in Single Crystal Superalloy during Creep Rafting Z.X. Guo, X.Y. Qin, D.W. Huang and X.J. Yan	373
An Approach for Predicting the Initiation of Ductile Fracture in Plane Strain Rolling E. Lyamina, A. Pirumov and Y.M. Hwang	379
Study of the Viscoelasticity of Chopped Aramid Fiber Reinforced Rubber Composite J.H. Gao and X.X. Yang	385
Crack Initiation Mechanism of Hydrogen Induced Cracking in Nickel N. Takano and H. Yamamoto	392
Two-Dimensional Stress Analysis of an Infinite Plate with Anisotropic Inclusions by BFM T. Ino, Y. Sonobe, A. Koyama and A. Saimoto	397
Fatigue Crack Propagation under Mixed Mode I and III in Polyoxymethylene Homopolymer O. Slávik, P. Hutař, A. Gosch, M. Berer, T. Vojtek, F. Arbeiter, G. Pinter and L. Náhlík	404

A Comparative Study of Impact Localisation in Composite Structures Using Neural Networks under Environmental and Operational Variations	410
A.H. Seno and M.H. Aliabadi	
Analysis of 3-Dimensional Creased Cracks	416
Y. Sonobe, T. Ino, A. Koyama and A. Saimoto	
Rupture and Damage at Dilatant Geological Interfaces	422
A.P.S. Selvadurai	
Evaluation of Fatigue Resistance of Laser Welded High Pressure Vessels Steel P355 Considering Fracture Mechanics Approach	428
I. Černý and J. Kec	
Thermoelastic Rolling Contact Problem of an FGM Layered Elastic Solid	434
Y. Alinia, A. Aali and M.A. Guler	
Dynamic Fracture Analysis of Plates Loaded in Tension and Bending Using the Dual Boundary Element Method	440
J. Li, Z. Sharif Khodaei and M.H. Aliabadi	
Effect of Resin Layer Thickness on Mode II Delamination Growth Property of CFRTP Laminates under Static Loadings	446
K. Tanaka, K. Ishida, K. Takemoto and T. Katayama	
Electromagnetic Shielding for Buildings Using Hybrid Polymer Composites: A Life Cycle Assessment Study	452
A.D. La Rosa, S.A. Grammatikos, R.C. Ciobanu and C. Schreiner	
On the Use of Carbon Nanotubes to Develop Durable Structural Electrodes for Self-Sensing Applications	458
S.A. Grammatikos, M.M. Dahl, V.S. Brøndbo and A.D. La Rosa	
SHM of Composite Mono-Stringer Elements Based on Guided Waves	464
D.G. Bekas, M.M. Mendias, Z. Sharif Khodaei, E. Karachalios, F.J.C. Alonso and M.H. Aliabadi	
Smart Bondline Monitoring of an Efficient Industrial Thermoplastic Aircraft Window Frame	470
D.G. Bekas, D. Saenz-Castillo, Z. Sharif Khodaei, F.J.C. Alonso and M.H. Aliabadi	
Impact Detection on Composite Plates Based on Convolution Neural Network	476
I. Tabian, H. Fu and Z. Sharif Khodaei	
Strain Energy Decomposition Influence in the Phase Field Crack Modelling at the Microstructural Level of Heterogeneous Materials	482
K. Seleš, Z. Tonković, A. Jurčević and J. Sorić	
Effects of Temperature on the Fibre Matrix Interfacial Shear Strength of Carbon Nanotube Grafted Carbon Fibre Reinforced Heat Resistant Resin	488
K. Tanaka, D. Kugimoto and T. Katayama	
Evaluation of Self Weight Deflection Property of GFRTP Laminate at Moulding Temperature and Formability Simulation of Diaphragm Forming	493
K. Tanaka, T. Kiyama and T. Katayama	
Experimental Free Vibration of Damaged RC Beam Models	499
R. Capozucca, E. Magagnini and M.V. Vecchietti	