

Table of Contents

Preface

Damage of Solid Phase due to Explosion Effect Using Uzawa's Algorithm P. Prochazka	1
Numerical Modelling of Plasticity Induced Crack Closure with Rough Fracture Surfaces A. Materna, H. Lauschmann and J. Ondráček	7
Fibreglass Reinforced Polymer Structure Response under Different Impact Scenarios G. Lamanna, A. Greco, M. Manzo, E. Armentani and C.G. Opran	13
Numerical and Experimental Investigation on the Energy Absorption Capability of a Full-Scale Composite Fuselage Section D. Perfetto, G. Lamanna, M. Manzo, A. Chiariello, F. di Caprio and L. di Palma	19
Finite Element Modelling of Delamination Onset in Polymeric Composite Material A. Ferrari, S. Fanelli and M. Parlamento	25
Ultrasonic Damage Detection of Impacted Long and Short Fibre Composite Specimens A. Sellitto, A. Riccio, A. Russo, C. Napolitano, M. Zarrelli and M. Meo	31
Optimum Design of Damage Resistant Reinforced Composite Panels A. Sellitto	37
Nanofillers' Effects on Fracture Energy in Composite Aerospace Structures A. Sellitto, A. Riccio, A. Russo, A. Garofano and M. Zarrelli	43
Experimental Investigation on the Mechanical Behaviour of Natural Fibre Sandwich Panels with Posidonia Core A. Sellitto, V. Iodice, G. Zampini, M. Zarrelli, A. Riccio, R. Sansone and A. Caraviello	49
Material Model Development of Sandwich Composite: Numerical-Experimental Investigation of Head Dummy Impacting at Vehicle Interior Components A. Vettorello and G.A. Campo	55
Production and Characterization of Boride Coatings on Steels K. Anthymidis, A. Trakali and D.N. Tsipas	61
Probability Ellipse Method for Damage Detection in a Composite Winglet G. Petrone, A. de Fenza, D. Perfetto, A. de Luca, A. Sorrentino and F. Caputo	67
A Microscale Approach for Modelling Concrete Fatigue Damage-Mechanisms A. Caggiano, D.S. Schicchi, S. Yang, S. Harenberg, V. Malarics-Pfaff, M. Pahn, F. Dehn and E. Koenders	73
Fracture Surface of a Ti-6Al-4V Specimen with EDM Notches Tested under Quasi-Static Loading in Methanol S. Baragetti, E. Borzini and E.V. Arcieri	79
Crack Tip Stress Field Analysis of Crack Surface Contact and Opening during <i>In Situ</i> Wedge Loading of Human Enamel E. Salvati, C. Besnard, R.A. Harper, T. Moxham, R.M. Shelton, G. Landini and A.M. Korsunsky	85
A Study on the Influence of Laser Parameters on Laser-Assisted Machining of AISI H-13 Steel E. Kaselouris, A. Baroutsos, T. Papadoulis, N.A. Papadogiannis, M. Tatarakis and V. Dimitriou	92
Turbine Blade Distortion after Heat Treatment: Preliminary Experimental Investigation and FEM Analysis F. de Bona, A. Lanzutti, G. Lucacci, L. Moro and J. Srnc Novak	98
Hybrid Equilibrium Finite Element Formulation for Cohesive Crack Propagation F. Parrinello	104
Mechanical Properties and Fracture Surface Analysis of Vinyl Ester Resins Reinforced with Recycled Carbon Fibres G. Zattini, L. Mazzocchetti, T. Benelli, E. Maccaferri, G. Brancolini and L. Giorgini	110
Optimization Methodology for Continuous Heterogeneous Structures: A Preliminary Design of an Engine Mounting Bracket G.A. Campo, A. Vettorello and M. Giacalone	116
Analysis of the Heat Affected Zone and Surface Roughness during Laser Micromachining of Metals E. Kaselouris, A. Skoulakis, Y. Orphanos, K. Kosma, T. Papadoulis, I. Fitis, E. Clark, A.P. Markopoulos, M. Bakarezos, N.A. Papadogiannis, M. Tatarakis and V. Dimitriou	122

Virtual Element Method: Micro-Mechanics Applications M. Lo Cascio, A. Milazzo and I. Benedetti	128
A Model for Low-Cycle Fatigue in Micro-Structured Materials F. Parrinello, V. Gulizzi and I. Benedetti	134
Lifetime Calculation of Soil-Loaded Non-Pressure Polymer Pipes J. Poduška, P. Hutař, A. Frank, G. Pinter and L. Náhlík	141
Size Dependent Thermo-Piezoelectricity for In-Plane Cracks J. Sladek, V. Sladek, M. Repka and C.L. Tan	147
Study on Generalization of Lefort's Approach to Critical Crack Length J. Horníková, P. Šandera, S. Žák and J. Pokluda	153
Modelling the Strength of Cellulose Nanofiber-Filled Rigid Low-Density PU Foams J. Andersons, M. Kirpluks and U. Cabulis	159
Evaluation of Residual Stresses in Laser Welded High-Pressure Vessels Steels by X-Ray Diffraction J. Čapek and N. Ganey	165
DIC Measurement of the Full Strain Field in a Tiled Laminate to Determine Local and Global Stiffness Properties J. Uyttensprot, W. de Corte and W. van Paepegem	171
Influence of Unsizing and Carbon Nanotube Grafting of Carbon Fibre on Fibre Matrix Interfacial Shear Strength of Carbon Fibre and Polyamide 6 K. Tanaka, K. Yamada, Y. Hinoue and T. Katayama	178
Effect of Air Oxidation Treatment of CNT on Tensile Strength of CNT / Polyamide 6 Nanofibres and their Dispersion K. Tanaka, M. Kamada and T. Katayama	184
Influence of Magnetite Dispersion on Tensile Properties K. Tanaka, Y. Ishii and T. Katayama	190
Fracture Toughness Evaluation of a Cracked Au Thin Film by Applying a Finite Element Analysis and Bulge Test H.A. Tinoco, P. Hutař, B. Merle, M. Göken and T. Kruml	196
Utilization of Williams' Power Series for Estimation of Crack Behavior under Mixed-Mode Loading L. Malíková, P. Miarka and H. Šimonová	203
A Combined Numerical and Experimental Approach to Evaluate the Hardness of AA Aluminum 6063 T6 with A Ni-P Coating B.J.S. León, A. Pertuz and M. Martínez	209
Growth Rate of Small Surface-Cracks in Age Hardening Cu-Ni-Si Alloy under Cyclic Stressing M. Goto, T. Yamamoto, J. Kitamura, S.Z. Han, R. Takanami, T. Yakushiji and J.H. Lee	216
Prediction of the Ceramic Foam Structure Failure Using a Detailed Finite Element Model O. Ševeček, J. Hanák, Z. Majer, D. Drdlík, Z. Chlup and M. Kotoul	222
A Comparison of the Fracture Behaviour of Various Concrete Grades under Mixed Mode I/II Loading P. Miarka, R. Janssen, S. Seitzl and W. de Corte	228
Numerical Studies of the Correlation between Inclusion Shape and Effective Elastic Properties of the Particle Reinforced Composites R. Piat and P.A. Happ	234
On the Strength Weakening Effect of Stiffening Ribs in the Design of Machine Components A. Strozzi, E. Bertocchi and V. Mangeruga	240
High-Temperature Creep Tests of Two Creep-Resistant Materials at Constant Stress and Constant Load V. Sklenička, K. Kuchařová, M. Kvapilová, L. Kloc, J. Dvořák and P. Král	246
Hierarchical Reinforcing Fibers for Energy Harvesting Applications - A Strength Study G. Karalis, C. Mytafides, A. Polymerou, K. Tsirka, L. Tzounis, L.N. Gergidis and A.S. Paipetis	252
Recovery of Fracture Toughness on Self-Healing Epoxies Using Ternary Nanomodified Microcapsules: A Parametric Study M. Kosarli, K. Tsirka, S. Chalari, A. Palantza and A.S. Paipetis	258
Computational Multi-Scale Modelling of Fiber-Reinforced Composite Materials T. Eleftherios, L.N. Gergidis and A.S. Paipetis	263

Water Effect on the Deformation Behavior of Nafion Membrane I. Riku and K. Mimura	269
An Influence of Cyclic Loading on Behaviour of a Hysteretic Interface Damage Model R. Vodička	275
Gun Bullet Collision and Penetration Behaviors for Protecting Board Y. Ohbuchi, T. Yamaguchi and H. Sakamoto	282
A Finite Element Numerical Methodology for the Fatigue Analysis of Cylinder Liners of a High Performance Internal Combustion Engine S.G. Barbieri, V. Mangeruga, M. Giacomini, C. Laurino and M. Lorenzini	288
Evaluation of Quasi-Static and Dynamic Fracture Toughness on the Low-Alloy Reactor Pressure Vessel Steel JRQ in the Transition Region P. Spätig, V. Mazánová, S. Suman and H.P. Seifert	294
TEM Study of Junctions between Martensite Laths and Changes in Microstructure of Low-Carbon Steel before LCF II T. Eterashvili, M. Vardosanidze and T. Dzigrashvili	300
TEM Study of Martensite Microstructure in the Junctions of Laths in Low-Carbon Chromium Steel after LCF III T. Eterashvili, T. Dzigrashvili and M. Vardosanidze	306
On the Crack Quasi-Static Growth V. Pavelko	312
The Role of Replicated Service Atmosphere on Deformation and Fracture Behaviour of Carburised AISI Type 316H Steel X. Warren, P.J. Heard, P.E.J. Flewitt and T.L. Martin	318
Analysis of Maximal Operation Amplitudes of Piezoelectric Vibration Energy Harvesters Z. Majer, O. Ševeček, K. Štegrerová, O. Rubeš, P. Tofel and Z. Hadas	324
Photoelastic Analysis of the Stressed State of a Flat Element with Geometrical Stress Concentrators (Cutout and Cuts) M. Tabanyukhova	330
Low Cycle Fatigue Behavior of Superalloy GH4169 in High Temperature Gas Environment X. Ding, D.W. Huang and X.J. Yan	336
Comprehensive Numerical Simulation on Thermally Grown Oxide and Internal Stress Evolutions in Thermal Barrier Coatings R. Nakajima, H. Katori, M. Arai and K. Ito	343
Damage Analysis of Thermal Barrier Coatings Subjected to a High-Velocity Impingement of a Solid Sphere K. Ito, F. Gao and M. Arai	349
Prediction of Indentation Size Formed by a High-Velocity Impingement of a Solid Sphere Based on an Expanding Cavity Model K. Ito and M. Arai	355
Damage Evaluation of TBC by Rapid Thermal Cycling Test Utilizing a Laser Irradiation Y. Hayashi, K. Suzuki, M. Arai, K. Ito, T. Higuchi, Y. Suzuki and T. Suidzu	361
Numerical Simulation of Volcanic Ash Infiltration into Thermal Barrier Coatings M. Arai, Y. Fukushima and K. Ito	367
Morphology Evolution and Probability Characteristic of γ' Phase in Single Crystal Superalloy during Creep Rafting Z.X. Guo, X.Y. Qin, D.W. Huang and X.J. Yan	373
An Approach for Predicting the Initiation of Ductile Fracture in Plane Strain Rolling E. Lyamina, A. Pirumov and Y.M. Hwang	379
Study of the Viscoelasticity of Chopped Aramid Fiber Reinforced Rubber Composite J.H. Gao and X.X. Yang	385
Crack Initiation Mechanism of Hydrogen Induced Cracking in Nickel N. Takano and H. Yamamoto	392
Two-Dimensional Stress Analysis of an Infinite Plate with Anisotropic Inclusions by BFM T. Ino, Y. Sonobe, A. Koyama and A. Saimoto	397
Fatigue Crack Propagation under Mixed Mode I and III in Polyoxymethylene Homopolymer O. Slávik, P. Hutař, A. Gosch, M. Berer, T. Vojtek, F. Arbeiter, G. Pinter and L. Náhlík	404

A Comparative Study of Impact Localisation in Composite Structures Using Neural Networks under Environmental and Operational Variations A.H. Seno and M.H. Aliabadi	410
Analysis of 3-Dimensional Creased Cracks Y. Sonobe, T. Ino, A. Koyama and A. Saimoto	416
Rupture and Damage at Dilatant Geological Interfaces A.P.S. Selvadurai	422
Evaluation of Fatigue Resistance of Laser Welded High Pressure Vessels Steel P355 Considering Fracture Mechanics Approach I. Černý and J. Kec	428
Thermoelastic Rolling Contact Problem of an FGM Layered Elastic Solid Y. Alinia, A. Aali and M.A. Guler	434
Dynamic Fracture Analysis of Plates Loaded in Tension and Bending Using the Dual Boundary Element Method J. Li, Z. Sharif Khodaei and M.H. Aliabadi	440
Effect of Resin Layer Thickness on Mode II Delamination Growth Property of CFRTPLaminates under Static Loadings K. Tanaka, K. Ishida, K. Takemoto and T. Katayama	446
Electromagnetic Shielding for Buildings Using Hybrid Polymer Composites: A Life Cycle Assessment Study A.D. La Rosa, S.A. Grammatikos, R.C. Ciobanu and C. Schreiner	452
On the Use of Carbon Nanotubes to Develop Durable Structural Electrodes for Self-Sensing Applications S.A. Grammatikos, M.M. Dahl, V.S. Brøndbo and A.D. La Rosa	458
SHM of Composite Mono-Stringer Elements Based on Guided Waves D.G. Bekas, M.M. Mendias, Z. Sharif Khodaei, E. Karachalios, F.J.C. Alonso and M.H. Aliabadi	464
Smart Bondline Monitoring of an Efficient Industrial Thermoplastic Aircraft Window Frame D.G. Bekas, D. Saenz-Castillo, Z. Sharif Khodaei, F.J.C. Alonso and M.H. Aliabadi	470
Impact Detection on Composite Plates Based on Convolution Neural Network I. Tabian, H. Fu and Z. Sharif Khodaei	476
Strain Energy Decomposition Influence in the Phase Field Crack Modelling at the Microstructural Level of Heterogeneous Materials K. Seleš, Z. Tonković, A. Jurčević and J. Sorić	482
Effects of Temperature on the Fibre Matrix Interfacial Shear Strength of Carbon Nanotube Grafted Carbon Fibre Reinforced Heat Resistant Resin K. Tanaka, D. Kugimoto and T. Katayama	488
Evaluation of Self Weight Deflection Property of GFRTPLaminate at Moulding Temperature and Formability Simulation of Diaphragm Forming K. Tanaka, T. Kiyama and T. Katayama	493
Experimental Free Vibration of Damaged RC Beam Models R. Capozucca, E. Magagnini and M.V. Vecchiatti	499