

Table of Contents

Preface	
Geometrical Construction of Auxiliary Axes in an Ellingham Diagram T. Siripongsakul, P. Wiman, P. Saranyachot and S. Chandra-Ambhorn	1
A Microscopic Numerical Simulation of Carbon Dissolution in Different Coke Shapes in the Dripping Zone of Blast Furnace J. Tungtrongpairoj	8
Effect of Atmosphere on Duplex Oxide Formed on 9Cr Steel at 550 °C M.H. Shirani Bidabadi, A. Rehman, Y. Zheng, L. Yang, S. Chandra-Ambhorn and Z.G. Yang	15
High Temperature Degradation of Thermal Oxides on AISI 304 Stainless Steels by Carbon J. Tungtrongpairoj, P. Thongyoug, P. Saranyachot and S. Chandra-Ambhorn	21
New Emerging Al7075 Based Hybrid Nanocomposite for Automotive Applications: A Sustainability Approach S. Mahanta, M. Chandrasekaran and S. Samanta	29
Effect of Double-Step Solution Treatment on Rejuvenation Heat Treated Microstructure of IN-738 Superalloy C. Paa-Rai	36
Numerical Simulation of Cutting Force in High Speed Machining of Inconel 718 S.K. Tamang, N. Teyi and R.T. Tsumkhapa	43
Comparative Study on Cutting Force Simulation Using DEFORM 3D Software during High Speed Machining of Ti-6Al-4V K.K. Prasad, S.K. Tamang and M. Chandrasekaran	50
Development of Stress- and Strain-Based Fracture Forming Limit Curves of Sheet Aluminium-Alloy AA2024-T3 through Various Approaches T. Jantarasricha, S. Panich and K. Chongbunwatana	57
Microstructure, Hardness, Adhesion and Corrosion Properties of Ti and TiN Films on Stainless Steel 316L	
K. Wathanyu, T. Karuna, S. Daopiset, S. Sirivisoot and S. Surinphong	66
Effect of Cooling Rate on Microstructure of Rejuvenated Fe-Ni Based Superalloys K. Srimark, P. Wangyao and T. Rojhirunsakool	76
Investigation of Welding Speed Parameters on Ni-Base Superalloy by Laser Welding Process	
T. Rojhirunsakool and K. Sirivedin	85
The Effects of Austempering Temperature and Time on Mechanical Properties of Ductile Cast Iron Grade FCD450 J. Chantarach and R. Canyook	92
Experimental Investigation of Steel Confinement of Clustered Large-Size Stud Shear Connector in Full-Depth Precast Bridge Deck Panel	,2
K. Sriboonma and S. Pornpeerakeat	99
Welded Stainless Steel: Surface Oxidation, Characterization, Hardness and Corrosion Resistance C. Tippayasam, J. Palomas, P. Wiman and A. Kaewvilai	106
Effects of Preheating and Dual Shielding on Flux-Cored Arc Welded High-Strength Carbon Steel for Hardfacing Application	100
C. Taengwa and A. Kaewvilai	112
Development of the Fuel Briquette Compression Machine for Palm Residue S. Wannapakhe	119
Investigation of Anisotropy Effect on the Material Properties Obtained from Biaxial Tests C. Udomraksasakul, T. Intarakumthornchai and Y. Aue-u-Lan	128
Effect of Fiber Laser Surface Modification on the Corrosion Behavior of 316L Stainless Steel	
R. Tangkwampian, P. Srisungsitthisunti, S. Daopiset and P. Kowitwarangkul	135
Wrinkling Prediction of Rectangular Cup Deep Drawing Process for Aluminum Alloy Sheets by Using the Modified Yoshida Buckling Test T. Bunyan, S. Yiemchaiyaphum and S. Panich	143

Development of Barkhausen Noise Measuring System for Evaluating Steel Properties: Hardness	
J. Khongpreechar, S.Y. Primee, R. Canyook and N. Seemuang	152
Real-time Process Monitoring of Laser Welding by Infrared Camera and Image Processing B. Kaewprachum and P. Srisungsitthisunti	160
The Effects of Various Ratios of Hybrid Filler to Rubber Vulcanisates Properties Based on Passenger Car Tyre Tread Compounds C. Thongsaen, P. Sea-Oui and C. Sirisinha	169
Effect of Blank Holder Force and Edge Radius on Joining Strength in Flat-Clinching Process	10)
P. Kumma and P. Soranansri	175
Catalytic Oxidation of Furfural to Succinic Acid in the Presence of Sulfonic Resins W. Kingkaew, T. Kaewwiset, U. Thubsuang, C. Siripattana and K. Nuithitikul	182
Compatibility between Magnesium Stearate and Pharmaceutical Acidic Active Compounds/Excipients with DSC P. Chaiya and T. Phaechamud	190
Synthesis of Biogenic Nanosilica from Rice Husk: Using Scaling-Up Batch Reactor from Laboratory	100
R. Chainaruprasert and T. Pongprayoon Emploification of Water in Fuel Oil Emploien by Phase Inversion	198
Emulsification of Water in Fuel Oil Emulsion by Phase Inversion P. Kittipoomwong, K. Panasuppamassadu and M. Narasingha Proliminary Long Removal from Synthetic Ivon Solution by Zoolite and Parlite via VPF	205
Preliminary Ions Removal from Synthetic Iron Solution by Zeolite and Perlite via XRF Technique	
K. Saetan, C. Kitpaosong, S. Buasuwan and R. Dangtungee Synthesis of Palladium Chloride Impregnated on Al ₂ O ₃ - Pillared Clay for Reduction of	211
Nitrobenzene P. Trikittiwong and J. Maliwong	218
Effect of Natural Rubber Compound (NRC)/ Methyl Methacrylate (MMA) Coating on Abrasion and Hardness, Adhesive and Shear Properties for Pavement Surface M. Phuthotham, L. Techawinyutham and R. Dangtungee	224
Effect of Solvent Cleaning on Thermo-Mechanical and Rheological Properties of Plastic Wastes from Municipal Solid Waste (MSW) L. Techawinyutham and W. Techawinyutham	230
Phase Inversion-Induced Rosin <i>In Situ</i> Forming Matrix Using Various Organic Biocompatible Solvents for Periodontitis Treatment N. Lertsuphotvanit, J. Mahadlek, S. Tuntarawongsa and T. Phaechamud	237
Physical and Mechanical Properties of Poly(Butylene Succinate) and Poly(Lactic Acid) under Landfill Conditions	
N. Seeponkai and K. Poolsawat	245
Influence of Temperature, Time and Crosslinking Agent on Structure and Properties of Polyurethane Gel P. Pongmuksuwan, W. Harnnarongchai and S. Katabunyanont	253
Eco-Friendly Composites Derived from Natural Rubber and Wasted Materials	
C. Loonpun, A. Chaikittiratana, U. Suripa and A. Tohsan Jute Fiber Reinforced Thermoplastic Composites Fabricated by Direct Fiber Feeding	261
Injection Molding (DFFIM) Process P. Sarasook, P. Uawongsuwan, A. Memon and H. Hamada	268
Experimental Study on Heat Dissipative Ability in Recycled Thermoplastic Vulcanizate and Reclaimed Rubber Composites R. Yeetsorn, Y. Maiket and T. Ungtrakul	276
Electrically Conducting Poly(Pyrrole-co-Para-Phenylenediamine) as Potentiometric Transducers in Urea Biosensor Fabrication W. Prissanaroon-Ouajai and A. Sirivat	286
Case Depth Evaluation of Induction Hardened Steel Using Barkhausen Noise Technique P. Nitjarunkul, S.Y. Primee, K. Chongbunwatana and N. Seemuang	294
Crystallization Behaviors of Plasticized Poly(Lactic Acid)/Microcrystalline Cellulose Composite Sheet	_,.
S. Phongtamrug and S. Ouajai	303

A Novel Ceramic Backing Strip from Metakaolin-Based Geopolymer with Gas Flow Holes for Welding Application	
S. Plaichum, A. Kaewvilai, T. Pantongsuk, D. Chaysuwan and C. Tippayasam	309
Programmable 4D-Printed Responsive Structures S. Chuayprakong, A. Wanamonkol and M. Khayandee	317
Effects of Rubber and Mould Temperatures on the Solid Tire Curing Process S. Limrungruengrat, A. Chaikittiratana, T. Chantrasmi, S. Pornpeerakeat and U. Suripa	323
Morphological, Thermal and Mechanical Properties of Poly(Lactic Acid)/Cellulose/ Nano-Clay Composite S. Ouajai and S. Phongtamrug	331
Antimicrobial Assay on PVDF Nanofiber Membrane K. Kitiniyom, C. Suwanboon and N. Chanunpanich	339
Effect of Plastic and Tire Wastes on Marshall Properties, Density and Water Absorption of	
Polymer Pavement C. Choeycharoen, L. Techawinyutham and R. Dangtungee	347
Strength and Noise Reduction of Geopolymeric Material Produced from Waste Sludge J. Iamchaturapatr and K. Piriyakul	354
Flexural Behavior of Compacted-Cement Sand Reinforced with Geogrid U. Rochanavibhata, M. Jamnongwong, S. Chuenjaidee, P. Jamsawang and X.B. Chen	360
Unconfined Compressive and Splitting Tensile Strength of Dredged Sediments Stabilized with Cement and Fly Ash H. Poorahong, N. Wongvatana, P. Jamsawang, K. Lueprasert, K. Tantayopin and X.B. Chen	367
Eco-Friendly Fired Clay Tiles with Greenish and Greyish Colored Incorporating Alternative Recycled Waste Materials	307
U. Wangrakdiskul, P. Maingam and N. Piyarat	376
Compressive Strength and Workability of Cement Mortar Containing Recycled Asphalt Pavement	
J. Suebsuk and P. Panpipat	384
Characterization of a Thermo-Sensitive Injectable Hydrogel as an Iloprost Delivery System for Dental Use	
C.N. Limjeerajarus, N. Kreua-Ongarjnukool, S. Seang, P. Pavasant and S.T. Niyomthai	391
The Properties of 0.5BZT - 0.5BCT Piezoelectric Ceramic from Gel Casting Process by Using Ethylene Glycol Diglycidyl Ether (EGDGE) Epoxy Resin as a Gelling Agent	200
T. Thongchai	399