

# Table of Contents

## Preface

## Chapter 1: Properties and Processing Technologies of Steel and Alloys

|                                                                                                                                                                                         |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>Microstructure and Mechanical Properties of W-High Entropy Alloy Composite by Hot Swaging</b><br>R.Z. Jian, S.C. Zhou and Y.F. Xue                                                   | 3  |
| <b>Analysis of the Crack of 304 Stainless Steel and Improvement Measures</b><br>L. Guo                                                                                                  | 9  |
| <b>Analysis of Microstructure and Properties of High Strength Steel for Vehicle Axle</b><br>W. Xu, J. Cai, L.W. Xu, H. Yang and Q.L. Chen                                               | 14 |
| <b>High-Throughput Characterization of Composition and Performance of Titanium Alloys Based on Nanoindentation Technology and EPMA</b><br>Y. Gao, H. Yu, Y. Zhou, X.J. Zhu and Q.B. Fan | 20 |
| <b>Influence of Mould Slenderness Ratio on the Solidification of Heavy Ingots by Numerical Simulation</b><br>Y.N. Zhao                                                                  | 27 |
| <b>Quantitative Characterization of Heat Treatment Response in a Single Crystal Nickel-Based Superalloy</b><br>Z.W. Wei, C.K. Liu, Y. Li and B.Q. Chen                                  | 32 |
| <b>Effect of Tempering Process on Microstructure and Mechanical Properties of Low Alloyed Cast Steel</b><br>H.J. Fan, B. Chen, J. Wen and X. Jin                                        | 40 |
| <b>Study on Fatigue Crack Growth of Laser Melting Deposited 12CrNi2 Alloy Steel Based on XFEM</b><br>C.H. Duan, Z.W. Weng, X.P. Luo, X.X. Han and M.H. Zhao                             | 46 |
| <b>Microstructure and Mechanical Properties of Low Alloy Ultra-High Strength Steel Microalloyed with Cerium</b><br>Y.Y. Jiang, Z.D. Wang, X.T. Deng and R.D.K. Misra                    | 53 |
| <b>Influence of Riser Necking Ratio and Taper on the Solidification of Heavy Ingots by Numerical Simulation</b><br>Y.N. Zhao and S.G. Ba                                                | 59 |
| <b>Research on Deformation Prediction Method of Laser Melting Deposited Large-Sized Parts Based on Inherent Strain Method</b><br>C.H. Duan, X.K. Cao, M.H. Zhao and X.P. Luo            | 65 |
| <b>Research on Springback during Hot Stamping with Uniform and Local-Thickened Sheet Blanks</b><br>J.B. Li                                                                              | 73 |
| <b>Experimental and Numerical Analyses of Tubular Electrohydraulic Forming Process</b><br>Y.N. Wei, F.F. Zhang, B. Wei, H. Xu and K. He                                                 | 80 |
| <b>Effect of Annealing Temperature on Microstructure and Properties of Cold Drawn Tube</b><br>C. Tang, J. Wen and H.J. Fan                                                              | 87 |
| <b>The Studies of Irradiation Hardening and RIS on IASCC of Reactor Internals Bolts</b><br>X.W. Li, C.L. Xu, Y.H. An, X.B. Liu, F. Xue, Y.F. Li and W.J. Qian                           | 92 |
| <b>Yield Behavior of Tube Hydroforming and it's Effecti on Hollow Component Manufacturing</b><br>H.Y. Li, H.P. Deng and S. Yu                                                           | 98 |

## Chapter 2: Surfaces and Special Coatings

|                                                                                                                 |     |
|-----------------------------------------------------------------------------------------------------------------|-----|
| <b>The Coatings Formation and Characteristic of a Low Pressure Thermal Plasma Torch</b><br>C.Q. Sun and L.T. An | 107 |
| <b>Preparation of WC/Ni Flexible Cloth Coating by Vacuum Brazing</b><br>Z.Z. Yang, J. Zhang and X.H. Yu         | 112 |

|                                                                                                                                                                              |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Researching Advances in Application of Bio-Inspired Superhydrophobic Metallic Surface</b><br>J. Mei                                                                       | 125 |
| <b>Microstructure and Property of Novel <math>\gamma</math>-Fe/ (Cr, Fe)<sub>7</sub>C<sub>3</sub> Lamellar Eutectics Reinforced Composite Coating</b><br>Y.H. Shi and Q. Shi | 134 |

### **Chapter 3: Properties and Processing Technologies of Special Structural and Functional Materials**

|                                                                                                                                                                      |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>The Effect of MgO Stabilizer on the Phase Composition and Microstructure of Zirconia Metering Nozzle Matrix</b><br>S. Yao, L. Zhao, Q.H. Xue, W. Liu and X.F. Fu  | 147 |
| <b>The Influence of Rapid Prototyping Technology on Optimization of Automobile Energy-Absorbing Box</b><br>Y.T. Li and H. Wang                                       | 153 |
| <b>Effect of High Temperature Treatment in Ar Atmosphere on the Tensile Strength and Structure of SiC Fiber</b><br>J.J. Fan, Q.Q. Zhu, Z. Qi and J.F. Ye             | 159 |
| <b>Effect of Tensile Stress on Characteristics of High-Temperature Superconducting Tape</b><br>Q. Chen, J.M. Cheng, B.L. Liu, Y. Xu, X.L. Wang, T. Ma and B.Z. Wang  | 165 |
| <b>Preparation of Fe-Cu-Based Friction Material and its Adoption in Automobile Mechanical Mechanism</b><br>H. Li and B. He                                           | 170 |
| <b>Cutting Behavior of Self-Lubricating Ceramic Tool in Dry Machining of 40Cr Quenched Steel</b><br>B.Y. Wang, G.C. Xiao, Z.Q. Chen, M.D. Yi, J.J. Zhang and C.H. Xu | 176 |
| <b>Thermal Behaviour in the Stereolithography Process for Al<sub>2</sub>O<sub>3</sub> Ceramic Suspension</b><br>C.C. Qian, X.Y. Li, K.H. Hu, P.J. Li and Z.G. Lu     | 189 |
| <b>A High Thermoelectric Performance ZT in p-Type LaSe<sub>2</sub> Crystal</b><br>J. Liu                                                                             | 203 |

### **Chapter 4: Properties and Application of Polymers and Composites**

|                                                                                                                                                                                    |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Research and Prospect of Diamond/Aluminum Matrix Composites</b><br>H. Wu and S. Yang                                                                                            | 211 |
| <b>Optimal Design of Composite Material Maintenance Structure for Aircraft Based on ANSYS Workbench</b><br>J.T. Dai, P.Z. Zhao, H.B. Su, H.D. Liu, Y.B. Wang and S.K. Dong         | 216 |
| <b>Study on Preparation of Novel Dicyclopentadiene Phenol Epoxy Resin Materials Based on Different Degrees of Polymerization</b><br>S.B. Ma, Z. Xi, G. Wang, L. Cheng and W. Zhang | 222 |
| <b>Performance Improvement of Carbon Fiber Reinforced Epoxy Composite Sports Equipment</b><br>X.D. Yang, F. Gu and X. Chen                                                         | 228 |
| <b>Preparation and Mechanical Properties Analysis of Aviation Mechanical Carbon Fiber Reinforced Plastics</b><br>S.L. Yan, H. Li and F. Zhan                                       | 234 |

### **Chapter 5: Materials and Technologies for Electronics**

|                                                                                                                                                                                            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>The Distribution Trend of Boron Atoms in Semiconductor Silicon under High Temperature</b><br>Z.H. Zhao, Z.B. Zhao, M.M. Jiang, C.Z. Chen, W.H. Song, L. Zhang, L.L. Liu and H.J. Yu     | 243 |
| <b>RETRACTED: Fractal Structure in Poly(3-Alkylthiophene) Derivatives</b><br>R.D. Gu, Z.Q. Liu and P.K. Shi                                                                                | 248 |
| <b>First-Principles Study of Ag<sub>3</sub>Sn, AgZn<sub>3</sub> and Ag<sub>5</sub>Zn<sub>8</sub> Intermetallic Compounds</b><br>Z. Cheng, G.X. Zhang, W.M. Long, S. Maksymova and J.X. Liu | 254 |

|                                                                                                                                                                     |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Fabrication and Investigation on the Polyimide/Al<sub>2</sub>O<sub>3</sub> Composite Films via Ion Exchange Technology</b>                                       |     |
| M.Y. Zhang, Y. Wang, L.Z. Liu, W. Song and C.Q. Zhang                                                                                                               | 264 |
| <b>Research on the Magnetron Sputtering Performance of Active Matrix Liquid Crystal Display Electronic Materials Based on Amorphous Oxide Thin Film Transistors</b> |     |
| L. Sha, Q.F. Du and L.P. Tu                                                                                                                                         | 271 |
| <b>Effect of Laser Processing Parameters on Microhole Quality of Aluminium Nitride Ceramics</b>                                                                     |     |
| C.Y. Yang, Y. Hao, B. Wang, H. Yuan and L.H. Li                                                                                                                     | 277 |
| <b>Effect of Reaction Temperature and Mixture Ratio on Polysilicon Production Process</b>                                                                           |     |
| Q. Sun, H. Chen, C. Duan, Y. Wan, X.W. Zhang and L. Pei                                                                                                             | 284 |

## **Chapter 6: Chemical Technologies and Chemical Production**

|                                                                                                                                                                                        |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>A Preparation Method of <math>\beta</math>-Carotene Reference Standard from <math>\beta</math>-Carotene Food Additive Based on High Speed Countercurrent Chromatography (HSCCC)</b> |     |
| L. Tao, Z.M. Wang, S.H. Lu, L.L. Xu, M.Z. Li and X.Y. Li                                                                                                                               | 293 |
| <b>Research on the Stability of Pd-Based Multi-Component Supported Catalysts</b>                                                                                                       |     |
| Y.L. Zhang                                                                                                                                                                             | 300 |
| <b>Study on Electrochemical Oxygen Evolution Properties of Bimetallic Carbon Nan Sheets</b>                                                                                            |     |
| Q. Duan                                                                                                                                                                                | 306 |
| <b>Research Progress of N-Alkylation of Alcohol and Amine by "Hydrogen Reaction"</b>                                                                                                   |     |
| S.M. Feng and Q. Liu                                                                                                                                                                   | 312 |

## **Chapter 7: Building Materials and Structural Elements**

|                                                                                                                                            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Stress Loss of Pre-Tensed CFRP Strips Strengthening Square RC Column</b>                                                                |     |
| Z.Q. Wu, M. Shi, S.P. Wu, H. Li and H. Liu                                                                                                 | 321 |
| <b>Performance Test of C60 Self-Compacting Steel Fiber Concrete</b>                                                                        |     |
| F.H. Li                                                                                                                                    | 330 |
| <b>Model Test of Steel-Concrete Composite Beam Deck under Negative Moment</b>                                                              |     |
| R. Rong, Y.H. Shan, L. Zhao and B.Q. Wang                                                                                                  | 340 |
| <b>Effect of Initial Consolidation Stress Path on Shear Behavior of Calcareous Sand</b>                                                    |     |
| H.X. Zhou, S.H. He, M. Gao, Z. Ding and T.D. Xia                                                                                           | 349 |
| <b>Study on the Development and Performance of a New Concrete Antifoaming Agent</b>                                                        |     |
| G.L. Li, Y.H. Fang, C.D. Wu, Y.Z. Shao, Y.Q. Guo and X.X. Ma                                                                               | 357 |
| <b>Study on Porous Structure of Porous Media in Geotechnical Materials</b>                                                                 |     |
| Y.X. Wang, C.H. Lan and H. Tian                                                                                                            | 363 |
| <b>Asphalt Modified by Ethylene-Acrylic Acid Copolymer Ionomers: Fundamental Investigations of Mechanical and Rheological Properties</b>   |     |
| C.F. Ouyang, C.Y. Xu, Q. Gao, W.L. Xue, W.G. Yang and K.S. Zheng                                                                           | 371 |
| <b>Synthesis, Characterization and Application of a Potential Chemical Sand-Fixing from Lignin Sulfonate Graft Urea-Formaldehyde Resin</b> |     |
| T.Z. Shi, H. Zhao, L.D. Zhang and B.G. Yuan                                                                                                | 379 |
| <b>A Novel Approach to Characterize the Quantity and Distribution of Microorganisms in Microbial Self-Healing Cementitious Materials</b>   |     |
| Q.W. Chen and C.X. Qian                                                                                                                    | 386 |