

# Table of Contents

## Preface

|                                                                                                                                                                                                                  |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Distinct Element Modelling of Mechanical Alloying in a Planetary Ball Mill</b><br>M.P. Dallimore and P.G. McCormick                                                                                           | 5   |
| <b>Impact Energy and Reactive Milling: A Self Propagating Reaction</b><br>G. Mulas, L. Schiffini and G. Cocco                                                                                                    | 15  |
| <b>Solid State Processing of Bulk Metallic Glass Forming Alloys</b><br>J. Eckert, M. Seidel, N. Schlorke, A. Kübler and L. Schultz                                                                               | 23  |
| <b>The Effect of Milling Conditions and Impurities on the Properties of Mechanically Alloyed Zr-Based Metallic Glasses With Wide Supercooled Liquid Region</b><br>M. Seidel, J. Eckert and L. Schultz            | 29  |
| <b>Nano-Scale Metal Multilayers Produced by Repeated Press-Rolling</b><br>P.H. Shingu, K. Yasuna, K.N. Ishihara, A. Otsuki and M. Terauchi                                                                       | 35  |
| <b>Repeated Bulk Mechanical Alloying of Functional Metallic Alloys</b><br>J. Kihara, T. Aizawa and O. Kobayashi                                                                                                  | 41  |
| <b>Mechanical Alloying of Fullerene With Metals</b><br>M. Umemoto, K. Masuyama and K. Raviprasad                                                                                                                 | 47  |
| <b>Mechanical Alloying of Titanium Based Materials</b><br>P.S. Goodwin and C.M. Ward-Close                                                                                                                       | 53  |
| <b>Mechanical Alloying of Ti-24Al-11Nb (AT%) Using the Simoloyer (ZOZ-Horizontal Rotary Ball Mill)</b><br>H. Zoz, D. Ernst, H. Weiss, M. Magini, C. Powell, C. Suryanarayana and F.H. Froes                      | 59  |
| <b>Effect of Al Content on Structural Changes in Mechanically Alloyed Al-Ti Powder Mixtures</b><br>A.V. Leonov, E. Szewczak, O.E. Gladilina, H. Matyja and V.I. Fadeeva                                          | 67  |
| <b>Instant Formation of TiN by Reactive Milling of Ti in Nitrogen</b><br>Z.-. Chin and T.P. Perng                                                                                                                | 73  |
| <b>Grain Size Effects and Consolidation in Ball-Milled Nanocrystalline NiAl</b><br>I. Börner and J. Eckert                                                                                                       | 79  |
| <b>Mechanical Alloying of Ni-Nb Alloys</b><br>M.H. Enayati, I.T.H. Chang, P. Schumacher and B. Cantor                                                                                                            | 85  |
| <b>Amorphous Fe-Al Alloys Obtained by Mechanical Alloying</b><br>D. Oleszak and P.H. Shingu                                                                                                                      | 91  |
| <b>Formation of Ternary Intermetallic Phase by Mechanical Alloying of Al-Fe-Ge</b><br>M. Burzyńska-Szysko, V.I. Fadeeva and H. Matyja                                                                            | 97  |
| <b>Effects of High Energy Ball Milling on Ceramic Oxides</b><br>E. Gaffet, D. Michel, L. Mazerolles and P. Berthet                                                                                               | 103 |
| <b>Phase Stability in Non-Stoichiometric Iron-Cobalt Oxides Prepared by Mechanochemical Activation</b><br>W.A. Kaczmarek                                                                                         | 109 |
| <b>Mechanisms of Multi-Component Perovskite Synthesis from Stoichiometric Mixtures by a Soft-Mechanochemical Route</b><br>J.G. Baek, K. Gomi, T. Watanabe, T. Isobe and M. Senna                                 | 115 |
| <b>Amorphization of Ni-Si-C Ternary Alloy Powder by Mechanical Alloying</b><br>Z.-. Chin and T.P. Perng                                                                                                          | 121 |
| <b>Synthesis of Metastable Fe<sub>3</sub>C, Co<sub>3</sub>C and Ni<sub>3</sub>C by Mechanical Alloying Method</b><br>K. Tokumitsu                                                                                | 127 |
| <b>Phase Formation and Properties in Mechanically Alloyed and Ball Milled RE-TM-Borocarbides</b><br>J. Eckert, K. Jost, O. De Haas and L. Schultz                                                                | 133 |
| <b>The Synthesis and Structure of Nanocrystalline Spinel Ferrite Produced by High-Energy Ball-Milling Method</b><br>V. Šepelák, A.Y. Rogachev, U. Steinike, D.-. Uecker, F. Krumeich, S. Wißmann and K.D. Becker | 139 |
| <b>Ni-Zn Ferrite Nanoparticles Prepared by Ball Milling</b><br>G. Nicoara, D. Fratiloiu, M. Noguès, J.L. Dormann and F. Vasiliu                                                                                  | 145 |

|                                                                                                                                                                                                                                                                                       |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Reactive Milling and Sintering of Nb-16at.% Si Mixtures</b><br>M.N.R.V. Perdigão, J.A.R. Jordão, C.S. Kiminami and W.J. Botta Filho                                                                                                                                                | 151 |
| <b>Mechanical Alloying Behavior in Molybdenum-Silicon System</b><br>B.K. Yen, T. Aizawa and J. Kihara                                                                                                                                                                                 | 157 |
| <b>Solid State Reactions of <math>V_{75}Si_{25}</math> Driven by Mechanical Alloying</b><br>L.H. Liu, S. Casadio, M. Magini, C.A. Nannetti, Y. Qin and K. Zhen                                                                                                                        | 163 |
| <b>Mechanical Alloying as an Amorphization Route: Application to FeNiPSi Alloys</b><br>T. Pradell, J.J. Suñol, M.T. Clavaguera-Mora and N. Clavaguera                                                                                                                                 | 169 |
| <b>Mechanical Alloying in Immiscible Systems</b><br>M. Angiolini, G. Mazzone, A. Montone and M. Vittori Antisari                                                                                                                                                                      | 175 |
| <b>On the Role of Intergrain Boundaries in Solid/Gas Mechanochemical Synthesis</b><br>A.N. Streletskii, A.V. Leonov and P.Y. Butyagin                                                                                                                                                 | 181 |
| <b>Solid Solubility in Nanocrystalline Ti/Mg and Mg/Ti Composites Powder Produced by Mechanical Alloying</b><br>M. Hida, K. Asai, Y. Takemoto and A. Sakakibara                                                                                                                       | 187 |
| <b>Nanocrystalline FeNbCuSiB Magnetic Alloys Obtained by Ball Milling</b><br>J.S. Garitaonandia, L. Righi, J.M. Barandiarán, P. Gorriá, F. Leccabue and B.E. Watts                                                                                                                    | 193 |
| <b>Ni-SiO<sub>2</sub> Nanocomposite Powders by High Energy Ball Milling</b><br>A. Corrias, G. Paschina, P. Sirigu and D. Zedda                                                                                                                                                        | 199 |
| <b>Reversible <math>\alpha</math>-Fe<sub>2</sub>O<sub>3</sub> to Fe<sub>3</sub>O<sub>4</sub> Transformation during Ball Milling</b><br>S. Linderorth, J.Z. Jiang and S. Mørup                                                                                                         | 205 |
| <b>A Study of Milling of Pure Polymers and A Structural Transformation of Polyethylene</b><br>H.L. Castricum, H. Yang, H. Bakker and J.H. Van Deursen                                                                                                                                 | 211 |
| <b>Characterization of Mechanosynthesized Sulphides</b><br>P. Baláz, Z. Bastl, T. Havlík, J. Lipka and I. Toth                                                                                                                                                                        | 217 |
| <b>Friction-Free Mechanical Grinder</b><br>K. Szymański, P. Zaleski, K. Rečko and J. Waliszewski                                                                                                                                                                                      | 223 |
| <b>Formation and Properties of Bulk Amorphous Pd-Ni-P Alloys</b><br>R.B. Schwarz and Y. He                                                                                                                                                                                            | 231 |
| <b>Synthesis and Characterisation of MgAl<sub>2</sub>O<sub>4</sub> Spinel Ceramic Precursor</b><br>M.S. Wang and M. Muhammed                                                                                                                                                          | 241 |
| <b>Processing of Ultra-Fine Dispersion of TiB<sub>2</sub> in SiC Ceramic Matrix</b><br>C. Blanc and F. Thevenot                                                                                                                                                                       | 249 |
| <b>Development and Characterization of Nanophase Si<sub>3</sub>N<sub>4</sub>-Based Ceramics</b><br>A. Bellosi, F. Monteverde, S. Botti and S. Martelli                                                                                                                                | 255 |
| <b>Nano-Powders From Gas-Phase Laser Driven Reactions: Characteristics and Applications</b><br>E. Borsella, S. Botti and S. Martelli                                                                                                                                                  | 261 |
| <b>Deposition of Nanocrystalline Metal Films by Cluster Beams Produced by a Pulsed Arc Cluster Ion Source</b><br>E. Barborini, P. Piseri, P. Milani and S. Iannotta                                                                                                                   | 267 |
| <b>Mechanical Alloying of Al<sub>91</sub>Ni<sub>5</sub>Cu<sub>2</sub>Ti<sub>1.4</sub>Zr<sub>0.4</sub>Mm<sub>0.2</sub> Powders and Electro-Discharge Consolidation into Bulk</b><br>J. Qiu, C. Rock, T. Shibata and K. Okazaki                                                         | 273 |
| <b>Formation of Metastable Phases in Condensed Matter by Shock-Wave Loading and 100-MJ Ballistic Facility. Results and Perspectives</b><br>Y.V. Shorokhov, B.V. Litvinov, V.N. Buzanov, A.A. Denisenko, A.Y. Yermakov, B.A. Greenberg and P.V. Kryukov                                | 279 |
| <b>Explosive Compaction of Nanosized TiN-Powders</b><br>T. Rabe, R. Prümmer and R. Waesche                                                                                                                                                                                            | 285 |
| <b>Synthesis and Characterization of CeO<sub>2</sub> Obtained by Spray Pyrolysis Method</b><br>M. Vallet-Regí, F. Conde, S. Nicolopoulos, C.V. Ragel and J.M. González-Calbet                                                                                                         | 291 |
| <b>Magnetic Iron Oxide Nanoparticles Synthesized via Microemulsions</b><br>J. Mira, J.A. López-Pérez, M.A. López-Quintela and J. Rivas                                                                                                                                                | 297 |
| <b>Influence of the Injection Pressure and Crucible-Wheel Distance on the Amorphous State in the Fe<sub>73.5</sub>Ta<sub>3</sub>Cu<sub>1</sub>Si<sub>13.5</sub>B<sub>9</sub> Alloy</b><br>N. Murillo, F. Leccabue, B.E. Watts, P. Marín, M. Vázquez, J. González and J.M. Barandiarán | 303 |
| <b>Formation of Nanoscale FCC-Al Particles in Al-Y-Ni-Co Amorphous Alloys</b><br>J. Latuch, A. Kokoszkiwicz and A. Calka                                                                                                                                                              | 309 |

|                                                                                                                                                                                                     |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Thermodynamic Issues in Nanocrystalline Materials</b><br>L. Battezzati                                                                                                                           | 317 |
| <b>On the Glass Forming Ability of Bulk Metallic Glasses</b><br>R. Busch, E. Bakke and W.L. Johnson                                                                                                 | 327 |
| <b>Time and Temperature Dependence of Decomposition and Crystallization in a Multicomponent Bulk Metallic Glass Forming Alloy</b><br>S. Schneider, U. Geyer, P. Thiyagarajan and W.L. Johnson       | 337 |
| <b>Small Atom Diffusion in the Glassy and Supercooled Liquid States of Bulk Amorphous ZrTiCuNiBe Alloys</b><br>U. Geyer, S. Schneider, Y. Qiu, M.P. Macht, T.A. Tombrello and W.L. Johnson          | 343 |
| <b>Undercooling Experiments on the Re-Ta System in a 48-m High Drop-Tube Facility</b><br>S. Tournier and B. Vinet                                                                                   | 349 |
| <b>Metastable Phase Formation in Undercooled Nb-Al Melts</b><br>W. Löser, R. Hermann, M. Leonhardt, D. Stephan and R. Bormann                                                                       | 355 |
| <b>Amorphous Phase Formation in the Fe-W System</b><br>H.Y. Bai, C. Michaelsen, W. Sinkler and R. Bormann                                                                                           | 361 |
| <b>Experimental Determination of the Formation Enthalpies of Nickel-Zirconium and Nickel-Zirconium-Titanium Amorphous Alloys</b><br>A.A. Turchanin, I.A. Tomilin and A.A. Zubkov                    | 367 |
| <b>Dissipative Structure during Formation of Solid Solutions Fe-Ti from Oxides under the Non-Equilibrium Conditions</b><br>A. Petelin and Y.S. Yusfin                                               | 373 |
| <b>Phase Separation, Crystallization and Grain Growth: Micromechanism in the Design and Stability of Nanocrystalline Alloys</b><br>U. Köster                                                        | 377 |
| <b>Formation and Crystallization Behavior of Amorphous <math>Zr_{60}Al_{10}Ni_9Cu_{18}Co_3</math> Produced by Mechanical Alloying and Rapid Quenching</b><br>A. Sagel, R. Wunderlich and H.J. Fecht | 389 |
| <b>The Effects of Preparation Techniques on Amorphisation and Thermal Phase Transformation in Pd-Si Binary System</b><br>W.H. Guo, F. Padella, M. Magini and C. Colella                             | 395 |
| <b>Nanocrystallisation Kinetics in <math>Fe_{73.5}X_3Cu_1Si_{13.5}B_9</math> (X= Ta, Mo and Nb) Alloys</b><br>N. Murillo, F. Leccabue, B.E. Watts, I. Telleria, J. González and J.M. Barandiarán    | 403 |
| <b>Kinetics of Formation of Al Nanocrystals from Amorphous Al-Sm Alloys</b><br>P. Rizzi, M. Baricco, L. Battezzati, P. Schumacher and A.L. Greer                                                    | 409 |
| <b>Kinetics of Reordering in A Nanograined FeAl Alloy</b><br>S. Suriñach, X. Amils, S. Gialanella, L. Lutterotti and M.D. Baró                                                                      | 415 |
| <b>Low Temperature Nanocrystallization of Iron-Based Amorphous Alloys</b><br>T. Kulik, J. Ferenc and H. Matyja                                                                                      | 421 |
| <b>Thermal Behaviour of Amorphous Zircon Prepared by Ball Milling</b><br>T. Puclin and W.A. Kaczmarek                                                                                               | 427 |
| <b>Thermal Treatment of Iron Ball Milled with Pyrazine (<math>C_4H_4N_2</math>)</b><br>G.M. Wang, S.J. Campbell and W.A. Kaczmarek                                                                  | 433 |
| <b>Electrical Resistivity Study of Nanocrystallization Kinetics in Al-Y-Ni-Co</b><br>K. Pękała, P. Jaśkiewicz, J. Latuch and A. Kokoszkiewicz                                                       | 439 |
| <b>Recrystallization of Na-Implanted Silicon</b><br>W.H. Wang                                                                                                                                       | 445 |
| <b>Decomposition of Massively Transformed Ti-Al MA Powders</b><br>T. Fujii and K. Ameyama                                                                                                           | 451 |
| <b>Growth of Semicohherent TiFe Nanoparticles in <math>\beta</math>-Ti Matrix</b><br>C.-. Lee, B.B. Radojević, F.-. Chen and T.P. Perng                                                             | 457 |
| <b>Crystallization of Amorphous <math>Fe_{78}Si_9B_{13}</math> Alloy</b><br>T. Dolidze, F. Malizia, F. Ronconi and O. Donzelli                                                                      | 463 |
| <b>Low Temperature Triple Junction Diffusion in Fine Scale Materials</b><br>A. Petelin                                                                                                              | 469 |
| <b>The Role of Enthalpy in Structural and Property Changes of Intermetallic Compounds</b><br>H. Bakker, I.W. Modder, G.F. Zhou and H. Yang                                                          | 477 |

|                                                                                                                                                                                                                                            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Microstructural and Structural Changes in Si and C Induced by Mechanical Attrition</b><br>C.C. Koch, T.D. Shen and Y. Fahmy                                                                                                             | 487 |
| <b>Comparative Structural Studies of nanocrystalline Materials Processed by Different Techniques</b><br>R. Valiev, I.V. Alexandrov, W.A. Chiou, R.S. Mishra and A.K. Mukherjee                                                             | 497 |
| <b>Mechanically Activated State of Nanograins during and Just after In-Situ Deformation Using Synchrotron Radiation</b><br>A.R. Yavari, W.J. Botta Filho, A. Le Moulec, H. Graafsma and Å. Kvik                                            | 507 |
| <b>Application of Synchrotron Radiation for Structural Analysis of Mesoscopic Structures Produced by Ball Milling</b><br>A. Calka, S. Wilkins, H. Hashizume, D.J. Cookson and J.I. Nikolov                                                 | 517 |
| <b>Crystallization and Phase Separations in Amorphous <math>\text{Cu}_{12.5}\text{Ni}_{10}\text{Zr}_{41}\text{Ti}_{14}\text{Be}_{22.5}</math> Alloy, as Investigated by SANS</b><br>J.M. Liu, A. Wiedenmann, U. Gerold and H. Wollenberger | 523 |
| <b>A Study of Mechanically Alloyed <math>\text{Cu}_{70}\text{Fe}_{30}</math> by Diffraction, Spectroscopy and DSC</b><br>S. Enzo, G. Mulas, R. Frattini, G. Principi, R. Gupta, R. Cooper and N. Cowlam                                    | 529 |
| <b>Disordering of FeAl by Mechanical Milling</b><br>L.S.J. Peng and G.S. Collins                                                                                                                                                           | 535 |
| <b>Evolution of Short- and Long Range Order during the Milling of AlFe</b><br>M.T. Clavaguera-Mora, J. Zhu, M. Meyer, L. Mendoza-Zélis, F.H. Sánchez and N. Clavaguera                                                                     | 541 |
| <b>Structural and Magnetic Investigation of Mechanically Alloyed <math>\text{Fe}_{10}\text{Al}_{90}</math></b><br>M. Pekała and D. Oleszak                                                                                                 | 547 |
| <b>Structural Evolution during Milling of Diluted Solid Solutions of Fe-Cu</b><br>M.J. Barro, E. Navarro, P. Agudo, A. Hernando, P. Crespo and A. Garcia Escorial                                                                          | 553 |
| <b>Contrast Modulation during Decomposition of Supersaturated fcc-Cu Solid and Liquid Solutions</b><br>A. Garcia Escorial, W.J. Botta Filho, O. Drbohlav, P. Crespo, M. Urchulutegui, M. Vittori Antisari, A. Hernando and A.R. Yavari     | 559 |
| <b>Phase Transformations and Hyperfine Interactions in Mechanically Alloyed Fe-Cu Solid Solutions</b><br>S.D. Kaloshkin, I.A. Tomilin, G.A. Andrianov, U.V. Baldokhin and E.V. Shelekhov                                                   | 565 |
| <b>Rapid Solidification and Mechanical Grinding of Cu-Zn Alloys</b><br>S. Gialanella, M.D. Baró, X. Amils, S. Suriñach and A.R. Yavari                                                                                                     | 571 |
| <b>X-Ray Study of the Initial Stage of the Formation of Supersaturated Solid Solutions during Mechanical Alloying and Role of Mixing Enthalpy in this Process</b><br>T.F. Grigorieva, A.P. Barinova, E.Y. Ivanov and V.V. Boldyrev         | 577 |
| <b>Comparison of Disorder Induced Thermally and by Ball Milling in <math>\text{Ni}_2\text{MnSn}</math></b><br>G. Le Caër, P. Delcroix, B. Malaman, R. Welter, B. Fultz and E. Ressouche                                                    | 583 |
| <b>Nano-Structure and Properties of Severely Deformed TiAl and Their Evolution on Annealing</b><br>A.V. Korznikov, G.F. Korznikova, R. Valiev and O. Dimitrov                                                                              | 589 |
| <b>Nanoscale Ordering in Amorphous Silicon Powders Formed by Plasma Induced Reaction of Silane</b><br>H. Hofmeister, J. Dutta and H. Hofmann                                                                                               | 595 |
| <b>Interfaces and Defects in Nanocrystalline Oxides</b><br>D. Michel, L. Mazerolles and E. Gaffet                                                                                                                                          | 601 |
| <b>The Microstructure of Mechanically Alloyed <math>\text{MoSi}_2</math> With Ni and Al Additions</b><br>A.J. Heron and G.B. Schaffer                                                                                                      | 607 |
| <b>Structure and Properties of <math>\text{MoS}_2</math> Films</b><br>N. Mattern, H.U. Hermann, G. Weise, A. Teresiak and H.D. Bauer                                                                                                       | 613 |
| <b>An "In Situ" Mossbauer Study of the Crystalline Phase Emerging during Amorphous Alloy Crystallization</b><br>A.A. Novakova and T.Y. Kiseleva                                                                                            | 619 |
| <b>Sims Characterization of Noble Metal-Based Thin Film Electrodes</b><br>C. Piccirillo, S. Daolio, S. Gelosi, C. Pagura, B. Facchin and J. Kristof                                                                                        | 625 |
| <b>Structural Changes Caused by GeV Heavy Ions in Metals</b><br>P.M. Ossi and R. Pastorelli                                                                                                                                                | 631 |
| <b>Surface Spin Disorder in Ferrite Nanoparticles</b><br>R.H. Kodama, A.E. Berkowitz, E.J. McNiff Jr. and S. Foner                                                                                                                         | 643 |

|                                                                                                                                                                                                                                                 |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Magnetic Hysteresis in Fe/SiO<sub>2</sub> and Fe/BN Granular Solids</b><br>J.A. Christodoulides and G.C. Hadjipanays                                                                                                                         | 651 |
| <b>Dispersions of <math>\gamma</math>-Fe<sub>2</sub>O<sub>3</sub> Nanoparticles. Mössbauer Spectroscopic Studies of the Superparamagnetic Relaxation</b><br>E. Tronc and J.P. Jolivet                                                           | 659 |
| <b>Dynamical Properties of <math>\gamma</math>-Fe<sub>2</sub>O<sub>3</sub> Nanoparticles Dispersed in a Polymer</b><br>J.L. Dormann, F. D'Orazio, F. Lucari, L. Spinu, E. Tronc, P. Prené, J.P. Jolivet and D. Fiorani                          | 669 |
| <b>On the Antiferromagnetism of Fe-Rh</b><br>A. Hernando, J.M. Rojo, R. Yavari, E. Navarro, J.M. Barandiarán and M.R. Ibarra                                                                                                                    | 675 |
| <b>Correlation Between Magnetic and Structural Properties of Nanocrystalline Fe<sub>85</sub>Zr<sub>7</sub>B<sub>6</sub>Cu<sub>2</sub> Alloys</b><br>A. Ślawska-Waniewska, A. Roig, J.S. Muñoz Domínguez, P. Nowicki, R. Żuberek and J. González | 685 |
| <b>The Effect of Stress and Field Annealing on the Magnetic Properties of Amorphous Fe<sub>85-x</sub>Co<sub>x</sub>B<sub>15</sub></b><br>E. Wittig, R. Grössinger, R. Sato Turtelli and C. Kussbach                                             | 691 |
| <b>Magnetic Properties of Nanostructured Ferromagnetic Metals</b><br>J.F. Löffler, W. Wagner, H. Van Swygenhoven, J. Meier, B. Doudin and J.-. Ansermet                                                                                         | 699 |
| <b>Static and Dynamic Magnetic Properties of Melt-Spun Granular Cu<sub>100-x</sub>Co<sub>x</sub> Alloys</b><br>E. Agostinelli, P. Allia, R. Caciuffo, D. Fiorani, D. Rinaldi, A.M. Testa, P. Tiberto and F. Vinai                               | 705 |
| <b>Giant Magnetoresistance in Granular Co/Ag Films Prepared by the Deposition of Well-Defined Co Clusters</b><br>S. Rubin and H. Micklitz                                                                                                       | 711 |
| <b>Giant Magnetoimpedance in Rapidly Solidified Nanocrystalline NiFe Fibers</b><br>P. Ciureanu, P. Rudkowski, M. Britel, D. Ménard, J.O. Ström-Olsen and A. Yelon                                                                               | 717 |
| <b>Improved Soft Magnetic Properties of Nanocrystalline Fe-M-B-Cu (M = Zr, Nb) Alloys with High Saturation Magnetic Flux Density and Zero-Magnetostriction</b><br>A. Makino, A. Inoue, T. Hatanai and T. Bitoh                                  | 723 |
| <b>Substitutions of Co for Fe in FeSiBCuNb Nanocrystalline Soft Magnetic Ribbon</b><br>D. Wexler, R. Bennett, M. Emr and K.P. Gilleard                                                                                                          | 729 |
| <b>Field and Frequency Dependencies of the Complex Disaccommodation in Amorphous Fe<sub>85-x</sub>Co<sub>x</sub>B<sub>15</sub></b><br>J.P. Sinnecker, R. Sato Turtelli and R. Grössinger                                                        | 735 |
| <b>Influence of the Crystallisation Process in the Magnetic Properties of (Fe,Co)SiB(CuNb) Alloys</b><br>P. Marín, M. Vázquez, L. Pascual, D. Negri, F. Leccabue, B.E. Watts, H.A. Davies and A. Hernando                                       | 743 |
| <b>Dependence of Magnetic Properties on Copper Content in Finemet Type Thin Layers</b><br>É. Kisdi-Koszó, I.A. Szabó, É. Zsoldos, Z. Vértessy, J.L. Lábár, P. Kollár and M. Kuzminski                                                           | 749 |
| <b>Dynamics of the Remagnetization Process in the Rapidly Quenched FeCuNbSiB Alloys</b><br>L. Ceniga, A. Zentko and M. Zentkova                                                                                                                 | 755 |
| <b>Thermomagnetic Behaviour and Structure of Nitrided Fe<sub>73.5</sub>Cu<sub>1</sub>Nb<sub>3</sub>Si<sub>13.5</sub>B<sub>9</sub> Ribbons</b><br>S. Grognat, H. Atmani, N. Larguet and J.P. Lebertois                                           | 759 |
| <b>On the Nanostructural Formation Process in Fe-M-B (M=Zr or Nb) Soft Magnetic Alloys</b><br>K. Suzuki, J.M. Cadogan, V. Sahajwalla, A. Inoue and T. Masumoto                                                                                  | 765 |
| <b>Magnetism and Mössbauer Spectroscopy in Nanocrystalline FeNbCrCuB Alloy</b><br>I. Škorvánek, M. Miglierini and P. Duhaj                                                                                                                      | 771 |
| <b>The Influence of Processing Conditions on the Microstructure and the Magnetic Properties of Fe-Zr-Cu-(B)-Based Alloys Prepared by Mechanical Attrition</b><br>C. Stiller, J. Eckert, R. Schäfer, S. Roth and L. Schultz                      | 777 |
| <b>High Frequency Magnetoimpedance in Amorphous Co<sub>71</sub>Fe<sub>4</sub>B<sub>15</sub>Si<sub>10</sub> Ferromagnetic Alloy</b><br>L. Brunetti, P. Tiberto and F. Vinai                                                                      | 783 |
| <b>Sample Length Influence on Hysteresis Properties in Fe-Based Amorphous Wires</b><br>P. Tiberto, F. Vinai, C. Romito, H. Chiriac and F. Barariu                                                                                               | 789 |
| <b>On the Shape of Individual Barkhausen Pulse</b><br>A. Zentková, S. Uličiansky, A. Zentko and L. Ceniga                                                                                                                                       | 795 |
| <b>Temperature Dependence of Magnetization of Amorphous Tm-Co-B Alloys; Mean Field Analysis</b><br>B. Idzikowski, A. Handstein, K.-. Müller and L. Schultz                                                                                      | 801 |

|                                                                                                                                                                                                                                                                                                           |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>FE-Rich Fe<sub>14</sub>Nd<sub>2</sub>B<sub>1</sub> Type Hard-Soft Nanocrystalline Magnetic Materials</b><br>D. Negri, A.R. Yavari, M. Vazquez, A. Hernando, A. Deriu and T. Hopfinger                                                                                                                  | 807 |
| <b>Superparamagnetic Regime in <math>\gamma</math>-Fe<sub>2</sub>O<sub>3</sub> Nanoparticle Systems; Effect of the Applied Magnetic Field</b><br>C. Vaz, M. Godinho, J.L. Dormann, M. Noguès, A. Ezzir, E. Tronc and J.P. Jolivet                                                                         | 813 |
| <b>Magnetic Properties of a Few Material Systems Made by Mechanical Alloying and Milling</b><br>J. Tang                                                                                                                                                                                                   | 819 |
| <b>Study of Magnetoresistance in Nano-Structured Co-Ag Alloys Produced by Mechanical Alloying</b><br>K. Yasuna, A. Otsuki, K.N. Ishihara and P.H. Shingu                                                                                                                                                  | 825 |
| <b>Magnetization, Magnetically Modulated Microwave Absorption (MaMMA) and Magnetoresistance in Small Particles of La<sub>0.67</sub>Ca<sub>0.33</sub>MnO<sub>3</sub></b><br>R.D. Sánchez, J. Rivas, D. Caeiro, M. Östlund, M. Servin, C. Vázquez-Vázquez, M.A. López-Quintela, M.T. Causa and S.B. Oseroff | 831 |
| <b>Application of Co-P Nanostructured Multilayers to Detect Local Inhomogeneity of Magnetic Field</b><br>L. Lanotte, R. Germano, V. Iannotti and C. Luponio                                                                                                                                               | 837 |
| <b>Quadruple-Defect Formation and Changes of Magnetic Properties in Cubic Laves Phases by Milling</b><br>I.W. Modder and H. Bakker                                                                                                                                                                        | 843 |
| <b>Mechanical Properties of Nanophase Materials</b><br>R.W. Siegel                                                                                                                                                                                                                                        | 851 |
| <b>Hardness, Strength, Ductility and Toughness of Nanocrystalline Materials</b><br>D.G. Morris and M.A. Morris                                                                                                                                                                                            | 861 |
| <b>High-Strength Al-Based Alloys Consisting Mainly of Nanoscale Quasicrystalline or Amorphous Particles</b><br>A. Inoue and H. Kimura                                                                                                                                                                     | 873 |
| <b>Sinterforging and Indentation Creep of Nanophase TiAl</b><br>L. Kim, T. Klassen, R.S. Averback and C. Altstetter                                                                                                                                                                                       | 881 |
| <b>Grain Boundary Distributions, Texture and Mechanical Properties of Ultrafine-Grained Copper Produced by Severe Plastic Deformation</b><br>O.V. Mishin, V.Y. Gertsman, R. Valiev and G. Gottstein                                                                                                       | 887 |
| <b>Elastic Energy Dissipation Measurements on Fe<sub>50</sub>Al<sub>50</sub> and Fe<sub>75</sub>Al<sub>25</sub> Nanostructured Compounds: a Structure Sensitive Probe of Metastability and Structure Evolution</b><br>E. Bonetti, L. Pasquini, E. Sampaolesi, G. Scipione and G. Valdrè                   | 893 |
| <b>Nanostructured Mesoporous Solids: From Colloids to Molecular Dynamics</b><br>A. De Stefanis and A.A.G. Tomlinson                                                                                                                                                                                       | 901 |
| <b>Electrocatalytic Properties of Ni-Zr Based Amorphous and Nanocrystalline Alloys</b><br>M. Baricco, F. Minichilli, E. Angelini, S. Spriano, F. Rosalbino, P. Spinelli and E.P.M.V. Angelini                                                                                                             | 911 |
| <b>Electrocatalytic Behavior of Metastable Alloys Prepared by Ball Milling</b><br>T. Benameur, B. Rezgui, A.R. Yavari and R. Durand                                                                                                                                                                       | 917 |
| <b>Electrocatalytic Performance of Nanocrystalline Ti-Ru-Fe-Cr-O Cathodes in Chlorate Electrolyte</b><br>S.W. Jin, A. Van Neste, E. Ghali, D. Guay and R. Schulz                                                                                                                                          | 923 |
| <b>Nanoscale Pt Powders Derived from Solvated Pt Atoms in Catalysis</b><br>G. Vitulli, E. Pitzalis, A. Verrazzani, P. Pertici, P. Salvadori and G. Martra                                                                                                                                                 | 929 |
| <b>Nitric Oxide Reduction Catalyzed by Mechanically Alloyed Nickel-Zirconium Powder</b><br>W.E. Brower Jr., A.J. Montes, K.A. Prudlow, H. Bakker, A.C. Moleman and H. Yang                                                                                                                                | 935 |
| <b>Correlation of Gas Sensitive Properties with Fe<sub>2</sub>O<sub>3</sub>-SnO<sub>2</sub> Ceramic Microstructure Prepared by High Energy Ball Milling</b><br>J.Z. Jiang, S.W. Lu, Y.X. Zhou, S. Mørup, K. Nielsen, F.W. Poulsen, F.J. Berry and J. McMannus                                             | 941 |
| <b>Stored Energy and Electromotive-Force of Mechanically Milled Copper</b><br>A. Otsuki, P.H. Shingu and K.N. Ishihara                                                                                                                                                                                    | 949 |
| <b>Activated Conduction in Tungsten Containing Diamond-Like Film</b><br>A.A. Bozhko, S. Chudinov, M. Evangelisti, S. Stizza and V. Dorfman                                                                                                                                                                | 955 |
| <b>Electrochemical Investigation of Nanocrystalline Ni Obtained by Different Preparation</b><br>M. Schneider, W. Zeiger, U. Birth, K. Pischang, E. Gaffet and O. El Kedim                                                                                                                                 | 961 |

|                                                                                                                                                              |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Optical Properties of Nanoscale Silicon Particles Obtained by CO<sub>2</sub> Laser Induced Reactions in a Flow Reactor</b>                                |     |
| E. Borsella, S. Botti, S. Martelli, R.M. Montereali, W. Vogel and E. Carlino                                                                                 | 967 |
| <b>Nanostructuration of Pinning Centers in Directionally Solidified YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub>-Y<sub>2</sub>BaCuO<sub>5</sub> Composites</b> |     |
| B. Martinez, F. Sandiumenge, V. Gomis, A. Gou, N. Vilalta, R. Yu, S. Piñol, J. Fontcuberta and X. Obradors                                                   | 973 |
| <b>Metastable Ti-Ru-Fe-O Nanocrystalline Alloys for the Hydrogen Evolution Reaction in the Chlorate Industry</b>                                             |     |
| M. Blouin, L. Roué, S.-. Yip, D. Guay, J. Huot, S. Boily, A. Van Neste and R. Schulz                                                                         | 979 |
| <b>Application of High Energy Ball Milling in Mineral Materials: Extraction of TiO<sub>2</sub> from Mineral FeTiO<sub>3</sub></b>                            |     |
| Y. Chen and J.S. Williams                                                                                                                                    | 985 |
| <b>Ball Milled ZnO for Varistor Applications</b>                                                                                                             |     |
| S. Boily, H. Alamdari, G. Cross, A. Joly, A. Van Neste, P. Grütter and R. Schulz                                                                             | 993 |