

# Table of Contents

## Preface

### Shaping, Joining and Engraving of Bulk Metallic Glasses Using an Electromechanical Process

M.F.d. Oliveira, W.J. Botta Filho and A.R. Yavari 1

### Glass Formation and Glass Forming Ability of $\text{La}_{86-x}\text{Al}_{14}\text{Cu}_x$ ( $x=10-36$ ) Alloys

H. Tan, Z.P. Lu, Y.P. Feng and Y.Y. Li 7

### In-Situ Observation of Phase Transformations of Quasi-Crystalline Forming $\text{Zr}_{65}\text{Al}_{7.5}\text{Ni}_{10}\text{Cu}_{7.5}\text{Pd}_{10}$ Alloy Using Synchrotron Radiation

W.J. Botta Filho, A.R. Yavari, G. Vaughan and Å. Kvick 13

### Ti-Based Bulk Amorphous and Quasicrystalline Materials Prepared by Warm Process

K.B. Kim, S.H. Yi, H.K. Lim, S.H. Kim, W.T. Kim and D.H. Kim 21

### Oxidation of Amorphous and Nanocrystalline Zr-Cu-Ni-Al Alloys

U. Köster and Triwikantoro 29

### Crystallization Behaviour of $\text{Zr}_{65-x-y}\text{Ti}_x\text{Al}_y\text{Hf}_5\text{Cu}_{20}\text{Ni}_{10}$ Bulk Metallic Alloys By Insitu Neutron Diffraction

J.L. Soubeyroux, N. Claret and J.M. Pelletier 37

### Preparation, Microstructure and Mechanical Properties of Carbon Fiber Containing Bulk Metallic Glass Composites

F. Szeucs, C.N.P. Kim and W.L. Johnson 43

### Microstructure and Mechanical Properties of Ductile Phase Containing Bulk Metallic Glass Composites

C.N.P. Kim, F. Szeucs and W.L. Johnson 49

### Microstructures and Properties of Metal Reinforced Bulk Metallic Glass Composites

H. Choi-Yim, D.R. Conner and W.L. Johnson 55

### Variation in Mechanical Properties with Crystallinity of a La-Based Bulk Metallic Glass

U. Ramamurty, N. Nagendra and Y.Y. Li 61

### Glass Forming Ability and Crystallization Behaviors of the Ti-Cu-Ni-(Sn) Alloys with Large Supercooled Liquid Region

Y. Kim, S.H. Yi, W.T. Kim and D.H. Kim 67

### Nucleation and Growth of Nano Icosahedral Phase in $\text{Zr}_{65}\text{Al}_{7.5}\text{Ni}_{10}\text{Cu}_{7.5}\text{M}_{10}$ ( $\text{M}=\text{Ag}$ and $\text{Pd}$ ) Glassy Alloys

J. Saida, M. Matsushita and A. Inoue 73

### Crystallization of Bulk Glass Forming Pd-Based Melts

J. Schroers, J.F. Löffler, E. Pekarskaya, R. Busch and W.L. Johnson 79

### Nanocrystalline CaO and ZrC as a Second Phase in Amorphous Zr-Cu-Al-Ni Matrix Composites

S. Deledda, J. Eckert and L. Schultz 85

### A Centrifugal Force Casting Device for Preparation of Net-Shape Bulk Metallic Glasses

J. Uriarte, A. Le Moulec and A.R. Yavari 91

### The Effect of Ag on the Glass Forming Ability and Crystallization in Mg-Cu-Ag-Y Alloys

E.S. Park, H.G. Kang, W.T. Kim and D.H. Kim 95

### The Effect of Ag Addition on the Crystallization Behavior of Amorphous $\text{Zr}_{65}\text{Al}_{7.5}\text{Cu}_{17.5-x}\text{Ni}_{10}\text{Ag}_x$ ( $x=0, 2.5, 5, 7.5, 10$ ) Alloys

J.K. Lee, W.T. Kim and D.H. Kim 101

### Phase Selection in the Crystallization of $\text{Zr}_{55}\text{Al}_{10}\text{Ni}_5\text{Cu}_{30}$ Amorphous Alloy

M.F.d. Oliveira, W.J. Botta Filho and C.S. Kiminami 107

### A Model of Self-Diffusion in Undercooled Liquids

V.I. Dimitrov, A. Gungor and M. Kumru 113

### Free-Volume Diffusion in Undercooled Liquids

V.I. Dimitrov, A. Gungor and M. Kumru 119

### Dynamic Heat Capacity of the $\text{Pd}_{40}\text{Ni}_{10}\text{Cu}_{30}\text{P}_{20}$ Amorphous Alloy by Temperature-Modulated Calorimetry

X. Hu, Y.Y. Li, S.C. Ng and Y.P. Feng 123

### Nanocrystalline Al-Based Bulk Alloys with High Strength Above 1000 Mpa

A. Inoue, Y. Kawamura, H. Kimura and H. Mano 129

|                                                                                                                                                                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>The Evolution of Crystalline Precursors During the Formation of Al-Cu-Fe Quasicrystalline Intermetallics in Mechanically Alloyed Powders</b><br>A.I. Salimon, A.M. Korsunsky, S.D. Kaloshkin, V.V. Tcherdyntsev, E.V. Shelekhov and T.A. Sviridova | 137 |
| <b>The Formation Enthalpies of Rapidly Quenched Amorphous Alloys in the Al-Y-Ni System</b><br>I.A. Tomilin, S.A. Dogel, J. Latuch and T. Kulik                                                                                                        | 143 |
| <b>Effect of Annealing Conditions and Alloy Composition on Primary Crystals Created in Al-Y-Ni Glasses</b><br>T. Kulik and J. Latuch                                                                                                                  | 149 |
| <b>Short Range Order Study in Al-Fe-X Melt Spun Alloys</b><br>F. Audebert, B. Arcondo, D. Rodríguez and H. Sirkin                                                                                                                                     | 155 |
| <b>Crystallisation of Al<sub>90</sub>Fe<sub>5</sub>Nd<sub>5</sub> Amorphous Alloy</b><br>K.R. Cardoso, A. Garcia Escorial, W.J. Botta Filho and M. Liebllich                                                                                          | 161 |
| <b>Formation of Nanocrystalline Ferrite through Rolling and Ball Milling</b><br>M. Umemoto, Z.G. Liu, X.J. Hao, K. Masuyama and K. Tsuchiya                                                                                                           | 167 |
| <b>Nanostructure Formation and Mechanical Alloying in the Wheel/Rail Contact Area of High Speed Trains in Comparison with Other Synthesis Routes</b><br>M. Djahanbakhsh, W. Łojkowski, G. Bürkle, G. Baumann, J. Ivanisenko, R. Valiev and H.J. Fecht | 175 |
| <b>Structural Change and <sup>57</sup>Fe Mössbauer Spectroscopy of Mechanically Alloyed Fe<sub>3</sub>C and Fe<sub>5</sub>C<sub>2</sub></b><br>K. Tokumitsu and M. Umemoto                                                                            | 183 |
| <b>Phase Evolution in Fe-Cr-Mn-Mo Powders Processed By Mechanical Alloying in N<sub>2</sub> Atmosphere</b><br>H. Mancha, G. Mendoza-Suárez, S. Belmares, M.M. Cisneros, J.I. Escalante, H.F. Lopez and M. Méndez                                      | 189 |
| <b>Disordering of B2 Intermetallics by Ball Milling, with Particular Attention of FeAl</b><br>D.G. Morris, X. Amils, S. Suriñach, M.D. Baró and M.A. Muñoz-Morris                                                                                     | 195 |
| <b>Structural Analysis of Amorphous Ge-Se Alloys Prepared by Mechanical Milling</b><br>T. Nasu, F. Araki, O. Uemura, T. Usuki, Y. Kameda, S. Takahashi and K. Tokumitsu                                                                               | 203 |
| <b>The Impact of Microstructure of High Energy Ball Milled Powders on the Reaction Kinetics</b><br>D. Ying and D.L. Zhang                                                                                                                             | 211 |
| <b>The Recovery and Recrystallisation of a Mechanically Alloyed ODS-Fe<sub>3</sub>Al Alloy</b><br>J. Ritherdon, A.R. Jones and I.G. Wright                                                                                                            | 217 |
| <b>Phase Transformations in Equiatomic ZrCu Alloy</b><br>Z.Y. Liu, M. Aindow, J.A. Hriljac, I.P. Jones and I.R. Harris                                                                                                                                | 223 |
| <b>Mechanical Properties of Nanocrystalline TiAl-X and TiAl<sub>3</sub>-X Prepared by Mechanical Alloying and Sintering</b><br>H.A. Calderón, V. Garibay-Febles, A.F. Cabrera, J.G. Cabañas-Moreno and M. Umemoto                                     | 229 |
| <b>Mechanically Alloyed Nanocrystalline Intermetallic Matrix Composites Reinforced with Alumina</b><br>D. Oleszak and M. Krasnowski                                                                                                                   | 235 |
| <b>Consolidation of Dispersion Strengthened Nanostructured Copper Via Hot Extrusion</b><br>J.B. Correia, M.T. Marques, M. Oliveira and P. Matteazzi                                                                                                   | 241 |
| <b>Investigation of Grain Growth and Stabilisation of Nanocrystalline Ni</b><br>H. Wolf, Z. Guan, H. Natter, R. Hempelmann and T. Wichert                                                                                                             | 247 |
| <b>Microstructure and Thermal Stability of 'Nanocrystalline' Electrodeposited Au-Cu Alloys</b><br>L. Battezzati, M. Baricco, M. Belotti and V. Brunella                                                                                               | 253 |
| <b>Novel Ni-TaC Nanocrystalline Cermets</b><br>A.L. Greer and J.R. Wilde                                                                                                                                                                              | 261 |
| <b>Two-Phase Lead-Tin Nanoscale Precipitates in Aluminum</b><br>E. Johnson, A. Johansen, L. Sarholt and U. Dahmen                                                                                                                                     | 267 |
| <b>Alloying in a System with Positive Heat of Mixing: MD Simulations of Ag-Cu</b><br>H.W. Sheng and E. Ma                                                                                                                                             | 275 |
| <b>Nanoscale Lead-Cadmium Alloy Inclusions in Silicon</b><br>L. Sarholt, A.S.B. Jensen, V.S. Touboltsev, A. Johansen and E. Johnson                                                                                                                   | 283 |
| <b>Influence of Milling Temperature on the Mechanical Alloying and Magnetic Properties of Cu-Co and Cu-Fe Systems</b><br>M.A. Uimin, A.Y. Korobeinikov, A.Y. Yermakov, V.I. Khrabrov and A.K. Shtolz                                                  | 289 |

|                                                                                                                                                                                                                                                               |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Frictional Characteristics of Nano-Embedded Aluminium Alloys</b><br>V.B. Bhattacharya and K. Chattopadhyay                                                                                                                                                 | 295 |
| <b>A Study of the Evolution of Particle Size and Geometry During Ball Milling</b><br>A. Calka and D. Wexler                                                                                                                                                   | 301 |
| <b>On the Coupling between Mechanical Behavior and Phase Stability in Mechanically Milled Alloy Powder</b><br>M. Atzmon, J. Xu and H.H. Tian                                                                                                                  | 311 |
| <b>Particle Size Evolution in Non-Adhered Ductile Powders during the Mechanical Alloying</b><br>J. Guerrero-Paz, F. Robles-Hernandez, R. Martínez-Sánchez, D. Hernández-Silva and D. Jaramillo-Vigueras                                                       | 317 |
| <b>The Role of Nucleation in Solid State Reactions during Mechanical Alloying and Heat Treatment of High Energy Mechanically Milled Powders</b><br>D.L. Zhang and D. Ying                                                                                     | 323 |
| <b>Mechanical Alloying of an Fe<sub>0.30</sub>Cr<sub>0.70</sub> Alloy from Elemental Powders</b><br>P. Delcroix, T. Ziller, C. Bellouard and G. Le Caër                                                                                                       | 329 |
| <b>A Quantitative Description of the Amorphisation Behaviour by Mechanical Alloying</b><br>F. Delogu, L. Schiffini and G. Cocco                                                                                                                               | 337 |
| <b>Structural Studies of Hf<sub>50</sub>Co<sub>50</sub> Alloys Prepared by Mechanical Alloying</b><br>A. Al-Hajry, M. Al-Assiri, S. Enzo, J. Hefne, S. Al-Heniti, N. Cowlam and A. Al-Shahrani                                                                | 343 |
| <b>Study of the Synthesis and Sintering of Nanophase Fe<sub>73</sub>Al<sub>27</sub> Obtained by Mechanical Alloying</b><br>G. González, L. D'Angelo, J.L. Ochoa and L. D'Onofrio                                                                              | 349 |
| <b>Effect of the Milling Media on the Phases Obtained in Mechanically Alloyed Equiatomic Fe-Co</b><br>G. González, A. Sagarzazu, R. Villalba, J.L. Ochoa and L. D'Onofrio                                                                                     | 355 |
| <b>Alloy Formation at Ball Milling of Cu<sub>50</sub>Cr<sub>50</sub> and Fe<sub>86.5</sub>Cu<sub>13.5</sub> Compositions</b><br>V.V. Tcherdyntsev, S.D. Kaloshkin, I.A. Tomilin, E.V. Shelekhov and V.N. Serdyukov                                            | 361 |
| <b>Characterisation of the Ball-Milled Cu<sub>80</sub>(Fe<sub>0.3</sub>Co<sub>0.7</sub>)<sub>20</sub> Compound and Effects of the Milling Conditions on its Nanostructure</b><br>S. Galdeano, L. Chaffron, M.H. Mathon, E. Vincent and C.-. De Novion         | 367 |
| <b>Experimental Measurement and Theoretical Computation of Milling Intensity and Temperature for the Purpose of Mechanical Alloying Kinetics Description</b><br>L.Y. Pustov, S.D. Kaloshkin, V.V. Tcherdyntsev, I.A. Tomilin, E.V. Shelekhov and A.I. Salimon | 373 |
| <b>Structural Studies of the Amorphisation Reaction of ZrRh Alloys Prepared by Mechanical Alloying</b><br>M. Al-Assiri, A. Al-Hajry, J. Hefne, S. Enzo, N. Cowlam, A. Al-Shahrani and A.E. Al-Salami                                                          | 379 |
| <b>Synthesis of Powder Alloys in Ni-Al-Nb-C System by Mechanical Alloying</b><br>K. Krivoroutchko, T. Kulik, H. Matyja, V.I. Fadeeva and V.K. Portnoy                                                                                                         | 385 |
| <b>Nanostructures of Ti-Ni-N Ultrafine Particles Produced by DC Plasma Jet Method</b><br>Y. Todaka, K. Tsuchiya, M. Nakamura and M. Umemoto                                                                                                                   | 391 |
| <b>Effect of Nozzle Cavitation on the Size Reduction of Hematite Powders</b><br>K. Tokumitsu                                                                                                                                                                  | 397 |
| <b>FVM Analysis of Natural Convection in Inert Gas Condensation Processing</b><br>K.M. Lee, W. Juhng and K.K. Kang                                                                                                                                            | 403 |
| <b>Comparison of MA Processes and Products from Ni(OH)<sub>2</sub> with Al or Al(OH)<sub>3</sub></b><br>S. Sekino, M. Senna, T. Isobe, T. Shinohara and F. Wagatsuma                                                                                          | 409 |
| <b>Mechanism of H<sub>2</sub> Activation on Metals under Mechanochemical Treatment</b><br>O.S. Morozova, A.V. Leonov, T.I. Khomenko and V.N. Korchak                                                                                                          | 415 |
| <b>Mechanical Alloying of Fine Structured Ti-Al-Nb Aluminides Involving Ti-Hydride</b><br>M. Bououdina, Z. Luklinska and Z.X. Guo                                                                                                                             | 421 |
| <b>The Effect of Inert Additives on the Activation Period of Mechanically-Induced Self-Propagating Reactions</b><br>L. Takacs and V. Soika                                                                                                                    | 427 |
| <b>Synthesis of FeAl-TiN Nanocomposite by Mechanical Alloying of Al-Fe-Ti Powder Mixture under Nitrogen Atmosphere</b><br>M. Krasnowski and H. Matyja                                                                                                         | 433 |
| <b>Reactive Milling under Hydrogen of a Nd-Fe-B Powder</b><br>G. Khélifati, J. Le Breton, L. Aymard, F. Machizaud and J. Teillet                                                                                                                              | 439 |

|                                                                                                                                                                      |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Modelling of Nanocrystallisation</b>                                                                                                                              | 445 |
| M. Baricco, M. Groppi, E. Bosco and A. Castellero                                                                                                                    |     |
| <b>Oxidation Influence on Crystallisation in Iron-Based Amorphous Alloys</b>                                                                                         | 451 |
| T. Gloriant, S. Suriñach, J.S. Muñoz Domínguez, M.D. Baró and A. Inoue                                                                                               |     |
| <b>Relaxation Kinetics of Mechanically Alloyed Powders. Fe-Ni-Si-P: A Case Study</b>                                                                                 | 459 |
| M.T. Clavaguera-Mora, J.J. Suñol and N. Clavaguera                                                                                                                   |     |
| <b>Model-Independent Approach to Isothermal Crystallization Kinetics</b>                                                                                             | 467 |
| K. Kristiaková and P. Švec                                                                                                                                           |     |
| <b>Crystallization of Metallic Glasses by Continuous Distribution Analysis</b>                                                                                       | 475 |
| P. Švec and K. Kristiaková                                                                                                                                           |     |
| <b>Thermodynamics of Undercooled Liquid and Amorphous Binary metallic Alloys</b>                                                                                     | 481 |
| A.A. Turchanin, M.A. Turchanin and P.G. Agraval                                                                                                                      |     |
| <b>Crystallisation of Partially Amorphized Ni-Mo Alloy</b>                                                                                                           | 487 |
| R. Martínez-Sánchez, S. Díaz de la Torre, F. Espinosa-Magaña, L. Bejar Gómez and J.G. Cabañas-Moreno                                                                 |     |
| <b>Influence of the Rejected Volume on the Size of Grains in Rapid Crystallization from Undercooled Melts</b>                                                        | 493 |
| V.I. Dimitrov, A. Gungor and M. Kumru                                                                                                                                |     |
| <b>Evidence of <math>T_g</math> from Devitrification Studies in Ni-Fe-Ta-Si-B amorphous Alloys</b>                                                                   | 499 |
| P. Rizzi, S. Barbero and L. Battezzati                                                                                                                               |     |
| <b>Cluster Size from X-Ray Diffraction and Magnetic Measurements in Fe-Ag Multilayers and FeZrBCu Nanocrystals</b>                                                   | 505 |
| L.F. Kiss, J. Balogh, L. Bujdosó, D. Kaptás, T. Kemény, T. Pusztai and I. Vincze                                                                                     |     |
| <b>Nanometric Architecture of SmCo<sub>5</sub> Related Magnetic Properties</b>                                                                                       | 513 |
| Y. Champion, J.H. Zhang, G. Youhui and L. Bessais                                                                                                                    |     |
| <b>Oxidation Behaviour of Nd-Fe-B Nanocomposite Powders</b>                                                                                                          | 519 |
| J. Le Breton, G. Khélifati, J. Jakubowicz and M. Jurczyk                                                                                                             |     |
| <b>Mössbauer spectroscopy Study of the Crystallisation Behaviour of Fe-Ni-Si-P amorphous powders prepared by Ball Milling</b>                                        | 525 |
| J.J. Suñol, T. Pradell, N. Clavaguera and M.T. Clavaguera-Mora                                                                                                       |     |
| <b>Synthesis and Characterization of Ti-Co Substituted Ba-Ferrites Processed by Sol-Gel</b>                                                                          | 531 |
| G. Mendoza-Suárez, J.C. Corral-Huacuz, M.E. Contreras-García and D. Vázquez-Obregón                                                                                  |     |
| <b>Nanocrystalline Fe<sub>78</sub>B<sub>13</sub>Si<sub>9</sub> Alloy Powders Prepared by Ball Milling</b>                                                            | 537 |
| M. Jachimowicz, V.I. Fadeeva, H. Matyja and A. Grabias                                                                                                               |     |
| <b>Nanocrystallization Studies of a Melt-Quenched Fe<sub>40</sub>Ni<sub>40</sub>P<sub>14</sub>B<sub>6</sub> Amorphous Alloy</b>                                      | 543 |
| A. Revesz, J. Lendvai, L.K. Varga and I. Bakonyi                                                                                                                     |     |
| <b>High Frequency Magneto-Transport Properties of Melt Spun Fe-Based Alloys with Improved Magneto-Elastic Properties</b>                                             | 549 |
| P. Allia, L. Brunetti, M. Coisson, P. Tiberto, F. Vinai and L. Lanotte                                                                                               |     |
| <b>Structure and Magnetic Properties of Melt-Spun Nd<sub>33</sub>(Fe<sub>x</sub>Al)<sub>67</sub> Alloys</b>                                                          | 553 |
| L. Si, J. Ding, Y.Y. Li and X.Z. Wang                                                                                                                                |     |
| <b>The Magnetic Properties of Compacted Fe<sub>73.5</sub>Cu<sub>1</sub>Nb<sub>3</sub>Si<sub>13.5</sub>B<sub>9</sub> Alloy in Amorphous and Nanocrystalline State</b> | 559 |
| P. Kollár, E. Fečová, J. Füzér, A. Zelenáková, V. Kavecanský, J. Kovác and M. Konč                                                                                   |     |
| <b>Magnetic Phase Diagram of the Fe<sub>x</sub>Mn<sub>0.60-x</sub>Al<sub>0.40</sub> (0.20 ≤ X ≤ 0.60) Alloys Mechanically Alloyed for 48 Hours</b>                   | 565 |
| C. González, G. Medina, J.M. Grenèche, G.A. Pérez Alcázar, S. Suriñach, J.S. Muñoz Domínguez and M.D. Baró                                                           |     |
| <b>Structural and Magnetic Investigations in Nd<sub>50</sub>Fe<sub>40</sub>Si<sub>10</sub> Melt-Spun Ribbons</b>                                                     | 571 |
| H. Chiriac, N. Lupu, F. Vinai, A. Stantero, M. Coisson and E. Ferrara                                                                                                |     |
| <b>The Structure and Magnetic Properties of Powder Finemet Materials</b>                                                                                             | 577 |
| E. Fečová, J. Kovác, P. Kollár, J. Füzér and M. Konč                                                                                                                 |     |
| <b>Nanocrystallisation of Fe<sub>73.5</sub>Cu<sub>3</sub>Nb<sub>1</sub>Si<sub>13.5</sub>B<sub>9</sub> Melt-Spun and Glass-Covered Wires</b>                          | 583 |
| M. Coisson, P. Tiberto, F. Vinai, H. Chiriac and F. Borza                                                                                                            |     |
| <b>Precursors for Fe-Based Magnetic Nanocrystalline Phases in Ag Matrix</b>                                                                                          | 589 |
| A. Jianu, V. Kuncser, R. Nicula, R. Röhlberger, M. Stir and E. Burkel                                                                                                |     |

|                                                                                                                                               |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Mechanically Milled Nanocrystalline Ni<sub>3</sub>Sn<sub>4</sub> and FeSi<sub>2</sub> Alloys as an Anode Material for Li-Ion Batteries</b> |     |
| J.H. Ahn, G.X. Wang, H.K. Liu and S.X. Dou                                                                                                    | 595 |
| <b>Nanocrystalline Mg-Based Hydrides: Hydrogen Storage for the Zero-Emission Vehicle</b>                                                      |     |
| T. Klassen, W. Oelerich and R. Bormann                                                                                                        | 603 |
| <b>Effects of Reactive Mechanical Grinding on Both Chemical and Hydrogen Sorption Properties of Mg-M (M=Co, Ni and Fe) Mixtures</b>           |     |
| J.L. Bobet and B. Darriet                                                                                                                     | 609 |
| <b>Reduction in Grain Size of Doped PZT Ceramics for Miniature Sensors and Actuators by Ball Milling Technique</b>                            |     |
| L. Lu, B.W. Chua, M.O. Lai and R.M. Johar                                                                                                     | 615 |
| <b>Novel Chemical Method for the Preparation of Nanosized Oxide Ceramics</b>                                                                  |     |
| P. Pramanik, A. Pathak, A. Sen, C.A. Koh and S.F. Tahir                                                                                       | 623 |
| <b>Production and Sintering of MgO-MgFe<sub>2</sub>O<sub>4</sub> Powder Ceramics by Mechanical Alloying</b>                                   |     |
| A. Huerta, H.A. Calderón and M. Umemoto                                                                                                       | 631 |
| <b>Hydrogen Sorption Properties of Composites Mixtures Mg+YNi Submitted to Mechanical Grinding</b>                                            |     |
| M. Nakhl, J.L. Bobet, B. Chevalier and B. Darriet                                                                                             | 637 |
| <b>Characterization of Nimesulide/<math>\beta</math>-Cyclodextrin Composite Obtained by Solid State Activation</b>                            |     |
| L. Magarotto, S. Bertini, C. Cosentino and G. Torri                                                                                           | 643 |
| <b>Tungsten Carbide Iron Aluminide Hardmetals: Nanocrystalline vs Microcrystalline</b>                                                        |     |
| A.Y. Mosbah, D. Wexler and A. Calka                                                                                                           | 649 |