

# Table of Contents

## Preface, Organizers and Sponsors

## I. Advanced Manufacturing Technology and Equipment

|                                                                                                                           |    |
|---------------------------------------------------------------------------------------------------------------------------|----|
| <b>The Formation Laws and Influencing Factors of Strengthening Layer in EDM of Stainless Steel 1Cr13</b>                  |    |
| H.X. Wang, X. Zhang, S. Gao and Y.B. Tang                                                                                 | 3  |
| <b>Study on Technology of Restraining the Vibration of Deep-Hole Boring and the Helix Lobes</b>                           |    |
| L. Zhu and Y.F. Nan                                                                                                       | 9  |
| <b>Prediction of the Hardened Layer in Traverse Cylindrical Grinding-Hardening</b>                                        |    |
| T. Nguyen and L.C. Zhang                                                                                                  | 13 |
| <b>Simulation on Characteristics of Grinding Fluid Jet Based on FLUENT</b>                                                |    |
| C.X. Chao, S.Y. Pei, J.M. Luo and S.C. Xiu                                                                                | 19 |
| <b>Analysis on Thermal Electromotive Force of Carbide Tools</b>                                                           |    |
| D.W. An and W.Y. Chen                                                                                                     | 24 |
| <b>Parameter-Design and Experimental Study on Small-Diameter Solid Carbide Deep-Hole Twist Drill</b>                      |    |
| S.L. Xiao, Z.X. Zhou, Z.M. Sun, X.C. Zuo and E.H. Lan                                                                     | 28 |
| <b>Numerical Analysis of Surface Temperature in Grind-Hardening Based on Time Variation Heat Flux</b>                     |    |
| Y. Zhang, P.Q. Ge and L. Zhang                                                                                            | 34 |
| <b>Finite Element Modeling of the Broaching Process of Inconel718</b>                                                     |    |
| Y.L. Zhang and W.Y. Chen                                                                                                  | 39 |
| <b>A Study on Planarization Grinding Process Based on the Cluster Magnetorheological Effect</b>                           |    |
| J.W. Yan, Q.S. Yan, J.B. Lu, L.Y. Kong and Z.C. Wu                                                                        | 44 |
| <b>Effect of Various Cooling Strategies on Surface Roughness of High Speed Milling Ti-6Al-4V</b>                          |    |
| X.Y. Yang, C.Z. Ren, G. Chen, B. Han and Y. Wang                                                                          | 49 |
| <b>A New Vari-Speed Cutting Scheme for Chatter Suppression</b>                                                            |    |
| K.M. Mao, M. Zhu and M. Zhang                                                                                             | 53 |
| <b>Surface Damages Generated in Hole Making of a Cast Nickel-Based Alloy</b>                                              |    |
| C. Xue and W.Y. Chen                                                                                                      | 57 |
| <b>Statistical Modeling of Surface Roughness in Hard Milling H13 Steel</b>                                                |    |
| S. Zhang, J.F. Li and T.C. Ding                                                                                           | 61 |
| <b>Surface Burn and Suppression in Grinding TC4 with Segmented CBN Cup Wheel</b>                                          |    |
| J. Liu, W.Y. Chen, X. Li, Z.T. Chen and X.Y. Zou                                                                          | 67 |
| <b>A New Method for Identifying the Cutter Runout Parameters in Flat End Milling Process</b>                              |    |
| M. Wan, M.S. Lu, W.H. Zhang, Y. Yang and Y. Li                                                                            | 71 |
| <b>Chip Thickness Analysis in Peripheral Milling of Curved Surfaces with Variable Curvature Considering Cutter Runout</b> |    |
| Y. Yang, M. Wan, W.H. Zhang and Y. Li                                                                                     | 75 |
| <b>Grinding Capability of the Indigenous Polymer-Based Solid Lubricant Coating Wheels Used in Dry Grinding</b>            |    |
| L.Y. Ding, H.H. Su, H.J. Xu and M. Fan                                                                                    | 80 |
| <b>Research on the Influence Factors for the Deflection of Micro-Ball-End Cutter in Micro-End-Milling Process</b>         |    |
| M.J. Chen, Z.J. Wang, C.Y. Wu and H.B. Ni                                                                                 | 84 |
| <b>An Experimental Study of Antirust Additives Ratio for Green Water-Based Lubricant</b>                                  |    |
| F.G. Yan, S. Yan, F. Liu and B. Lin                                                                                       | 88 |
| <b>Study on Acoustic Emission Signatures during the Process of Edge Chipping for Engineering Ceramics</b>                 |    |
| X.J. Tang, X.L. Tian, J.Q. Wang, Y.T. Mao and F.Q. Li                                                                     | 93 |
| <b>Identification of Bolt Connection Parameters for Vertical Grinding Machine in CAD/CAE Environment</b>                  |    |
| C.H. Wang, Y.L. Chen, J.P. Pang, D.W. Zhang and G.X. Pan                                                                  | 97 |

|                                                                                                                                                                                      |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Experimental Study in HSM of Titanium Alloy TC4-DT</b><br>Q. Shi, N. He and L. Li                                                                                                 | 102 |
| <b>Influences of Grinding Parameters on Forces in the Grinding of Microwave Ferrite Ceramic with Electroplated Diamond Wheel</b><br>L.P. Sun, Y.G. Wang, Y. Yang, X.R. Yu and B. Lin | 107 |
| <b>Identification of Material Constitutive Parameters Using Orthogonal Cutting Tests and Genetic Algorithm</b><br>B. Lan, P.F. Feng and Z.J. Wu                                      | 112 |
| <b>Study on the Relationship between Surface Roughness and Texture Features of Engineering Ceramics</b><br>X.L. Tian, J.Q. Wang and F. Guo                                           | 117 |
| <b>Investigation of Abrasive Wear in the Dry Belt Grinding of Titanium Alloy</b><br>W.G. Huo, J.H. Xu, Y.C. Fu and H.J. Qi                                                           | 121 |
| <b>Process Parameter and Cutting-Tool Geometry Study for Precision Face Turning of a Clock Dial</b><br>S.Y. Lin, Y.H. Lin and M.S. Hsu                                               | 125 |
| <b>Experiment Study on Deflection of Aluminum Alloy Thin-Wall Workpiece in Milling Process</b><br>B. Han, C.Z. Ren, X.Y. Yang and G. Chen                                            | 129 |
| <b>Investigation of Surface Quality on Dry Belt Grinding of Ti6Al4V Alloy</b><br>W.G. Huo, J.H. Xu, Y.C. Fu and H.J. Qi                                                              | 133 |
| <b>The Effect of Rare Earth on the Clearance of Carbon during High Speed Polishing of Diamond Films</b><br>L. Zhou, S.T. Huang and L.F. Xu                                           | 137 |
| <b>Tribological Design of Zirconia Nanocomposite Ceramic Tool and Die Material</b><br>M.D. Yi, C.H. Xu, X.H. Wang and H.F. Zhang                                                     | 142 |
| <b>Cutting Performance of High Speed Steel Hobs with Different Coating in Dry Hobbing</b><br>A. Kubo and H. Qiu                                                                      | 147 |
| <b>Study on Kaiser Effect of Edge Chipping for Engineering Ceramics during their Failure Process</b><br>X.J. Tang, X.L. Tian, Z.Y. Wu, B.G. Zhang and J.Q. Wang                      | 152 |
| <b>Research on Cutting Cast Super Alloy K24 with Milling and Abrasive Water Jet Methods</b><br>Y. Wan, Z.Q. Liu, H.T. Zhu and X. Ai                                                  | 157 |
| <b>Research of Micro Hole Vibration Drilling Process and Experiment</b><br>P. Zhang, X.Y. Guo and C.G. Wu                                                                            | 161 |
| <b>An Experimental Study of Radial-Mode Abrasive Waterjet Turning of Steels</b><br>W.Y. Li, J. Wang and Y.M. Ali                                                                     | 166 |
| <b>Effect of EDM Conditions on Surface Residual Stress of Cr12MoV Steel</b><br>X.S. Li, A.H. Cai and J.J. Zeng                                                                       | 171 |
| <b>Finite Element Analysis and Optimization of Structure for Large Blanking Machine Equipment during High-Speed Blanking</b><br>S.B. Xu, K.K. Sun, C.N. Jing and G.C. Ren            | 176 |
| <b>Study on Micro Growth Process and Characteristics of Deposited Material in Micro EDM Deposition</b><br>Z.L. Peng, Y.N. Li and Z.L. Wang                                           | 182 |
| <b>Study on the Characteristics of Discharge Waveform in Micro EDM Deposition Process</b><br>Z.L. Peng, Y.N. Li and Z.L. Wang                                                        | 187 |
| <b>Molecular Dynamics Simulation of Al<sub>2</sub>O<sub>3</sub>-SiC Interface</b><br>T.T. Zhou, C.Z. Huang, H.L. Liu, B. Zou and H.T. Zhu                                            | 192 |
| <b>Cutting Temperature Investigation when High-Speed Milling of SiC<sub>p</sub>/Al Composites</b><br>Y.F. Ge, J.H. Xu and Y.C. Fu                                                    | 198 |
| <b>An Explicit Integration Algorithm for Introducing User-Defined Thermo-Viscoplastic Constitutive Models in FE Simulations</b><br>C.Y. Gao, P.H. Liu and L.C. Zhang                 | 204 |
| <b>Effect of Cutting Speed on Surface Integrity in High Speed Machining Nickel-Based Superalloy Inconel 718</b><br>Z.Q. Liu, C.M. Cao, J. Du and Z.Y. Shi                            | 208 |
| <b>The Research on Milling Forces of Dry Cutting Spiral Bevel Gears</b><br>Q. Li, C.J. Liao and R. Wang                                                                              | 213 |

|                                                                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Analysis on Milling Performance of 2024-T351 Aluminum Alloy Using TiAlN Coated Carbide Cutting Tools</b><br>J. Xu, Q.L. An and M. Chen                                                 | 218 |
| <b>Numerical Solution of Tuned Mass Dampers for Optimum Milling Chatter Suppression</b><br>Y.Q. Yang and T.T. Chen                                                                        | 223 |
| <b>Measurement Error Analysis of Spindle Thermal Deformation</b><br>X.Y. Qi, W.G. Gao, D.W. Zhang, L.Y. Cui and H.J. Zhang                                                                | 229 |
| <b>Laser Shock Processing of Ni-Base Superalloy and High Cycle Fatigue Properties</b><br>L. Zhou, Y.H. Li, W.F. He, X.D. Wang and Q.P. Li                                                 | 235 |
| <b>Linear Motor Velocity and Acceleration Motion Control Study Based on PID+Velocity and Acceleration Feedforward Parameters Adjustment</b><br>W.F. Peng, G.H. Li, P. Wu and G.Y. Tan     | 239 |
| <b>Machining of Free-Form Surface Method and Implementation Research with Ball-End Cutter</b><br>K.H. Zhang, L. Min and D.H. Wen                                                          | 244 |
| <b>The Research and Application of Multi-Point and Time-Sharing Measurement Method on NC Machine Tool</b><br>Y.F. Deng, J.J. Guo, J.D. Wang and H. Wang                                   | 249 |
| <b>Optimization Method of Machining Center Multi-Joint Stiffness Based on Orthogonal Experiment and FEA</b><br>M.N. Sun, G.F. Yin and L. Mi                                               | 253 |
| <b>Evaluation Modeling and Optimal Adjustment of Position Error Based on Localization Sensitivity Analysis</b><br>G.Y. He, C.X. Hu and X. Liu                                             | 258 |
| <b>A New Method for Identifying Geometric Errors Inherent to Revolving Axle of Multi-Axis Machine Tool</b><br>G.F. Ding, L. Jiang, S.W. Zhu and S.W. Ma                                   | 262 |
| <b>Studies on Tool Wear Monitoring Based on Cutting Force</b><br>M.H. Xiao, N. He and L. Li                                                                                               | 268 |
| <b>Study on Spindle Thermal Field Distribution and Thermal Errors of Horizontal Machine Tool</b><br>X.B. Ma, J. Qiu, Q.W. Liu and J.F. Lin                                                | 273 |
| <b>Thermal Analysis of Dedicated Computer Based on ANSYS</b><br>Y.R. Zhang, L. Gao, S.J. Li and H.X. Bi                                                                                   | 277 |
| <b>Algorithm for the Inverse Kinematics Calculation of Cross Rods Parallel Machine Tools Based on Lie-Algebras</b><br>X.F. Fang, Y.H. Tong, R.Y. Zhao, S.W. Zhang, T.Y. Wang and Y.W. Liu | 282 |
| <b>A Pipeline Designed Reconfigurable CNC Architecture</b><br>J.C. Dong and T.Y. Wang                                                                                                     | 288 |
| <b>Tool Path Planning for Five-Axis NC Machining of Implant Shaping Mold for Cranioplasty</b><br>L. Zhang, J. Li and B.C. Lou                                                             | 292 |
| <b>CNC Linear Cutting Logarithmic Spiral Type Internal Gears Sleeve Application Research</b><br>N. Luo and Y.X. Wang                                                                      | 297 |
| <b>A Novel Method for Roll Error Measurement of a Linear Worktable of a Machine Tool</b><br>L. Han, D.W. Zhang and L.Y. Cui                                                               | 301 |
| <b>Development of the Thermal Error Measurement System for Machine Tool Spindle Based on Virtual Instruments Technology</b><br>H.J. Zhang, W.G. Gao, X.Y. Qi, L.Y. Cui and D.W. Zhang     | 305 |
| <b>Tool Path Planning and NC Generation of Tilted Plane Machining Features for Five-Axis Machining</b><br>C.H. She and Y.H. Tsai                                                          | 309 |
| <b>A New Method for Single-Measurement and Compensating the Position Errors of a Three-Axis Machine Tool</b><br>C.Y. He, W.M. Li and T. Huang                                             | 314 |
| <b>Dynamic Analysis and Optimization of Machine Tool in Consideration of Joint Parameters</b><br>C. Xu, Z.J. Wu, J.F. Zhang, P.F. Feng and D.W. Yu                                        | 320 |
| <b>Solid-State Anaerobic Digestion for Methane Production from Corn Stalks with Stack-Pretreated</b><br>S.X. Zhou, Y.P. Dong and Y.L. Zhang                                               | 326 |

|                                                                                                                    |     |
|--------------------------------------------------------------------------------------------------------------------|-----|
| <b>Experimental Study on Impact Force for Engineering Ceramics Machining with Micro-Detonation of Striking Arc</b> |     |
| X.L. Tian, B.G. Zhang, K.L. Lin, F. Guo and J.Q. Wang                                                              | 331 |
| <b>Study on Drilling Method of Small Diameter Deep-Hole of Titanium Alloy by Using DF of Gun Drill</b>             |     |
| L.Y. Shu, T.Q. Wang and Q.Q. Fu                                                                                    | 335 |
| <b>Shifted Point Array Modeling of 3D Calibration</b>                                                              |     |
| Y.B. Ding, J.P. Mei and W.C. Zhang                                                                                 | 339 |
| <b>A Deterministic Method of Application Region of Clamping Forces for Fixture Design</b>                          |     |
| X.Y. Guo, G.H. Qin and H.C. Ye                                                                                     | 345 |

## II. Material Forming Science and Technology

|                                                                                                                                        |     |
|----------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Influence of Alternative Magnetic Field Frequency on Microstructure and Properties of Surfacing Welding Layer of Aluminum Alloy</b> |     |
| S. Zhu, Q.W. Wang, F.L. Yin, Y.Y. Liang and L. Chen                                                                                    | 351 |
| <b>Side Wrinkling Characteristics in Rotary-Draw Bending Process of Thin-Walled Rectangular 3A21 Tube</b>                              |     |
| G.Y. Zhao, Y.L. Liu, S. Tian and H. Yang                                                                                               | 356 |
| <b>The Effect of Square Wave AC Parameters on Weld Forming Performance</b>                                                             |     |
| F.J. Cheng, J.Y. Zhang, D.P. Wang and S.P. Wu                                                                                          | 361 |
| <b>Study on Working Hardening for the Sheet with Different Hardening Index by Fine-Blanking with Negative Clearance</b>                |     |
| W.F. Fan and Z.M. Zhang                                                                                                                | 365 |
| <b>Qualitative Analysis and Study the Workpiece Shearing Surface Quality of Fine-Blanking with Negative Clearance</b>                  |     |
| H. Du and Z.M. Zhang                                                                                                                   | 371 |
| <b>Study on Multi-Factor Blanking Parameters for Fine-Blanking with Negative Clearance through Simulation Optimization</b>             |     |
| J.H. Li and Z.M. Zhang                                                                                                                 | 377 |
| <b>Characteristics and Formation Mechanism of Segregation During the Solidification of Aluminum Alloy with Ultrasonic Radiation</b>    |     |
| X.Q. Li, R.P. Jiang, Z.H. Li, L.H. Zhang and X. Zhang                                                                                  | 383 |
| <b>Process Parameter Optimization on Pneumatic Bulging for Abnormality Thin-Wall Pot</b>                                               |     |
| Z.P. Song, S.P. Cui and T. Huang                                                                                                       | 389 |
| <b>The Dissolution Mechanism of Copper Weld Brazing with Cu-Based Brazing Alloys</b>                                                   |     |
| Y.N. Li, Z.L. Peng and J.C. Yan                                                                                                        | 394 |
| <b>Effect of Weld Line Direction and Its Position on Drawing Performance of Tailor-Welded Blanks</b>                                   |     |
| W.J. Cao, Y.C. Jia, A.P. Xu, A.W. Xu and Y.X. Qu                                                                                       | 399 |
| <b>Research on Stress Corrosion Behavior of AISI304 Stainless Steel Enhanced by Ultrasonic Peening Treatment</b>                       |     |
| D.Q. Yin and D.P. Wang                                                                                                                 | 404 |
| <b>GTA Welding of Copper Thick Plates by Using ERCuTi Welding Materials</b>                                                            |     |
| Y.N. Li, Z.L. Peng and J.C. Yan                                                                                                        | 409 |
| <b>Conceptual Design for Upper Beam of Hydraulic Press</b>                                                                             |     |
| H.B. Yu, Y.C. Li and C. Zhang                                                                                                          | 414 |
| <b>Study on the Maximum Forging Load and Final Face Width of Powder Spur Gear Forging</b>                                              |     |
| T.S. Yang, J.Y. Li and C.Y. Liu                                                                                                        | 420 |
| <b>Study on Mapping of Forming Precision of Workpiece to Stiffness of Hydropress Frame</b>                                             |     |
| H.B. Yu, Y.C. Li and C. Zhang                                                                                                          | 424 |
| <b>Research on the Propagation of the Crack Inclined across the Interface in the Cermet Cladding Part</b>                              |     |
| J.R. Yang, Z.Q. Li, C.Z. Huang, X.F. Wang and G.C. Wang                                                                                | 430 |
| <b>Wear and Friction Properties of TiN, TiAlN and CrAlN PVD Coatings</b>                                                               |     |
| A.H. Liu, J.X. Deng, H. Zhang, Y.S. Lian and J. Zhao                                                                                   | 436 |

|                                                                                                                          |     |
|--------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Thermostability Study on Microstructure and Microhardness of Laser Shock Processed Ti-6Al-2.5Mo-1.5Cr-0.5Fe-0.3Si</b> |     |
| Q.P. Li, Y.H. Li, W. He, Y.Q. Li, X.F. Nie and L. Zhou                                                                   | 440 |
| <b>Design of Balance Control Mechanism of Nitriding Layer Depth in Ion Nitriding</b>                                     |     |
| L.J. Ma, M. Sun and Y.D. Gong                                                                                            | 445 |
| <b>Surface Modification on Polyurethane of Bio-Electrodes Implanted for Deep Brain</b>                                   |     |
| G. Qin, Y.X. Liu, Z.X. Bai, H.Y. Wang and R.K. Du                                                                        | 450 |
| <b>Simulation of Substrate Temperature Distribution in Diamond Films Growth on Silicon Wafer by Hot Filament CVD</b>     |     |
| T. Zhang, J.G. Zhang, B. Shen and F.H. Sun                                                                               | 454 |
| <b>Cutting Performances of Boron Doped Diamond-Coated Milling Tools in Machining Graphite</b>                            |     |
| L. Wang, X.L. Lei, B. Shen, F.H. Sun, Z.M. Zhang and M. Chen                                                             | 458 |
| <b>Fabrication and Application of Diamond Coated Micro Ball End Mills</b>                                                |     |
| X.L. Lei, L. Wang, B. Shen, F.H. Sun, Z.M. Zhang and M. Chen                                                             | 462 |
| <b>Characterization of Ti-6.5Al-3.5Mo-1.5Zr-0.3Si Titanium Alloy by Laser Shock Peening</b>                              |     |
| Y.Q. Li, W.F. He, Y.H. Li, Q.P. Li and X.F. Nie                                                                          | 466 |
| <b>Prediction of Surface Parameters for Strain Hardening Material of Asperity Flattening in Metal Forming</b>            |     |
| T.S. Yang, S.Q. Lee, J.Y. Li and C.Y. Liu                                                                                | 470 |
| <b>Development of Micro-Alloying Ultra-Fine Grain High Strength Steel Produced by EAF-TSCR</b>                           |     |
| J.X. Gao, X.P. Mao and L.J. Li                                                                                           | 474 |
| <b>Deforming Capability of Heat-Treated and Modified Al-40Si Alloy</b>                                                   |     |
| A.H. Cai, X.F. Tan, W.K. An, X.S. Li, J.J. Zeng, Y. Luo and T.L. Li                                                      | 479 |
| <b>Heat Treatment Technology for Al-40Si Alloy Modified by Sr Addition</b>                                               |     |
| W.K. An, A.H. Cai, X.F. Tan, X.S. Li, J.J. Zeng, Y. Luo and T.L. Li                                                      | 483 |
| <b>Molecular Dynamics Simulation on the Tension Deformation of Carbon Nanotubes</b>                                      |     |
| M.Y. Zhou, Y.L. Tian, Z. Ren, H.Y. Zheng and R.B. Wei                                                                    | 487 |
| <b>Defect Detection Study of Fabric Based on Gabor Filter Algorithm</b>                                                  |     |
| G.X. Li and Y.F. Li                                                                                                      | 491 |
| <b>A Survey on Electrode Materials for Electrical Discharge Machining</b>                                                |     |
| L. Zhang, L.H. Dong, D.S. Wang, C.H. Fan and Y. Zhou                                                                     | 495 |

### III. Digital Manufacturing System and Management

|                                                                                                                                         |     |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Research and Application on Heterogeneous CAD Platforms of Modular Fixture System</b>                                                |     |
| J. Cai, H.X. Liu and G.L. Duan                                                                                                          | 503 |
| <b>Research on Design of Hydraulic Support Based on Virtual Prototype Technology</b>                                                    |     |
| Y.K. Zhang, L.J. Xiao, P.S. Zhong and W. Li                                                                                             | 508 |
| <b>Dynamic Characteristic Analysis and Structural Modification of a 5-Axis Horizontal Machining Center Considering Joint Surface</b>    |     |
| Y.G. Shi, X.Y. Zhao, L.Q. Zeng, H.Y. Wang and D.W. Zhang                                                                                | 513 |
| <b>A Method for Low Manufacturing Cost and High Assembly Quality</b>                                                                    |     |
| Z.K. Li, F. Wang, L. Gao and Y.J. Fan                                                                                                   | 517 |
| <b>Quasi-Optimal Parameter Design of Five-Axis Tool Grinders Based on Taguchi Method</b>                                                |     |
| J.Y. Chen, B.Y. Lee and Z.H. Huang                                                                                                      | 521 |
| <b>Research on Shape Detecting System of Cold Rolling Strip</b>                                                                         |     |
| L.P. Yang and B.Q. Yu                                                                                                                   | 525 |
| <b>Research on New Shape Meter of Cold Rolling Strip</b>                                                                                |     |
| B.Q. Yu and L.P. Yang                                                                                                                   | 529 |
| <b>On Medium Frequency Induction Heating Applied in the Energy-Saving Light Industrial Equipments and its Electromagnetic Radiation</b> |     |
| Z.Q. Zhang, G.Y. Yu, S.B. Chen, Z.D. Zheng, R.D. Li and Y. Li                                                                           | 533 |
| <b>Research on the Pulse Width Modulated Pneumatic Servo Systems with Long Transmission Lines</b>                                       |     |
| P. Zheng, S. Jiang, J. Liu, J. Guo and W.H. Feng                                                                                        | 537 |

|                                                                                                                                              |     |
|----------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>A Critical Chain Project Scheduling Problem with Multi-Mode</b><br>W.L. Peng and Q.J. Jiao                                                | 541 |
| <b>Digital Simulation on Fuzzy Control in the Speed-Varying Wire Feeding System of Welding</b><br>W. Liu, L.J. Yang, G.Z. Sun and X. Wang    | 546 |
| <b>Research on the Layout and Process of the Beverage Packaging Line Using High Speed Robots</b><br>J.P. Mei, D.X. Yu, X.Q. Cheng and B. Gao | 550 |
| <b>Study on Key Technologies of Aero-Engine AMRO Support System</b><br>H.B. Sun, Z.Y. Chang, N. Wan and R. Mo                                | 554 |
| <b>Analysis of Physical Condition of Aero-Engines Based on Flight Data</b><br>Y.Y. Li, G.Y. Tan, Y.L. Cheng and F.C. Cheng                   | 560 |
| <b>Morphological Filtering Algorithm for Estimation of Tool Wear in CNC Milling Machining</b><br>Q. Ning and T.Y. Wang                       | 566 |
| <b>Exploring the Steel Bar Logistics Value Chain in China</b><br>D.W. Lu and M.S. Wang                                                       | 570 |

## IV. Modern Design Theory and Methodology

|                                                                                                                                                             |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Thermal Performance Analysis Based on Micro-Channel Structure of Heat Sink</b><br>H.G. Sun and Y. Zhou                                                   | 579 |
| <b>Numerical Analysis on Heat Transfer and Flow-Induced Vibration of an Elastic Supported Cylinder</b><br>Y.C. Su, P.Q. Ge and K. Yan                       | 585 |
| <b>Calculation of Maxwell Stress Tensor Using 3D FDTD for Trapping Force in Near-Field Optical Tweezers</b><br>B.H. Liu, L.J. Yan and Y. Wang               | 590 |
| <b>Microstructure Design with Multiphase Materials under Mass Constraints</b><br>K.P. Qiu, W.H. Zhang and T. Gao                                            | 596 |
| <b>Aircraft Skin Stretch-Forming Die Light-Weight Design Using Topology Optimization</b><br>J.H. Zhu, H. Wang, W.H. Zhang and X.J. Gu                       | 600 |
| <b>The Topology Optimization Design for the Stereolithography Based Investment Casting Pattern</b><br>X.J. Gu, J.H. Zhu, W.H. Zhang and J.S. Li             | 604 |
| <b>Integrated Optimal Design of Complex Multi-Component System in Three-Dimension</b><br>L. Xia, J.H. Zhu, W.H. Zhang and J.S. Li                           | 608 |
| <b>Buckling Optimization of Perforated Curved Shells</b><br>D. Wang, W.H. Zhang, J.H. Zhu, J.G. Yang and M.M. Zhang                                         | 614 |
| <b>Multi-Physic Modeling and Simulation Optimization of Hydraulic Support Tester Loading System</b><br>X.W. Wang, Y.L. Chen and Y. Han                      | 618 |
| <b>Optimal Design of Aero-Engine Stator Structure with Combined Shape and Topology Optimization Method</b><br>J.G. Yang, W.H. Zhang and J.H. Zhu            | 623 |
| <b>FEM Analysis of Large H-Beam in Rough Rolling Process</b><br>B.T. Dong, Q.H. Zhang, C.Y. Li and R.P. Ma                                                  | 627 |
| <b>Topology Tailoring Method of TWB Autobody Parts Based on HyperWorks</b><br>A.P. Xu, Y.S. Liu, H. Wang, Y. Liu and Y.N. Fu                                | 631 |
| <b>The Application of AD Theory in the Study of Active Steering System</b><br>B. Shen and P.K. Ji                                                           | 636 |
| <b>Explicit Dynamics Simulation Research on Soil Cutting of Shield Machine Based on LS-DYNA</b><br>X.G. Wang, W. Guo and J.Q. Liu                           | 642 |
| <b>Efficiency-Reinforcement Design Study for Elastomeric Hydraulic Reciprocating Seal Based on Function Analysis</b><br>F.Y. Zhang, H.C. Zhang and H. Zheng | 646 |
| <b>The Module Partition Approach for the Personalized Products and Production</b><br>F.Y. Chen and G.W. Zhang                                               | 650 |

|                                                                                                                                 |     |
|---------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>The Design and Optimization of Large-Scales Heavy Gantry NC Machining Center Based on Finite Element Method</b>              | 656 |
| S.B. Xu, K.K. Sun, C.N. Jing and G.C. Ren                                                                                       |     |
| <b>Robust Design with Engineering Models Described by Implicit Mathematical Functions</b>                                       | 661 |
| G.Z. Sun, J. Zhang, B. Hong, Y.J. Zhao, D.Y. Xue and P.H. Gu                                                                    |     |
| <b>Study of Steering Actuator of Static "Point-the-Bit" Rotary Steerable System</b>                                             | 665 |
| J.H. Bian, W.T. Niu, L.N. Wang, Z.H. Liu and P.F. Wang                                                                          |     |
| <b>A Study of Machine Design Method Based on Technological Process</b>                                                          | 671 |
| D. Wang, Y.H. Yang and Z. Shi                                                                                                   |     |
| <b>Dynamic Analysis on Crank-Slider Mechanism of Reciprocating Pump</b>                                                         | 676 |
| Z.G. Han and Q.J. Liu                                                                                                           |     |
| <b>Crashworthiness Analysis of Mobile Hard Disk under Different Drop Angles</b>                                                 | 681 |
| S.Y. Yang, D.S. Liu, J.Y. Zhao and H. Li                                                                                        |     |
| <b>Gyroscopic Torque Analysis and Dynamic Balance Test of the Vertical Aerostatic Spindle</b>                                   | 686 |
| F.H. Zhang, P.Q. Fu, C.H. An, J.W. Sun and S.F. Wang                                                                            |     |
| <b>Kinematics Modeling and Analysis of TBM Disc Cutter Based on D-H Matrix</b>                                                  | 692 |
| Y. Pu, J.Q. Liu and W. Guo                                                                                                      |     |
| <b>Optimization Design of the Wind Turbine Gearbox Based on Genetic Algorithm Method</b>                                        | 697 |
| Y.F. Li, Y.X. Xu and G.X. Li                                                                                                    |     |
| <b>Dynamics of the Gear Train Set in Wind Turbine</b>                                                                           | 701 |
| D.D. Ji, Y.M. Song and J. Zhang                                                                                                 |     |
| <b>The Efficiency Analysis on Cutting Power of EPB Shield Cutter</b>                                                            | 706 |
| Y.H. Sun, L. Yu, G.B. Ji, J.Q. Liu and W. Guo                                                                                   |     |
| <b>Finite Element Analysis of Crawler Frame of the Rotary Drill Bits</b>                                                        | 712 |
| Y. Sun and Y.Q. Yang                                                                                                            |     |
| <b>The Prediction of EPB Excavation Stability Based on Geological Data</b>                                                      | 717 |
| N. Li, W. Guo and J.Q. Liu                                                                                                      |     |
| <b>Predict Stiffness of Hydraulic Press with Movable Eccentricity Loading Considering Uncertainty by Monte Carlo Simulation</b> | 721 |
| Z.H. Li, Y.L. Chen, S. Li and D.S. Bi                                                                                           |     |
| <b>Strength Analysis and Optimal Design of a Movable Power Station Package</b>                                                  | 726 |
| B.Y. He and S.Z. Chen                                                                                                           |     |
| <b>Reliability Analysis on Friction-Pressurized Drilling Rod of Rotary Drilling Rig</b>                                         | 730 |
| G.Q. Sun, G.W. Zhang and Y.L. Chen                                                                                              |     |
| <b>Reliability Design of Car Suspension Coil Spring Based on Maximum Entropy Method</b>                                         | 736 |
| C.Z. Liu                                                                                                                        |     |
| <b>Finite Element Contact Analysis for Sprocket of an Armoured Face Conveyor</b>                                                | 740 |
| B.Y. He, Y.H. Sun, G.P. Li and S.Z. Chen                                                                                        |     |
| <b>Analysis of the Emotional Factors in Design Process</b>                                                                      | 745 |
| L.X. Su and Z. Yang                                                                                                             |     |
| <b>Through the "Cottage" Prospects of Chinese Design</b>                                                                        | 750 |
| J. Huang and Z. Yang                                                                                                            |     |
| <b>Chinese and Western Cultural Differences Embodied in Industrial Design</b>                                                   | 754 |
| C. Zhong                                                                                                                        |     |
| <b>An Analysis on Contact Line Performance of Offset Cylindrical Worm Gearing</b>                                               | 760 |
| Y.H. Sun, S.P. Wang and Q. Yue                                                                                                  |     |
| <b>Study on a New Design Algorithm for Smooth Manufacture</b>                                                                   | 765 |
| Y. Xing, S.F. Qin, T.Y. Wang, P.C. Wang and J.L. Xing                                                                           |     |
| <b>Stability Analysis of a Processor Unit Served in Deep-Sea</b>                                                                | 769 |
| D.D. Bian, H.W. Zhang, Y.H. Liu and H.Z. Liu                                                                                    |     |
| <b>Knowledge Representation Method of Product Design Based on Ontology</b>                                                      | 774 |
| J. Sun, W. Guo, L. Wang and D.M. Zhang                                                                                          |     |
| <b>Empirical Models between User Requirements and Product Structural Variables: A Hydraulic Forging Press Case Study</b>        | 779 |
| X. Li and Y.Q. Huang                                                                                                            |     |
| <b>An Object-Oriented Modular Design Model Supported by Integrated Multi-Domain Knowledge</b>                                   | 785 |
| X. Li and Y.Q. Huang                                                                                                            |     |

|                                                                                                     |     |
|-----------------------------------------------------------------------------------------------------|-----|
| <b>The Explore of Synesthesia in Product Design in the Digital Age</b><br>L.Q. Zhou                 | 790 |
| <b>Error Modelling for Master Slave Surgical Robot System</b><br>J.Y. Zhang, C. Zhao and D.W. Zhang | 795 |

## **V. MEMS and Ultra-Precision Machining**

|                                                                                                                                                                                 |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Characterization of a MEMS Accelerometer Considering Environmental Temperature Fluctuations</b><br>G.J. Liu, T. Jiang, Q.K. Jiang and A.L. Wang                              | 801 |
| <b>Achievement of Dynamic-Link Library for Image Segmentation Based on LabVIEW</b><br>S.W. Liu, J.L. Li, X.Y. Zhao and D.W. Zhang                                               | 805 |
| <b>Driver Design of the Piezoelectric Ultrasonic Transducer for Wire Bonding Based on Direct Digital Synthesis Technology</b><br>H.J. Zhang, F.J. Wang, Y.Y. Hou and D.W. Zhang | 809 |
| <b>Design of a Direct-Drive XY Table System: Electromechanical and Dynamic Optimization</b><br>Z.P. Ma, X.Y. Zhao, F.J. Wang and D.W. Zhang                                     | 813 |
| <b>Research on Structural Design and Optimization of Artificial Optical Compound Eye</b><br>M.J. Chen, X. Chu, C.Y. Wu and Y. Jiang                                             | 817 |
| <b>A Design of Parallel High Frequency Dynamometer Fixture</b><br>H. Wu, L. Li and N. He                                                                                        | 822 |
| <b>Influence of Alignment Errors on Measuring Nose Roundness of Diamond Cutting Tools with a Novel Method</b><br>Z.Q. Li, T. Sun, W.J. Zong, X.S. Zhao and S. Dong              | 828 |
| <b>Applications of Ultra-Precision Free-Form Machining Technology to Advanced Optics</b><br>W.B. Lee, H. Wang, S. To and C.F. Cheung                                            | 834 |