

# Table of Contents

## Preface, Sponsors, Committees and Overview

## Chapter 1: SiC Bulk Growth

### 1.1 PVT, CVD, Modeling and Theory

#### Status of Large Diameter SiC Single Crystals

A.K. Gupta, P. Wu, V. Rengarajan, X.P. Xu, M. Yoganathan, C. Martin, E. Emorhokpor, A. Souzis, I. Zwieback and T. Anderson 3

#### TSD Reduction by RAF (Repeated *a*-Face) Growth Method

Y. Urakami, I. Gunjishima, S. Yamaguchi, H. Kondo, F. Hirose, A. Adachi and S. Onda 9

#### Growth of High Quality 4H-SiC Crystals in Controlled Temperature Distributions of Seed Crystals

H. Tsuge, S. Sato, M. Katsuno, T. Fujimoto and W. Ohashi 13

#### Process and Crucible Modification for Growth of High Doped 4H-SiC Crystal with Larger Diameter

J.H. Park, T.K. Yang, I.S. Kim, W.J. Lee, I.G. Yeo, T.H. Eun, S.S. Lee, J.Y. Kim and M.C. Chun 17

#### Fundamental Study of Sublimation-Recrystallization Phenomena in PVT-Growth of SiC Single Crystals

T. Fujimoto, N. Ohtani, S. Sato, M. Katsuno, H. Tsuge and W. Ohashi 21

#### Analysis of Growth Velocity of SiC Growth by the Physical Vapor Transport Method

K. Kakimoto, B. Gao, T. Shiramomo, S. Nakano and S.I. Nishizawa 25

#### Effect of Nitrogen Doping on the Growth of 4H Polytype on the 6H-SiC Seed by PVT Method

E. Tymicki, K. Grasza, K. Racka, T. Łukasiewicz, M. Piersa, K. Kościewicz, D. Teklińska, R. Diduszko, P. Skupiński, R. Jakieła and J. Krupka 29

#### Lateral Growth Expansion of 4H/6H-SiC M-Plane Pseudo Fiber Crystals by Hot Wall CVD Epitaxy

A.J. Trunek, P.G. Neudeck, A.A. Woodworth, J.A. Powell, D.J. Spry, B. Raghathamachar and M. Dudley 33

#### Synthesis and Purification of Silicon Carbide Powders for Crystal Growth

T.C. Hsiao and S. Tsao 37

#### Bulk and Surface Effects on the Polytype Stability in SiC Crystals

F. Mercier and S.I. Nishizawa 41

### 1.2 Solution Growth

#### Crystallinity Evaluation of 4H-SiC Single Crystal Grown by Solution Growth Technique Using Si-Ti-C Solution

K. Kamei, K. Kusunoki, N. Yashiro, N. Okada, K. Moriguchi, H. Daikoku, M. Kado, H. Suzuki, H. Sakamoto and T. Bessho 45

#### SiC Growth by Solvent-Laser Heated Floating Zone

A.A. Woodworth, P.G. Neudeck, A. Sayir, D.J. Spry, A.J. Trunek and J.A. Powell 49

#### Stable Growth of 4H-SiC Single Polytype by Controlling the Surface Morphology Using a Temperature Gradient in Solution Growth

Y. Yamamoto, K. Seki, S. Kozawa, Alexander, S. Harada and T. Ujihara 53

#### Control of Void Formation in 4H-SiC Solution Growth

T. Mitani, M. Okamura, T. Takahashi, N. Komatsu, T. Kato and H. Okumura 57

#### Top-Seeded Solution Growth of 4H-SiC Bulk Crystal Using Si-Cr Based Melt

H. Daikoku, M. Kado, H. Sakamoto, H. Suzuki, T. Bessho, K. Kusunoki, N. Yashiro, N. Okada, K. Moriguchi and K. Kamei 61

#### Growth of a Thick 2H-SiC Layer in Si-Li Solution under a Continuous CH<sub>4</sub> Flow

M. Imade, A. Ishikawa, Y. Nakagawa, M. Yoshimura, Y. Kitaoka, T. Sasaki and Y. Mori 65

#### Growth Rate Prediction in SiC Solution Growth Using Silicon as Solvent

J. Lefebvre, J.M. Dedulle, T. Ouisse and D. Chaussende 69

## **Chapter 2: SiC Epitaxial Growth**

### **2.1 Homoepitaxial Growth**

<b>SiC Epitaxial Layer Growth in a 6x150 mm Warm-Wall Planetary Reactor</b>	
A.A. Burk, D. Tsvetkov, D. Barnhardt, M.J. O'Loughlin, L. Garrett, P. Towner, J. Seaman, E. Deyneca, Y. Khlebnikov and J.W. Palmour	75
<b>Growth of 4H-SiC Epilayers and Z<sub>1/2</sub> Center Elimination</b>	
T. Miyazawa and H. Tsuchida	81
<b>Growth and Light Properties of Fluorescent SiC for White LEDs</b>	
M. Syväjärvi, R. Yakimova, M. Iwaya, T. Takeuchi, I. Akasaki and S. Kamiyama	87
<b>High Uniformity with Reduced Surface Roughness of Chloride Based CVD Process on 100mm 4° Off-Axis 4H-SiC</b>	
H. Das, S.G. Sunkari, T. Oldham, J.R.B. Casady and J.B. Casady	93
<b>Epitaxial Growth of 4H-SiC Using Si<sub>2</sub>(CH<sub>3</sub>)<sub>6</sub>+Si<sub>2</sub>Cl<sub>6</sub>+C<sub>3</sub>H<sub>8</sub>+H<sub>2</sub> System by Atmospheric Pressure Hot CVD Method</b>	
H.S. Lee, M.J. Kim, M.H. Kim, S.I. Lee, W.J. Lee, B.C. Shin and S. Nishino	97
<b>4H-SiC Epitaxial Growth on 2° Off-Axis Substrates using Trichlorosilane (TCS)</b>	
T. Aigo, W. Ito, H. Tsuge, H. Yashiro, M. Katsuno, T. Fujimoto and W. Ohashi	101
<b>Development of Vertical 3×2LPCVD System for Fast Epitaxial Growth on 4H-SiC</b>	
W.S. Zhao, G.S. Sun, H.L. Wu, G.G. Yan, L. Zheng, L. Dong, L. Wang, X.F. Liu and L.J. Yang	105
<b>Carrot Defect Control in Chloride-Based CVD through Optimized Ramp up Conditions</b>	
M. Yazdanfar, S. Leone, H. Pedersen, O. Kordina, A. Henry and E. Janzén	109
<b>Chloride-Based CVD of 4H-SiC at High Growth Rates on Substrates with Different Off-Angles</b>	
S. Leone, H. Pedersen, F.C. Beyer, S. Andersson, O. Kordina, A. Henry, A. Canino, F. La Via and E. Janzén	113
<b>Comparison of 4H Silicon Carbide Epitaxial Growths at Various Growth Pressures Using Dicholorosilane and Silane Gases</b>	
T. Rana, H.Z. Song, M.V.S. Chandrashekhar and T.S. Sudarshan	117
<b>In-Grown Stacking Faults in SiC-CVD Using Dichlorosilane and Propane as Precursors</b>	
H.Z. Song, S.U. Omar, T. Rana, M.V.S. Chandrashekhar and T.S. Sudarshan	121
<b>Investigation of Basal Plane Dislocation Reduction/Elimination by Molten KOH-NaOH Eutectic Etching Method</b>	
H.Z. Song and T.S. Sudarshan	125
<b>Electrical and Optical Properties of High-Purity Epilayers Grown by the Low-Temperature Chloro-Carbon Growth Method</b>	
S.P. Kotamraju, B. Krishnan, F.C. Beyer, A. Henry, O. Kordina, E. Janzén and Y. Koshka	129
<b>Use of Vanadium Doping for Compensated and Semi-Insulating SiC Epitaxial Layers for SiC Device Applications</b>	
B. Krishnan, R.V.K.G. Thirumalai, S.P. Kotamraju, J.N. Merrett and Y. Koshka	133
<b>Progress in Growth of Thick Epitaxial Layers on 4 Degree Off-Axis 4H SiC Substrates</b>	
J. Zhang, G.Y. Chung, E. Sanchez, M.J. Loboda, S.G. Sundaresan and R. Singh	137
<b>Improvement of Homoepitaxial Layer Quality Grown on 4H-SiC Si-Face Substrate Lower than 1 Degree Off Angle</b>	
K. Kojima, S. Ito, A. Nagata and H. Okumura	141
<b>Surface Morphology Evolution after Epitaxial Growth on 4°Off-Axis 4H-SiC Substrate</b>	
N. Jegenyes, V. Soulière, F. Cauwet and G. Ferro	145
<b>Study of the Impact of Growth and Post-Growth Processes on the Surface Morphology of 4H Silicon Carbide Films</b>	
M. Camarda, A. Canino, P. Fiorenza, C. Bongiorno, A. Severino, V. Rainieri, A. La Magna, F. La Via, M. Mauceri, G. Abbondanza, A. Pecora and D. Crippa	149
<b>Behavior of Particles in the Growth Reactor and their Effect on Silicon Carbide Epitaxial Growth</b>	
T. Rana, H.Z. Song, M.V.S. Chandrashekhar and T.S. Sudarshan	153
<b>Influence of Growth Mechanism on Carrier Lifetime in On-Axis Homoepitaxial Layers of 4H-SiC</b>	
J. Hassan, L. Lilja, I.D. Booker, P. Bergman and E. Janzén	157

<b>The Effect of Growth Conditions on Carrier Lifetime in N-Type 4H-SiC Epitaxial Layers</b> L. Lilja, J. Hassan, I.D. Booker, P. Bergman and E. Janzén	161
<b>Study of the Lateral Growth by VLS Mechanism Using Al-Based Melts on Patterned SiC Substrate</b> J. Lorenzzi, R. Esteve, M. Lazar, D. Tournier, D. Carole and G. Ferro	165
<b>Buried Selective Growth of p-Doped SiC by VLS Epitaxy</b> D. Carole, S. Berckmans, A. Vo-Ha, M. Lazar, D. Tournier, P. Brosselard, V. Soulière, L. Auvray, G. Ferro and C. Brylinski	169
<b>Reliable Method for Eliminating Stacking Fault on 3C-SiC(001)</b> N. Hatta, T. Kawahara, K. Yagi, H. Nagasawa, S.A. Reshanov and A. Schöner	173

## 2.2 Heteroepitaxial and Heteropolytypic Growth

<b>Freestanding 3C-SiC Grown by Sublimation Epitaxy Using 3C-SiC Templates on Silicon</b> P. Hens, J. Müller, G. Wagner, R. Liljedahl, R. Yakimova, E. Specker, P.J. Wellmann and M. Syväjärvi	177
<b>Effect of Propane on Low Temperature Growth of 3C-SiC Film on Si (111) by Plasma Assisted CVD</b> H. Shimizu and T. Watanabe	181
<b>Low Temperature Epitaxy of 3C SiC Using Hexamethyldisilane Precursor on Si &lt;111&gt; Substrates</b> B. Wagner, J.D. Oliver, N.B. Singh, M. King, S. McLaughlin, D. Kahler, D. Knuteson, A. Berghmans and R. Rai	185
<b>CVD Heteroepitaxial Growth of 3C-SiC on 4H-SiC (0001) Substrates</b> X. Li, S. Leone, S. Andersson, O. Kordina, A. Henry and E. Janzén	189
<b>On Stabilization of 3C-SiC Using Low Off-Axis 6H-SiC Substrates</b> V. Jokubavicius, B. Lundqvist, P. Hens, R. Liljedahl, R. Yakimova, S. Kamiyama and M. Syväjärvi	193
<b>Si<sub>x</sub>C<sub>y</sub> Thin Films Deposited at Low Temperature by DC Dual Magnetron Sputtering: Effect of Power Supplied to Si and C Cathode Targets on Film Physicochemical Properties</b> H.S. Medeiros, R.S. Pessoa, J.C. Sagás, M.A. Fraga, L.V. Santos, H.S. Maciel, M. Massi and A.S. da Silva Sobrinho	197

## Chapter 3: Physical Properties and Characterization of SiC

### 3.1 Impurities, Intrinsic Point Defects and Carrier Lifetime

<b>Transition Metal Defects in Cubic and Hexagonal Polytypes of SiC: Site Selection, Magnetic and Optical Properties from <i>Ab Initio</i> Calculations</b> V. Ivády, B. Somogyi, V. Zólyomi, A. Gällström, N.T. Son, E. Janzén and A. Gali	205
<b>Electronic Configuration of Tungsten in 4H-, 6H-, and 15R-SiC</b> A. Gällström, B. Magnusson, F.C. Beyer, A. Gali, N.T. Son, S. Leone, I.G. Ivanov, A. Henry, C.G. Hemmingsson and E. Janzén	211
<b>Identification of Niobium in 4H-SiC by EPR and <i>Ab Initio</i> Studies</b> N.T. Son, V. Ivády, A. Gali, A. Gällström, S. Leone, O. Kordina and E. Janzén	217
<b>Mn Implantation for New Applications of 4H-SiC</b> M.K. Linnarsson, J. Wong-Leung, A. Hallén, S.I. Khartsev and A.M. Grishin	221
<b>Diffusion and Gettering of Transition Metals in 4H-SiC</b> K. Danno, H. Saitoh, A. Seki, T. Shirai, H. Suzuki, T. Bessho, Y. Kawai and T. Kimoto	225
<b>Chlorine in SiC: Experiment and Theory</b> G. Alfieri and T. Kimoto	229
<b>Photoluminescence and Raman Spectroscopy Characterization of Boron- and Nitrogen-Doped 6H Silicon Carbide</b> Y.Y. Ou, V. Jokubavicius, C. Liu, R.W. Berg, M.K. Linnarsson, S. Kamiyama, Z.Y. Lu, R. Yakimova, M. Syväjärvi and H.Y. Ou	233
<b>Simulation of the Temperature Dependence of Hall Carriers in Al Doped 4H-SiC</b> A. Nath, R. Scaburri, M.V. Rao and R. Nipoti	237
<b>Elimination of Deep Levels in Thick SiC Epilayers by Thermal Oxidation and Proposal of the Analytical Model</b> K. Kawahara, J. Suda and T. Kimoto	241

<b>On the Formation of Intrinsic Defects in 4H-SiC by High Temperature Annealing Steps</b>	247
B. Zippelius, J. Suda and T. Kimoto	
<b>Z<sub>1/2</sub>- and EH<sub>6</sub>-Center in 4H-SiC: Not Identical Defects ?</b>	251
B. Zippelius, A. Glas, H.B. Weber, G. Pensl, T. Kimoto and M. Krieger	
<b>Excitation Properties of Silicon Vacancy in Silicon Carbide</b>	255
A. Gali	
<b>Investigation of Intrinsic Carbon-Related Defects in 4H-SiC by Selective-Excitation Photoluminescence Spectroscopy</b>	259
A. Gällström, I.G. Ivanov, R. Coble, R.P. Devaty, W.J. Choyke and E. Janzén	
<b>Local Thermal Expansion and the C-C Stretch Vibration of the Dicarbon Antisite in 4H SiC</b>	263
R.P. Devaty, F. Yan, W.J. Choyke, A. Gali, T. Kimoto and T. Ohshima	
<b>Defects in an Electron-Irradiated 6H-SiC Diode Studied by Alpha Particle Induced Charge Transient Spectroscopy: Their Impact on the Degraded Charge Collection Efficiency</b>	267
N. Iwamoto, A. Koizumi, S. Onoda, T. Makino, T. Ohshima, K. Kojima, S. Koike, K. Uchida and S. Nozaki	
<b>Effects of Sacrifice Oxidation on Characterization of Defects in High-Purity Semi-Insulating 4H-SiC by Discharge Current Transient Spectroscopy</b>	271
S. Nishikawa, R. Okada and H. Matsuura	
<b>Investigation of Additional States in the Silicon Carbide Surface after Diffusion Welding</b>	275
J. Mizsei, O. Korolkov, N. Sleptsuk, J. Toomppuu and T. Rang	
<b>Long Carrier Lifetimes in n-Type 4H-SiC Epilayers</b>	279
P.B. Klein	
<b>Comparison of Post-Growth Carrier Lifetime Improvement Methods for 4H-SiC Epilayers</b>	285
I.D. Booker, J. Hassan, A. Hallén, E.Ö. Sveinbjörnsson, O. Kordina and P. Bergman	
<b>Radial Variation of Measured Carrier Lifetimes in Epitaxial Layers Grown with Wafer Rotation</b>	289
P. Bergman, I.D. Booker, L. Lilja, J. Hassan and E. Janzén	
<b>High-Resolution Time-Resolved Carrier Lifetime and Photoluminescence Mapping of 4H-SiC Epilayers</b>	293
I.D. Booker, J. Hassan, E. Janzén and P. Bergman	
<b>Correlation of Extended Defects on Carrier Lifetime in Thick SiC Epilayers</b>	297
N.A. Mahadik, R.E. Stahlbush, J.D. Caldwell, M.J. O'Loughlin and A.A. Burk	
<b>Characterization of Annealed HPSI 4H-SiC for Photoconductive Semiconductor Switches</b>	301
C. Hettler, W.W. Sullivan III and J. Dickens	
<b>Correlation between Strain and Excess Carrier Lifetime in a 3C-SiC Wafer</b>	305
A. Yoshida, M. Kato and M. Ichimura	
<b>Carrier Diffusivity in Highly Excited Bulk SiC, GaN, and Diamond Crystals by Optical Probes</b>	309
K. Jarašūnas, P. Ščajev, T. Malinauskas, M. Kato, E. Ivakin, M. Nesladek, K. Haenen, Ü. Özgür and H. Morkoç	

### 3.2 Extended Defects (See also Section 3.4)

<b>Critical Conditions of Misfit Dislocation Formation in 4H-SiC Epilayers</b>	313
X. Zhang, T. Miyazawa and H. Tsuchida	
<b>Fourier Transform Analysis of Basal Plane Dislocation Structure in Repeated A-Face Grown Crystals</b>	319
I. Gunjishima, Y. Urakami, F. Hirose, A. Adachi, S. Onda and K. Nishikawa	
<b>X-Ray Three-Dimensional Topography Imaging of Basal-Plane and Threading-Edge Dislocations in 4H-SiC</b>	323
R. Tanuma, D. Mori, I. Kamata and H. Tsuchida	
<b>Basal Plane Dislocation Multiplication via the Hopping Frank-Read Source Mechanism and Observations of Prismatic Glide in 4H-SiC</b>	327
H.H. Wang, S.Y. Byrapa, F. Wu, B. Raghothamachar, M. Dudley, E. Sanchez, D.M. Hansen, R. Drachev, S.G. Mueller and M.J. Loboda	
<b>Identification of the Basal Plane Component of the Burgers Vector of Small Dislocations in 6H SiC Using Birefringence Microscopy</b>	331
L.T.M. Hoa, T. Ouisse, M. Seiss and D. Chaussende	

<b>Effects of Nitrogen Doping on the Morphology of Basal Plane Dislocations in 4H-SiC Epilayers</b>	335
X. Zhang, M. Nagano and H. Tsuchida	
<b>Analysis of Dislocations Nucleated after Nano Indentation Tests at Room Temperature in 4H-SiC</b>	339
J.L. Demenet, M. Amer, C. Tromas and J. Rabier	
<b>Synchrotron X-Ray Topography Studies of the Propagation and Post-Growth Mutual Interaction of Threading Growth Dislocations with C-Component of Burgers Vector in PVT-Grown 4H-SiC</b>	
F.Z. Wu, H.H. Wang, S.Y. Byrapa, B. Raghorthamachar, M. Dudley, E. Sanchez, D.M. Hansen, R. Drachev, S.G. Mueller and M.J. Loboda	343
<b>Deflection of Threading Dislocations with Burgers Vector c/c+a Observed in 4H-SiC PVT-Grown Substrates with Associated Stacking Faults</b>	
S.Y. Byrapa, F.Z. Wu, H.H. Wang, B. Raghorthamachar, G. Choi, S. Sun, M. Dudley, E. Sanchez, D.M. Hansen, R. Drachev, S.G. Mueller and M.J. Loboda	347
<b>Conversion Mechanism of Threading Screw Dislocation during SiC Solution Growth</b>	
T. Ujihara, S. Kozawa, K. Seki, Alexander, Y. Yamamoto and S. Harada	351
<b>Complex Behavior of Threading Dislocations Observed in PVT-Grown 4H-SiC Single Crystals</b>	
M. Katsuno, T. Fujimoto, H. Yashiro, H. Tsuge, S. Sato, H. Hirano, T. Yano and W. Ohashi	355
<b>Correlation between Surface Morphological Defects and Crystallographic Defects in SiC</b>	
T. Hatakeyama, K. Ichinoseki, H. Yamaguchi, N. Sugiyama and H. Matsuhata	359
<b>Characterization of Triangular-Defects in 4° off 4H-SiC Epitaxial Wafers by Synchrotron X-Ray Topography and by Transmission Electron Microscopy</b>	
T. Yamashita, K. Momose, D. Muto, Y. Shimodaira, K. Yamatake, Y. Miyasaka, T. Sato, H. Matsuhata and M. Kitabatake	363
<b>Variation of Etch Pit Size by Screw Dislocation Tilt in 4H-SiC Wafer</b>	
Y. Ishikawa, Y.Z. Yao, Y. Sugawara, K. Danno, H. Suzuki, Y. Kawai and N. Shibata	367
<b>Critical Density of Nanoscale Pits for Suppressing Variability in Leakage Current of a SiC Schottky Barrier Diode</b>	
T. Ishikawa, T. Katsuno, Y. Watanabe, H. Fujiwara and T. Endo	371
<b>Surface Morphology of Leakage Current Sources of 4H-SiC Schottky Barrier Diodes by Atomic Force Microscope</b>	
T. Katsuno, Y. Watanabe, T. Ishikawa, H. Fujiwara, M. Konishi, T. Morino and T. Endo	375
<b>Density and Behavior of Etch Pits on C-Face 4H-SiC Surface Produced by ClF<sub>3</sub> Gas</b>	
H. Habuka, K. Furukawa, T. Kanai and T. Kato	379
<b>Dislocation Formation in Epitaxial Film by Propagation of Shallow Dislocations on 4H-SiC Substrate</b>	
Y. Ishikawa, K. Sato, Y. Okamoto, N. Hayashi, Y.Z. Yao and Y. Sugawara	383
<b>Effect of Stacking Faults Originating from Half Loop Arrays on Electrical Behavior of 10 kV 4H-SiC PiN Diodes</b>	
R.E. Stahlbush, Q.C.J. Zhang, A.K. Agarwal and N.A. Mahadik	387
<b>Ultraviolet Photoluminescence Imaging of Stacking Fault Contraction in 4H-SiC Epitaxial Layers</b>	
N.A. Mahadik, R.E. Stahlbush, J.D. Caldwell and K.D. Hobart	391
<b>Photoluminescence Study of the Driving Force for Stacking Fault Expansion in 4H-SiC</b>	
R. Hirano, Y. Sato, M. Tajima, K.M. Itoh and K. Maeda	395
<b>Room Temperature Photoluminescence from 4H-SiC Epilayers: Non-Destructive Estimation of In-Grown Stacking Fault Density</b>	
S.U. Omar, H.Z. Song, T.S. Sudarshan and M.V.S. Chandrashekhar	399
<b>Luminescence Imaging of Extended Defects in SiC via Hyperspectral Imaging</b>	
J.D. Caldwell, L. Lombez, A. Delamarre, J.F. Guillemoles, B. Bourgoin, B.A. Hull and M. Verhaegen	403
<b>Low Temperature Photoluminescence Signature of Stacking Faults in 6H-SiC Epilayers Grown on Low Angle Off-Axis Substrates</b>	
J.W. Sun, T. Robert, V. Jokubavicius, S. Juillaguet, R. Yakimova, M. Syväjärvi and J. Camassel	407
<b>Interaction of 6H-Type Stacking Faults with Threading Screw Dislocations in PVT-Grown 4H-SiC Single Crystals</b>	
S. Sato, T. Fujimoto, H. Tsuge, M. Katsuno and W. Ohashi	411

## ***Ab Initio Calculation of Mechanical Properties of Stacking Fault in 3C-SiC: Effect of Stress and Doping***

Y. Umeno, K. Yagi and H. Nagasawa	415
<b>On the Twin Boundary Propagation in (111) 3C-SiC Layers</b>	
M. Marinova, A. Andreadou, A. Mantzari and E.K. Polychroniadis	419
<b>Defect Structures at the Silicon/3C-SiC Interface</b>	
P. Hens, J. Müller, E. Spiecker and P.J. Wellmann	423

## **3.3 SiC-SiO<sub>2</sub> Interface (See also Sections 5.1 and 6.4)**

<b>Electrically Detected Magnetic Resonance (EDMR) Studies of SiC-SiO<sub>2</sub> Interfaces</b>	
T. Umeda, R. Kosugi, K. Fukuda, N. Morishita, T. Ohshima, K. Esaki and J. Isoya	427
<b>Definitive Identification of an Important 4H SiC MOSFET Interface/Near Interface Trap</b>	
C.J. Cochrane, P.M. Lenahan and A.J. Lelis	433
<b>Comparative Study of Electrical and Microstructural Properties of 4H-SiC MOSFETs</b>	
C. Strenger, V. Haeublein, T. Erlbacher, A.J. Bauer, H. Ryssel, A.M. Beltran, S. Schamm-Chardon, V. Mortet, E. Bedel-Pereira, M. Lefebvre and F. Cristiano	437
<b>Sub-Bandgap Light-Induced Carrier Generation at Room Temperature in Silicon Carbide MOS Capacitors</b>	
S. DasGupta, A. Armstrong, R. Kaplar, M. Marinella, R. Brock, M. Smith and S. Atcitty	441
<b>Oxidation-Induced Epilayer Carbon Di-Interstitials as a Major Cause of Endemically Poor Mobilities in 4H-SiC/SiO<sub>2</sub> Structures</b>	
X. Shen and S.T. Pantelides	445
<b>Silicon Carbide-Silicon Dioxide Transition Layer Mobility</b>	
S. Salemi, A. Akturk, S. Potbhare, A.J. Lelis and N. Goldsman	449
<b>Sodium, Rubidium and Cesium in the Gate Oxides of SiC MOSFETs</b>	
B.R. Tuttle, S. Dhar, S.H. Ryu, X. Zhu, J.R. Williams, L.C. Feldman and S.T. Pantelides	453
<b>Total Near Interface Trap Density Calculation of 4H-SiC/SiO<sub>2</sub> Structures before and after Nitrogen Passivation</b>	
S. Salemi, A. Akturk, S. Potbhare, A.J. Lelis and N. Goldsman	457
<b>Detection of Mobile Ions in the Presence of Charge Trapping in SiC MOS Devices</b>	
D.B. Habersat, A.J. Lelis and R. Green	461
<b>Two-Way Tunneling Model of Oxide Trap Charging and Discharging in SiC MOSFETs</b>	
A.J. Lelis, D.B. Habersat, R. Green and N. Goldsman	465
<b>Peak Degradation of Heavy-Ion Induced Transient Currents in 6H-SiC MOS Capacitors</b>	
T. Makino, N. Iwamoto, S. Onoda, T. Ohshima, K. Kojima and S. Nozaki	469
<b>Low Frequency Noise in 4H-SiC Lateral JFET Structures</b>	
H.K. Chan, R.C. Stevens, J.P. Goss, N.G. Wright and A.B. Horsfall	473

## **3.4 Stress, Structural and Mechanical Properties (See also Section 3.2)**

<b>Influence of Threading Dislocations on Lifetime of Gate Thermal Oxide</b>	
K. Yamamoto, M. Nagaya, H. Watanabe, E. Okuno, T. Yamamoto and S. Onda	477
<b>Doping-Induced Lattice Mismatch and Misorientation in 4H-SiC Crystals</b>	
S. Sasaki, J. Suda and T. Kimoto	481
<b>Strain Build-Up, Swelling and Stacking Fault Formation in Implanted 4H-SiC</b>	
J.F. Barbot, S. Leclerc, C. Tromas, V. Audurier, A. Decléméy, M. Texier and M.F. Beaufort	485
<b>High Resolution X-Ray Diffraction (HRXRD) Studies of the Initial Stages of PVT-Growth of 4H-SiC Crystals</b>	
N. Ohtani, M. Katsuno, T. Fujimoto, S. Sato, H. Tsuge, W. Ohashi, H. Matsuhata and M. Kitabatake	489
<b>On the Stability of 3C-SiC Single Crystals at High Temperatures</b>	
D. Dompoint, I.G. Galben-Sandulache, A. Boulle, D. Chaussende, D. Eyidi, J.L. Demenet, M.F. Beaufort and J. Rabier	493
<b>XRD Characterization for Al- and N-Doped 3C-SiC on Si (100) Substrate after Pulsed Excimer Laser Anneal</b>	
K.Y. Lee, Y.H. Huang, C.F. Huang, C.Y. Chung, S.C. Lin and F. Zhao	497
<b>Origin of the Warpage of 3C-SiC Wafer: Effect of Nonuniform Intrinsic Stress</b>	
Y. Sun, S. Izumi, S. Sakai, K. Yagi and H. Nagasawa	501

<b>Raman Scattering and X-Ray Absorption from CVD Grown 3C-SiC on Si</b>	
Z.C. Feng, C. Chen, Q. Xu, S.P. Mendis, L.Y. Jang, C.C. Tin, K.Y. Lee, C.W. Liu, Z. Wu and Z.R. Qiu	505
<b>4H-SiC Wafers Studied by X-Ray Absorption and Raman Scattering</b>	
Q. Xu, H.Y. Sun, C. Chen, L.Y. Jang, E. Rusli, S.P. Mendis, C.C. Tin, Z.R. Qiu, Z. Wu, C.W. Liu and Z.C. Feng	509
<b>Mechanical Properties of Cubic SiC, GaN and AlN Thin Films</b>	
J. Pezoldt, R. Grieseler, T. Schupp, D.J. As and P. Schaaf	513
<b>Extended Characterization of the Stress Fields in the Heteroepitaxial Growth of 3C-SiC on Silicon for Sensors and Device Applications</b>	
M. Camarda, R. Anzalone, N. Piluso, A. Severino, A. Canino, F. La Via and A. La Magna	517
<b>Stress Evaluation on Hetero-Epitaxial 3C-SiC Film on (100) Si Substrates</b>	
R. Anzalone, M. Camarda, C. Locke, J. Carballo, N. Piluso, G. D'Arrigo, A. Severino, A.A. Volinsky, S.E. Saddow and F. La Via	521
<b>Micro-Raman Analysis of a Micromachined 3C-SiC Cantilever</b>	
N. Piluso, R. Anzalone, M. Camarda, A. Severino, G. D'Arrigo, A. La Magna and F. La Via	525
<b>Single-Crystal SiC Resonators by Photoelectrochemical Etching</b>	
M.M. Islam, C.F. Huang and F. Zhao	529
<b>Amorphous Silicon Carbide (<math>\alpha</math>-SiC) Thin Square Membranes for Resonant Micromechanical Devices</b>	
A.C. Barnes, C.A. Zorman and P.X.L. Feng	533
<b>Amorphous Silicon Carbide as a Non-Biofouling Structural Material for Biomedical Microdevices</b>	
C.A. Zorman, A. Eldridge, J.G. Du, M. Johnston, A. Dubnisheva, S. Manley, W. Fissell, A. Fleischman and S. Roy	537

### 3.5 Fundamental Properties, Nanostructures, Surfaces and Miscellaneous Characterization

<b>Seebeck Coefficient of Heavily Doped Polycrystalline 3C-SiC Deposited by LPCVD</b>	
M.I. Lei and M. Mehregany	541
<b>OBIC Measurements on Avalanche Diodes in 4H-SiC for the Determination of Impact Ionization Coefficients</b>	
D.M. Nguyen, C. Raynaud, M. Lazar, G. Pâques, S. Scharnholz, N. Dheilly, D. Tournier and D. Planson	545
<b>Radiation Hardness of Wide-Bandgap Materials as Exemplified by SiC Nuclear Radiation Detectors</b>	
A.M. Ivanov, A.V. Sadokhin, N.B. Strokan, A.A. Lebedev and V.V. Kozlovski	549
<b>Terahertz Electroluminescence of 6H-SiC Natural SiC Superlattice in Bloch Oscillations Regime</b>	
V.I. Sankin, A.V. Andrianov, A.G. Petrov, P.P. Shkrebiy and A.O. Zachar'in	553
<b>Emission Enhancement of SiC/SiO<sub>2</sub> Core/Shell Nanowires Induced by the Oxide Shell</b>	
F. Fabbri, F. Rossi, G. Attolini, M. Bosi, G. Salviati, S. Iannotta, L. Aversa, R. Verucchi, M. Nardi, N. Fukata, B. Dierre and T. Sekiguchi	557
<b>Theoretical Study of Thermoelectric Properties of SiC Nanowires</b>	
J.H. Choi, M. Pala, L. Latu-Romain and E. Bano	561
<b>GaAs Nanowires: A New Place to Explore Polytype Physics</b>	
T. Cheiwchanchamnangij, T. Birkel, W.R.L. Lambrecht and A.L. Efros	565
<b>The Atomic Step Induced by off Angle CMP Influences the Electrical Properties of the SiC Surface</b>	
Y. Tanaka, T. Kanda, K. Nagatoshi, M. Yoshimura and O. Eryu	569
<b>Surface Phase Diagram of 4H-SiC {0001} Step-Terrace Structures during Si-Vapor Etching in a TaC Crucible</b>	
S. Ushio, T. Karaki, K. Hagiwara, N. Ohtani and T. Kaneko	573
<b>Morphological Instability of 4H-SiC (0001) Basal Plane Surface during Si-Vapor Thermal Etching</b>	
S. Ushio, K. Nakanishi, N. Ohtani and T. Kaneko	577
<b>First-Principles Analysis of Dissociative Absorption of HF Molecule at SiC Surface Step Edge</b>	
K. Inagaki, B.V. Pho, K. Yamauchi and Y. Morikawa	581

<b>Characterization of Photoelectrochemical Properties of SiC as a Water Splitting Material</b>	585
T. Yasuda, M. Kato and M. Ichimura	
<b>Room Temperature Physical Characterization of Implanted 4H- and 6H-SiC</b>	
K. Zekentes, K. Tsagaraki, M. Androulidaki, M. Kayambaki, A. Stavriniidis, H. Peyre and J. Camassel	589

## Chapter 4: Graphene

### 4.1 Graphene Growth, Characterization and Theory

<b>Electronic and Structural Properties of Turbostratic Epitaxial Graphene on the 6H-SiC (000-1) Surface</b>	
T. Jayasekera, K.W. Kim and M.B. Nardelli	595
<b>Spatially Graded Graphitization on 4H-SiC (0001) with Si-Sublimation Gradient for High Quality Epitaxial Graphene Growth</b>	
S. Ushio, Y. Kutsuma, A. Yoshii, N. Tamai, N. Ohtani and T. Kaneko	601
<b>Control of Epitaxial Graphene Thickness on 4H-SiC(0001) and Buffer Layer Removal through Hydrogen Intercalation</b>	
J. Hassan, C. Virojanadara, A. Meyer, I.G. Ivanov, J.I. Flege, S. Watcharinyanon, J. Falta, L.I. Johansson and E. Janzén	605
<b>Graphene on Carbon-Face SiC{0001} Surfaces Formed in a Disilane Environment</b>	
N. Srivastava, G.W. He and R.M. Feenstra	609
<b>The Registry of Graphene Layers Grown on SiC(000-1).</b>	
L.I. Johansson, S. Watcharinyanon, A.A. Zakharov, R. Yakimova and C. Virojanadara	613
<b>Large Area Quasi-Free Standing Monolayer Graphene on 3C-SiC(111)</b>	
U. Starke, C. Coletti, K. Emtsev, A.A. Zakharov, T. Ouisse and D. Chaussende	617
<b>CVD Growth of Graphene on 2" 3C-SiC/Si Templates: Influence of Substrate Orientation and Wafer Homogeneity</b>	
M. Portail, A. Michon, S. Vézian, D. Lefebvre, S. Chenot, A. Ouerghi, M. Zielinski, T. Chassagne and Y. Cordier	621
<b>Structural and Electrical Properties of Graphene Films Grown by Propane/Hydrogen CVD on 6H-SiC(0001)</b>	
A. Michon, E. Roudon, M. Portail, B. Jouault, S. Contreras, S. Chenot, Y. Cordier, D. Lefebvre, S. Vézian, M. Zielinski, T. Chassagne and J. Camassel	625
<b>Local Solid Phase Epitaxy of Few-Layer Graphene on Silicon Carbide</b>	
E. Escobedo-Cousin, K. Vassilevski, I.P. Nikitina, N.G. Wright, A.G. O'Neill, A.B. Horsfall and J.P. Goss	629
<b>Study of Epitaxial Graphene on Non-Polar 6H-SiC Faces</b>	
B.K. Daas, K.M. Daniels, S. Shetu, T.S. Sudarshan and M.V.S. Chandrashekhar	633
<b>Micro- and Nano-Scale Electrical Characterization of Epitaxial Graphene on Off-Axis 4H-SiC (0001)</b>	
F. Giannazzo, C. Bongiorno, S. Di Franco, E. Rimini and V. Raineri	637
<b>Electrical Characterization of the Graphene-SiC Heterojunction</b>	
T.J. Anderson, K.D. Hobart, L.O. Nyakiti, V.D. Wheeler, R.L. Myers-Ward, J.D. Caldwell, F.J. Bezares, D.K. Gaskill, C.R. Eddy, F.J. Kub, G.G. Jernigan, M.J. Tadjer and E.A. Imhoff	641
<b>Epitaxial Single-Layer Graphene on the SiC Substrate</b>	
S.Y. Davydov and A.A. Lebedev	645

### 4.2 Graphene Processing

<b>Decoupling the Graphene Buffer Layer from SiC(0001) via Interface Oxidation</b>	
M. Ostler, R.J. Koch, F. Speck, F. Fromm, H. Vita, M. Hundhausen, K. Horn and T. Seyller	649
<b>Studies of Li Intercalation into Epitaxial Graphene on SiC(0001)</b>	
C. Virojanadara, S. Watcharinyanon, A.A. Zakharov, R. Yakimova and L.I. Johansson	653
<b>Plasma-Based Chemical Modification of Epitaxial Graphene</b>	
S.G. Walton, S.C. Hernández, M. Baraket, V.D. Wheeler, L.O. Nyakiti, R.L. Myers-Ward, C.R. Eddy and D.K. Gaskill	657
<b>Evidence of Electrochemical Graphene Functionalization by Raman Spectroscopy</b>	
K.M. Daniels, B.K. Daas, N. Srivastava, C. Williams, R.M. Feenstra, T.S. Sudarshan and M.V.S. Chandrashekhar	661

## **Molecular Gas Adsorption Induced Carrier Transport Studies of Epitaxial Graphene Using IR Reflection Spectroscopy**

B.K. Daas, W.K. Nomani, K.M. Daniels, T.S. Sudarshan, G. Koley and M.V.S. Chandrashekhar

665

### **4.3 Graphene Devices and Sensors**

#### **High Performance RF FETs Using High-k Dielectrics on Wafer-Scale Quasi-Free-Standing Epitaxial Graphene**

J.A. Robinson, M.J. Hollander, M. LaBella, K. Trumbull, M. Zhu, R. Cavalero and D. Snyder

669

#### **Gated Epitaxial Graphene Devices**

D. Waldmann, J. Jobst, F. Speck, T. Seyller, M. Krieger and H.B. Weber

675

#### **Suppression of Hole Current in Graphene Transistors with N-Type Doped SiC Source/Drain Regions**

Y. Nagahisa and E. Tokumitsu

679

#### **T- and Y-Branched Three-Terminal Junction Graphene Devices**

J. Pezoldt, R. Göckeritz, B. Hähnlein, B. Händel and F. Schwierz

683

#### **Development of FETs and Resistive Devices Based on Epitaxially Grown Single Layer Graphene on SiC for Highly Sensitive Gas Detection**

R. Pearce, R. Yakimova, L. Hultman, J. Eriksson, M. Andersson and A. Lloyd Spetz

687

#### **Temperature Dependent Chemical Sensitivity of Epitaxial Graphene**

V.K. Nagareddy, D.K. Gaskill, J.L. Tedesco, R.L. Myers-Ward, C.R. Eddy, J.P. Goss, N.G. Wright and A.B. Horsfall

691

## **Chapter 5: Processing of SiC**

### **5.1 MOS Processing, SiC-SiO<sub>2</sub> Interface and Other Dielectrics (See also Sections 3.3 and 6.4)**

#### **Synchrotron Radiation Photoelectron Spectroscopy Study of Thermally Grown Oxides on 4H-SiC(0001) Si-Face and (000-1) C-Face Substrates**

H. Watanabe, T. Hosoi, T. Kirino, Y. Uenishi, A. Chanthaphan, A. Yoshigoe, Y. Teraoka, S. Mitani, Y. Nakano, T. Nakamura and T. Shimura

697

#### **Challenges of High-Performance and High-Reliability in SiC MOS Structures**

J. Senzaki, A. Shimozato, K. Kojima, T. Kato, Y. Tanaka, K. Fukuda and H. Okumura

703

#### **Effect of Post-Oxidation Annealing in Wet O<sub>2</sub> and N<sub>2</sub>O Ambient on Thermally Grown SiO<sub>2</sub>/4H-SiC Interface for P-Channel MOS Devices**

S. Katakami, M. Arai, K. Takenaka, Y. Yonezawa, H. Ishimori, M. Okamoto, K. Kojima and K. Fukuda

709

#### **Temperature Dependence of Inversion Layer Carrier Concentration and Hall Mobility in 4H-SiC MOSFETs**

S. Dhar, A.C. Ahyi, J.R. Williams, S.H. Ryu and A.K. Agarwal

713

#### **Effects of N Incorporation on Electron Traps at SiO<sub>2</sub>/SiC Interfaces**

A.F. Basile, S. Dhar, J.R. Williams, L.C. Feldman and P.M. Mooney

717

#### **Impact of Interface Defect Passivation on Conduction Band Offset at SiO<sub>2</sub>/4H-SiC Interface**

T. Hosoi, T. Kirino, A. Chanthaphan, Y. Uenishi, D. Ikeguchi, A. Yoshigoe, Y. Teraoka, S. Mitani, Y. Nakano, T. Nakamura, T. Shimura and H. Watanabe

721

#### **Effect of Direct Nitridation of 4H-SiC Surface on MOS Interface States**

T. Sakai, M. Hemmi, Y. Murata, T. Yamakami, R. Hayashibe, Y. Onuma and K. Kamimura

725

#### **Improved Deposited Oxide Interfaces from N<sub>2</sub> Conditioning of Bare SiC Surfaces**

J. Rozen, M. Nagano and H. Tsuchida

729

#### **Development of 4H-SiC MOSFETs with Phosphorus-Doped Gate Oxide**

D. Okamoto, H. Yano, T. Hatayama and T. Fuyuki

733

#### **Effect of POCl<sub>3</sub> Annealing on Reliability of Thermal Oxides Grown on 4H-SiC**

R. Morishita, H. Yano, D. Okamoto, T. Hatayama and T. Fuyuki

739

#### **The Effects of Phosphorus at the SiO<sub>2</sub>/4H-SiC Interface**

Y.K. Sharma, A.C. Ahyi, T. Issacs-Smith, X. Shen, S.T. Pantelides, X.G. Zhu, J. Rozen, L.C. Feldman, J.R. Williams, Y. Xu and E. Garfunkel

743

#### **SiO<sub>2</sub>/SiC Interfacial Region: Presence of Silicon Oxycarbides and Effects of Hydrogen Peroxide and Water Vapor Thermal Treatments**

F.C. Stedile, C. Radtke, G.V. Soares, E. Pitthan, R. Palmieri and S.A. Corrêa

747

<b>Improvement in the SiO<sub>2</sub>/4H-SiC Interfacial Region by Thermal Treatments with Hydrogen Peroxide</b>		
E. Pitthan, S.A. Corrêa, R. Palmieri, G.V. Soares, H.I. Boudinov and F.C. Stedile	753	
<b>Electron Trapping in 4H-SiC MOS Capacitors Fabricated by Sodium-Enhanced Oxidation</b>		
A.F. Basile, A.C. Ahyi, L.C. Feldman, J.R. Williams and P.M. Mooney	757	
<b>Passivation and Depassivation of Interface Traps at the SiO<sub>2</sub>/4H-SiC Interface by Potassium Ions</b>		
P.G. Hermannsson and E.Ö. Sveinbjörnsson	761	
<b>Impact of UV Irradiation on Thermally Grown 4H-SiC MOS Devices</b>		
D. Ikeguchi, T. Kirino, S. Mitani, Y. Nakano, T. Nakamura, T. Hosoi, T. Shimura and H. Watanabe	765	
<b>Study of High Temperature Microwave Annealing on the Performance of 4H-SiC MOS Capacitors</b>		
H. Naik, Z. Li, H. Issa, Y.L. Tian and T.P. Chow	769	
<b>Comparison of Oxide Quality for Monolithically Fabricated SiC CMOS Structures</b>		
L.C. Martin, D.T. Clark, E.P. Ramsay, A.E. Murphy, R.F. Thompson, D.A. Smith, R.A.R. Young, J.D. Cormack, N.G. Wright and A.B. Horsfall	773	
<b>A Reduction of Defects in the SiO<sub>2</sub>-SiC System Using the SiC Vacuum Field-Effect Transistor (VacFET)</b>		
K.M. Speer, P.G. Neudeck and M. Mehregany	777	
<b>Controlling Characteristics of 4H-SiC(0001) p-Channel MOSFETs Fabricated on Ion-Implanted n-Well</b>		
M. Okamoto, M. Iijima, T. Nagano, K. Fukuda and H. Okumura	781	
<b>Two-Dimensional Roughness Growth at Surface and Interface of SiO<sub>2</sub> Films during Thermal Oxidation of 4H-SiC(0001)</b>		
R. Hasunuma, T. Fukasawa, R. Kosugi, Y. Ishida and K. Yamabe	785	
<b>Effects of Surface Morphological Defects and Crystallographic Defects on Reliability of Thermal Oxides on C-Face</b>		
T. Suzuki, H. Yamaguchi, T. Hatakeyama, H. Matsuhata, J. Senzaki, K. Fukuda, T. Shinohe and H. Okumura	789	
<b>Frequency-Dependent Charge Pumping on 4H-SiC MOSFETs</b>		
L.C. Yu, J. Fronheiser, V. Tilak and K.P. Cheung	793	
<b>Implementation of Sub-Resolvable Features for Precise Electrical Characterization of SiC Gate Oxide Parameters</b>		
J.J. McMahon, L.C. Yu, J. Fronheiser, J.T. Elson, R. Kovalec, J. Kretchmer and V. Tilak	797	
<b>Identification of Slow States at the SiO<sub>2</sub>/SiC Interface through Sub-Bandgap Illumination</b>		
C.M. Spargo, B.J.D. Furnival, R.M. Mahapatra, J.P. Goss, N.G. Wright and A.B. Horsfall	801	
<b>Effect of Nuclear Scattering Damage at SiO<sub>2</sub>/SiC and Al<sub>2</sub>O<sub>3</sub>/SiC Interfaces – a Radiation Hardness Study of Dielectrics</b>		
M. Usman, A. Hallén, K. Gulbinas and V. Grivickas	805	
<b>High Temperature Reliability of High-k/SiC MIS Hydrogen Sensors</b>		
B.J.D. Furnival, N.G. Wright and A.B. Horsfall	809	
<b>5.2 Doping, Ion Implantation and Contacts</b>		
<b>Shallow Incorporation of Nitrogen in HPSI 4H-SiC through the Laser Enhanced Diffusion Process</b>		
W.W. Sullivan III, C. Hettler and J. Dickens	813	
<b>High Dose Al<sup>+</sup> Implanted and Microwave Annealed 4H-SiC</b>		
R. Nipoti, A. Nath, M.V. Rao, A. Hallén, F. Mancarella, S. Zampolli and Y.L. Tian	817	
<b>High Temperature Ion Implantation and Activation Annealing Technologies for Mass Production of SiC Power Devices</b>		
K. Tezuka, T. Tsuyuki, S. Shimizu, S. Nakamata, T. Tsuji, N. Iwamuro, S. Harada, K. Fukuda and H. Kimura	821	
<b>Effects of Different Post-Implantation Annealing Conditions on the Electrical Properties of Interfaces to p-Type Implanted 4H-SiC</b>		
A. Frazetto, F. Roccaforte, F. Giannazzo, R. Lo Nigro, M. Saggio, E. Zanetti and V. Raineri	825	
<b>The Thickness-Ratio Effects of Ni/Nb Electrode on Wire Bonding Strength with N-Type 4H-SiC</b>		
K. Jung, D. Ando, Y. Sutou, T. Oyamada, M. Tanaka and J. Koike	829	

<b>The Formation Mechanism of Ni-Based Ohmic Contacts to 4H-n-SiC</b>	
A.V. Kuchuk, K. Gołaszewska, V.P. Kladko, M. Guziewicz, M. Wzorek, E. Kamińska and A. Piotrowska	833
<b>Electroless Nickel for N-Type Contact on 4H-SiC</b>	
S.P. Mendis, C.C. Tin, M.T. Tin, T. Isaacs-Smith and E.R. Crandall	837
<b>Development of an Extreme High Temperature n-Type Ohmic Contact to Silicon Carbide</b>	
L.J. Evans, R.S. Okojie and D. Lukco	841
<b>Investigation of <math>Ti_3SiC_2</math> MAX Phase Formation onto N-Type 4H-SiC</b>	
A. Drevin-Bazin, J.F. Barbot, T. Cabioc'h and M.F. Beaufort	845
<b>GaZnO as a Transparent Electrode to Silicon Carbide</b>	
J.H. Lee, J.H. Kim, K.M. Do, B.M. Moon, S.J. Joo, W. Bahng, S.C. Kim, N.K. Kim and S.M. Koo	849
<b>Common Metal Die Attachment for SiC Power Devices Operated in an Extended Junction Temperature Range</b>	
S. Tanimoto, K. Matsui, Y. Zushi, S. Sato, Y. Murakami, M. Takamori and T. Iseki	853
<b>Metal Work-function and Doping-Concentration Dependent Barrier Height of Ni-Contacts to 4H-SiC with Metal-Embedded Nano-Particles</b>	
M.S. Kang, J.H. Lee, A. Hallén, C. Zetterling, W. Bahng, N.K. Kim and S.M. Koo	857
<b>5.3 Cutting, Etching, Micro- and Nano-Processing</b>	
<b>Cutting Speed of Electric Discharge Machining for SiC Ingot</b>	
H. Yamada, S. Yamaguchi, N. Yamamoto and T. Kato	861
<b>Cutting of SiC Wafer by Atmospheric-Pressure Plasma Etching with Wire Electrode</b>	
Y. Sano, K. Aida, T. Kato, K. Yamamura, H. Mimura, S. Matsuyama and K. Yamauchi	865
<b>Curious Relationship between Orientation of SiC Substrates and Chemical Reactivity</b>	
T. Hatayama, H. Koketsu, H. Yano and T. Fuyuki	869
<b>High-Resolution TEM Observation of 4H-SiC (0001) Surface Planarized by Catalyst-Referred Etching</b>	
B.V. Pho, S. Sadakuni, T. Okamoto, R. Sagawa, K. Arima, Y. Sano and K. Yamauchi	873
<b>Novel Cleaning Method of SiC Wafer with Transition Metal Complex</b>	
M. Kubo, M. Hidaka, M. Kageyama, T. Okano and H. Kobayashi	877
<b>Clearance of 4H-SiC Sub-Trench in Hot Chlorine Treatment</b>	
H. Koketsu, T. Hatayama, H. Yano and T. Fuyuki	881
<b>SIMS Analyses Applied to Open an Optical Window in 4H-SiC Devices for Electro-Optical Measurements</b>	
M. Lazar, F. Jomard, D.M. Nguyen, C. Raynaud, G. Pâques, S. Scharnholz, D. Tournier and D. Planson	885
<b>Focused Ion-Beam (FIB) Nanomachining of Silicon Carbide (SiC) Stencil Masks for Nanoscale Patterning</b>	
H. Zamani, S.W. Lee, A. Avishai, C.A. Zorman, R.M. Sankaran and P.X.L. Feng	889
<b>Hexagonal Faceted SiC Nanopillars Fabricated by Inductively Coupled <math>SF_6/O_2</math> Plasma Method</b>	
J.H. Choi, L. Latu-Romain, T. Baron, T. Chevolleau and E. Bano	893
<b>Epitaxial Growth, Mechanical, Electrical Properties of SiC/Si and SiC/Poli-Si</b>	
M. Bosi, G. Attolini, B.E. Watts, A. Roncaglia, A. Poggi, F. Mancarella, F. Moscatelli, L. Belsito and F. Matteo	897
<b>ECR-Etching of Submicron and Nanometer Sized 3C-SiC(100) Mesa Structures</b>	
L. Hiller, T. Stauden, R.M. Kemper, J.K.N. Lindner, D.J. As and J. Pezoldt	901
<b>Local Anodic Oxidation of Phosphorous-Implanted 4H-SiC by Atomic Force Microscopy</b>	
J.H. Lee, J.J. Ahn, A. Hallén, C. Zetterling and S.M. Koo	905

## Chapter 6: SiC Devices, Circuits and Systems

### 6.1 Schottky Barrier Diodes

<b>Impact of Surface Morphology above Threading Dislocations on Leakage Current in 4H-SiC Diodes</b>	
F. Hirokazu, T. Katsuno, T. Ishikawa, H. Naruoka, M. Konishi, T. Endo, Y. Watanabe, K. Tsuruta, S. Onda, A. Adachi, M. Nagao and K. Hamada	911
<b>Experimental Demonstration of 1200V SiC-SBDs with Lower Forward Voltage Drop at High Temperature</b>	
T. Tsuji, A. Kinoshita, N. Iwamuro, K. Fukuda, K. Tezuka, T. Tsuyuki and H. Kimura	917
<b>Performance of a 650V SiC Diode with Reduced Chip Thickness</b>	
R. Rupp, R. Gerlach, U. Kirchner, A. Schlögl and R. Kern	921
<b>A Fully Electrically Isolated Package for High Temperature SiC Sensors</b>	
G. Brezeanu, F. Draghici, M. Badila, I. Rusu, F. Bernea and P. Godignon	925
<b>Current Distribution in the Various Functional Areas of a 600V SiC MPS Diode in Forward Operation</b>	
R. Rupp, R. Gerlach and A. Kabakow	929
<b>4H-SiC Trench Structure Schottky Diodes</b>	
M. Aketa, Y. Yokotsuji, M. Miura and T. Nakamura	933
<b>Influence of Anode Layout on the Performance of SiC JBS Diodes</b>	
R. Radhakrishnan and J.H. Zhao	937
<b>Performance of Hybrid 4.5 kV SiC JBS Freewheeling Diode and Si IGBT</b>	
K.D. Hobart, E.A. Imhoff, F.J. Kub, A.R. Hefner, T.H. Duong, J.M. Ortiz-Rodriguez, S.H. Ryu, D. Grider, S. Leslie, J. Sherbondy and B. Ray	941
<b>Hybrid Si-IGBT/SiC Rectifier Co-Packs and SiC JBS Rectifiers Offering Superior Surge Current Capability and Reduced Power Losses</b>	
S.G. Sundaresan, C. Sturdevant, H. Issa, M. Marripelly, E. Lieser and R. Singh	945

## 6.2 PiN and Heterojunction Diodes

<b>12.9 kV SiC PiN Diodes with Low On-State Drops and High Carrier Lifetimes</b>	
S.G. Sundaresan, C. Sturdevant, M. Marripelly, E. Lieser and R. Singh	949
<b>Design, Yield and Process Capability Study of 8 kV 4H-SiC PIN Diodes</b>	
A. Bolotnikov, P.A. Losee, K. Matocha, J. Nasadoski, J. Glaser, S. Arthur, Z. Stum, J. Garrett, A. Elasser, L. Stevanovic, H. Naik and T.P. Chow	953
<b>Characterization of Packaged 6.5 kV SiC PiN-Diodes up to 300 °C</b>	
K.O. Dohnke, D. Peters and R. Schörner	957
<b>11.72 cm<sup>2</sup> SiC Wafer-Scale Interconnected 1.8 kV / 64 kA PiN Diode</b>	
M. Snook, H. Hearne, T. McNutt, V. Veliadis, B. Nechay, S. Woodruff, R.S. Howell, D. Giorgi, J. White and S. Davis	961
<b>Transient Electrical Characteristics of Electron Irradiated High Blocking Voltage 4H-SiC Pin Diode</b>	
K. Asano, A. Tanaka, S. Ogata, K. Nakayama and Y. Miyanagi	965
<b>600 V PIN Diodes Fabricated Using On-Axis 4H Silicon Carbide</b>	
G. Civrac, F. Laariedh, N. Thierry-Jebali, M. Lazar, D. Planson, P. Brosselard, J. Hassan, A. Henry, E. Janzén, B. Vergne and S. Scharnholz	969
<b>Experimental Study on Various Junction Termination Structures Applied to 15 kV 4H-SiC PiN Diodes</b>	
H. Niwa, G. Feng, J. Suda and T. Kimoto	973
<b>Single Photolithography/Implantation 120-Zone Junction Termination Extension for High-Voltage SiC Devices</b>	
M. Snook, T. McNutt, C. Kirby, H. Hearne, V. Veliadis, B. Nechay, S. Woodruff, R.S. Howell, J. White and S. Davis	977
<b>Positive Temperature Coefficient SiC PiN Diodes</b>	
E.A. Imhoff, K.D. Hobart, F.J. Kub, M.G. Ancona, R.L. Myers-Ward, N.Y. Garces, V.D. Wheeler, L.O. Nyakiti, C.R. Eddy and D.K. Gaskill	981
<b>Fully Ion Implanted Vertical p-i-n Diodes on High Purity Semi-Insulating 4H-SiC Wafers</b>	
R. Nipoti, A. Nath, Y.L. Tian, F. Tamarri, F. Moscatelli, P. de Nicola and M.V. Rao	985
<b>Electrical Characteristics of 4H-SiC Pin Diode with Carbon Implantation or Thermal Oxidation</b>	
K. Nakayama, A. Tanaka, K. Asano, T. Miyazawa, M. Ito and H. Tsuchida	989

<b>Physical Modelling of 4H-SiC PiN Diodes</b>		
C.A. Fisher, M.R. Jennings, A.T. Bryant, A. Pérez-Tomás, P.M. Gammon, P. Brosselard, P. Godignon and P.A. Mawby	993	
<b>Thermal Stress Response of Silicon Carbide pin Diodes Used as Photovoltaic Devices</b>		
S. Barker, K.V. Vassilevski, I.P. Nikitina, N.G. Wright and A.B. Horsfall	997	
<b>Effect of Surface Morphology on the On-State Resistance of SiC Photoconductive Semiconductor Switches</b>		
X.C. Liu, W. Huang, S.H. Chang, M.X. Zhu, J.H. Yang and E.W. Shi	1001	
<b>Novel Low <math>V_{ON}</math> Poly-Si/4H-SiC Heterojunction Diode Using Energy Barrier Height Control</b>		
S. Yamagami, T. Hayashi and M. Hoshi	1005	
<b>Fabrication of 4H-SiC/Nanocrystalline Diamond PN Junctions</b>		
R. Amano, M. Goto, Y. Kato and K. Teii	1009	

## 6.3 JFETs and SITs

<b>Recovery of Bipolar-Current Induced Degradations in High-Voltage Implanted-Gate Junction Field Effect Transistors</b>		
V. Veliadis, H. Hearne, W. Chang, J.D. Caldwell, E.J. Stewart, M. Snook, R.S. Howell, D. Urciuoli, A.J. Lelis and C. Scozzie	1013	
<b>Demonstration of SiC Vertical Trench JFET Reliability</b>		
K.M. Speer, K. Chatty, V. Bondarenko, D.C. Sheridan, K. Matocha and J.B. Casady	1017	
<b>Reliable Operation of 1200-V SiC Vertical Junction-Field-Effect-Transistor Subjected to 16,000-Pulse Hard Switching Stressing</b>		
K. Lawson, G. Alvarez, S.B. Bayne, V. Veliadis, H.C. Ha, D. Urciuoli and C. Scozzie	1021	
<b>Avalanche Breakdown Energy in Silicon Carbide Junction Field Effect Transistors</b>		
M. Hinojosa, S. Bayne, V. Veliadis and D. Urciuoli	1025	
<b>Characterization of SiC JFET in Novel Packaging for 1 MHz Operation</b>		
K. Okamura, K. Ise, M. Wake, Y. Osawa, K. Takaki and K. Takayama	1029	
<b>Packaging Technologies for 500°C SiC Electronics and Sensors</b>		
L.Y. Chen, R.W. Johnson, P.G. Neudeck, G.M. Beheim, D.J. Spry, R.D. Meredith and G.W. Hunter	1033	
<b>High Voltage SiC Vertical JFET for High Power RF Applications</b>		
C. Hecht, R. Elpelt, R. Schörner, R. Irsigler and O. Heid	1037	
<b>Design of an Integrated SiC JFET Power Switch and Flyback Diode</b>		
R. Radhakrishnan and J.H. Zhao	1041	
<b>A Novel 4H-SiC Fault Isolation Device with Improved Trade-Off between On-State Voltage Drop and Short Circuit SOA</b>		
W.J. Sung, B.J. Baliga and A.Q. Huang	1045	
<b>Fabrication Issues of 4H-SiC Static Induction Transistors</b>		
A. Stavrinidis, G. Konstantinidis, M. Kayambaki, F. Cayrel, D. Alquier, Z. Gao and K. Zekentes	1049	

## 6.4 MOSFETs (See also Sections 3.3 and 5.1)

<b>High Performance SiC IEMOSFET/SBD Module</b>		
S. Harada, Y. Hoshi, Y. Harada, T. Tsuji, A. Kinoshita, M. Okamoto, Y. Makifuchi, Y. Kawada, K. Imamura, M. Gotoh, T. Tawara, S. Nakamata, T. Sakai, F. Imai, N. Ohse, M. Ryo, A. Tanaka, K. Tezuka, T. Tsuyuki, S. Shimizu, N. Iwamuro, Y. Sakai, H. Kimura, K. Fukuda and H. Okumura	1053	
<b>Development of 1200 V, 3.7 m<math>\Omega</math>-cm<sup>2</sup> 4H-SiC DMOSFETs for Advanced Power Applications</b>		
S.H. Ryu, L. Cheng, S. Dhar, C. Capell, C. Jonas, R. Callanan, M.J. O'Loughlin, A.A. Burk, A.J. Lelis, C.J. Scozzie, A.K. Agarwal and J.W. Palmour	1059	
<b>High-Temperature Performance of 1200 V, 200 A 4H-SiC Power DMOSFETs</b>		
L. Cheng, S.H. Ryu, A.K. Agarwal, M.J. O'Loughlin, A.A. Burk, J. Richmond, A.J. Lelis, C. Scozzie and J.W. Palmour	1065	
<b>690V, 1.00 m<math>\Omega</math>cm<sup>2</sup> 4H-SiC Double-Trench MOSFETs</b>		
Y. Nakano, R. Nakamura, H. Sakairi, S. Mitani and T. Nakamura	1069	
<b>SiC MOSFET Reliability Update</b>		
M.K. Das, S.K. Haney, J. Richmond, A. Olmedo, Q.J. Zhang and Z. Ring	1073	
<b>Material Defects and Rugged Electrical Power Switching in Semiconductors</b>		
K. Shenai, P.G. Neudeck, M. Dudley and R.F. Davis	1077	

<b>Comparative Study of SiC MOSFETs in High Voltage Switching Operation</b>	1081
T. Funaki, Y. Nakano and T. Nakamura	
<b>Charge Trapping in Sic Power MOSFETs and its Consequences for Robust Reliability Testing</b>	1085
R. Green, A.J. Lelis and D.B. Habersat	
<b>4H-SiC MOSFETs with a Stable Protective Coating for Harsh Environment Applications</b>	1089
W. Daves, A. Krauss, V. Häublein, A.J. Bauer and L. Frey	
<b>Integration of Temperature and Current Sensors in 4H-SiC VDMOS</b>	1093
M. Berthou, P. Godignon, P. Brosselard, D. Tournier and J. Millán	
<b>SiC-MOSFET Structure Enabling Fast Turn-On and -Off Switching</b>	1097
S. Hino, N. Miura, A. Furukawa, S. Watanabe, Y. Nakao, S. Nakata, M. Imaizumi, H. Sumitani and T. Oomori	
<b>Calibration of Mobility and Interface Trap Parameters for High Temperature TCAD Simulation of 4H-SiC VDMOSFETs</b>	1101
M.G. Jaikumar and S. Karmalkar	
<b>4H-SiC MOSFETs with Si-Like Low-Frequency Noise Characteristics</b>	1105
S.L. Rumyantsev, M.S. Shur, M.E. Levinshtein, P.A. Ivanov, J.W. Palmour, A.K. Agarwal and S. Dhar	
<b>High Temperature Performance of 3C-SiC MOSFETs with High Channel Mobility</b>	1109
H. Uchida, A. Minami, T. Sakata, H. Nagasawa and M. Kobayashi	
<b>Dependence of the Channel Mobility in 3C-SiC n-MOSFETs on the Crystal Orientation and Channel Length</b>	1113
B. Zippelius, M. Hauck, S. Beljakowa, H.B. Weber, M. Krieger, H. Nagasawa, H. Uchida, G. Pensl and A. Schöner	

## 6.5 Bipolar Transistors

<b>Enhanced Current Gain (&gt;250) in 4H-SiC Bipolar Junction Transistors by a Deep-Level-Reduction Process</b>	1117
H. Miyake, T. Kimoto and J. Suda	
<b>100 and <math>\rho_{ON}3 \text{ m}\Omega\text{cm}^2</math></b>	1123
M. Domeij, A. Konstantinov, A. Lindgren, C. Zaring, K. Gumaelius and M. Reimark	
<b>1200 V-Class 4H-SiC “Super” Junction Transistors with Current Gains of 88 and Ultra-Fast Switching Capability</b>	1127
R. Singh, S. Jeliazkov and E. Lieser	
<b>Investigation of Current Gain Degradation in 4H-SiC Power BJTs</b>	1131
B. Buono, R. Ghandi, M. Domeij, B.G. Malm, C. Zetterling and M. Östling	
<b>Development of 15 kV 4H-SiC IGBTs</b>	1135
S.H. Ryu, L. Cheng, S. Dhar, C. Capell, C. Jonas, J. Clayton, M. Donofrio, M.J. O'Loughlin, A.A. Burk, A.K. Agarwal and J.W. Palmour	
<b>Ultra high performance of 12kV Clustered Insulated Gate Bipolar Transistor (CIGBT) in 4H-SiC</b>	1139
K.G. Menon, L.K. Ngwendson, A. Nakajima, E.M. Sankara Narayanan and G.P. Bruce	
<b>An Investigation of Material Limit Characteristics of SiC IGBTs</b>	1143
T. Hatakeyama, K. Fukuda and H. Okumura	
<b>Improved Energy Efficiency Using an IGBT/SiC-Schottky Diode Pair</b>	1147
N.A. Parker-Allotey, D.P. Hamilton, O. Alatise, M.R. Jennings, P.A. Mawby, R. Nash and R. Magill	

## 6.6 Thyristors and GTOs

<b>12 kV, 1 cm<sup>2</sup> SiC GTO Thyristors with Negative Bevel Termination</b>	1151
Q.J. Zhang, A.K. Agarwal, C. Capell, L. Cheng, M.J. O'Loughlin, A.A. Burk, J.W. Palmour, S.L. Rumyantsev, T. Saxena, M.E. Levinshtein, A. Ogunniyi, H. O'Brien and C. Scozzie	
<b>High <math>dI/dt</math> Pulse Switching of 1.0 cm<sup>2</sup> SiC GTOs</b>	1155
H. O'Brien, W. Shaheen, A. Ogunniyi, C. Scozzie, Q.J. Zhang, A.K. Agarwal and V. Temple	
<b>Integrated SiC Anode Switched Thyristor Modules for Smart-Grid Applications</b>	1159
S.G. Sundaresan, E. Lieser and R. Singh	
<b>Fabrication and Characterization of 4H-SiC 6kV Gate Turn-Off Thyristor</b>	1163
L. Lin and J.H. Zhao	

<b>Comparison of SiC Thyristors with Differently Etched JTEs</b>	1167
G. Pâques, S. Scharnholz, N. Dheilly, D. Planson and R.W. De Doncker	
<b>High-Yield 4H-SiC Thyristors for Wafer-Scale Interconnection</b>	1171
B. Nechay, M. Snook, H. Hearne, T. McNutt, V. Veliadis, S. Woodruff, R.S. Howell, D. Giorgi, J. White and S. Davis	
<b>Bipolar Degradation in 4H-SiC Thyristors</b>	1175
S.I. Soloviev, P.A. Losee, S. Arthur, Z. Stum, J.L. Garrett and A. Elasser	
<b>Pulse Characterization of Optically Triggered SiC Thyristors</b>	1179
N. Dheilly, G. Pâques, S. Scharnholz and D. Planson	
<b>Evaluation of High Power Experimental SiC SGTO Devices for Pulsed Power Applications</b>	1183
S. Lacouture, K. Lawson, S. Bayne, M. Giesslmann, H. O'Brien and C.J. Scozzie	

## 6.7 Sensors and Photodetectors

<b>Characterization of Large Area 4H-SiC and 6H-SiC Capacitive Devices at 600 °C</b>	1187
R.N. Ghosh and R. Loloe	
<b>Development of High Temperature SiC Based Hydrogen/Hydrocarbon Sensors with Bond Pads for Packaging</b>	1191
J.C. Xu, G.W. Hunter, L.Y. Chen, A.M. Biaggi-Labiosa, B.J. Ward, D. Lukco, J.M. Gonzalez III, P.S. Lampard, M.A. Artale and C.L. Hampton	
<b>Laser-Doped SiC as Wireless Remote Gas Sensor Based on Semiconductor Optics</b>	1195
G. Lim, T. Manzur and A. Kar	
<b>Silicon Carbide Ultraviolet Photodetector Modeling, Design and Experiments</b>	1199
A. Akturk, M. Dandin, A.V. Vert, S.I. Soloviev, P. Sandvik, S. Potbhare, N. Goldsman and P. Abshire	
<b>4H-SiC P<sup>+</sup>N UV Photodiodes : A Comparison between Beam and Plasma Doping Processes</b>	1203
S. Biondo, L. Ottaviani, M. Lazar, D. Planson, J. Duchaine, V. Le Borgne, M.A. El Khakani, F. Milesi, W. Vervisch, O. Palais and F. Torregrosa	
<b>A Theoretical and Experimental Comparison of 4H- and 6H-SiC MSM UV Photodetectors</b>	1207
J.K. Lim, L. Östlund, Q. Wang, W. Kaplan, S.A. Reshanov, A. Schöner, M. Bakowski and H.P. Nee	
<b>Characterization of Poly-SiC Pressure Sensors for High Temperature and High Pressure Applications</b>	1211
S. Jin, S. Rajgopal and M. Mehregany	
<b>High Temperature Capacitive Pressure Sensor Employing a SiC Based Ring Oscillator</b>	1215
R.D. Meredith, P.G. Neudeck, G.E. Ponchak, G.M. Beheim, M.C. Scardelletti, J.L. Jordan, L.Y. Chen, D.J. Spry, M.J. Krasowski and G.W. Hunter	

## 6.8 Systems and Circuits

<b>High Temperature Silicon Carbide Power Modules for High Performance Systems</b>	1219
A.B. Lostetter, J. Hornberger, B. McPherson, J. Bourne, R. Shaw, E. Cilio, W. Cilio, B. Reese, E. Heinrichs, T. McNutt and M. Schupbach	
<b>10 kV SiC Power MOSFETs and JBS Diodes: Enabling Revolutionary Module and Power Conversion Technologies</b>	1225
M.K. Das, D. Grider, S. Leslie, R. Raju, M. Schutten and A. Hefner	
<b>SiC JFET Power Modules for Reliable 250°C Operation</b>	1229
D.C. Sheridan, J.B. Casady, T. Autry, R. Aguirre, V. Lee, R.W. Johnson, M.J. Palmer and J. Scofield	
<b>A Compact 5-nH One-Phase-Leg SiC Power Module for a 600V-60A-40W/cc Inverter</b>	1233
K. Matsui, Y. Zushi, Y. Murakami, S. Tanimoto and S. Sato	
<b>Performance of a 25kW 700V Galvanically Isolated Bidirectional DC-DC Converter Using 1.2kV Silicon Carbide MOSFETs and Schottky Diodes</b>	1237
A.K. Jain, D. McIntosh, M. Jones and B. Ratliff	
<b>Switching Losses in a SiC-Based DC-DC Multilevel Boost Converter</b>	1241
O. Mostaghimi, N.G. Wright and A.B. Horsfall	
<b>High Voltage SiC Schottky Diodes in Rectifiers for X-Ray Generators</b>	1245
P. Lürkens, P. Guimaraes, P. Godignon and J. Millán	
<b>SiC Solid-State Disconnect for High Power System Applications</b>	1249
X.Q. Li, P. Alexandrov, L. Fursin, C. Dries and J.H. Zhao	

<b>A 450°C High Voltage Gain AC Coupled Differential Amplifier</b>	1253
J. Yang, J. Fraley, B. Western, M. Schupbach and A.B. Lostetter	
<b>Bipolar Integrated OR-NOR Gate in 4H-SiC</b>	1257
L. Lanni, R. Ghandi, C. Zetterling, B.G. Malm and M. Östling	
<b>300C Capable Digital Integrated Circuits in SiC Technology</b>	1261
A. Patil, N. Rao and V. Tilak	
<b>Reliability of Silicon Carbide Integrated Circuits at 300°C</b>	1265
A.V. Vert, E.A. Andarawis and C.P. Chen	
<b>Direct Frequency Modulation of a High Temperature Silicon Carbide Oscillator</b>	1269
D. Brennan, K. Vassilevski, N.G. Wright and A.B. Horsfall	

## Chapter 7: Related Materials

### 7.1 Nanomaterials

<b>Conversion of Si Nanowires into SiC Nanotubes</b>	1275
M. Ollivier, L. Latu-Romain, E. Bano, A. Mantoux and T. Baron	
<b>Growth of SiC Nanowires on Different Planes of 4H-SiC Substrates</b>	1279
R.V.K.G. Thirumalai, B. Krishnan, I. Levin, A. Davydov, S.G. Sundaresan, J.N. Merrett and Y. Koshka	
<b>Fabrication of Silicon Carbide Thin Film as a Stabilizing Layer for Improving the Stability of Porous Silicon Photodiodes</b>	1283
N. Naderi and M.R. Hashim	

### 7.2 III-Nitrides

<b>Low Defect Density Bulk AlN Substrates for High Performance Electronics and Optoelectronics</b>	1287
B. Raghothamachar, R. Dalmau, B. Moody, H.S. Craft, R. Schlessler, J.Q. Xie, R. Collazo, M. Dudley and Z. Sitar	
<b>Control of the Growth Habit in the Na Flux Growth of GaN Single Crystals</b>	1291
M. Imade, Y. Konishi, H. Takazawa, K. Murakami, H. Imabayashi, Y. Todoroki, A. Kitamoto, D. Matsuo, M. Maruyama, M. Yoshimura, Y. Kitaoka, T. Sasaki and Y. Mori	
<b>Evolution of Structural and Electrical Properties of Au/Ni Contacts onto P-GaN after Annealing</b>	1295
G. Greco, F. Roccaforte, R. Lo Nigro, C. Bongiorno, S. Di Franco, P. Prystawko, M. Leszczyński and V. Raineri	
<b>Large GaN p-n Junction Diodes of 3 mm in Diameter on Free-Standing GaN Substrates with High Breakdown Voltage</b>	1299
K. Nomoto, T. Nakamura, N. Kaneda, T. Kawano, T. Tsuchiya and T. Mishima	
<b>Performance Comparison of GaN Power Transistors and Investigation on the Device Design Issues</b>	1303
C.Y. Lee, Y.H. Chen, L.S. Lee, C.C. Hung, C.T. Yen, S.F. Lin, R. Xuan, W.H. Kuo, T.K. Ku and M.J. Tsai	
<b>Design of High-Performance Synchronous Buck DC-DC Converters Using GaN Power HEMTs</b>	1307
K. Shenai and K. Shah	

### 7.3 Diamond

<b>Density Functional Simulations of Transition Metal Terminated (001)-Diamond Surfaces</b>	1311
A.K. Tiwari, J.P. Goss, P.R. Briddon, N.G. Wright and A.B. Horsfall	
<b>Electrical Characterisation of Defects in Polycrystalline B-Doped Diamond Films</b>	1315
O.S. Elsherif, K.D. Vernon-Parry, J.H. Evans-Freeman and P.W. May	
<b>Diamond Vertical Schottky Barrier Diode with Al<sub>2</sub>O<sub>3</sub> Field Plate</b>	1319
H. Umezawa, M. Nagase, Y. Kato and S. Shikata	

### 7.4 n-ZnO/p-SiC Heterojunctions, Novel Nitride Semiconductors

**Fabrication and Characterization of n-ZnO/p-SiC Heterojunction Diode**

M. Guziewicz, W. Jung, R. Kruszka, J. Domagala, A.B. Piotrowska, K. Gołaszewska, L. Wachnicki, E. Guziewicz and M. Godlewski

1323

**Effects of Substrate Temperature on the Electrical and the Optical Properties of N-Type ZnO/P-Type 4H-SiC**

J.C. Jung, J.H. Kim, K.M. Do, B.M. Moon, S.J. Joo, W. Bahng, S.C. Kim, N.K. Kim and S.M. Koo

1327

**CdGeN<sub>2</sub> and ZnGe<sub>0.5</sub>Sn<sub>0.5</sub>N<sub>2</sub>: Two New Nitride Semiconductors with Band Gaps in the Blue-Green**

A. Punya and W.R.L. Lambrecht

1331