

# Table of Contents

## Preface, Committees, Sponsors

## Chapter 1: Keynote Papers

|                                                                                                                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Fatigue Life Extension by Crack Repair Using Double Stop-Hole Technique</b><br>M.R. Ayatollahi, S.M.J. Razavi, C. Sommitsch and C. Moser                                                                               | 3   |
| <b>Intermetallic Phases in New Steels</b><br>W. Bleck, W.W. Song and A. Zimmermann                                                                                                                                        | 9   |
| <b>An Artistic Approach to Thermal Spray</b><br>M. Jeandin, F. Borit, N. Fabrègue, G. Rolland and F. Delloro                                                                                                              | 15  |
| <b>Dynamic Transformation during Plate and Strip Rolling</b><br>J.J. Jonas, C. Aranas Jr., S.F. Rodrigues and I.H. Jung                                                                                                   | 29  |
| <b>The Role of Microstructure in Creep Strength of 9-12%Cr Steels</b><br>R. Kaibyshev, R. Mishnev, A. Fedoseeva and N. Dudova                                                                                             | 36  |
| <b>Micro-Mechanical Responses of Ultrafine-Grained Materials Processed through High-Pressure Torsion</b><br>M. Kawasaki, J.I. Jang, B.M. Ahn and T.G. Langdon                                                             | 42  |
| <b>The Development of Superplasticity and Deformation Mechanism Maps in an Ultrafine-Grained Magnesium Alloy</b><br>M. Kawasaki, R.B. Figueiredo and T.G. Langdon                                                         | 48  |
| <b>Revision of ISO 27306 for CTOD Toughness Correction for Constraint Loss</b><br>F. Minami, M. Ohata and Y. Takashima                                                                                                    | 54  |
| <b>Development of Polymer-Based Composite Coatings for the Gas Exploration Industry: Polyoxometalate Doped Conducting Polymer Based Self-Healing Pigment for Polymer Coatings</b><br>B. Mishra, A. Chaudhry and V. Mittal | 60  |
| <b>Anelastic Phenomena Preceding the Melting of Pure Metals and Alloys</b><br>R. Montanari and A. Varone                                                                                                                  | 66  |
| <b>Combined Effects of Grain Boundary Convection and Migration in Dynamic Phase Transformations</b><br>F. Montheillet and D. Piot                                                                                         | 72  |
| <b>Complex Cell Physiology on Topographically and Chemically Designed Material Surfaces</b><br>J.B. Nebe, C. Moerke, S. Staehlke, B. Finke, M. Schnabelrauch, K. Anselme, C.A. Helm, M. Frank and H. Rebl                 | 78  |
| <b>Metallurgical Aspects Affecting Thermomechanical Processing of Ti Based Microalloyed Steels</b><br>B. López and J.M. Rodriguez-Ibabe                                                                                   | 84  |
| <b>Thermomechanical Processing of Medium Manganese Steels</b><br>A. Ito, A. Shibata and N. Tsuji                                                                                                                          | 90  |
| <b>Diamond Based Schottky Photodiode for Radiation Therapy <i>In Vivo</i> Dosimetry</b><br>G. Prestopino, E. Santoni, C. Verona and G. Verona Rinati                                                                      | 95  |
| <b>Thermo-Mechanical Training of Stainless Steels to Improve Damping Capacity</b><br>Y. Watanabe, N. Iwata and H. Sato                                                                                                    | 101 |
| <b>Development of High-Temperature Shape Memory Alloys above 673 K</b><br>Y. Yamabe-Mitarai                                                                                                                               | 107 |
| <b>Advanced Intermetallic TiAl Alloys</b><br>H. Clemens and S. Mayer                                                                                                                                                      | 113 |
| <b>Development and Research of Low-Cost Titanium Alloys, Especially Case of Japan</b><br>M. Ikeda and M. Ueda                                                                                                             | 119 |
| <b>Enhancement of Mechanical Biocompatibility of Titanium Alloys by Deformation-Induced Transformation</b><br>M. Niinomi                                                                                                  | 125 |

## Chapter 2: Contributed Papers

|                                                                                                                                                                             |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Magnetic Shape Memory - Polymer Hybrids</b>                                                                                                                              |     |
| I. Aaltio, F. Nilsén, J. Lehtonen, Y.L. Ge, S. Spoljaric, J. Seppälä and S.P. Hannula                                                                                       | 133 |
| <b>Hardness Homogeneity in an AZ80 Magnesium Alloy Processed by High-Pressure Torsion</b>                                                                                   |     |
| S.A. Alsubaie, Y. Huang and T.G. Langdon                                                                                                                                    | 139 |
| <b>Microstructure Evolution and Deformation Mechanisms of Harmonic Structure Designed Materials</b>                                                                         |     |
| K. Ameyama, S.K. Vajpai and M. Ota                                                                                                                                          | 145 |
| <b>A Comparative Study of Molecular Motion Cooperativity in Polymeric and Metallic Glass-Forming Liquids</b>                                                                |     |
| M. Aniya, M. Ikeda and Sahara                                                                                                                                               | 151 |
| <b>Damage Initiation in Dual-Phase Steels: Influence of Crystallographic and Morphological Parameters</b>                                                                   |     |
| F. Archie, X.L. Li and S. Zaefferer                                                                                                                                         | 157 |
| <b>Microstructure and Friction Behavior of AISI 52100 and D2 Steels Subjected to Ultrasonic Nanocrystalline Surface Modification (UNSM) Technique at a High Temperature</b> |     |
| A. Amanov, J.H. Kim and Y.S. Pyun                                                                                                                                           | 164 |
| <b>Microstructure Study of Nickel-Based Superalloys after Deep Cold Rolling</b>                                                                                             |     |
| B. Nagarajan and S. Castagne                                                                                                                                                | 169 |
| <b>IN792 DS Superalloy: Optimization of EB Welding and Post-Welding Heat Treatments</b>                                                                                     |     |
| G. Barbieri, P. Soltani, S. Kaciulis, R. Montanari and A. Varone                                                                                                            | 175 |
| <b>Mathematical Model of Microstructural Evolution of Hot Rolled Wire Rods for Nb Microalloyed Steels</b>                                                                   |     |
| F. Oliveira, R. Lino and R. Barbosa                                                                                                                                         | 181 |
| <b>A Study on the Microstructural Characterization of René 142 Deposited Atop René 125 Processed through Scanning Laser Epitaxy</b>                                         |     |
| A. Basak and S. Das                                                                                                                                                         | 187 |
| <b>Correlations between Defect Content, Mechanical Properties and Fractographic Investigation of AlSi9Cu3(Fe) Alloy Reference Castings</b>                                  |     |
| E. Battaglia, F. Bonollo, I. Tonello and E. Fiorese                                                                                                                         | 193 |
| <b>Influence of Thermal History on the Hot Ductility of Ti-Nb Microalloyed Steels</b>                                                                                       |     |
| C. Beal, O. Caliskanoglu, C. Sommitsch, S. Ilie, J. Six and M. Dománková                                                                                                    | 199 |
| <b>Innovative Experimental Approaches and Physical Measurement Methods for Fatigue Monitoring and Life Assessment</b>                                                       |     |
| T. Beck, M. Klein, M. Smaga, F. Balle and D. Eifler                                                                                                                         | 205 |
| <b>Novel Concepts for the Application of Magnesium Sheets and Profiles in Crash Loaded Vehicle Areas</b>                                                                    |     |
| E. Beeh, P. Zhou, H.E. Friedrich, P. Straßburger, T. Grünheid, W. Altenhof, M. Worswick and S. Kim                                                                          | 211 |
| <b>Influence of Microalloying Elements Ti and Nb on Recrystallization during Annealing of Advanced High-Strength Steels</b>                                                 |     |
| M. Bellavoine, M. Dumont, J. Drillet, P. Maugis and V. Hebert                                                                                                               | 217 |
| <b>Regularities of Microstructure Evolution and Strengthening Mechanisms of Austenitic Stainless Steels Subjected to Large Strain Cold Working</b>                          |     |
| A. Belyakov, M. Odnobokova, I. Shakhova and R. Kaibyshev                                                                                                                    | 224 |
| <b>Effect of Temperature and Strain Rate on the Mechanical Properties of 99.5 Aluminium Rods Extruded by KOBOL</b>                                                          |     |
| S. Boczkaj, M. Lech-Grega, W. Szymanski, P. Ostachowski and M. Lagoda                                                                                                       | 230 |
| <b>Miniaturized Flow-Through Bioreactor for Processing and Testing in Pharmacology</b>                                                                                      |     |
| A. Böhme, L. Radke, F. Schütze, S. Schneider, T. Liebscher, S. Sauer, L. Santo, F. Quadrini, M. Hummel, C. Giese, M. Frohme and A.H. Foitzik                                | 236 |
| <b>Microretina: An “Open Source” Tool for Retinal Images Analysis</b>                                                                                                       |     |
| V. Bonaiuto, M. Gabrieli and F. Sargeni                                                                                                                                     | 244 |
| <b>Phase Stability Study of the Shape Memory Alloy CuAl-X (X: Be, Zn, Ti, Ni, Ag and Au) by <i>Ab Initio</i> Calculations</b>                                               |     |
| N. Boudalia, J.M. Raulot, E. Patoor and C. Esling                                                                                                                           | 250 |

|                                                                                                                                                                                                                                                      |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Phase Constitution and Martensitic Transformation Behavior of Au-51Ti-18Co Biomedical Shape Memory Alloy Heat-Treated at 1173K to 1373K</b><br>T. Buasri, H.B. Shim, M. Tahara, T. Inamura, K. Goto, H. Kanetaka, Y. Yamabe-Mitarai and H. Hosoda | 256 |
| <b>Thermal Plasticity Index of Nanostructured N-Based Coatings on HSS 6-5-2 (1.3343) Tool Steel</b><br>M. Cabibbo, N. Clemente, F. Musharavati and S. Spigarelli                                                                                     | 262 |
| <b>Microstructural Investigation of Oxynitrocarburized Components Processed at Different Temperatures</b><br>D. Caliarì, G. Timelli, T. Salata, S. Maestri and G. Cavagnini                                                                          | 268 |
| <b>Numerical Simulation of the Effects of Preheating on Electron Beam Additive Manufactured Ti-6Al-4V Build Plate</b><br>J. Cao and P. Nash                                                                                                          | 274 |
| <b>Development of Al-Mg-Si-(Cu) Alloys for Automotive Body Panels and the Related Ageing Behaviours</b><br>H. Zhong, B. Liao, X.D. Wu, L.F. Cao and P.A. Rometsch                                                                                    | 279 |
| <b>Optimal Deformation Hardening in Lead Base Anodes for Copper Electrowinning for an Appropriate Working Life</b><br>C. Camurri, C. Carrasco and Y. Maril                                                                                           | 284 |
| <b>Gold Recovery from PCBs with Thiosulfate as Complexing Agent</b><br>P. Cerchier, M. Dabalà and K. Brunelli                                                                                                                                        | 289 |
| <b>Friction Stir Processing at High Rotation Rates of a Magnesium Alloy: Mechanical Properties at High Temperatures and Microstructure</b><br>E. Cerri, G. Renna, M. Cabibbo, M. Simoncini and A. Forcellese                                         | 295 |
| <b>Fracture Surface Characterisation of Friction Stir Processed Magnesium Alloy after Mechanical Tests</b><br>E. Cerri, M.T. di Giovanni, T. Rimoldi and L. Cristofolini                                                                             | 301 |
| <b>Influence of Dynamic Strain Ageing and Long Term Ageing on Deformation and Fracture Behaviors of Alloy 617</b><br>G.C. Chai, M. Calmunger, S. Johansson, J. Moverare and J. Odqvist                                                               | 306 |
| <b>Development and Industrial Applying on Rolling Mill 5000 of the Model of Austenite Grain Size Evolution in Nb-Microalloyed Steels</b><br>A.V. Chastukhin, D.A. Ringinen, S.V. Golovin and L.I. Efron                                              | 312 |
| <b>Effects of Precipitated Particles on Microstructure Evolution during Thermo-Mechanical Processing of Al-Zn-Mg-Cu Alloy</b><br>H.Q. Chen, K. Zhang and X.D. Zhao                                                                                   | 318 |
| <b>Analysis of Deformation and Internal Defect in Flat-Wedge Cross-Wedge Rolling of GH4169 Superalloy</b><br>Y. Chen, H.Y. Gan, S.H. Zhang, M. Cheng and H.W. Song                                                                                   | 324 |
| <b>Effects of Laser Power on Track Profile and Structure Formation during Selective Laser Melting of CoCrMo Alloy</b><br>Z.W. Chen, K. Darvish and T. Pasang                                                                                         | 330 |
| <b>The Observation of Austenite to Ferrite Martensitic Transformation in an Fe-Mn-Al Austenitic Steel after Cooling from High Temperature</b><br>W.C. Cheng, K.H. Lee, S.M. Lin and S.Y. Chien                                                       | 335 |
| <b>Mechanical Analyses of Welding in Practical Field</b><br>K. Choi and G. An                                                                                                                                                                        | 339 |
| <b>Mechanical Properties of Fine-Grained and Ultrafine-Grained Ti-6Al-4V with Equiaxed and Bimodal Microstructures</b><br>Y. Chong and N. Tsuji                                                                                                      | 344 |
| <b>The Effect of Final Annealing Heating Rate on Abnormal Grain Growth in a Fe-3.5%Si Steel</b><br>F. Citrawati, M.Z. Quadir and P. Munroe                                                                                                           | 350 |
| <b>In Situ Characterisation of Austenite/Ferrite Transformation Kinetics and Modelling of Interphase Precipitation Inter-Sheet Spacing in V Microalloyed HSLA Steels</b><br>S. Clark, Y.J. Lan, V. Janik, A. Rijkenberg and S. Sridhar               | 356 |
| <b>Tensile Stress Analyses through Digital Image Correlation of Single Lap Joints of High Strength Steel and Aluminum Alloy Using Adhesive Bonding</b><br>P.A.M.G.P. Bamberg, U. Reisgen, B. Marx, J.D.V. Barbosa and R.S. Coelho                    | 363 |

|                                                                                                                                                                     |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Analysis of Pre-Strain in a Hybrid Forming Process Including Stretch and Incremental Sheet Forming</b>                                                           |     |
| F.A. Lora, B.C.S. Silva, R.S. Coelho and L. Schaeffer                                                                                                               | 369 |
| <b>Fatigue Crack Growth in Flow Formed INCONEL 718</b>                                                                                                              |     |
| C. Coleman, M.R. Bache and C. Boettcher                                                                                                                             | 374 |
| <b>Modeling the Microstructural and Yield Strength Evolution of an Age-Hardenable Al Alloy for High Temperature Applications</b>                                    |     |
| M. Colombo, E. Gariboldi, P. Bassani, M. Albu and F. Hofer                                                                                                          | 380 |
| <b>Materials Research at University of Nevada, Las Vegas</b>                                                                                                        |     |
| R.S. Kumar, W. Gabrimicael and A.L. Cornelius                                                                                                                       | 386 |
| <b>Laser-Induced Surface Texturing of Metal or Organic Substrates for Structural Adhesive Bonding</b>                                                               |     |
| S. Costil, R. Kromer, S. Gojon, E. Aubignat, C. Verdy, H.L. Liao and C. Langlade                                                                                    | 390 |
| <b>Nanooxides Derived from Hydrotalcites as Catalysts for Dry Methane Reforming Reaction - Effect of [Ni(EDTA)]<sup>2-</sup> Adsorption Time</b>                    |     |
| R. Dębek, M. Motak, M.E. Galvez, T. Grzybek and P. da Costa                                                                                                         | 396 |
| <b>Comparative Study of Optimization in Pultrusion with Pre-Heating and Die-Cooler Temperature for Improved Cure</b>                                                |     |
| R.d.C.D. Costa, L. de Sousa Santos and R. Schledjewski                                                                                                              | 402 |
| <b>Dynamic Piezoelectric Behavior of Lithium Niobate at High Temperature</b>                                                                                        |     |
| H. de Castilla, P. Bélanger and R.J. Zednik                                                                                                                         | 408 |
| <b>Relationship between the Yield Strength-Fracture Toughness Balance and the Multiscale Microstructure of a Maraging Stainless Steel for Aircraft Applications</b> |     |
| C. Le Nué, J.M. Cloué, M.H. Mathon, S. Puech, D. Béchet and D. Delagnes                                                                                             | 413 |
| <b>Photonic Application of Diatom Frustules</b>                                                                                                                     |     |
| F. de Matteis, P. Proposito, R. Francini, R. de Angelis, F. Mochi, S. Melino, R. Congestri, L. Bruno and M. Casalboni                                               | 419 |
| <b>Correlation between Aging Effects and High Temperature Mechanical Properties of the Unmodified A356 Foundry Aluminium Alloy</b>                                  |     |
| M.T. di Giovanni, E. Cerri, M. Merlin, D. Casari, L. Arnberg and G.L. Garagnani                                                                                     | 424 |
| <b>Manganese Effect on Q&amp;P CMnSi Steels</b>                                                                                                                     |     |
| A. di Schino, C. Braccesi, F. Cianetti, P.E. di Nunzio, S. Mengaroni, P.R. Calvillo and J.M. Cabrera                                                                | 430 |
| <b>Microstructural Evolution and Mechanical Behavior of Low Density Fe-Mn-Al-C Steels with High Stacking Fault Energy</b>                                           |     |
| H. Ding, Z.Q. Wu, D. Han, N. Zan and W. Bleck                                                                                                                       | 436 |
| <b>Nanocomposites Consisting of Carbon Nanotubes and Nanoparticles of Noble Metals</b>                                                                              |     |
| A.D. Dobrzańska-Danikiewicz, D. Cichocki and D. Łukowiec                                                                                                            | 442 |
| <b>Mechanical Behaviour of Materials during Creep with Changing Loads</b>                                                                                           |     |
| G. Angella, R. Donnini, D. Ripamonti and M. Maldini                                                                                                                 | 448 |
| <b>Microstructure and Texture Evolution in Nickel during Accumulative Roll Bonding</b>                                                                              |     |
| J.Q. Duan, M.Z. Quadir and M. Ferry                                                                                                                                 | 454 |
| <b>An Experimental Investigation of the Size Effects in Forming Processes of High-Purity Thin Metallic Sheets</b>                                                   |     |
| P.A. Dubos, G. Fleurier and E. Hug                                                                                                                                  | 459 |
| <b>The Microstructural Criterion for Creep Strength Breakdown in a 10%Cr Martensitic Steel</b>                                                                      |     |
| N. Dudova, R. Mishnev and R. Kaibyshev                                                                                                                              | 465 |
| <b>SPD Processed Materials Mechanical Properties Determination with the Use of Miniature Specimens</b>                                                              |     |
| J. Džugan, P. Konopík, R. Procházka and Z. Trojanová                                                                                                                | 471 |
| <b>Machinability of an Experimental Graphitised Carbon Steel</b>                                                                                                    |     |
| A. Inam and D. Edmonds                                                                                                                                              | 477 |
| <b>Effect of Microalloying Elements on Phase Transformation, Microstructure and Mechanical Properties in Dual-Phase Steels</b>                                      |     |
| E. Bocharova, K. Khlopkov and R. Sebald                                                                                                                             | 483 |
| <b>Development of Armor High Strength Steel (HSS) Martensitic Plates for Troops Carriers</b>                                                                        |     |
| T. El-Bitar, E. El-Shenawy, M. El-Meligy, A. Almosilhy and N. Dawood                                                                                                | 489 |

|                                                                                                                                                                                   |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Physical Simulation of Thermo-Mechanical Processing of Ferritic-Bainitic Dual Phase (FBDP) Steel</b>                                                                           | 495 |
| T. El-Bitar, E. El-Shenawy and M. El-Meligy                                                                                                                                       |     |
| <b>Evolution of Microstructure, Phase Composition and Hardness in 316L Stainless Steel Processed by High-Pressure Torsion</b>                                                     | 502 |
| M. El-Tahawy, J. Gubicza, Y. Huang, H.L. Choi, H.M. Choe, J.L. Lábár and T.G. Langdon                                                                                             |     |
| <b>Influence of Cross Section on the Parameters for Linear Friction Welding of High-Strength Chains</b>                                                                           | 508 |
| G. Rath, F. Fuchs and N. Enzinger                                                                                                                                                 |     |
| <b>Determination of Crystallographic Orientation near a Chill Zone Using Ghost Lines</b>                                                                                          | 514 |
| H. Esaka and K. Shinozuka                                                                                                                                                         |     |
| <b>Crystal Structure and Microstructure of Martensite in Ni-Mn-In Alloys and the Behavior of Variant Rearrangement under Uniaxial Loading</b>                                     | 518 |
| H.L. Yan, Y.D. Zhang, Z.B. Li, C. Esling, X. Zhao and L. Zuo                                                                                                                      |     |
| <b>Accelerated Aging and Portevin-Le Chatelier Effect in AA 2024</b>                                                                                                              | 524 |
| F. Delaunois, E. Denil, Y. Marchal and V. Vitry                                                                                                                                   |     |
| <b>Microstructure and Mechanical Properties of Mg-6Zn-1.4Y Alloy Produced by Rheo-Squeeze Casting Process</b>                                                                     | 530 |
| X.G. Fang, S.S. Wu and S.L. Lü                                                                                                                                                    |     |
| <b>The Interface Character Distribution and Intergranular Corrosion Resistance of Duplex Stainless Steel UNS S32304</b>                                                           | 536 |
| J.S. Zhang, Y.L. Zhu, X.Y. Fang, W.H. Yin and C.X. Qin                                                                                                                            |     |
| <b>The Role of the Nd/Zn Ratio on the Stability of Mg-Zn-Nd Clusters and the Evolution of Texture in Two Mg-Zn-Nd Alloys during Annealing</b>                                     | 542 |
| M. Sanjari, A.R. Farkoosh, A.S.H. Kabir, J. Su, I.H. Jung, S. Yue, B.S. Amirkhiz and Y.L. He                                                                                      |     |
| <b>Microstructural Evolution in a 9%Cr-3%Co-3%W-VNb Steel during Creep</b>                                                                                                        | 548 |
| A. Fedoseeva, N. Dudova and R. Kaibyshev                                                                                                                                          |     |
| <b>Integrated Defect Classification in Manufacturing of Carbon Fibre Reinforced Thermoplastic Polymer Matrix Composites</b>                                                       | 554 |
| M. Fischlschweiger, A. Stock and M. Thurmeier                                                                                                                                     |     |
| <b>Plasticity and Size Effects in High Purity Cobalt: An Experimental Study</b>                                                                                                   | 560 |
| G. Fleurier, M. Martinez, P.A. Dubos and E. Hug                                                                                                                                   |     |
| <b>Modelling Methods of Magnetohydrodynamic Phenomena Occurring in a Channel of the Device Used to Wash out Spent Automotive Catalyst on Metallic Substrate by a Liquid Metal</b> | 566 |
| A. Fornalczyk, R. Przulucki, S. Golak and M. Saternus                                                                                                                             |     |
| <b>Microstructure and Residual Stress in Rotary Friction Welded Dissimilar Metals of AA7020 Aluminium Alloy with 316L Steel</b>                                                   | 572 |
| W.M. Gan, M. Hofmann, V. Ventzke, C. Randau, Y.D. Huang, A. Kriele, H.G. Brokmeier and M. Mueller                                                                                 |     |
| <b>Residual Stress Measurements on IN718 Fatigue Specimens Using X-Ray Diffraction Techniques</b>                                                                                 | 578 |
| Y.F. Gao and S.L. Wang                                                                                                                                                            |     |
| <b>Components of a Heart Catheter System for High Risk Patients</b>                                                                                                               | 583 |
| G. Gatomski, H.N. Nguyen, F. Quadrini and A.H. Foitzik                                                                                                                            |     |
| <b>Granulation of Bulk Metallic Glass Forming Alloys as a Feedstock for Thermoplastic Forming and their Compaction into Bulk Samples</b>                                          | 589 |
| D. Geissler, J. Grosse, S. Donath, D. Ehinger, M. Stoica, J. Eckert and U. Kühn                                                                                                   |     |
| <b>Modelling the Local Microstructure Properties due to Multi-Pass Welding</b>                                                                                                    | 595 |
| G. Genchev, N. Doynov, R. Ossenbrink and V. Michailov                                                                                                                             |     |
| <b>Local Residual Stress Depth Distribution in the Inner Gearing of a Case Hardened Sliding Collar</b>                                                                            | 601 |
| J. Gibmeier, J. Rebelo-Kornmeier and T. Strauss                                                                                                                                   |     |
| <b>The Quantification of Galling in Forming Operations of Hot Dip Galvanized Sheet Metal under Laboratory Conditions</b>                                                          | 607 |
| J. Giedenbacher, A.E. Raab, C. Walch and A. Huskic                                                                                                                                |     |
| <b>Lightweight Titanium Metal Bipolar Plates for PEM Fuel Cells</b>                                                                                                               | 613 |
| K.S. Lyons and B.D. Gould                                                                                                                                                         |     |

|                                                                                                                                                              |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Microstructure-Property Relationships in Medium-Mn Steels with Metastable Retained Austenite</b>                                                          |     |
| A. Grajcar and M. Morawiec                                                                                                                                   | 619 |
| <b>Combination of Microstructural Investigation and Simulation during the Heat Treatment of a Creep Resistant 11% Cr-Steel</b>                               |     |
| B. Gsellmann, D. Halici, M. Albu, C. Beal and B. Sonderegger                                                                                                 | 625 |
| <b>Creep Tendencies of Cu-Al Thin Wires Submitted to Moderate Temperature Conditions: Influence of Intermetallic Compounds</b>                               |     |
| A. Gueydan and E. Hug                                                                                                                                        | 631 |
| <b>Torsional Piezoelectric Strain in Monocrystalline Paratellurite</b>                                                                                       |     |
| G. Boivin, P. Bélanger and R.J. Zednik                                                                                                                       | 637 |
| <b>High Performance Magnesium Based Composites Containing Nano-Length Scale/Amorphous/Hollow Reinforcements</b>                                              |     |
| M. Gupta and W.L.E. Wong                                                                                                                                     | 642 |
| <b>Recrystallization Behavior of Aluminum Thin Foils with Various Purity</b>                                                                                 |     |
| H.W. Lee, S.H. Min and T.K. Ha                                                                                                                               | 648 |
| <b>Effect of Boron Addition on Microstructure and Mechanical Properties of AZ84 Mg Alloy</b>                                                                 |     |
| J.H. Won, S.H. Min and T.K. Ha                                                                                                                               | 653 |
| <b>Progress in Titanium Machining</b>                                                                                                                        |     |
| F. Haas, P. Zopf and J. Edler                                                                                                                                | 659 |
| <b>Unraveling the Age Hardening Response in U-Nb Alloys</b>                                                                                                  |     |
| R.E. Hackenberg, G.M. Hemphill, R.T. Forsyth, P.A. Papin, A.M. Kelly, T.J. Tucker, R.M. Aikin Jr., D.J. Alexander, M.F. Lopez and A.J. Clarke                | 665 |
| <b>Casting of an Mg Alloy Clad Strip Using a Twin Roll Caster Equipped with a Scraper</b>                                                                    |     |
| T. Haga, K. Okamura, S. Nishida, H. Watari and K. Matsuzaki                                                                                                  | 671 |
| <b>High-Temperature Deformation Behavior of (Mo<sub>0.85</sub>Nb<sub>0.15</sub>)Si<sub>2</sub> Crystals with C40/C11<sub>b</sub> Lamellar Microstructure</b> |     |
| K. Hagihara, H. Araki, T. Ikenishi and T. Nakano                                                                                                             | 677 |
| <b>Reinforcing Open Cell Aluminum Foams by Amorphous Ni-P Coating</b>                                                                                        |     |
| Z.D. Li, Y.J. Huang, X.F. Wang, X.F. Wang and F.S. Han                                                                                                       | 684 |
| <b>Preparation of Al<sub>72</sub>Ni<sub>8</sub>Ti<sub>8</sub>Zr<sub>6</sub>Nb<sub>3</sub>Y<sub>3</sub> Amorphous Powder and Bulk Material</b>                |     |
| Y. Wu, X.F. Wang and F.S. Han                                                                                                                                | 690 |
| <b>X-Ray and Neutron Scattering Studies of the 9Ni Cryogenic Steel and its Weld Joint</b>                                                                    |     |
| S. Hany, B. Duponchel, A. Aboukais, E. Bychkov and E.A. Aad                                                                                                  | 697 |
| <b>Surface Modification of Magnesium Alloy by Shot Lining and Laser Heating</b>                                                                              |     |
| Y. Harada, M. Matsumoto, M. Nunobiki and K. Takahashi                                                                                                        | 703 |
| <b>Environment-Assisted Cracking of Super-Elastic TiNi Alloy Depending on Solution pH and Electrochemical Potential</b>                                      |     |
| T. Haruna, Y. Fujita, D. Morihashi and Y. Hirohata                                                                                                           | 709 |
| <b>Evaluation of Weldability of Titanium Alloy Ti-6Al-4V and Aluminum Alloy 6061 Produced by Electron Beam Welding</b>                                       |     |
| P. Havlík, J. Kouřil, R. Foret, I. Dlouhy, N. Enzinger and C. Wiednig                                                                                        | 714 |
| <b>Material and Mechanical Aspects of CMAS Damage Progression on Thermal Barrier Coatings and its Non-Destructive Detection</b>                              |     |
| Y. Hayashi, S. Lokachari, S. Yamagishi and M. Okazaki                                                                                                        | 720 |
| <b>Effects of Electric Current on the Microstructures and Mechanical Properties of Artificial Aged 6061 Alloy</b>                                            |     |
| L.Z. He, P. Wang, J. Liu and J.Z. Cui                                                                                                                        | 726 |
| <b>Influence of High-Pressure Torsion on the Microstructure and the Hardness of a Ti-Rich High-Entropy Alloy</b>                                             |     |
| A. Heczal, L. Liliensten, J. Bourgon, L. Perrière, J.P. Couzine, I. Guillot, G. Dirras, Y. Huang, T.G. Langdon and J. Gubicza                                | 732 |
| <b>Magnetic Shape Memory Effect in Ni-Mn-Ga Single Crystal</b>                                                                                               |     |
| O. Heczko, V. Kopecký, J. Drahoukoupil, M. Vronka, O. Perevertov and J. Kopeček                                                                              | 738 |
| <b>Microstructure and Microtexture Evolution of Invar Alloy after Cross Accumulative Roll Bonding (CARB) Compared to ARB</b>                                 |     |
| K. Tirsatine, H. Azzeddine, T. Baudin, A.L. Helbert, F. Brisset and D. Bradai                                                                                | 744 |
| <b>Surface Structuring by Pulsed Laser Implantation</b>                                                                                                      |     |
| K. Hilgenberg, M. Rethmeier and K. Steinhoff                                                                                                                 | 750 |

|                                                                                                                                                                                                                                                                                 |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Influence of Carbon Addition on Mechanical Properties of Thixomolded Magnesium Alloy</b><br>M. Hino, Y. Hashimoto, K. Murakami, Y. Mitooka and T. Kanadani                                                                                                                   | 756 |
| <b>Characterization of the Acoustic Emission Response and Mechanical Properties of Mg Alloy with LPSO Phase</b><br>K. Horváth, D. Drozdenko, G. Garcés, P. Dobron and K. Máthis                                                                                                 | 762 |
| <b>Phonon Excitations in Pd<sub>40</sub>Ni<sub>40</sub>P<sub>20</sub> Bulk Metallic Glass by Inelastic X-Ray Scattering</b><br>S. Hosokawa, M. Inui, Y. Kajihara, T. Ichitsubo, K. Matsuda, H. Kato, A. Chiba, K. Kimura, K. Kamimura, S. Tsutsui, H. Uchiyama and A.Q.R. Baron | 767 |
| <b>Recovery or Non-Recovery in Al-0.1% Mg and Al-1% Mg Alloy during High-Pressure Torsion Processing</b><br>Y. Huang, J. Millet, N.X. Zhang, P.H.R. Pereira and T.G. Langdon                                                                                                    | 773 |
| <b><i>In Situ</i> Tensile Texture Analysis of a New Mg-RE Alloy</b><br>W.M. Gan, Y.D. Huang, Y.L. Xu, M. Hofmann, K.U. Kainer and N. Hort                                                                                                                                       | 779 |
| <b>Impact of Silicon, Magnesium and Strontium on Feeding Ability of AlSiMg Cast Alloys</b><br>G. Huber, M.B. Djurdjevic and M. Rafetzeder                                                                                                                                       | 784 |
| <b>Study on the Porosity in Al-Zn-Mg-Cu High Strength Alloy DC Ingot</b><br>H.X. Jiang, H. Nagaumi, S.J. Guo and C. Zou                                                                                                                                                         | 790 |
| <b>Micro-Scale Strength Evaluation for Bonding Interface of Cold Sprayed Coatings</b><br>Y. Ichikawa, R. Tokoro and K. Ogawa                                                                                                                                                    | 795 |
| <b>Thermal Conductivity and Tensile Property of Mg-Zn-Y Casting Alloys with Long-Period Stacking Ordered Phase</b><br>Y. Ienaga                                                                                                                                                 | 801 |
| <b>Stress and Strain Analysis in an Fe-Ga Alloy Single Crystal</b><br>T. Ikeuchi, S. Tsubaki, M. Imafuku, S. Fujieda, Y. Onuki and S. Suzuki                                                                                                                                    | 807 |
| <b>Effect of Annealing upon Retention of He and H in Irradiated SiC</b><br>M. Ionescu, A. Deslandes, R. Holmes, M.C. Guenette, I. Karatchevtseva and G.R. Lumpkin                                                                                                               | 810 |
| <b>Preparation of Mg-TM-Y (TM=Transition Metal) Alloys with Long Period Stacking Ordered Phase and their Superior Mechanical Properties</b><br>T. Itoi                                                                                                                          | 815 |
| <b>High Quality TMCP Production and Metallurgy of Niobium Bearing Steels</b><br>S.G. Jansto                                                                                                                                                                                     | 820 |
| <b>The Optimal Placement of Sensors by Minimizing the Maximum Probability of Non-Detection Using Genetic Algorithm</b><br>V. Jawali, P. Parasivamurthy and P. Prakash                                                                                                           | 826 |
| <b>Surface Engineering of Metal Oxide Photoelectrodes for Improved Band Alignment in Solar Water Splitting Cells</b><br>S.L. Sim, Y.R. Liu, Y.W. Soon and J.R. Jennings                                                                                                         | 832 |
| <b>Long-Term Performance Analysis of Geomembrane Considering Stress Cracking Resistance</b><br>H.Y. Jeon                                                                                                                                                                        | 838 |
| <b>Al-5Cu Alloy Processed by Equal-Channel Angular Pressing</b><br>H.L. Jia, K. Marthinsen and Y.J. Li                                                                                                                                                                          | 843 |
| <b>Analysis of Thin Strip Shape and Profile in Cold Rolling: A Way to Improve Strip Profile and Mechanical Properties</b><br>H.B. Tibar and Z.Y. Jiang                                                                                                                          | 849 |
| <b>Local Surface Phase Stability during Cyclic Oxidation Process</b><br>M. Calmunger, R. Eriksson, G.C. Chai, S. Johansson, J. Högberg and J. Moverare                                                                                                                          | 855 |
| <b>Process Parameter Optimization of Fused Deposition Modeling for Helical Surfaces Using Grey Relational Analysis</b><br>T.G. Anusree, R.N. Anjan, M. Sivadasan and T.D. John                                                                                                  | 861 |
| <b>Influence of the Processing Variables on the Microstructure Evolution of a Bainitic Carbide-Free Steel</b><br>M.C. Taboada, I. Gutiérrez, D. Jorge-Badiola, S.M.C. van Bohemen, F. Hisker and G. Paul                                                                        | 867 |
| <b>The Effect of Sample Preparation on the Microstructure of Austenitic-Ferritic Stainless Steel</b><br>T. Juuti, S. Uusikallio, A.J. Kaijalainen, E. Heinonen, N.T. Tun and D.A. Porter                                                                                        | 873 |
| <b>Effect of Red Scale on the Bendability of Ultrahigh-Strength Strip Steel</b><br>A.J. Kaijalainen, M. Liimatainen, V. Kesti, S. Anttila, P. Suikkanen and D.A. Porter                                                                                                         | 879 |

|                                                                                                                                                                                                                                                   |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Effects of Additional Elements on Hydrogen Storage Properties for Vanadium Alloys</b><br>A. Kamegawa, R. Namba and M. Okada                                                                                                                    | 885  |
| <b>Evaluation of Rolling Contact Fatigue by Using an X-Ray Diffraction Ring Analyzer</b><br>N. Kamura, T. Fujita and T. Sasaki                                                                                                                    | 891  |
| <b>Effect of Electroless Ni-P Plating on Mechanical Properties of Al-4%Ge Alloy</b><br>T. Kanadani, N. Nagata, M. Hino, K. Murakami, K. Horikawa, K. Nakagawa and M. Fukuhara                                                                     | 897  |
| <b>Fiber Laser Beam Welding of Ti-6242 - Effect of Processing Parameters on Microstructural and Mechanical Properties</b><br>N. Kashaev, D. Pugachev, S. Riekehr and V. Ventzke                                                                   | 903  |
| <b>Manufacturing of Aluminum Metal Matrix Cast Composites with Carbon Based Additives for Thermal Management Applications</b><br>A. Katz-Demyanetz, R. Squatrito, I. Todaro, S. Essel, H. Zeidler and M. Bamberger                                | 909  |
| <b>Microstructure Evolution Induced by Sliding-Based Surface Thermomechanical Treatments - Application to Pure Copper</b><br>G. Kermouche, G. Jacquet, C. Courbon, J. Rech, Y.Y. Zhang and R. Chromik                                             | 915  |
| <b>Determination of the Grain Coarsening Temperature in Nb Microalloyed Steels by Multiphase-Field Model</b><br>J.M. Kim, S.Y. Hong, J.H. Jang and K.J. Lee                                                                                       | 921  |
| <b>The Effects of Ultrasonic Nanocrystal Surface Modification Technique Temperature on Microstructure and Wear of Alloy 600</b><br>J.H. Kim, A. Amanov and Y.S. Pyun                                                                              | 926  |
| <b>Microstructural Characterization and Mechanical Properties of Stainless Steel Inlay Welded Dissimilar Materials</b><br>J.H. Kim, A. Amanov, M.S. Kang, H.D. Kim, Y.S. Pyun and Y.S. Choi                                                       | 932  |
| <b>Effect of Large Strain on Texture Formation Behavior of AZ80 Magnesium Alloy during High Temperature Deformation</b><br>K.H. Kim, K. Okayasu and H. Fukutomi                                                                                   | 938  |
| <b>Effects of Die Steel on Die Soldering of Aluminum Alloy Die Casting</b><br>Y.M. Kim, S.W. Choi, Y.C. Kim, S.K. Hong, D.S. Kang and M.K. Moon                                                                                                   | 943  |
| <b>Synchrotron Investigation on the Precipitation Behaviour of Niobium Microalloyed Steel</b><br>C. Klinkenberg and H. Klein                                                                                                                      | 948  |
| <b>Modeling of the Hot Rolling: Towards the Industrial Applicability</b><br>K. Khlopkov, T.J. Baron and G. Paul                                                                                                                                   | 954  |
| <b>On the Dynamic Superplasticity</b><br>D.A. Kitaeva, G.E. Kodzhaspirov and Y.I. Rudaev                                                                                                                                                          | 960  |
| <b>Effect of Oxygen Potential Gradient on Mass Transfer in Polycrystalline <math>\alpha</math>-Alumina at High Temperature</b><br>S. Kitaoka, T. Matsudaira, T. Nakagawa, N. Shibata and Y. Ikuhara                                               | 966  |
| <b>EBSD Analysis and Assessment of Porosity in Thermal Barrier Coatings Produced by Axial Suspension Plasma Spraying (ASPS)</b><br>U. Klement, J. Ekberg and A. Ganvir                                                                            | 972  |
| <b>Structure Formation in Ni Superalloys during High-Speed Direct Laser Deposition</b><br>O.G. Klimova-Korsmik, G.A. Turichin, E. Zemlyakov, K. Babkin, P. Petrovsky and A. Travyanov                                                             | 978  |
| <b>Structures and Properties of Laser-Assisted Cold-Sprayed Aluminum Coatings</b><br>H. Koivuluoto, A. Milanti, G. Bolelli, J. Latokartano, F. Marra, G. Pulci, J. Vihinen, L. Lusvarghi and P. Vuoristo                                          | 984  |
| <b>The Effect of Boron Addition on Precipitation and Hot Ductility of 1.5Mn-0.1Nb-Ti Carbon Steels in As-Cast Condition</b><br>J. Komenda, D. Martin and J. Lönnqvist                                                                             | 990  |
| <b>New Metallurgy of Additive Manufacturing in Metal: Experiences from the Material and Process Development with Electron Beam Melting Technology (EBM)</b><br>A. Koptioug, L.E. Rännar, M. Bäckström and Z.J. Shen                               | 996  |
| <b>Novel Bioreactor-System for <i>In Situ</i>-Cultivation of Artificial Tissue</b><br>J. Kostova, S. Schneider, S. Sauer, A. Böhme, M. Casalboni and A.H. Foitzik                                                                                 | 1002 |
| <b>Influence of Thermo- and HIP Treatments on the Microstructure and Mechanical Properties of IN625 Alloy Parts Produced by Selective Laser Melting: A Comparative Study</b><br>A. Kreitchberg, V. Brailovski, S. Turenne, C. Chanal and V. Urlea | 1008 |

|                                                                                                                                                                                                                                                   |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Modelling Yield Strength in an A6061 Aluminium Alloy</b><br>J. Kreyca, A. Falahati and E. Kozeschnik                                                                                                                                           | 1014 |
| <b>The 3D Imaging and Metrology of Microstructural Elements in Innovative Materials for Clean Energy Systems and Aeronautics</b><br>A. Kruk and A. Czyrska-Filemonowicz                                                                           | 1019 |
| <b>Effect of Layer-by-Layer Texture Inhomogeneity on the Stress Corrosion of Gas Steel Tubes</b><br>Y. Perlovich, O. Krymskaya, M. Isaenkova, N. Morozov, I. Ryakhovskikh and T. Esiev                                                            | 1025 |
| <b>Effect of Prior Austenite Grain Size on Yielding Behavior of the Low-C Martensitic Stainless Steel</b><br>K. Kubota, M. Ueda and H. Nakagawa                                                                                                   | 1031 |
| <b>Sheet Forming Processes for AW-7xxx Alloys: Relevant Process Parameters</b><br>M. Kumar, G. Kirov, F. Grabner and E. Mukeli                                                                                                                    | 1036 |
| <b>Resolving the Strength-Ductility Paradox through Severe Plastic Deformation of a Cast Al-7% Si Alloy</b><br>P. Kumar, M. Kawasaki and T.G. Langdon                                                                                             | 1043 |
| <b>Osteoconductivity of Protein Adsorbed Titanium Implants Using Hydrothermal Treatment</b><br>K. Kuroda and M. Okido                                                                                                                             | 1049 |
| <b>Effect of Prior Strain on Damping Capacity and Mechanical Property during Heat Treatment</b><br>J. Kwak, C.Y. Kang, H.S. Kwon and K.H. Kim                                                                                                     | 1053 |
| <b>Welding of Automotive Aluminum Alloys by Laser Wobbling Processing</b><br>G. Barbieri, F. Cognini, M. Moncada, A. Rinaldi and G. Lapi                                                                                                          | 1057 |
| <b>Mechanical Properties of Polymer-Based Hybrid Films: Tailoring the Hybrid Interface Using Soft Chemistry</b><br>F. Mammeri and E. Le Bourhis                                                                                                   | 1063 |
| <b>Mechanical Behavior of a Metal Matrix Nanocomposite Synthesized by High-Pressure Torsion via Diffusion Bonding</b><br>H.J. Lee, J.K. Han, B.M. Ahn, M. Kawasaki and T.G. Langdon                                                               | 1068 |
| <b>Effect of CH<sub>4</sub> Content on the Characteristics of Surface Layers of Low Temperature Plasma Nitrided 2205 Duplex Stainless Steel</b><br>I. Lee                                                                                         | 1074 |
| <b>Separating Technology of Pure Zirconia from Zircon-Sand by the Ar-H<sub>2</sub> Arc Plasma Fusion and the Microwave Leaching</b><br>J.H. Lee, D.S. Kang, M.K. Moon and S.K. Hong                                                               | 1080 |
| <b>Atomic Layer Deposited Protective Layers</b><br>M. Leskela, E. Salmi and M. Ritala                                                                                                                                                             | 1086 |
| <b>The Role of Preliminary Heat Treatment in the Formation of Ultrafine-Grained Structure in the Implementation of the Combined Process "Rolling - Equal Channel Angular Pressing"</b><br>A.B. Naizabekov, S. Lezhnev, E. Panin and I. Volokitina | 1093 |
| <b>The Study of the Microstructure of the Metal after Rolling Thick Workpieces of Nonferrous Metals and Alloys in Relief and Smooth Rolls</b><br>S. Lezhnev, A.B. Naizabekov, E. Panin and I. Mazur                                               | 1099 |
| <b>Gas Nitriding of High-Vanadium Alloy Steel</b><br>H.Z. Li, W.P. Tong and L. Zuo                                                                                                                                                                | 1105 |
| <b>Morphology Evolution of Grain Boundary Carbides in Highly Twinned Inconel Alloy 600</b><br>H. Li, J.R. Ma, X.R. Liu, S. Xia, W.Q. Liu and B.X. Zhou                                                                                            | 1111 |
| <b>Deep Ultraviolet Photodetector Based on Sulphur-Doped Cubic Boron Nitride Thin Film</b><br>Y.B. Li, J.W. Zhong, L.M. Zhou, C.L. Sun, X. Wang, H.S. Yang and W. Milne                                                                           | 1117 |
| <b>Influence of Cu Doping on Martensitic and Magnetic Transitions in Ni-Mn-Sn Alloys</b><br>Z.B. Li, B. Yang, Y.D. Zhang, C. Esling, X. Zhao and L. Zuo                                                                                           | 1123 |
| <b>The Effect of Process Parameters in Interdendritic-Melt Solidification Control Technique on the Microstructure and Properties of a Ni-Base Superalloy</b><br>L. Zheng, G.Q. Zhang, D. Daisenberger, Z. Li and C.B. Xiao                        | 1129 |
| <b>Affinity Viscosimetry Sensor for Enzyme Free Detection of Glucose in a Micro-Bioreaction Chamber</b><br>T. Liebscher, F. Glös, A. Böhme, M. Birkholz, M. di Vona, F. de Matteis and A.H. Foitzik                                               | 1135 |

|                                                                                                                                                                                                                                                              |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Experimental Bio-ESPI for Validation of Magnetic Induced Deformation on HeLa Cells</b><br>K.H. Lietzau, C. Stollfuß, M. Richetta and A.H. Foitzik                                                                                                         | 1141 |
| <b>Microstructure of Z-Phase Strengthened Martensitic Steels: Meeting the 650°C Challenge</b><br>F. Liu, M. Rashidi, J. Hald, L. Reißig and H.O. Andrén                                                                                                      | 1147 |
| <b>Morphological Evolution of Carbides in DZ125 Superalloy during Heat Treatment</b><br>L.R. Liu, S. Han, Y.F. Pu, Z.J. Peng and M.J. Zhang                                                                                                                  | 1153 |
| <b>Quasi-Static and Dynamic Properties of Ti-3.5Al-2.5V-1.5Fe-0.25O Titanium Alloy Plates</b><br>R. Liu, S.X. Hui, W.J. Ye, R. Chen, Y. Yu, X.Y. Song and Y.Y. Fu                                                                                            | 1159 |
| <b>Investigations on Hot Tearing Susceptibility and its Mechanism of Mg-Zn-Y Alloys</b><br>Z. Liu, L. Liu, S.B. Zhang, Z. Wang, P.L. Mao and Y. Wang                                                                                                         | 1164 |
| <b>Analysis of the Static Recrystallization Behavior of Nb-Ti Microalloyed Steels Including Low Strain Levels</b><br>L. Sanz, B. Pereda and B. López                                                                                                         | 1170 |
| <b>Macrosegregation of Alloying Elements in Hot Top of Large Size High Strength Steel Ingot</b><br>A. Loucif, D. Shahriari, C. Zhang, M. Jahazi, L.P. Lapiere-Boire and R. Tremblay                                                                          | 1176 |
| <b>Influence of Coiling on Microstructural Evolution and Mechanical Properties of Strip-Cast Low-Carbon Low-Niobium Steel</b><br>L. Jiang, T. Dorin, R. Marceau, N. Stanford and P. Hodgson                                                                  | 1182 |
| <b>Preparation and Squeeze Casting of Nano-SiC<sub>p</sub>/A356 Composite Assisted with Ultrasonic Vibration Process</b><br>S.L. Lü, P. Xiao, S.S. Wu and X.G. Fang                                                                                          | 1188 |
| <b>Enabling Diamond Deposition with Cold Spray through the Coated Particle Method</b><br>B. Aldwell, D. Trimble, S. Yin and R. Lupoi                                                                                                                         | 1194 |
| <b>The Effect of Thermo-Mechanical Coupling on Microstructures and Tensile Properties of Al-Li 2198-T8 Alloy via Friction Spot Welding</b><br>C. Gao, Y. Ma, Y.L. Pei, S.S. Li, J.Z. Li and J.H. Dong                                                        | 1200 |
| <b>Substituting of a Thermodynamic Simulation with a Metamodel in the Scope of Multiscale Modelling</b><br>P. Macioł, D. Szeliga and Ł. Sztangret                                                                                                            | 1207 |
| <b>A Novel Facility to Investigate Dust Mobilization in Confined Environments with Applications to the Security of the Pharmaceutical Industry</b><br>A. Malizia, M. Gelfusa, A. Murari, M. Richetta, J.F. Ciparisse, L.A. Poggi, M. Lungaroni and P. Gaudio | 1213 |
| <b>Thermal Desorption Spectroscopy Study on the Hydrogen Behavior in a Plasma-Charged Aluminum</b><br>T. Manaka, M. Aoki and G. Itoh                                                                                                                         | 1220 |
| <b>Microstructure Evolution of a Directionally Solidified Ternary Eutectic Mo-Si-B Alloy</b><br>M. Krüger, G. Hasemann, O. Kazemi and T. Halle                                                                                                               | 1226 |
| <b>Friction Stir Welding on Light-Weight Metal - Aluminum Alloy Al6061</b><br>V.C. Shunmugasamy and B. Mansoor                                                                                                                                               | 1233 |
| <b>Characterization and Modelling of the Microstructure and Texture Evolution in AlMgSi-Extrusions</b><br>K. Zhang, K. Marthinsen, B. Holmedal, J. Friis, T. Pettersen and A. Segatori                                                                       | 1239 |
| <b>Oxidation of Fe-Al Alloys (5-40 at.% Al) at 700 and 900 °C</b><br>V. Marx and M. Palm                                                                                                                                                                     | 1245 |
| <b>Influence of Niobium Content on the Hot Mechanical Behavior of Nickel Alloys</b><br>N. Matougui, D. Piot, M.L. Fares and F. Montheillet                                                                                                                   | 1251 |
| <b>Effects of Hybrid Structures on the Stress Reduction and Thermal Properties of Joints in Electronics Devices</b><br>M. Matsushima, N. Nakashima, S. Nishioka, S. Fukumoto and K. Fujimoto                                                                 | 1258 |
| <b>Formation of Hydrogen by Ball Milling of Mg and Mg Alloy in Seawater</b><br>K. Matsuzaki and T. Murakami                                                                                                                                                  | 1265 |
| <b>Building Blocks for Artificial Extracellular Matrices Based on Cross-Linkable Polysaccharide and Glycosaminoglycan Sulfates</b><br>J. Becher, S. Moeller and M. Schnabelrauch                                                                             | 1270 |
| <b>Effect of Nature Chemical Linker on the Formation of a Zeolitic Layer on Zirconia Substrates</b><br>A. Medina-Ramirez and A.A. Flores-Diaz                                                                                                                | 1276 |

|                                                                                                                                                                                                                                          |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Boron Effect on Hardenability of High Thickness Forged Steel Materials</b><br>S. Mengaroni, P.E. di Nunzio, S. Neri, M. Calderini, C. Braccesi, F. Cianetti and A. di Schino                                                          | 1282 |
| <b>On the Elaboration of Metal-Ceramic Composite Coatings by Laser Cladding</b><br>A. Mertens, T. L'Hoest, J. Magnien, R. Carrus and J. Lecomte-Beckers                                                                                  | 1288 |
| <b>Impact of the Confinement on the Intra-Cage Dynamics of Molecular Hydrogen in Clathrate Hydrates</b><br>M. Russina, E. Kemner and F. Mezei                                                                                            | 1294 |
| <b>Effects of <math>\alpha+\gamma</math> Intercritical and <math>\gamma</math> Single-Phase Annealing on Texture Evolution in Cold-Rolled Dual-Phase Steel Sheets</b><br>H. Minami, S. Kaneko, K. Okuda and Y. Nagataki                  | 1300 |
| <b>Technical Challenges in Narrow-Gap Root Pass Welding during Tandem and Hybrid Laser-Arc Welding of a Thick Martensitic Stainless Steel</b><br>F. Mirakhorli, X. Cao, X.T. Pham, P. Wanjara and J.L. Fihey                             | 1305 |
| <b>Microstructure Evolution during LCF of a 10%Cr Steel at Room Temperature</b><br>R. Mishnev, N. Dudova and R. Kaibyshev                                                                                                                | 1311 |
| <b>Influence of Severe Plastic Deformation on Mechanical Properties of an AA5024 Alloy</b><br>A. Mogucheva, D. Yuzbekova, T. Lebedkina, M. Lebyodkin and R. Kaibyshev                                                                    | 1317 |
| <b>Thermomechanical Adhesion between Metallic Glass and Die Materials</b><br>A. Monfared, W.D. Liu and L.C. Zhang                                                                                                                        | 1323 |
| <b>Crystallographic Investigation of the Initial Solidification Grain Structure in Al-Si Alloy</b><br>H. Morishita, H. Esaka and K. Shinozuka                                                                                            | 1328 |
| <b>Effect of Deformation Structure on Strength of a Low Alloyed Cu-Cr-Zr Alloy</b><br>A. Morozova, A. Belyakov and R. Kaibyshev                                                                                                          | 1332 |
| <b>Friction and Wear Properties of <math>\alpha</math>AlB<sub>12</sub>-NiAl Cermet Prepared by Spark Plasma Sintering</b><br>T. Murakami and H. Inui                                                                                     | 1338 |
| <b>Phase Stability and Mechanical Properties of Ti-Cr-Sn-Zr Alloys Containing a Large Amount of Zr</b><br>Y. Murayama, E. Enkhjavkhlán and A. Chiba                                                                                      | 1344 |
| <b>Microstructure of Rapidly Solidified Melt-Spun Ribbon in AlCoCrFeNi<sub>2.1</sub> Eutectic High-Entropy Alloys</b><br>T. Nagase, M. Takemura and M. Matsumuro                                                                         | 1350 |
| <b>Misorientation Measurement of Individual Grains in Fatigue of Polycrystalline Alloys by Diffraction Contrast Tomography Using Ultrabright Synchrotron Radiation</b><br>Y. Nakai, D. Shiozawa, R. Nakao, N. Asakawa and S. Kikuchi     | 1355 |
| <b>Development of a New Powder/Solid Composite for Biomimic Implant Materials by Electron-Beam Additive Manufacturing</b><br>T. Nakano, H. Fukuda and H. Takahashi                                                                       | 1361 |
| <b>Microstructure Formation of High Pressure Torsion Processed (<math>\alpha + \gamma</math>) Two Phase Stainless Steel</b><br>M. Ota, D. Nanya, S.K. Vajpai, K. Ameyama, K. Edalati and Z. Horita                                       | 1365 |
| <b>Influence of Nano Reinforcement Volume Percentage on Fabrication of Surface Nanocomposite by FSP</b><br>P. Naresh, A. Kumar and M. Krishna Kishore                                                                                    | 1369 |
| <b>Influence of Flash Treatment on Pseudoelastic Behaviour of Biomedical Ti-25Nb-3Zr-3Mo-2Sn Alloy</b><br>S.M. Zhu, Y.M. Zhu, M. Dargusch and J.F. Nie                                                                                   | 1375 |
| <b><i>In Situ</i> Techniques for the Investigation of the Kinetics of Austenitization of Supermartensitic Stainless Steel</b><br>F. Nießen, M. Villa, D. Apel, O. Keßler, M. Reich, J. Hald and M.A.J. Somers                            | 1381 |
| <b>Metal Matrix Composites as Environment-Friendly Protective Coatings</b><br>R. Bernasconi, A. Tucci, L. Magagnin and L. Nobili                                                                                                         | 1387 |
| <b>Characteristic Features of the Modulated Structure Appearing in the Multiferroic Material Bi<sub>1-x</sub>Sm<sub>x</sub>FeO<sub>3</sub> around <math>x = 0.15</math></b><br>M. Nomoto, T. Inoshita, Y. Inoue, Y. Horibe and Y. Koyama | 1393 |
| <b>Iron-Water Interface under Electrochemical Condition</b><br>N. Nunomura and S. Sunada                                                                                                                                                 | 1399 |
| <b>MgO Implanted in Rat Tibia Bone Marrow is Osteoinductive through the Formation of a Matrix, Containing Hydroxyapatite</b><br>H. Nygren, P. Malmberg and Y. Liu                                                                        | 1404 |

|                                                                                                                                                                                                                                                 |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Compressive Residual Stresses and Associated Surface Modifications Induced in Ti6Al4V by Laser Shock Processing</b><br>J.L. Ocaña, J.L. González-Carrasco, M. Liebllich, S. Barriuso, J.A. Porro, L. Ruiz de Lara, M. Díaz and J.A. Santiago | 1408 |
| <b>Deformation Microstructures and Mechanical Properties of an Austenitic Stainless Steel Subjected to Warm Rolling</b><br>M. Odnobokova, A. Belyakov and R. Kaibyshev                                                                          | 1414 |
| <b>Evolution of Microstructure and Mechanical Properties with Different Partitioning Conditions of Q&amp;P Steels</b><br>A. Arlazarov, M. Ollat, J.P. Masse and M. Bouzat                                                                       | 1420 |
| <b>Rapid Measurement of Texture of Metals by Time-of-Flight Neutron Diffraction at iMATERIA and its Applications</b><br>Y. Onuki, A. Hoshikawa, S. Sato and T. Ishigaki                                                                         | 1426 |
| <b>Application of Thermo-Calc TCFE7 to High-Alloyed Mottled Cast Iron</b><br>A. Paar, L. Elizondo, M. Brandner, T. Trickl, B. Sonderegger, C. Beal and C. Sommitsch                                                                             | 1431 |
| <b>Deformation Behavior of Inhomogeneous Layered Microstructure</b><br>V. Pancholi, A. Raja and K. Rohit                                                                                                                                        | 1437 |
| <b>Fundamental Aspects of Rolled Zn Alloy Sheet Formability: Structure-Property and Failure Mode Relationships</b><br>G. Pantazopoulos, A. Toulfatzis, A. Vazdirvanidis and A. Rikos                                                            | 1443 |
| <b>Effect of Aluminum Content on Texture Formation Behaviors in Magnesium Alloy</b><br>M.S. Park, H.G. Park, J.H. Choi and K.H. Kim                                                                                                             | 1449 |
| <b>Modeling and Simulation of Q&amp;P Steels</b><br>G. Paul and R.G. Thiessen                                                                                                                                                                   | 1454 |
| <b>Experimental Investigation of Welding Parameters on Automatic TIG Welding of Aluminium 5083 Plate</b><br>V.V. Praveen, T.D. John and K.M. Peethambaran                                                                                       | 1459 |
| <b>Modelling the Static Recrystallization Kinetics of Microalloyed TWIP Steels with Different Alloying Contents</b><br>L. Llanos, B. Pereda, B. López and J.M. Rodriguez-Ibabe                                                                  | 1465 |
| <b>Influence of Initial Heat Treatment on the Microhardness Evolution of an Al-Mg-Sc Alloy Processed by High-Pressure Torsion</b><br>P.H.R. Pereira, Y. Huang and T.G. Langdon                                                                  | 1471 |
| <b>Influence of Second Phases on the Superplasticity of Mg-Tm-Y-CeMM Alloys Containing LPSO-Phases</b><br>P. Pérez Zubiaur, J. Medina, G. Garcés and P. Adeva                                                                                   | 1477 |
| <b>The Effect of High-Dose Neutron Irradiation on Texture and Substructure Condition of Cladding Tubes from Zr-Based Alloys</b><br>Y. Perlovich, M. Isaenkova, O. Krymskaya and V. Fesenko                                                      | 1483 |
| <b>Effect of High Temperature Exposure on the Mechanical Properties of Self-Hardening Al-Based Alloy</b><br>I. Peter, C. Castella, S. Lombardo and M. Rosso                                                                                     | 1489 |
| <b>Effect of Secondary Phases Precipitation on Corrosion Resistance of Duplex Stainless Steels</b><br>L. Pezzato, M. Lago, K. Brunelli, M. Breda, E. Piva and I. Calliari                                                                       | 1495 |
| <b>Modeling of Grain-Boundary Mobility and Nucleation Rate during Discontinuous Dynamic Recrystallization in Ni-Nb Alloys and a High-Purity Alloy Derived from SAE 304L</b><br>D. Piot, G. Smaghe and F. Montheillet                            | 1501 |
| <b>Evolution of Ni Structure under ECAP and DCAP and Further Annealing</b><br>V.V. Popov, E.N. Popova, D.D. Kuznetsov, A.V. Stolbovsky, G. Reglitz, S.V. Divinski, G. Wilde and E.V. Shorohov                                                   | 1507 |
| <b>Coupling of Computational Thermodynamics with Kinetic Models for Predictive Simulations of Materials Properties</b><br>E. Povoden-Karadeniz and E. Kozeschnik                                                                                | 1513 |
| <b>Photolithography of 3D Scaffolds for Artificial Tissue</b><br>P. Proposito, S. Melino, M. Ciocci, R. Francini, F. Mochi, F. de Matteis, P. di Nardo, S. Ksenzov, S. Schrader and M. Casalboni                                                | 1519 |
| <b>Fatigue Deformation Behavior of Fe-Mn-C-(Al) TWIP Steels</b><br>P.C. Guo, S. Liu, P.H. Ma, J.Y. Meng, F.C. Zhang and L.H. Qian                                                                                                               | 1524 |

|                                                                                                                                                                                                                                                                          |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>A Statistical Methodology to Reconstruct Nucleation Pathways in the Fe-Cu System</b><br>L. Qin, A. Redermeier, E. Kozeschnik, C. Karner and C. Dellago                                                                                                                | 1529 |
| <b>Solidification Behavior of Aluminum-Copper Based Alloy during Controlled Diffusion Solidification</b><br>L. Fan, Q.T. Hao, L.B. Liu and R.Q. Shen                                                                                                                     | 1535 |
| <b>Anti-Bacterial Nanocomposites by Silver Nano-Coating Fragmentation</b><br>F. Quadrini, D. Bellisario, L. Santo and G.M. Tedde                                                                                                                                         | 1540 |
| <b>Softening Kinetics of Plain Carbon Steels Containing Dilute Nb Additions</b><br>B. Rakshe, J. Patel and E.J. Palmiere                                                                                                                                                 | 1546 |
| <b>Biocompatible Ceramic-Biopolymer Coatings Obtained by Electrophoretic Deposition on Electron Beam Structured Titanium Alloy Surfaces</b><br>C. Ramskogler, L. Cordero, F.G. Warchomicka, A.R. Boccaccini and C. Sommitsch                                             | 1552 |
| <b>Neutron Diffraction Analysis of Light Alloys: A Review</b><br>A. Lombardi, E. Vandersluis, D. Sediako and C. Ravindran                                                                                                                                                | 1558 |
| <b>Bridging the Gap between <i>Ab Initio</i> and Large Scale Studies - A Monte Carlo Study of Cu Precipitation in Fe</b><br>A. Redermeier and E. Kozeschnik                                                                                                              | 1564 |
| <b>Innovative Surface Treatments of Titanium Alloys for Biomedical Applications</b><br>C. Richard                                                                                                                                                                        | 1570 |
| <b>Laser Pulse Simulation of High Energy Transient Thermal Loads on Bulk and Plasma Sprayed W for NFR</b><br>M. Richetta, P. Gaudio, R. Montanari, E. Pakhomova and L. Antonelli                                                                                         | 1576 |
| <b>Study on the Formation of Stray Grains during Directional Solidification of Nickel-Based Superalloys</b><br>M.R. Ridolfi, O. Tassa and G. de Rosa                                                                                                                     | 1582 |
| <b>Texture Characterization of Stainless Steel Cladded Layers of Process Vessels</b><br>J. Rebelo-Kornmeier, W.M. Gan, M.J. Marques, A.C. Batista, M. Hofmann and A. Loureiro                                                                                            | 1588 |
| <b>Effect of Previous Grain Size on Recrystallization Texture and the Formability of the Nb Ferritic Stainless Steel</b><br>D.G. Rodrigues, C.M. Alcântara, D.B. Santos, T.R. de Oliveira and B.M. Gonzalez                                                              | 1594 |
| <b>The Behaviour of Graphitized Steels in Machining Processes</b><br>H. Roelofs, N. Renaudot, D. Smolenicki, J. Boos and F. Kuster                                                                                                                                       | 1600 |
| <b>A New Approach for the Spectroscopic Detection of Different pH-Values</b><br>C. Rogge, S. Zinn, S. Schneider, R. Francini, P. Proposito and A.H. Foitzik                                                                                                              | 1606 |
| <b>Influence of Long Heat Treatments on Hardness and Tribological Behaviour of HVOF Sprayed WC-CoCr and Cr<sub>3</sub>C<sub>2</sub>-25NiCr Coatings</b><br>L. Rovatti, E. Gariboldi, N. Lecis, L. Mondora and G.A. Mondora                                               | 1612 |
| <b>Hot Deformation Behavior and Stability Criteria of WE54 Magnesium Alloy</b><br>I. Rieiro, M. Carsí and O. Ruano                                                                                                                                                       | 1618 |
| <b>Development of a 2.25%Cr Steel P23 Reinforced with Micro/Nano-Carbide Particles Produced by Self-Propagating High-Temperature Synthesis</b><br>M. Carsí, J.A. Jiménez, X. Gomez-Mitxelena and O. Ruano                                                                | 1624 |
| <b>Age Hardening Behavior of Al-Li Alloys Produced by Sand Mold Process</b><br>S. Saikawa, C. Otsubo, S. Ikeno and K. Komai                                                                                                                                              | 1629 |
| <b>Effect of Silicide on Dynamic Recrystallization in Near Alpha Titanium Alloy</b><br>T. Sakamoto, S. Otsuka and S. Kobayashi                                                                                                                                           | 1634 |
| <b>Manufacturing of ODS RAFM Steel: Mechanical and Microstructural Characterization</b><br>C. Testani, P.E. di Nunzio and I. Salvatori                                                                                                                                   | 1639 |
| <b>Shape Recovery of Polymeric Matrix Composites by Irradiation</b><br>L. Santo, D. Bellisario and F. Quadrini                                                                                                                                                           | 1645 |
| <b>Comparison of Microstructure and Mechanical Behavior of the Ferritic Stainless Steels ASTM 430 Stabilized with Niobium and ASTM 439 Stabilized with Niobium and Titanium</b><br>L.P.d.A.R. Tanure, C.M. de Alcântara, T.R. de Oliveira, D.B. Santos and B.M. Gonzalez | 1651 |
| <b>Recrystallization Kinetics and Texture Evolution of Nb Stabilized Ferritic 430 Stainless Steel Cold Rolled and Isothermal Annealed</b><br>P.O. Malta, I.D. Moutinho, D.S. Alves, A.V. Ferreira and D.B. Santos                                                        | 1656 |
| <b>Thermal Effect during Electromagnetic Pulse Welding Process</b><br>T. Sapanathan, K. Yang, D. Chernikov, R.N. Raelison, V. Gluschenkov, N. Buiron and M. Rachik                                                                                                       | 1662 |

|                                                                                                                                                                     |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Re-Melting Technique with High Intense Pulsed Plasma Beams Applied for Surface Modification of Steel - Own Investigations</b>                                    | 1668 |
| B. Sartowska, M. Barlak, L. Walis and W. Starosta                                                                                                                   |      |
| <b>Effect of Preparation Conditions of TiB<sub>2</sub> Particle Dispersed Al Composites on Microstructure</b>                                                       | 1674 |
| G. Sasaki, T. Hirose, Y.B. Choi, K. Sugio and K. Matsugi                                                                                                            |      |
| <b>X-Ray Stress Measurement of Austenitic Stainless Steel with cos<math>\alpha</math> Method and Two-Dimensional X-Ray Detector</b>                                 | 1679 |
| T. Sasaki and H. Sato                                                                                                                                               |      |
| <b>Physical Modelling of Metallurgical Processes</b>                                                                                                                | 1685 |
| M. Saternus, J. Pieprzyca and T. Merder                                                                                                                             |      |
| <b>Effects of Particle Size on Fabrication of Al-TiO<sub>2</sub> Functionally Graded Materials by Centrifugal Mixed-Powder Method</b>                               | 1691 |
| H. Sato, J. Maeda, M. Yamada and Y. Watanabe                                                                                                                        |      |
| <b>Usability of Ti6Al4V Powder via Hydride-Dehydride Process for Selective Laser Melting Process</b>                                                                | 1698 |
| N. Sato, M. Ito, T. Izumida, T. Shimizu and S. Nakano                                                                                                               |      |
| <b>GaN Thin-Film-Depositions on Glass and Amorphous-SiO<sub>2</sub>-Layer-Deposited Si Single-Crystalline Substrates</b>                                            | 1703 |
| Y. Sato                                                                                                                                                             |      |
| <b>Influence of Different pH and Fluoride Addition on the Corrosion Behavior of the Sintered CoCr Alloy Ceramill Sintron Compared to the Cast Alloy Girobond NB</b> | 1709 |
| C. Schille, E. Schweizer, R. Hoffmann, F. Noack and J. Geis-Gerstorfer                                                                                              |      |
| <b>Liquid Composite Molding: A Widely Used Group of FRPC Processing Techniques, but still a Challenging Topic</b>                                                   | 1715 |
| R. Schledjewski and H. Grössing                                                                                                                                     |      |
| <b>Miniaturized Laser Power Sensor via Rapid Phototyping</b>                                                                                                        | 1721 |
| S. Schneider, H. Beyer, K. Lange, W. Bohmeyer, M. Casalboni, M. Richetta and A.H. Foitzik                                                                           |      |
| <b>Influence of Corrosive Conditions on the Mechanical Performance of Flow Drill Screw Joints between Light Metals</b>                                              | 1725 |
| C.S. Scholz, G. Kopp and H.E. Friedrich                                                                                                                             |      |
| <b>Calculation of the Stress Interaction between Dislocation Pile-Ups in Neighbouring Misoriented Grains</b>                                                        | 1731 |
| R. Schouwenaars, A. Ortiz and V.H. Jacobo                                                                                                                           |      |
| <b>High-Pressure Synthesis of Skutterudite-Type Thermoelectric Materials</b>                                                                                        | 1737 |
| C. Sekine, H. Kato, Y. Kawamura and C.H. Lee                                                                                                                        |      |
| <b>Development of Joining Method between Zircaloy and SiC/SiC Composite Tubes by Using Diode Laser</b>                                                              | 1743 |
| H. Serizawa, Y. Asakura, H. Motoki, D. Tanigawa, M. Tsukamoto, J.S. Park, H. Kishimoto and A. Kohyama                                                               |      |
| <b>Kinetics of Submicrocrystalline Structure Formation in a Cu-Cr-Zr Alloy during Large Plastic Deformation</b>                                                     | 1749 |
| I. Shakhova, A. Belyakov and R. Kaibyshev                                                                                                                           |      |
| <b>The Effects of Interfacial Heat Transfer Coefficient on the Microstructure of High-Pressure Die-Cast Magnesium Alloy AM60B</b>                                   | 1755 |
| P. Sharifi, K. Sadayappan and J.T. Wood                                                                                                                             |      |
| <b>Cooling Curve Based Estimation of Mechanical Properties in High Strength Steel Welds</b>                                                                         | 1760 |
| R. Sharma and U. Reisgen                                                                                                                                            |      |
| <b>1-xNd<sub>x</sub>MnO<sub>3</sub> around x = 0.50</b>                                                                                                             | 1766 |
| R. Shimasaki, A. Shiratani, H. Sato, Y. Inoue and Y. Koyama                                                                                                         |      |
| <b>Fluctuation of Position and Energy of a Fine Particle in Plasma Nanofabrication</b>                                                                              | 1772 |
| M. Shiratani, M. Soejima, H.W. Seo, N. Itagaki and K. Koga                                                                                                          |      |
| <b>Microstructure and Porous Defects of a Spray-Formed and Hot Worked 7000 Aluminum Alloy</b>                                                                       | 1778 |
| S.H. Huang, Z.H. Li, B.Q. Xiong, Y.A. Zhang, X.W. Li, H.W. Liu, H.W. Yan and L.Z. Yan                                                                               |      |
| <b>Hot Torsion Tests - A Reliable Rolling Simulation Method for C-Mn Steels</b>                                                                                     | 1783 |
| F. Siciliano, B.J. Allen and D. Ferguson                                                                                                                            |      |
| <b>Development of a Biomimetic Metallic Femoral Stem: Methodological Approach</b>                                                                                   | 1788 |
| V. Brailovski, P. Terriault, C. Simoneau, M. Dumas and B. Jetté                                                                                                     |      |

|                                                                                                                                                 |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>The Issue of Grain Size Distribution Using Mean Field Models for Dynamic and Post-Dynamic Recrystallization</b>                              |      |
| G. Smagghe, D. Piot, F. Montheillet, G. Perrin, A. Montouchet and G. Kermouche                                                                  | 1794 |
| <b>Measurement of Residual Stresses in Linear Friction Welded In-Service Inconel 718 Superalloy</b>                                             |      |
| M. Smith, L. Bichler and D. Sediako                                                                                                             | 1800 |
| <b>Evaluation of the Hardening Capacity of Low-Alloyed Steels Quenched by HPGQ in Vacuum Furnaces</b>                                           |      |
| B. Liščić and B. Smoljan                                                                                                                        | 1807 |
| <b>Mathematical Modelling of Steel Quenching</b>                                                                                                |      |
| B. Smoljan, D. Iljkić, L. Štic and Z. Kolumbić                                                                                                  | 1813 |
| <b>An Appraisal of Direct Quenching for the Development and Processing of Novel Super-High Strength Steels</b>                                  |      |
| M.C. Somani, J.I. Hannula, A.J. Kaijalainen, D.K. Misra and D.A. Porter                                                                         | 1819 |
| <b>Effect of Heat Treatment on the Microstructure Evolution of Ti-6Al-3Sn-3Zr-3Mo-3Nb-1W-0.2Si Titanium Alloy</b>                               |      |
| X.Y. Song, W.J. Zhang, T. Ma, W.J. Ye and S.X. Hui                                                                                              | 1828 |
| <b>Nb-Microalloying in Next-Generation Flat-Rolled Steels: An Overview</b>                                                                      |      |
| J.G. Speer, A.L. Araujo, D.K. Matlock and E. de Moor                                                                                            | 1834 |
| <b>Advanced Evaluation of Fatigue Phenomena Using Non-Destructive Testing Methods</b>                                                           |      |
| P. Starke, H.R. Wu and C. Boller                                                                                                                | 1841 |
| <b>The Effects of Intercritical Annealing Temperature and Initial Microstructure on the Stability of Retained Austenite in a 0.1C-6Mn Steel</b> |      |
| K. Steineder, D. Krizan, R. Schneider, C. Beal and C. Sommitsch                                                                                 | 1847 |
| <b>Microstructure Refinement in the CoCrFeNiMn High Entropy Alloy under Plastic Straining</b>                                                   |      |
| N. Stepanov, D. Shaysultanov, N. Yurchenko, M. Klimova, S. Zherebtsov and G. Salishchev                                                         | 1853 |
| <b>Novel ESPI Measurement Prototype for Analyzing Biological Samples from Cell Culture Technique</b>                                            |      |
| C. Stollfuß, K.H. Lietzau, M. Richetta and A.H. Foitzik                                                                                         | 1859 |
| <b>Electron Beam Welding of TZM Sheets</b>                                                                                                      |      |
| M. Stütz, D. Oliveira, M. Rüttinger, N. Reheis, H. Kestler and N. Enzinger                                                                      | 1865 |
| <b>Systematic Investigation of the Temperature Field in Atmospheric Plasma Processing (APP)</b>                                                 |      |
| M. Stummer, P. Stögmüller, T. Eichinger and N. Enzinger                                                                                         | 1870 |
| <b>Effect of As-Rolled Microstructure on Static Recrystallization Characteristics and Texture Evolution during Annealing</b>                    |      |
| J. Su, A.S.H. Kabir and S. Yue                                                                                                                  | 1876 |
| <b>Use of Carbon Nanomaterials as a Catalyst Support in Fuel Cells</b>                                                                          |      |
| Y. Suda                                                                                                                                         | 1882 |
| <b>Effect of the Interfacial Thermal Resistance on Effective Thermal Conductivity of Al/SiC Particle-Dispersed Composites</b>                   |      |
| K. Sugio, R. Yamada, Y.B. Choi and G. Sasaki                                                                                                    | 1889 |
| <b>Influence of <math>\beta</math>-Mg<sub>17</sub>Al<sub>12</sub> Phase on Initial Pitting Process of AZ91D Magnesium Alloy</b>                 |      |
| M. Kaido, K. Imai, M. Hatakeyama and S. Sunada                                                                                                  | 1895 |
| <b>The Low-Nickel Cryogenic Steel Alloyed by Nitrogen</b>                                                                                       |      |
| A.G. Svyazhin, L.M. Kaputkina and I.V. Smarygina                                                                                                | 1899 |
| <b>Three-Dimensional Dynamic Explicit Finite Element Analysis of Charpy Impact Test</b>                                                         |      |
| Y. Takashima, T. Handa and F. Minami                                                                                                            | 1905 |
| <b>Microstructure Observations of Graphite in Gray Cast Iron Using TEM</b>                                                                      |      |
| M. Takezawa, S.W. Lee, S. Ikeno and K. Matsuda                                                                                                  | 1911 |
| <b>Dispersion of CNTs in Selective Laser Melting Printed AlSi10Mg Composites via Friction Stir Processing</b>                                   |      |
| Z.L. Du, M.J. Tan, J.F. Guo, J. Wei and C.K. Chua                                                                                               | 1915 |
| <b>Design and Characterization of Conductive Biopolymer Nanocomposite Electrodes for Medical Applications</b>                                   |      |
| C. Tematio, M. Bassas-Galia, N. Fosso, V. Gaillard, M. Mathieu, M. Zinn, E.M. Staderini and S. Schintke                                         | 1921 |
| <b>Thermal Joining of Highly Conductive Bonds by Using Reactive Al-Ni Nanofolds</b>                                                             |      |
| G.D. Theodossiadis, M. Wegner and M.F. Zaeh                                                                                                     | 1927 |

|                                                                                                                                                                                                                                |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Relationship between Microstructure and Mechanical Properties in Q&amp;P-Steels</b><br>R.G. Thiessen, G. Paul and R. Sebald                                                                                                 | 1933 |
| <b>Progress in the Understanding of the Microstructure Evolution of Direct Laser Fabricated TiAl</b><br>M. Thomas                                                                                                              | 1939 |
| <b>Microstructure and Properties of Al-12.7Si-0.7Mg Alloy Extrusion after End-Quenching Test</b><br>N. Tian, T. Hong, G. Zhao, F.X. Yu and L. Zuo                                                                              | 1945 |
| <b>Microstructure Evolution and Creep Properties of a Single Crystal Nickel-Based Superalloy with Various Orientations</b><br>S.G. Tian, Y. Su, H.C. Yu and D.L. Shu                                                           | 1951 |
| <b>Effect of SPD Processing Technique on Grain Refinement and Properties of an Austenitic Stainless Steel</b><br>M. Tikhonova, I. Shakhova, R. Kaibyshev and A. Belyakov                                                       | 1957 |
| <b>Effect of Tempering on Microstructure and Creep Properties of P911 Steel</b><br>E. Tkachev, M. Odnobokova, A. Kipelova, A. Belyakov and R. Kaibyshev                                                                        | 1963 |
| <b>Phase Transformation and Mechanical Properties in Binary Zr-Nb Biomedical Alloy</b><br>M. Todai, K. Fukunaga and T. Nakano                                                                                                  | 1969 |
| <b>Ti-Cu-Based Amorphous Powders Produced by Ball-Milling</b><br>K. Tomolya                                                                                                                                                    | 1974 |
| <b>Development of the Advanced TBC for High Efficiency Gas Turbine</b><br>T. Torigoe, Y. Okajima, I. Okada, J. Masada and K. Tsukagoshi                                                                                        | 1980 |
| <b>Fabrication of High Porosity Mullite Foams and their Thermal Properties</b><br>T. Shimizu and K. Matsuzakaki                                                                                                                | 1987 |
| <b>Influence of Thermomechanical Treatment on the Damping Capacity of Selected Magnesium Alloys</b><br>Z. Trojanová, P. Pálček, M. Chalupová, P. Lukáč and U. Arlic                                                            | 1992 |
| <b>Effect of a Number of Transition Metals on the Cohesive Properties of Cr-Ni-Base Alloys</b><br>V.N. Butrim, V.I. Razumovskiy, A.G. Beresnev, A.S. Trushnikova and I.M. Razumovskii                                          | 1998 |
| <b>Reverse Transformation Behavior Induced by Shot-Peening for SUS410S Martensitic Stainless Steel</b><br>N. Tsuboi, S. Higa, H. Sato and Y. Watanabe                                                                          | 2003 |
| <b>Nonlinear Optimization Methods for the Determination of Heat Source Model Parameters</b><br>U. Hartel, A. Ilin, S. Sonntag and V. Michailov                                                                                 | 2008 |
| <b>Effects of Cross-Rolling on Deformation Texture Evolution in Unalloyed Titanium</b><br>O. Umezawa and N. Koga                                                                                                               | 2014 |
| <b>High-Temperature Mechanical Properties and Constitutive Modelling of Ti6Al4V Sheets</b><br>B. Valoppi, S. Bruschi and A. Ghiotti                                                                                            | 2020 |
| <b>Early Instability Phenomena of IN792 DS Superalloy</b><br>R. Montanari, O. Tassa and A. Varone                                                                                                                              | 2026 |
| <b>Effect of Heat Treatments on TiH<sub>2</sub>: Surface Composition and Hydrogen Release</b><br>G. Lapi, C. Alvani, F. Varsano, S. Kaciulis, R. Montanari, A. Varone, M. Gambini and M. Vellini                               | 2032 |
| <b>Texture Gradient through Thickness of a Cross Roll-Bonded AA5754/AA6061 Aluminum Composite</b><br>K. Verstraete, A.L. Helbert, F. Brisset and T. Baudin                                                                     | 2038 |
| <b>Shock-Induced Reaction Characteristics of an Al/Ni Composite Processed via Accumulative Roll-Bonding</b><br>C. Ji, Y. He, C.T. Wang, Y. He, W. Xiong, X.F. Zhang, J. Zhou, L. Gu, X.L. Yang and X.C. Pan                    | 2044 |
| <b>Effects of Initial Micro-Structures on Deformation Behaviors of Commercial Pure Titanium</b><br>T.B. Wang, B.L. Li, M. Li and Z. Nie                                                                                        | 2050 |
| <b>Microstructural Evolution of AZ31 under the Application of High Density Electric Current Pulses</b><br>X.L. Wang, M.S. Liu, N. Wu, W.B. Dai and X. Zhao                                                                     | 2055 |
| <b>Martensitic Transformation and Crystal Structure Characterization of Ni-Fe-Ga-Co Ferromagnetic Shape Memory Alloys</b><br>P. Jiang, J. Bai, P. Wei, S.J. Han, M.J. Yang, F. Teng, X.L. Wang and X. Zhao                     | 2061 |
| <b>Refined and Uniform Microstructure with Superior Mechanical Properties in Medium Plate Microalloyed Steel with Reduction in Mn-Content during Ultrafast Cooling</b><br>Z.D. Wang, B. Wang, Y.M. Li, B.X. Wang and G.D. Wang | 2066 |

|                                                                                                                                                                                                                                                                                    |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Linear Friction Welding of IN718 to Ti6Al4V</b><br>P. Wanjara, J. Gholipour, K. Watanabe, K. Nezaki, Y. Tian and M. Brochu                                                                                                                                                      | 2072 |
| <b>Electron Beam Welding of High Strength Quenched and Tempered Steel</b><br>M.S. Weglowski, S. Błacha, S. Dymek and M. Kopyściański                                                                                                                                               | 2078 |
| <b>Saturation of Deformation Twinning in Magnesium Alloys</b><br>W.W. Wei, E. Povoden-Karadeniz and E. Kozeschnik                                                                                                                                                                  | 2084 |
| <b>Temperature Field Evolution during Flash Butt Welding of Railway Rails</b><br>L. Weingrill, J. Krutzler and N. Enzinger                                                                                                                                                         | 2088 |
| <b>Effects of Microalloy Additions and Thermomechanical Processing on Austenite Grain Size Control in Induction-Hardenable Medium Carbon Steel Bar Rolling</b><br>B.M. Whitley, J.G. Speer, R.L. Cryderman, R.C. Goldstein, K.O. Findley and D.K. Matlock                          | 2094 |
| <b>Dissimilar Electron Beam Welds of Nickel Base Alloy A625 with a 9% Cr-Steel for High Temperature Applications</b><br>C. Wiednig, E. Plesiutchnig, S. Mitsche, C. Beal, N. Enzinger and C. Lochbichler                                                                           | 2100 |
| <b>Influence of NbC-Precipitation on Hot Ductility in Microalloyed Steel - TEM Study and Thermokinetic Modeling</b><br>T. Wojcik and E. Kozeschnik                                                                                                                                 | 2107 |
| <b>Modification Effects of Sb on Al7SiMg Alloy Measured with Cooling Curve Analysis</b><br>S.S. Wu, M.J. Lü, J.X. Chen, Y.W. Mao and S.L. Lü                                                                                                                                       | 2113 |
| <b>Numerical Simulation of Pore Evolution of 7050 Aluminum Alloy during Hot Compression Process</b><br>Y.F. Wu, H.X. Jiang, C. Zou, K.C. Yu and H. Nagaumi                                                                                                                         | 2119 |
| <b>Defects and Charging Processes in Li-Ion Battery Cathodes Studied by Operando Magnetometry and Positron Annihilation</b><br>R. Würschum, S. Topolovec, G. Klinser, W. Sprengel, H. Kren, S. Koller, H. Krenn, C. Hugenschmidt, M. Reiner, T. Gigl, F. Berkemeier and M. Fiedler | 2125 |
| <b>Processing and Thermoelectric Properties of New Si-/ Se-/ Sn-Based Intermetallics</b><br>W. Wunderlich, M. Sato and Y. Matsumura                                                                                                                                                | 2131 |
| <b>Microstructure of Fiber Laser Deposited WC-Co Cemented Carbide and Carbon Steel</b><br>P.Q. Xu and L.J. Li                                                                                                                                                                      | 2138 |
| <b>Effect of Continuous Annealing Temperature on Microstructure and Mechanical Properties of a High Strength Cold-Rolled DP980 Steel</b><br>K. Zhou, Y. Zou, Y.B. Xu, Z.P. Hu, X.D. Tan, X.L. Yang, Y.M. Yu and H. Zhan                                                            | 2144 |
| <b>Framework Structures for Mg Battery Cathodes</b><br>S. Yagi, M. Fukuda, T. Ichitsubo and E. Matsubara                                                                                                                                                                           | 2150 |
| <b>Further Study on the Effect of Environment on Fatigue Crack Growth Behavior of 2000 and 7000 Series Aluminum Alloys</b><br>R. Yamada, G. Itoh, A. Kurumada and M. Nakai                                                                                                         | 2153 |
| <b>Crystallographic Features of Electronic States in the Highly-Correlated Electronic System <math>\text{Sr}_{1-x}\text{Sm}_x\text{MnO}_3</math> around <math>x = 0.50</math></b><br>M. Yamagata, Y. Inoue and Y. Koyama                                                           | 2158 |
| <b>Effect of Nitrogen on Age-Hardening of Metastable Austenitic Stainless Steel after Cold Drawing</b><br>S. Yamasaki and K. Takano                                                                                                                                                | 2164 |
| <b>Effect of Chlorine Atoms for Development of Aluminum Corrosion</b><br>J. Yamashita and N. Nunomura                                                                                                                                                                              | 2170 |
| <b>Initiation and Propagation Behaviors of Small Crack in a Polycrystalline Ni-Base Superalloy under Thermo-Mechanical Fatigue Loading</b><br>Y. Yamazaki                                                                                                                          | 2175 |
| <b>Crystal Structure, Microstructure and Martensitic Transformation Path in Ni-Mn-In Alloys</b><br>H.L. Yan, Y.D. Zhang, B. Yang, C. Esling, X. Zhao and L. Zuo                                                                                                                    | 2181 |
| <b>Effect of Grain Size on Oxidation Resistance of Unalloyed Titanium</b><br>Y. Yang, T. Kitashima, T. Hara, Y. Hara, Y. Yamabe-Mitarai, M. Hagiwara and L.J. Liu                                                                                                                  | 2187 |
| <b>Grain Boundary Engineering of ECAPed OFHC Copper</b><br>W. Feng, J.H. Zhang and S. Yang                                                                                                                                                                                         | 2192 |
| <b>Microstructure Evolution of Laser Direct Metal Deposition of M2 High Speed Steel</b><br>Y.Q. Yang, S. Jiang and X. Zhao                                                                                                                                                         | 2198 |

|                                                                                                                                                                                                                                                           |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Mg-Zn-Y Alloys with Long-Period Stacking Ordered Phases: Deformation, Creep, Solute Segregation and Strengthening Mechanisms at Elevated Temperatures</b><br>Z.Q. Yang, W.W. Hu and H.Q. Ye                                                            | 2204 |
| <b>Deformation Behavior of Fe-Al-Co-Ti Single Crystals Containing Co<sub>2</sub>AlTi Precipitates</b><br>H.Y. Yasuda and R. Kobayashi                                                                                                                     | 2210 |
| <b>Effect of Added Elements on Microstructures and Joint Strength of Lead-Free Sn-Based Solder Joint Dispersed IMC Pillar</b><br>Y. Hayashi, I. Shohji, Y. Nakata and T. Hashimoto                                                                        | 2216 |
| <b>Crystallographic Features of the State Appearing in the Multiferroic Material Bi<sub>1-x</sub>La<sub>x</sub>FeO<sub>3</sub> around x = 0.20</b><br>H. Yoshida, M. Nomoto, T. Inoshita, Y. Inoue, Y. Horibe and Y. Koyama                               | 2222 |
| <b>Influence of Grain Size on Work-Hardening Behavior in 12Cr Stainless Steel</b><br>M. Yoshino and C. Kami                                                                                                                                               | 2228 |
| <b>RETRACTED PAPER: Evaluation of Parameters Effect on Microstructure and Mechanical Properties in TIG Welding of A105 to A106 Steels</b><br>A. Yousefi, D. Ghasemi and G. Itoh                                                                           | 2234 |
| <b>The Effect of Sc Addition on Microstructure in Mg-Gd Alloys</b><br>Y. Tomuro, T. Hamaguchi, S.W. Lee, S. Saikawa, S. Ikeno and K. Matsuda                                                                                                              | 2239 |
| <b>Comparison of Self-Annealing Behaviors in (001)- and (111)-Oriented Electrodeposited Silver Films by <i>In Situ</i> EBSD Analysis</b><br>H. Yumi, I. Shohji and H. Miyazawa                                                                            | 2243 |
| <b>Effect of Friction Stir Welding on Microstructure of a 5024 Alloy</b><br>D. Yuzbekova, V. Kulitskiy, A. Mogucheva and R. Kaibyshev                                                                                                                     | 2249 |
| <b>Microstructure and Property of Fe-Based Alloy Modified Layer on 304 Stainless Steel by High-Energy Pulse Laser-Like Cladding (HPLC)</b><br>C.H. Zhang, Y.F. Jia, M. Guan, C.L. Wu, J.Z. Tan and S. Zhang                                               | 2255 |
| <b>Microstructures and Properties of Aluminum Alloys during Repetitive Continuous Extrusion Forming</b><br>X.K. Ji, J.M. Hu, H. Zhang, F.L. Jiang and D.F. Fu                                                                                             | 2261 |
| <b>The Portevin-Le Chatelier Effect and Kinematics of Deformation Bands in an Al-Mg-Sc Alloy: Effect of Grain Size</b><br>D. Zhemchuzhnikova, M. Lebyodkin, T. Lebedkina and R. Kaibyshev                                                                 | 2268 |
| <b>Effects of Hydraulic Pressure on Shape Accuracy of Drawn Circular Cups during Micro Hydro Deep Drawing</b><br>L. Luo, Z.Y. Jiang, D.B. Wei, H. Sato, T. Furushima and K. Manabe                                                                        | 2274 |
| <b>Kinetics of Microstructure Refinement in Titanium Alloys during Deformation</b><br>S. Zharebtsov, M. Ozerov, M. Kimova and G. Salishchev                                                                                                               | 2280 |
| <b>Needle Like Fe-Containing Intermetallic Compounds of High Silicon Aluminum Alloy with Fe Modified by Mn and Ultrasonic Vibration</b><br>G. Zhong, S.S. Wu, C. Lin and H. Nagaumi                                                                       | 2286 |
| <b>Microstructure and Mechanical Properties of Medium Manganese Steel Plate with High Strength and Toughness</b><br>Y. Zou, Y.B. Xu, Z.P. Hu, X.L. Yang, X.D. Tan, S.C. Yu, H. Liu and Y.M. Yu                                                            | 2293 |
| <b>Effect of Mischmetal Additions and Solution Heat Treatments (T4) on the Microstructure and Mechanical Properties of Thixocast ZK60-RE Magnesium Alloys</b><br>E.P. da Silva, R.H. Buzolin, B. Callegari, F.G. Warchomicka, G.C. Requena and H.C. Pinto | 2300 |
| <b>Dissimilar Friction Stir Welding of HSLA Steel to Austenitic High-Mn TRIP Steel</b><br>R.H. Buzolin, B.R. Francisco, E.P. da Silva, V.F. Pereira, A.J. Ramirez Londono, O. Maluf and H.C. Pinto                                                        | 2306 |
| <b>Effects of Warm Working on Microstructural and Shear Deformation Properties of TRIP-Aided Martenitic Steel</b><br>T. Hojo, T. Kochi and K.I. Sugimoto                                                                                                  | 2312 |
| <b>Characterization of Phase Transitions Occurring in Solution Treated Ti-15Mo during Heating by Thermal Expansion and Electrical Resistance Measurements</b><br>P. Zháňal, P. Hrcuba, M. Hájek, J. Šmilauerová, J. Veselý and M. Janeček                 | 2318 |
| <b>Microstructure and Creep Properties of Silicon- and/or Germanium-Bearing Near-<math>\alpha</math> Titanium Alloys</b><br>T. Kitashima, K.S. Suresh, T. Hara, Y. Yamabe-Mitarai and Y. Toda                                                             | 2324 |

|                                                                                                                                                                           |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Formation and Dissolution of Hydride Precipitates in Zirconium Alloys: Crystallographic Orientation Relationships and Stability after Temperature Cycling</b>          |      |
| E. Conforto, S. Cohendoz, C. Berziou, P. Girault and X. Feaugas                                                                                                           | 2330 |
| <b>Research on Microstructure Evolution in Al-9.8Zn-2.0Mg-1.8Cu Alloy during Solution Treatment</b>                                                                       |      |
| B.Q. Xiong, K. Wen, Y.A. Zhang, X.W. Li, Z.H. Li, S.H. Huang, H.W. Liu and H.W. Yan                                                                                       | 2336 |
| <b>Concurrent Validity of a New Contact Mat for Estimating Vertical Jump Height</b>                                                                                       |      |
| G. Annino, L. Federici, M. Gabrieli, A. Ranavolo, N. Silvaggi and V. Bonaiuto                                                                                             | 2342 |
| <b>The Use of Vibrotactile Stimulation for Improving Manual Tasks in Parkinson's Disease Patients</b>                                                                     |      |
| S. Gentili, M. Richetta, S. Mugnaini, S. Mancini and E.M. Staderini                                                                                                       | 2348 |
| <b>Evaluating Athletic Performances with a Real Time Location and Tracking System</b>                                                                                     |      |
| S. Milici, A. Esposito and E.M. Staderini                                                                                                                                 | 2352 |
| <b>Otoacoustic Emissions as a Promising Diagnostic Tool for the Early Detection of Mild Hearing Impairment - Technical Advances in Acquisition, Analysis and Modeling</b> |      |
| A. Moleti, R. Sisto, F. Sanjust, T. Botti and S. Gentili                                                                                                                  | 2355 |
| <b>Near Infrared Device for Tissue Inflammation Evaluation</b>                                                                                                            |      |
| E.M. Staderini, D. Junior Branco, S. Mugnaini and S. Gentili                                                                                                              | 2361 |
| <b>Evolution of Recrystallization Textures in Cold-Rolled Commercially Pure Aluminum</b>                                                                                  |      |
| D.N. Lee                                                                                                                                                                  | 2365 |
| <b>Change in Mechanical Strength and Bone Contact Ratio of Beta-Type Ti-6Al-4V Subjected to Mechanical Surface Modification</b>                                           |      |
| T. Akaori, T. Hattori, H. Fukui and M. Niinomi                                                                                                                            | 2371 |
| <b>Tensile and Fatigue Properties of Miniature Size Specimens of Sn-5Sb Lead-Free Solder</b>                                                                              |      |
| K. Kobayashi, I. Shohji and H. Hokazono                                                                                                                                   | 2377 |
| <b>Effect of Sr Addition on the Solidification Structure in Al-6mass%Mg-3mass%Si Alloy</b>                                                                                |      |
| E. Yanagihara, G. Aoshima, S. Komura, S. Saikawa and S. Ikeno                                                                                                             | 2383 |
| <b>Analysis of Recrystallization Behavior of Hot-Deformed Austenite Reconstructed from EBSD Orientation Maps of Lath Martensite</b>                                       |      |
| M. Kubota, K. Ushioda, G. Miyamoto and T. Furuhashi                                                                                                                       | 2389 |
| <b>Superplasticity of Friction-Stir Welded Al-Mg-Sc Alloy with Ultrafine-Grained Microstructure Obtained by Warm Severe Plastic Deformation</b>                           |      |
| S. Malopheyev, S. Mironov, I. Vysotskiy and R. Kaibyshev                                                                                                                  | 2395 |
| <b>Complex Nano-Scale Structures for Unprecedented Properties in Steels</b>                                                                                               |      |
| F.G. Caballero, J.D. Poplawsky, H.W. Yen, R. Rementeria, L. Morales-Rivas, J.R. Yang and C. Garcia-Mateo                                                                  | 2401 |
| <b>The Effect of Thermomechanical Processing Temperature-Strain-Time Parameters on the Mesoscale Structure Formation</b>                                                  |      |
| G.E. Kodzhaspirov and A. Rudskoi                                                                                                                                          | 2407 |
| <b>Thermal Conductivity of Cubic Boron Nitride (cBN) Particle Dispersed Al Matrix Composites Fabricated by SPS</b>                                                        |      |
| K. Mizuuchi, K. Inoue, Y. Agari, M. Tanaka, T. Takeuchi, J.I. Tani, M. Kawahara, Y. Makino and M. Ito                                                                     | 2413 |
| <b>Lightweight Sandwich Structures in Innovative Vehicle Design under Crash Load Cases</b>                                                                                |      |
| S.M. Brückmann, H.E. Friedrich, M. Kriescher, G. Kopp and R. Gätzi                                                                                                        | 2419 |
| <b>Recrystallization Twinning in Stable Single Crystals of Cu-2%Al and Al-1%Mn Alloys</b>                                                                                 |      |
| H. Paul, M.M. Miszczyk, J.H. Driver and P. Drzymala                                                                                                                       | 2428 |
| <b>Effects of Magnetic Field Intensity on Carbon Diffusion in Pure Iron in Paramagnetic Ferrite Region</b>                                                                |      |
| Z.W. Zhang, Y. Wu and X. Zhao                                                                                                                                             | 2434 |
| <b>Solidification of Al-Pb Alloy under the Effect of Micro-Alloying Element Ti and C</b>                                                                                  |      |
| Q. Sun, H.X. Jiang and J.Z. Zhao                                                                                                                                          | 2439 |
| <b>In Vitro Assessment of Hydroxyapatite Coating on the Surface of Additive Manufactured Ti6Al4V Scaffolds</b>                                                            |      |
| E. Chudinova, M. Surmeneva, A. Koptioug, I.V. Savintseva, I.I. Selezneva, P. Skoglund, M. Syrtanov and R. Surmenev                                                        | 2444 |
| <b>Aging Property of AZ91D Magnesium Alloy Screw Thread-Rolled at Room Temperature Using Extrusion-Torsion Simultaneous Processing</b>                                    |      |
| M. Furui, S. Sakashita, S. Suzuki, T. Aida, Y. Ishisaka, M. Yamamoto and M. Ohta                                                                                          | 2450 |

|                                                                                                                                                                                                                           |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Continuous Modeling of Dislocation Cores Using a Mechanical Theory of Dislocation Fields</b><br>K. Gbemou, J.M. Raulot, V. Taupin and C. Fressengeas                                                                   | 2456 |
| <b>Simultaneous Precipitation and Recrystallization during Hot Deformation of Ti, Nb and V Microalloyed Steel</b><br>H. Buken, P. Sherstnev and E. Kozeschnik                                                             | 2463 |
| <b>Solid-State Bonding of 5052 Aluminum Alloy/316L Stainless Steel by Using Organic Salt Formation/Decomposition Reaction</b><br>H. Saito and S. Koyama                                                                   | 2468 |
| <b>Theoretical Study of Local Electric Conductive Properties by Electronic Tension Density</b><br>H. Nozaki, M. Senami, K. Ichikawa and A. Tachibana                                                                      | 2473 |
| <b>Influence of a Direct Current on the Solidification of Immiscible Alloys</b><br>H.X. Jiang, Q. Sun and J.Z. Zhao                                                                                                       | 2479 |
| <b>Stereolithographic Additive Manufacturing of Ceramic Components by Using Nanoparticle Paste Feeding</b><br>S. Kiriwara                                                                                                 | 2485 |
| <b>Revealing the Individual Hardening Effects of Twins, Dislocations, Grain Boundaries and Solid Solution in a Twinning-Induced Plasticity Steel</b><br>Z.Y. Liang, Y.Z. Liu, X. Wang, R.D. Liu and M.X. Huang            | 2489 |
| <b>Development of High-Performing Extruded Magnesium Alloy</b><br>H.K. Lim, Y.K. Kim, B.H. Kim, D.K. Kim, Y.O. Yoon and S.K. Kim                                                                                          | 2495 |
| <b>Scalable Methods to Obtain Superhydrophobicity onto Metallic Surface</b><br>N. Llorca-Isern, A.M. Escobar Romero and O. Rius                                                                                           | 2501 |
| <b>High Temperature Mechanical Properties of Harmonic Structure Designed SUS304L Austenitic Stainless Steel</b><br>M. Nakatani, Y. Fujiki, M. Ota, S.K. Vajpai and K. Ameyama                                             | 2507 |
| <b>Effect of Misch Metal Addition on Thermal Conductivities and Mechanical Properties of Mg-4Zn-0.5Ca Alloys</b><br>G.Y. Oh, Y.O. Yoon, S.K. Kim, H.K. Lim and Y.J. Kim                                                   | 2512 |
| <b>Thermo-Mechanical and Low Cycle Fatigue Failure Behavior Relevant to Temperature Regime in a TBCed Superalloy Specimen</b><br>M. Okazaki, S. Yamagishi and Y. Yonaguni                                                 | 2518 |
| <b>Osteoconductivity of Superhydrophilic Ti- and Zr-Alloy for Biomedical Application</b><br>M. Okido and K. Kuroda                                                                                                        | 2524 |
| <b>Microstructure and Mechanical Properties of Nb Alloyed Steel Processed by Hot Equal Channel Angular Extrusion</b><br>A. Yanagida, R. Aoki and M. Kobayashi                                                             | 2528 |
| <b>Dissimilar Metal Joining of A5052 Aluminum Alloy and AZ31 Magnesium Alloy Using Laser Brazing</b><br>T. Ogura, S. Netsu, T. Yokochi and K. Saida                                                                       | 2532 |
| <b>Study of the Precipitation of Secondary Phases in Duplex and Superduplex Stainless Steel</b><br>N. Llorca-Isern, I. López-Jiménez, H. López-Luque, M.V. Biezma and A. Roca                                             | 2537 |
| <b>Practical Use of Computer Model STAN 2000 for Improvement and Creation of Regimes for Hot Rolling of Steels on SEVERSTAL Mill 2000</b><br>A.A. Ogoltsov, D. Sokolov, S. Sokolov and A.A. Vasilyev                      | 2543 |
| <b>Electrochemical Behaviors of Biomedical Nanograined <math>\beta</math>-Type Titanium Alloys</b><br>H. Yilmazer, B. Dikici, M. Niinomi, M. Nakai, H.H. Lui, Y. Todaka and A.N. Ozcivan                                  | 2549 |
| <b>Evolution of Microstructure and Microhardness in Ti-15Mo <math>\beta</math>-Ti Alloy Prepared by High Pressure Torsion</b><br>K. Václavová, J. Stráský, J. Veselý, S. Gatina, V. Polyakova, I. Semenova and M. Janeček | 2555 |
| <b>Superelasticity of Ti-Nb-Zr Alloys and their Medical Application</b><br>M. Isaenkova, Y. Perlovich, E. Efimova, D. Zhuk and O. Krymskaya                                                                               | 2561 |
| <b>Microstructure of AZCa912 Continuous Casting Bar after Hot Compression</b><br>A. Watazu, N. Omura and K. Miwa                                                                                                          | 2567 |