

Table of Contents

Preface

Chapter 1: Bulk and Epitaxial Growth

1.1: Bulk Growth

SEMI Standards for SiC Wafers J.D. Oliver, R. Kremer, A.D. Weber, K. Nguyen and J. Amano	5
Optimization of 150 mm 4H SiC Substrate Crystal Quality I. Manning, G.Y. Chung, E. Sanchez, Y. Yang, J.Q. Guo, O. Goue, B. Raghothamachar and M. Dudley	11
Structural Characterization of the Growth Front of 4H-SiC Boules Grown Using the Physical Vapor Transport Growth Method M. Sonoda, K. Shioura, T. Nakano, N. Ohtani, M. Katsuno, H. Tsuge, S. Sato and T. Fujimoto	15
Investigation of Run-to-Run Fluctuation in Growth Conditions of Physical Vapor Transport Growth of 4H-SiC Crystals N. Matsumoto, H. Shinya, K. Ashida, T. Kaneko, N. Ohtani, M. Katsuno, H. Tsuge, S. Sato and T. Fujimoto	19
Resistivity Increase in 6H-SiC Crystal Grown with Simple Modification in PVT Process J.W. Choi, J.H. Park, J.D. Seo, J.G. Kim, M.O. Kyun, K.R. Ku, Y.G. Kim, S.H. Choi and W.J. Lee	23
The Effect of Stepped Wall of the Graphite Crucible in Top Seeded Solution Growth of SiC Crystal S.H. Choi, Y.G. Kim, Y.J. Shin, S.M. Jeong, M.H. Lee, C.Y. Lee, J.M. Choi, M.S. Park, Y.S. Jang and W.J. Lee	27
Development of Solvent Inclusion Free 4H-SiC Off-Axis Wafer Grown by the Top-Seeded Solution Growth Technique K. Kusunoki, K. Seki, Y. Kishida, H. Kaido, K. Moriguchi, H. Daikoku, M. Kado, T. Shirai, M. Akita and H. Saito	31
Effect of the Growth Conditions on the Crystal Quality in Solution Growth of SiC Using Cr Solvent without Molten Si K. Suzuki, K.Y. Hyun and T. Taishi	35
Dislocation Behavior in Bulk Crystals Grown by TSSG Method K. Seki, K. Kusunoki, Y. Kishida, H. Kaido, K. Moriguchi, M. Kado, H. Daikoku, T. Shirai, M. Akita, A. Seki, H. Saito, S. Harada and T. Ujihara	39
Experimental Determination of Carbon Solubility in $\text{Si}_{0.56}\text{Cr}_{0.4}\text{M}_{0.04}$ ($\text{M} = \text{Transition Metal}$) Solvents for Solution Growth of SiC K.Y. Hyun, T. Taishi, K. Suzuki and K. Teshima	43
Modification of Crucible Shape in Top Seeded Solution Growth of SiC Crystal Y.G. Kim, S.H. Choi, Y.J. Shin, S.M. Jeong, M.H. Lee, C.Y. Lee, J.M. Choi, M.S. Park, Y.S. Jang and W.J. Lee	47
Solution Growth of SiC from the Crucible Bottom with Dipping under Unsaturation State of Carbon in Solvent T. Taishi, M. Takahashi, N. Tsuchimoto, K. Suzuki and K.Y. Hyun	51
Influence of Additives on Surface Smoothness and Polytype Stability in Solution Growth of n-Type 4H-SiC N. Komatsu, T. Mitani, Y. Hayashi, T. Kato and H. Okumura	55
Suppression of Polytype Transformation with Extremely Low-Dislocation-Density 4H-SiC Crystal in Two-Step Solution Method K. Murayama, S. Harada, F. Fujie, X.B. Liu, R. Murai, C. Zhu, K. Hanada, M. Tagawa and T. Ujihara	60

1.2: Epitaxial Growth

Status and Trends in Epitaxy and Defects	
H. Osawa, Y. Mabuchi, Y. Nishihara, L. Guo, N. Ishibashi, K. Fukada, K. Kamei and K. Momose	67
99.9% BPD Free 4H-SiC Epitaxial Layer with Precisely Controlled Doping upon 3 x 150 mm Hot-Wall CVD	
K. Wada, T. Terao, H. Itoh, T. Hori, H. Doi, M. Furumai and T. Tanabe	72
Growth of 150 mm 4H-SiC Epitaxial Layer by a Hot-Wall Reactor	
Y.Q. Sun, G. Feng, J.Y. Kang, W.N. Qian, Y.Y. Li, K.X. Li and J.H. Zhao	76
Glide of Basal Plane Dislocations during 150 mm 4H-SiC Epitaxial Growth by a Hot-Wall Reactor	
G. Feng, W.N. Qian, Y.Q. Sun, Z.X. Chen and J.H. Zhao	80
Growth of 4H-SiC Epitaxial Layer through Optimization of Buffer Layer	
N. Piluso, A. Severino, R. Anzalone, M.A. di Stefano, E. Fontana, M. Salanitri, S. Lorenti, A. Campione, P. Fiorenza and F. La Via	84
High In-Wafer Uniformity of Growth Rate and Carrier Concentration on n-Type 4H-SiC Epitaxial Films Achieved by High Speed Wafer Rotation Vertical CVD Tool	
Y. Daigo, A. Ishiguro, S. Ishii and H. Ito	88
Improved Uniformity of Silicon Carbide Epitaxy Grown in a High-Volume Multi-Cassette Epitaxy Reactor	
M.F. MacMillan, T. Oldham, V. Rengarajan and P. Wu	92
Quick and Practical Cleaning Process for Silicon Carbide Epitaxial Reactor	
K. Shioda, K. Kurashima, H. Habuka, H. Ito, S. Mitani and Y. Takahashi	96
Understanding the Chemistry in Silicon Carbide Chemical Vapor Deposition	
Ö. Danielsson	100
Triangular Defects Reduction and Uniformity Improvement of 4H-SiC Epitaxial Growth in a Planetary Reactor	
W.L. Lu, J. Li, Y.L. Fang, J.Y. Yin and Z.H. Feng	104
Reduction of Surface and PL Defects on n-Type 4H-SiC Epitaxial Films Grown Using a High Speed Wafer Rotation Vertical CVD Tool	
Y. Daigo, A. Ishiguro, S. Ishii and H. Ito	108
Influence and Mutual Interaction of Process Parameters on the $Z_{1/2}$ Defect Concentration during Epitaxy of 4H-SiC	
J. Erlekampf, D. Kaminzky, K. Rosshirt, B. Kallinger, M. Rommel, P. Berwian, J. Friedrich and L. Frey	112
CVD Filling of Narrow Deep 4H-SiC Trenches in a Quasi-Selective Epitaxial Growth Mode	
S. Ji, R. Kosugi, K. Kojima, K. Mochizuki, Y. Kawada, K. Adachi, S. Saito, A. Nagata, Y. Matsukawa, Y. Yonezawa, S. Yoshida and H. Okumura	116
Hot Filament CVD Growth of 4H-SiC Epitaxial Layers	
B. Van Zeghbroeck, H. Robinson and R.R. Brow	120
Stacking Faults Defects on 3C-SiC Homo-Epitaxial Films	
G. Litrico, R. Anzalone, A. Alberti, C. Bongiorno, G. Nicotra, M. Zimbone, M. Mauceri, S. Coffa and F. La Via	124
Silicon (001) Heteroepitaxy on 3C-SiC(001)/Si(001) Seed	
T. Yeghoyan, K. Alassaad, S.R.C. McMitchell, M. Gutierrez, V. Soulière, D. Araújo and G. Ferro	128

Chapter 2: Defects, Material Studies and Characterization

2.1: Extended and Point Defects, Impurities

Performance and Reliability Impacts of Extended Epitaxial Defects on 4H-SiC Power Devices	
E. Van Brunt, A. Burk, D.J. Lichtenwalner, R. Leonard, S. Sabri, D.A. Gajewski, A. Mackenzie, B. Hull, S. Allen and J.W. Palmour	137

Comparative Evaluation of Forward Voltage Degradation due to Propagating and Converted Basal Plane Dislocations	143
Y. Nishihara, K. Kamei, K. Momose and H. Osawa	
Defects and Polytype Instabilities	147
J. Pezoldt and A.A. Kalnin	
Expansion of Basal Plane Dislocation in 4H-SiC Epitaxial Layer on A-Plane by Electron Beam Irradiation	151
M. Sudo, Y. Ishikawa, Y.Z. Yao, Y. Sugawara and M. Kato	
Extension, Closure and Conversion of In-Grown Stacking Faults in 4H-SiC Epilayers	155
Z. Li, T. Ju, B.S. Zhang, X. Zhang, L.G. Zhang and Z.H. Zhang	
Immobilization Phenomenon of Partial Dislocations Surrounding Double Shockley Stacking Faults in Heavily Nitrogen Doped 4H-SiC Crystal with Thermal Anneal	160
N. Sugiyama, H. Suo, K. Eto, Y. Tokuda, I. Kamata, N. Hoshino, T. Kato, H. Tsuchida and H. Okumura	
Influence of Triangular Defects on the Electrical Characteristics of 4H-SiC Devices	164
J. Schoeck, H. Schlichting, B. Kallinger, T. Erlbacher and M. Rommel	
Origin Analysis and Elimination of Obtuse Triangular Defects in 4° Off 4H-SiC Epitaxy	168
K.L. Mao, Y.M. Wang, B. Li and G.Y. Zhao	
<i>In Situ</i> Synchrotron X-Ray Topography Observation of Double-Ended Frank-Read Sources in PVT-Grown 4H-SiC Wafers	172
Y. Yang, J.Q. Guo, B. Raghoechamachar, M. Dudley, S. Weit, A.N. Danilewsky, P.J. McNally and B.R. Tanner	
Direct Observation of Stress Relaxation Process in 4H-SiC Homoepitaxial Layers via <i>In Situ</i> Synchrotron X-Ray Topography	176
J.Q. Guo, Y. Yang, B. Raghoechamachar, M. Dudley, S. Weit, A.N. Danilewsky, P.J. McNally and B.R. Tanner	
X-Ray Topography Analysis of 4H-SiC Crystals Grown by the High-Temperature Gas Source Method	180
I. Kamata, N. Hoshino, Y. Tokuda, E. Makino, T. Kanda, N. Sugiyama, H. Kuno, J. Kojima and H. Tsuchida	
Analysis of Compensation Effects in Aluminum-Implanted 4H-SiC Devices	184
J. Weisse, M. Hauck, T. Sledziewski, M. Tschiesche, M. Krieger, A.J. Bauer, H. Mitlehner, L. Frey and T. Erlbacher	
Comparison of Conduction Mechanisms in Heavily Al-Doped 4H-SiC and Heavily Al- and N-Codoped 4H-SiC	188
H. Matsuura, A. Takeshita, T. Imamura, K. Takano, K. Okuda, A. Hidaka, S. Ji, K. Eto, K. Kojima, T. Kato, S. Yoshida and H. Okumura	
Modeling and Simulation of Electrical Activation of Acceptor-Type Dopants in Silicon Carbide	192
V. Šimonka, A. Hössinger, J. Weinbub and S. Selberherr	
Optical Stressing of 4H-SiC Material and Devices	196
B. Kallinger, D. Kaminzky, P. Berwian, J. Friedrich and S. Oppel	
Diffusion of the Carbon Vacancy in a-Cut and c-Cut n-Type 4H-SiC	200
M.E. Bathen, H.M. Ayedh, L. Vines, I. Farkas, E. Janzén and B.G. Svensson	
Various Single Photon Sources Observed in SiC Pin Diodes	204
H. Tsunemi, T. Honda, T. Makino, S. Onoda, S.I. Sato, Y. Hijikata and T. Ohshima	
Dislocation Analysis of p Type and Insulating HPHT Diamond Seed Crystals	208
S. Shikata, E. Kamei, K. Yamaguchi, Y. Tsuchida and H. Takahashi	
Influence of Dislocations to the Diamond SBD Reverse Characteristics	212
N. Akashi, A. Seki, H. Saito, F. Kawai and S. Shikata	
Comparison of the Effects of Electron and Proton Irradiation on 4H-SiC and Si Device Structures	217
A.A. Lebedev, K.S. Davydovskaya, A.M. Strel'chuk, A.N. Yakimenko and V.V. Kozlovski	
Optical and Microstructural Investigation of Heavy B-Doping Effects in Sublimation-Grown 3C-SiC	221
A. Galeckas, P.A. Carvalho, Q.B. Ma, A. Azarov, S. Hovden, A. Thøgersen, D.N. Wright, S. Diplas, O.M. Løvvik, V. Jokubavicius, J.W. Sun, M. Syväjärvi and B.G. Svensson	
Deep Level Defects in 4H-SiC Epitaxial Layers	225
I. Capan, T. Brodar, T. Ohshima, S.I. Sato, T. Makino, Ž. Pastuovic, R. Siegele, L. Snoj, V. Radulović, J. Coutinho, V.J.B. Torres and K. Demmouche	

Radiation Hardness for Silicon Oxide and Aluminum Oxide on 4H-SiC A. Hallén and S.S. Suvanam	229
Kinetics Modeling of the Carbon Vacancy Thermal Equilibration in 4H-SiC H.M. Ayedh, R. Nipoti, A. Hallén and B.G. Svensson	233

2.2: Material Studies and Characterization

High Resolution Optical Spectroscopy of Free Exciton and Electronic Band Structure near the Fundamental Gap in 4H SiC W.M. Klahold, W.J. Choyke and R.P. Devaty	239
Growth Conditions and <i>In Situ</i> Computed Tomography Analysis of Facetted Bulk Growth of SiC Boules M. Arzig, M. Salamon, N. Uhlmann, B.A. Johansen and P.J. Wellmann	245
Rearrangement of Surface Structure of 4° Off-Axis 4H-SiC (0001) Epitaxial Wafer by High Temperature Annealing in Si/Ar Ambient K. Ashida, D. Dojima, S. Torimi, N. Yabuki, Y. Sudo, T. Sakaguchi, S. Nogami, M. Kitabatake and T. Kaneko	249
The Effects of Illumination on Point Defects Detected in High Purity Semi-Insulating 4H-SiC G. Alfieri, L. Kranz, L. Knoll and V. Sundaramoorthy	253
Effect of Electron Irradiation on Electrical and Electroluminescent Properties of n⁺p 4H-SiC Structures A.M. Strel'chuk, A.E. Kalyadin, A.A. Lebedev, V.V. Kozlovski, L.P. Romanov and V.A. Petrov	257
Evaluation of the Effect of Ultraviolet Light Excitation during Characterization of Silicon Carbide Epitaxial Layers H. Das, S. Sunkari, O. Akdik, A. Konstantinov, K. Gumaelius, J.O. Svedberg and F. Allerstam	261
Depth Profiling of Carrier Lifetime in Thick 4H-SiC Epilayers Using Two-Photon Absorption N.A. Mahadik, R.E. Stahlbush, P.B. Klein, A. Khachatrian and S. Buchner	265
Microscopic FCA System for Depth-Resolved Carrier Lifetime Measurement in SiC S. Mae, T. Tawara, H. Tsuchida and M. Kato	269
Characterization of Inhomogeneity in Thermal Oxide SiO₂ Films on 4H-SiC Epitaxial Substrates by a Combination of Fourier Transform Infrared Spectroscopy and Cathodoluminescence Spectroscopy M. Yoshikawa, K. Inoue, J. Sameshima and H. Seki	273
Determination of Performance-Relevant Trapped Charge in 4H Silicon Carbide MOSFETs F. Rasinger, G. Pobegen, T. Aichinger, H.B. Weber and M. Krieger	277
Oxidation-Process Dependence of Single Photon Sources Embedded in 4H-SiC MOSFETs Y. Abe, T. Umeda, M. Okamoto, S. Onoda, M. Haruyama, W. Kada, O. Hanaizumi, R. Kosugi, S. Harada and T. Ohshima	281
Oxide Traps Probed by Transient Capacitance Measurements on Lateral SiO₂/4H-SiC MOSFETs P. Fiorenza, F. Iucolano, M. Saggio and F. Roccaforte	285
Improvement of Local Deep Level Transient Spectroscopy for Microscopic Evaluation of SiO₂/4H-SiC Interfaces Y. Yamagishi and Y. Cho	289
Annealing Behavior of Electrical Resistivities Perpendicular and Parallel to the Basal Plane of Heavily Nitrogen-Doped 4H-SiC Crystals K. Okawa, Y. Mannen, K. Shioura, N. Ohtani, M. Katsuno, H. Tsuge, S. Sato and T. Fujimoto	293
Electrical Challenges of Heteroepitaxial 3C-SiC on Silicon A. Pradeepkumar, D.K. Gaskill and F. Iacopi	297
Simulations of Heterostructures Based on 3C-4H and 6H-4H Silicon Carbide Polytypes M.H. Rashid, A. Koel and T. Rang	302
Structural Quality, Polishing and Thermal Stability of 3C-SiC/Si Templates M. Zielinski, S. Monnoye, H. Mank, C. Moisson, T. Chassagne, A. Michon and M. Portail	306
THz Emission from SiC Natural Superlattice Diodes Induced by Strong Electrical Field V.I. Sankin, A.V. Andrianov, A.G. Petrov, A.O. Zachar'in, S. Nagalyuk, P.P. Shkrebiy and A.A. Lebedev	310

Infrared Reflectance Study of the Graphene/Semi-Insulating 6H-SiC(0001) Heterostructure M. Auge, B. Hähnlein and J. Pezoldt	314
Influence of Aluminum Incorporation on Mechanical Properties of 3C-SiC Epilayers J.F. Michaud, M. Zielinski, J.B. Messaoud, T. Chassagne, M. Portail and D. Alquier	318
Chemical Trend in Band Structure of 3d-Transition-Metal-Doped AlN Films N. Tatemizo, S. Imada, Y. Miura, K. Nishio and T. Isshiki	322

Chapter 3: Processing and Manufacturing

3.1: Processing

3.1.1: Implantation, Contacts, Etching

About the Electrical Activation of $1 \times 10^{20} \text{ cm}^{-3}$ Ion Implanted Al in 4H-SiC at Annealing Temperatures in the Range 1500 - 1950°C R. Nipoti, A. Carnera, G. Alfieri and L. Kranz	333
Metal/Semiconductor Contacts to Silicon Carbide: Physics and Technology F. Roccaforte, M. Vivona, G. Greco, R. Lo Nigro, F. Giannazzo, S. Rascunà and M. Saggio	339
Application of Si-Vapor Ambient Anneal for Post Ion Implantation Anneal and Simultaneous Improvement of Trench Sidewall Smoothness N. Yabuki, S. Torimi, S. Nogami, M. Kitabatake and T. Kaneko	345
Characterization of pn-Diode Fabricated from Surface Damage-Free 4H-SiC Wafer Using Si-Vapor Etching Process S. Torimi, N. Yabuki, T. Sakaguchi, M. Shinohara, Y. Teramoto, S. Nogami, M. Kitabatake and J. Senzaki	349
Effect of Ion Implantation-Induced Defects on Leakage Current Characteristics of IEMOS Y. Furukawa, H. Suzuki, N. Tani, Y. Kobayashi, N. Ohse, S. Harada and K. Fukuda	353
Double Step Annealing for the Recovering of Ion Implantation Defectiveness in 4H-SiC DIMOSFET M. Zimbone, N. Piluso, G. Litrico, R. Nipoti, R. Reitano, M. Canino, M.A. di Stefano, S. Lorenti and F. La Via	357
Influence of Lateral Stragglings of Implanted Aluminum Ions on High Voltage 4H-SiC Device Edge Termination Design Y.F. Jiang, B.J. Baliga and A.Q. Huang	361
Investigation of Forward Voltage Degradation due to Process-Induced Defects in 4H-SiC MOSFET K. Konishi, R. Fujita, Y. Mori and A. Shima	365
4H-Silicon Carbide Wafer Surface after Chlorine Trifluoride Gas Etching S. Okuyama, K. Kurashima, K. Nakagomi, H. Habuka, Y. Takahashi and T. Kato	369
Surface Erosion of Ion-Implanted 4H-SiC during Annealing with Carbon Cap M.K. Linnarsson, H.M. Ayedh, A. Hallén, L. Vines and B.G. Svensson	373
Study of Ti/Al/Ni Ohmic Contacts to p-Type Implanted 4H-SiC M. Vivona, G. Greco, C. Bongiorno, S. Di Franco, R. Lo Nigro, S. Scalese, S. Rascunà, M. Saggio and F. Roccaforte	377
Pt:Ti Diffusion Barrier, Interconnect, and Simultaneous Ohmic Contacts to n- and p-Type 4H-SiC R.S. Okojie and D. Lukco	381
Ni-Al-Ti Ohmic Contacts with Preserved Form Factor and Few $10^{-4} \Omega \text{cm}^2$ Specific Resistance on 0.1-1 Ωcm p-Type 4H-SiC R. Nipoti, M. Puzanghera, M. Canino, G. Sozzi and P. Fedeli	385
Low Temperature Ni-Al Ohmic Contacts to p-Type 4H-SiC Using Semi-Salicide Processing M. Ekström, S.B. Hou, H. Elahipanah, A. Salemi, M. Östling and C. Zetterling	389
Influence of Al Doping Concentration and Annealing Parameters on TiAl Based Ohmic Contacts on 4H-SiC M. Kocher, M. Rommel, T. Erlbacher and A.J. Bauer	393

Formation of the Uniform Interface Ni/4H-SiC Ohmic Contact with Titanium as Barrier Layer	
M. Na, I.H. Kang, J.H. Moon and W. Bahng	397
Extremely Thermal Stable Ni/W/TaSi₂/Pt Simultaneous Ohmic Contacts to n-Type and p-Type 4H-SiC	
Y.L. Li, Y.M. Zhang, X.Y. Tang, T. Guo and Y.M. Zhang	401
Electrical Property Study of Ni/Nb Contact to n-Type 4H-SiC	
X.C. Liu, S.Y. Zhuo, W.B. Chen, C.C. Dai and E.W. Shi	405
Low Resistance Ti₅Si₃/TiC Ohmic contact on Ion-Implanted n-Type 4H-SiC C Face	
W. De Silva, T. Kawasaki and S. Kuroki	409
Formation of Ohmic Contacts to n-Type 4H-SiC at Low Annealing Temperatures	
V. Sundaramoorthy, R.A. Minamisawa, L. Kranz, L. Knoll and G. Alfieri	413

3.1.2: MOS, Interfaces, Carrier Lifetime

Investigation on the Effect of Ge Co-Doped Epitaxy on 4H-SiC Based MPS Diodes and Trench MOSFETs	
C. Heidorn, R. Esteve, T. Höchbauer and R. Rupp	419
4H-SiC pMOSFETs with Al-Doped S/D and NbNi Silicide Ohmic Contacts	
J. Kajihara, S. Kuroki, S. Ishikawa, T. Maeda, H. Sezaki, T. Makino, T. Ohshima, M. Östling and C. Zetterling	423
Effect of Design Variations and N₂O Annealing on 1.7kV 4H-SiC Diodes	
Y.K. Sharma, H.P. Jiang, C. Zheng, X. Dai and I. Deviny	428
Carrier Lifetimes in 4H-SiC Epitaxial Layers on the C-Face Enhanced by Carbon Implantation	
M. Kushibe, J. Nishio, R. Iijima, A. Miyasaka, H. Asamizu, H. Kitai, R. Kosugi, S. Harada and K. Kojima	432
Local Lifetime Control in 4H-SiC by Proton Irradiation	
P. Hazdra, S. Popelka and A. Schöner	436
Lifetime Enhancement of 4H-SiC PiN Diodes Using High Temperature Oxidation Treatment	
Y. Bonyadi, P.M. Gammon, O. Alatise, R. Bonyadi and P.A. Mawby	440
Isotropic Oxidation by Plasma Oxidation and Investigation of RIE Induced Effects for Development of 4H-SiC Trench MOSFETs	
A. Jayawardena, A.C. Ahyi, G. Liu, R.G. Shaw and S. Dhar	444
Study on NO Passivation on the Near Interface Electron and Hole Traps of n-Type 4H-SiC MOS Capacitors by Ultraviolet Light	
Y.F. Jia, H.L. Lv, X.Y. Tang, Q.W. Song, Y.M. Zhang and Y.M. Zhang	449
Oxygen Pressure Controlled Oxidation for Gate Insulator Process of SiC MOSFETs	
K. Kobayashi, H. Shimizu and A. Shima	453
Novel Gate Insulator Process by Nitrogen Annealing for Si-Face SiC MOSFET with High-Mobility and High-Reliability	
S. Asaba, T. Schimizu, Y. Nakabayashi, S. Fukatsu, T. Ito and R. Iijima	457
Improvement of SiO₂/4H-SiC(0001) Interface Properties by H₂ and Ar Mixture Gas Treatment Prior to SiO₂ Deposition	
H. Tsuji, T. Hosoi, Y. Terao, T. Shimura and H. Watanabe	461
Effects of CF₄ Surface Etching on 4H-SiC MOS Capacitors	
K. Kobayakawa, K. Muraoka, H. Sezaki, S. Ishikawa, T. Maeda and S. Kuroki	465
The Effect of Nitrogen on the 4H-SiC/SiO₂ Interface Studied with Variable Resonance Frequency Spin Dependent Charge Pumping	
M.A. Anders, P.M. Lenahan and A.J. Leis	469
Temperature-Dependence Study of the Gate Current SiO₂/4H-SiC MOS Capacitors	
P. Fiorenza, M. Vivona, F. Iucolano, A. Severino, S. Lorenti and F. Roccaforte	473
Correlation between Field Effect Mobility and Accumulation Conductance at 4H-SiC MOS Interface with Barium	
K. Muraoka, S. Ishikawa, H. Sezaki, T. Maeda and S. Kuroki	477
Effect of High Temperature Forming Gas Annealing on Electrical Properties of 4H-SiC Lateral MOSFETs with Lanthanum Silicate and ALD SiO₂ Gate Dielectric	
M.S. Kang, K. Lawless, B.M. Lee and V. Misra	482

Effect of Post Oxide Annealing on the Electrical and Interface 4H-SiC/Al₂O₃ MOS Capacitors	
M.I. Idris, N.G. Wright and A.B. Horsfall	486
Analysis of 3-Dimensional 4H-SiC MOS Capacitors Grown by Atomic Layer Deposition of Al₂O₃	
M.I. Idris, N.G. Wright and A.B. Horsfall	490
High-Mobility SiC MOSFETs Using a Thin-SiO₂/Al₂O₃ Gate Stack	
J. Urresti, F. Arith, K. Vassilevski, A.K. Tiwari, S. Olsen, N.G. Wright and A.G. O'Neill	494
Improved Threshold Voltage Instability in 4H-SiC MOSFETs with Atomic Layer Deposited SiO₂	
M.S. Kang, B.M. Lee and V. Misra	498
Borosilicate Glass (BSG) as Gate Dielectric for 4H-SiC MOSFETs	
Y.J. Zheng, T. Isaacs-Smith, A.C. Ahyi and S. Dhar	502
MOCVD Compatible Atomic Layer Deposition Process of Al₂O₃ on SiC and Graphene/SiC Heterostructures	
M. Eckstein, C. Koppka, S. Thiele, Y. Mi, R. Xu, Y. Lei, B. Hähnlein, F. Schwierz and J. Pezoldt	506

3.2: Manufacturing

Incoming and Inline Defectivity Control Solutions for Silicon Carbide Manufacturing	
D. Arias, M. Coppola, N. Piluso, S. Lorenti, M. Coco, A. di Salvo, S. Anoop, P. Parisi, G. Arena and G. Franco	513
Regional Manufacturing Cost Structures and Supply Chain Considerations for SiC Power Electronics in Medium Voltage Motor Drives	
S. Reese, K. Horowitz, T. Remo and M. Mann	518
PRESiCE™: Process Engineered for Manufacturing SiC Electronic Devices	
B.J. Baliga, W.J. Sung, K.J. Han, J. Harmon, A. Tucker and S. Syed	523
Automated Mapping of Micropipes in SiC Wafers Using Polarized-Light Microscope	
S. McGuire, R. Blasi, P. Wu, E. Loukas, E. Emorhokpor, S. Dimov, X.P. Xu, J.Q. Guo, Y. Yang, B. Raghothamachar and M. Dudley	527
Crystal Defect Analysis of Latent Scratch Induced during CMP Process on 4H-SiC Wafer Using Electron Microscopy	
T. Sato, H. Matsumoto, S. Suzuki, T. Isshiki and N. Kuniyasu	531
Stress Relaxation Mechanism after Thinning Process on 4H-SiC Substrate	
R. Anzalone, N. Piluso, G. Litrico, S. Lorenti, G. Arena, S. Coffa and F. La Via	535
Surface Engineering of SiC through Nanogrinding and CMP	
R. Vacassy, A. Gibson, A. Titov, A. Walters and T. Shindo	539
Observation of a Latent Scratch on Chemo-Mechanical Polished 4H-SiC Wafer by Mirror Projection Electron Microscopy	
T. Isshiki, M. Hasegawa, T. Sato, K. Kobayashi, A. Miyaki, M. Iyoki, T. Yamaoka and K. Onuki	543
TLS-Dicing for SiC - Latest Assessment Results	
D. Lewke, M. Cerezuela Barreto, K.O. Dohnke, H.U. Zühlke, C. Belgardt and M. Schellenberger	547

Chapter 4: Power Devices, Circuits and Applications

4.1: Power Devices

4.1.1: Power Rectifiers and Junction Transistors

Reliability of SiC Power Devices against Cosmic Ray Neutron Single-Event Burnout	
D.J. Lichtenwalner, A. Akturk, J. McGarrity, J. Richmond, T. Barbieri, B. Hull, D. Grider, S. Allen and J.W. Palmour	559
Practical Design of 4H-SiC Superjunction Devices in the Presence of Charge Imbalance	
M.M. Alam, D. Morissette and J.A. Cooper	563

Conductivity Modulated and Implantation-Free 4H-SiC Ultra-High-Voltage PiN Diodes A. Salemi, H. Elahipanah, C. Zetterling and M. Östling	568
12MeV) of Al⁺ and B⁺ R. Ghandi, P. Losee, A. Bolotnikov and D. Lilienfeld	573
Near Breakdown Voltage Optical Beam Induced Current (OBIC) on 4H-SiC Bipolar Diode D. Planson, B. Asllani, H. Hamad, M.L. Locatelli, R. Arvinte, C. Raynaud, P. Bevilacqua and L.V. Phung	577
H³TRB Test on 650 V SiC JBS Diodes C. Zorn, F. Hoffmann, M. Hanf, N. Kaminski, F. Allerstam, A. Konstantinov and T. Neyer	581
4H-SiC 1200 V Junction Barrier Schottky Diodes with High Avalanche Ruggedness A. Gendron-Hansen, D. Sdrulla, B. Odekirk, A.S. Kashyap and L. Starr	585
Study of Temperature-Dependent Mechanisms and Characteristics of 4H-SiC Junction Barrier Schottky Rectifiers Y.D. Tang, X.Y. Liu, Y. Bai, S.X. Dong and S.D. Xu	589
Surge Driven Evolution of Schottky Barrier Height on 4H-SiC JBS Diodes B. Asllani, J.B. Fonder, P. Bevilacqua, D. Planson, L.V. Phung and P. Brosselard	593
Performance Evaluation of SiC JBS Diodes Rated for 6.5kV Applications A. Mihaila, L. Knoll, L. Kranz, E. Bianda, G. Alfieri, M. Bellini, C. Papadopoulos and M. Rahimo	597
Multi-Level Trap Assisted Tunneling Model for the Field and Temperature Dependence of SiC-JBS Reverse Leakage Current G. Dolny, Y. Sheng, Y. Fu, Z. Li, R. Radhakrishnan and R.L. Woodin	601
Effect of High Energy Electron Irradiation on Electrical and Noise Properties of 4H-SiC Schottky Diodes A.A. Lebedev, V.V. Kozlovski, M.E. Levinshtein, S.L. Rumyantsev and J.W. Palmour	605
SiC MPS Devices: One Step Closer to the Ideal Diode R. Elpelt, M. Draghici, R. Gerlach, R. Rupp and R. Schörner	609
Design and Manufacturing of 1200V SiC JBS Diodes with Low On-State Voltage Drop and Reverse Blocking Leakage Current W.J. Sung, K.J. Han and B.J. Baliga	613
Breakdown Field Model for 3C-SiC Power Device Simulations H. Fardi and B. Van Zeghbroeck	617
Analysis of Forward Surge Performance of SiC Schottky Diodes R. Radhakrishnan, N. Cueva, T. Witt and R.L. Woodin	621
A High Current Gain 4H-SiC BJT of Novel Epitaxial Passivation Structure Y.R. Zhang, W. Wang, M.Y. Li, F. Guo, J.T. Li and X. Li	625
Effects of Parasitic Region in SiC Bipolar Junction Transistors on Forced Current Gain S. Asada, J. Suda and T. Kimoto	629
Blocking Performance Improvements for 4H-SiC P-GTO Thyristors with Carrier Lifetime Enhancement Processes S.H. Ryu, D.J. Lichtenwalner, M. O'Loughlin, E. Van Brunt, C. Capell, C. Jonas, Y. Lemma, Q.C. Zhang, J. Richmond, A. Burk, B. Hull, M. McCain, S. Sabri, H. O'Brien, A. Ogunniyi, A.J. Lelis, J. Casady, D. Grider, S. Allen and J.W. Palmour	633
Impact of Cell Layout and Device Structure on On-Voltage Reduction of 6.5-kV n-Channel SiC IGBTs N. Watanabe, H. Yoshimoto and A. Shima	637
High Workfunction, Compound Gate Metal Engineering for Low DIBL, High Gain, High Density Advanced RF Power Static Induction Transistor (SIT) and HV Schottky Diode in 4H Silicon Carbide J. Pan, S. Afroz, S. Suko, J.D. Oliver and T. Knight	641
Investigation of 4H-SiC Extraction-Enhanced Vertical Insulated-Gate Bipolar Transistor with Lightly Doped Extractor in Collector Region G. Tang, X.Y. Tang, Q.W. Song, Y.M. Zhang, Y.M. Zhang and Y.M. Zhang	645
A Continuous Semi-Empirical VJFET Capacitance Model from Sub to above Threshold Regime N. Makris, M. Kayambaki, A. Stavrinidis, G. Konstantinidis and K. Zekentes	649
Cross-Section Doping Topography of 4H-SiC VJFETs by Various Techniques K. Tsagaraki, M. Nafouti, H. Peyre, K. Vamvoukakis, N. Makris, M. Kayambaki, A. Stavrinidis, G. Konstantinidis, M. Panagopoulou, D. Alquier and K. Zekentes	653

On the Optimum Determination and Use of SiC VJFET Threshold Voltage M. Kayambaki, N. Makris, A. Stavrinidis, G. Konstantinidis and K. Zekentes	657
 4.1.2: Power Mosfets	
Impact of Embedding Schottky Barrier Diodes into 3.3 kV and 6.5 kV SiC MOSFETs K. Kawahara, S. Hino, K. Sadamatsu, Y. Nakao, T. Iwamatsu, S. Nakata, S. Tomohisa and S. Yamakawa	663
Hole Trapping in the NBTI Characteristic of SiC MOSFETs Y.J. He, H.L. Lv, X.Y. Tang, Q.W. Song, Y.M. Zhang and Y.M. Zhang	667
Comprehensive Evaluation of Bias Temperature Instabilities on 4H-SiC MOSFETs Using Device Preconditioning G. Rescher, G. Pobegen, T. Aichinger and T. Grasser	671
Switching Reliability of SiC-MOSFETs Containing Expanded Stacking Faults R. Fujita, K. Tani, K. Konishi and A. Shima	676
Vertical Tri-Gate Power MOSFETs in 4H-SiC J.A. Cooper, N. Islam, R.P. Ramamurthy, M. Sampath and D. Morisette	680
1.2 kV 4H-SiC Split-Gate Power MOSFET: Analysis and Experimental Results K.J. Han, B.J. Baliga and W.J. Sung	684
TCAD Modeling of a 1200 V SiC MOSFET K. Lee, B. Buono, M. Domeij and J. Franchi	689
Simulation-Based Sensitivity Analysis of Conduction and Switching Losses for Silicon Carbide Power MOSFETs J. Müting and U. Grossner	693
Reliability and Ruggedness of 1200V SiC Planar Gate MOSFETs Fabricated in a High Volume CMOS Foundry S. Chowdhury, L. Gant, B. Powell, K. Rangaswamy and K. Matocha	697
4600 V Sic Dmosfets with $R_{DS,On} = 17 \text{ m}\Omega\text{-cm}^2$ S.G. Sundaresan, S. Jeliaskov and R. Singh	703
4H-SiC Trench MOSFET with Ultra-Low On-Resistance by Using Miniaturization Technology A. Ichimura, Y. Ebihara, S. Mitani, M. Noborio, Y. Takeuchi, S. Mizuno, T. Yamamoto and K. Tsuruta	707
Suppression of PBTI of SiC-MOSFETs under 100 kHz Gate-Switching Operation by Using a Gate Off-Voltage of -5 V E. Murakami, T. Furuichi, T. Takeshita and K. Oda	711
Short-Circuit Robustness of SiC Trench MOSFETs R. Green, D. Urciuoli and A.J. Lelis	715
Electrical Performances and Physics Based Analysis of 10kV SiC Power MOSFETs at High Temperatures S.Y. Liu, B.J. Baliga, Y.F. Jiang, W.F. Sun, S. Bhattacharya and A.Q. Huang	719
Impact of a Kelvin Source Connection on Discrete High Power SiC-MOSFETs C. Bödeker, E. Ayerbe and N. Kaminski	723
Suppression of Short-Circuit Current with Embedded Source Resistance in SiC-MOSFET H. Hatta, T. Tominaga, S. Hino, N. Miura, S. Tomohisa and S. Yamakawa	727
3300V SiC DMOSFETs Fabricated in High-Volume 150 mm CMOS Fab B. Powell, K. Matocha, S. Chowdhury and C. Hundley	731
Effect of Negative Gate Bias on Single Pulse Avalanche Ruggedness of 1.2 kV Silicon Carbide MOSFETs S. Nida, T. Ziemann, B. Kakarla and U. Grossner	735
Static and Dynamic Characterization of a 3.3 Kv, 45 A 4H-Sic MOSFET A. Anurag, G. Gohil, S. Acharya, K.J. Han, K. Vechalapu, B.J. Baliga, S. Bhattacharya, E. Van Brunt, S. Sabri, B. Hull and D. Grider	739
Influences of Bias Interruption and Reapplication on High-Temperature Threshold-Voltage Shifts of SiC DMOSFETs D.B. Habersat, A.J. Lelis and R. Green	743

Role of Trench Bottom Shielding Region on Switching Characteristics of 4H-SiC Double-Trench Mosfets	
S. Kyogoku, K. Tanaka, K. Ariyoshi, R. Iijima, Y. Kobayashi and S. Harada	748
Comparison of Single- and Double-Trench UMOSFETs in 4H-SiC	
M. Sampath, D. Morissette and J.A. Cooper	752
Impact of Cell Geometry on Zero-Energy Turn-Off of SiC Power MOSFETs	
X. Liu, S. Chowdhury, C.W. Hitchcock and T.P. Chow	756
Impact of Stripe Trench-Gate Structure for 4H-SiC Trench MOSFET with Bottom Oxide Protection Layer	
Y. Fukui, K. Sugawara, K. Adachi, H. Hatta, K. Konishi, K. Sadamatsu, N. Fujiwara, S. Tomohisa and S. Yamakawa	761
Shielded Gate SiC Trench Power MOSFET with Ultra-Low Switching Loss	
X. Li, X. Tong, A.Q. Huang, S. Qiu, X. She, X.C. Deng and B. Zhang	765
Development of a High-Performance 3,300V Silicon Carbide MOSFET	
L. Fursin, X.Q. Li, X. Huang, K. Zhu, W. Simon and A. Bhalla	770
Comparison of 3C-SiC and 4H-SiC Power MOSFETs	
B. Van Zeghbroeck and H. Fardi	774
Investigation of the Robust Edge Termination Applied to 6.5kV SiC MOSFET	
K. Ebihara, K. Kawahara, S. Hino, K. Sadamatsu, A. Nagae, Y. Nakao, H. Watanabe and S. Yamakawa	778
Planar to Trench: Short Circuit Capability Analysis of 1.2 kV SiC MOSFETs	
B. Kakarla, T. Ziemann, S. Nida, E. Doenni and U. Grossner	782
Continuous Compact Model of a SiC VDMOSFET Based on Surface Potential Theory	
B. Jäger, Y.R. Ju, R. Stark and U. Grossner	786

4.2: Power Modules, Circuits and Applications

Recent Developments Accelerating SiC Adoption	
A. Bhalla	793
Power Electronic Devices and Systems Based on Bulk GaN Substrates	
E.P. Carlson, D.W. Cunningham, Y.Z. Xu and I.C. Kizilyalli	799
Reliability Challenges for SiC Power Devices in Systems and the Impact on Reliability Testing	
N. Kaminski	805
SiC MOSFET Device Parameter Spread and Ruggedness of Parallel Multichip Structures	
A. Castellazzi, A. Fayyaz and R. Kraus	811
An Experimental Demonstration of Short Circuit Protection of SiC Devices	
E. Aeloiza, A. Kadavelugu, P. Cairolì and R. Rodrigues	818
650 V, 7 mΩ 4H-SiC DMOSFETs for Dual-Side Sintered Power Modules	
Q.C. Zhang, M. McCain, B. Hull, J. Casady, S. Allen, J.W. Palmour, M. Hayes, A. Neelakantan and J. Fruth	822
Characterization and Modeling of a SiC MOSFET's Turn-Off Overvoltage	
W. Zhang, Z.Y. Zhang, F. Wang, L.M. Tolbert, D. Costinett and B. Blalock	827
1MHz Switching Operation of 1200V Full SiC Power Module	
K. Hayashi, T. Funaki, H. Michikoshi and K. Fukuda	832
An Auxiliary Power Supply for Gate Drive of Medium Voltage SiC Devices in High Voltage Applications	
B.X. Hu, H. Li, Z. Wei, Y.F. Wang, D. Xing, R.S. Na and J. Wang	836
30 kV Pulse Diode Stack Based on 4H-SiC	
V.A. Ilyin, A.V. Afanasyev, Y.S. Demin, B.V. Ivanov, A.F. Kardo-Sysoev, V.V. Luchinin, S.A. Reshanov, A. Schöner, K.A. Sergushichev and A.A. Smirnov	841
30-kW All-SiC Inverter with 3D-Printed Air-Cooled Heatsinks for Plug-In and Full Electric Vehicle Applications	
M.S. Chinthavali and Z.Q. Wang	845
Extremely Compact Half-Bridge SiC Power Modules Built into EV In-Wheel Motor	
S. Tanimoto, A. Hara, M. Yamashita, T. Suzuki, S. Araki, S. Sato and K. Akatsu	849

First Demonstration of High Temperature SiC CMOS Gate Driver in Bridge Leg for Hybrid Power Module Application M.H. Weng, M.I. Idris, S. Wright, D.T. Clark, R.A.R. Young, J.R. McIntosh, D.L. Gordon and A.B. Horsfall	854
Experimental Demonstration on Ultra High Voltage and High Speed 4H-SiC DSRD with Smaller Numbers of Die Stacks for Pulse Power T. Goto, N. Iwamuro, A. Tokuchi, T. Naito, K. Fukuda and N. Iwamuro	858
SiC JBS Diode Symmetrical Voltage Doubler Represented as the Diffusion-Welded Stack O. Korolkov, R. Land, J. Toompuu, N. Sleptsuk and T. Rang	862
The Development of High Thermal Conductivity SiC Power Modules through the Implementation of Advanced Cooling Techniques Coupled with High Heat Transfer Materials B. Passmore, B. McPherson, D. Simco and A. Lostetter	866
Short-Circuit Capability of SiC Cascode X.Q. Li, A. Bhalla and P. Alexandrov	871
Benefits of High Voltage SiC Applications in Medium Voltage Power Distribution Grids S.Q. Ji, X.J. Shi, Z.Y. Zhang, W.C. Cao and F. Wang	875
Design of SiC-Based DC-DC Converters for Future Offshore Wind Power Applications C. Sommer, A. Mertens, I. Kortazar and I. Larrazabal	879
Module and System Considerations to Maximize Performance Advantages of SiC Power Devices T. McNutt, K. Olejniczak, S. Minden, D. Martin, J. Hayes, A. Wijenayake and D. Simco	883
Performance and Reliability Requirements for the Application of SiC Power MOSFET in Electrified Vehicle Drive Systems M. Su and C.C. Chen	887

Chapter 5: Emerging Materials, Novel Devices and Concepts

5.1: Emerging Materials and Concepts

<i>Ab Initio</i> Theory of Si-Vacancy Quantum Bits in 4H and 6H-SiC V. Ivády, J. Davidsson, N.T. Son, T. Ohshima, I.A. Abrikosov and A. Gali	895
Analytical Model for the Influence of the Gate-Voltage on the Forward Conduction Properties of the Body-Diode in SiC-MOSFETs A. Huerner, T. Heckel, A. Endruschat, T. Erlbacher, A.J. Bauer and L. Frey	901
Processing of Cavities in SiC Material for Quantum Technologies R.L. Myers-Ward, K.D. Hobart, K.M. Daniels, A.J. Giles, M.J. Tadjer, L.E. Luna, F.J. Kub, S.P. Pavunny, S.G. Carter, H.B. Banks, E.R. Glaser, P.B. Klein, B.N. Feygelson and D.K. Gaskill	905
Graphene/SiC Functionalization for Blood Type Sensing Applications S.P. Lebedev, A. Usikov, S. Novikov, E. Shabunina, N.M. Shmidt, I. Barash, A.D. Roenkov, A.A. Lebedev and Y. Makarov	909
3C-SiC Hetero-Epitaxially Grown on Silicon Compliance Substrates and New 3C-SiC Substrates for Sustainable Wide-Band-Gap Power Devices (CHALLENGE) F. La Via, F. Roccaforte, A. La Magna, R. Nipoti, F. Mancarella, P.J. Wellmann, D. Crippa, M. Mauceri, P. Ward, L. MIGLIO, M. Zielinski, A. Schöner, A. Nejim, L. Vivani, R. Yakimova, M. Syväjärvi, G. Grosset, F. Torregrosa, M. Jennings, P.A. Mawby, R. Anzalone, S. Coffa and H. Nagasawa	913
Lateral GaN MISFETs Fabricated in Mg Ion Implanted Layer K. Sugamata, H. Tsuge, K. Ikeda, M. Yoshino, K. Kuriyama and T. Nakamura	919
High Quality AlN Single Crystal Substrates for AlGaN-Based Devices R. Dalmau, H.S. Craft, J. Britt, E. Paisley, B. Moody, J.Q. Guo, Y.J. Ji, B. Raghothamachar, M. Dudley and R. Schlessler	923
Addressing the Properties of Ultrananocrystalline and Microcrystalline CVD Diamond Films Grown on 4H-SiC Substrates M.A. Fraga, A. Contin, G.S. Savonov, D.C. Barbosa, R.S. Pessoa and V.J. Trava Airoldi	927
Electrical Properties of Schottky-Diodes Based on B Doped Diamond T. Erlbacher, A. Huerner, Y.L. Zhu, L. Bach, A. Schletz, V. Zuerbig, L. Pinti, L. Kirste, C. Giese, C.E. Nebel, A.J. Bauer and L. Frey	931

Electric Field Characterization of Diamond Metal Semiconductor Field Effect Transistors Using Electron Beam Induced Current	
K. Driche, H. Umezawa, S. Ohmagari, H. Okumura, Y. Mokuno and E. Gheeraert	935
Analysis of $Zr_xSi_yO_z$ as High-k Dielectric for 4H-SiC MOSFETs	
M. Cabello, A. Varghese, J. Montserrat, J. Rebollo, J.M. Decams and P. Godignon	939
Electrochemical Formation of Porous Silicon Carbide for Micro-Device Applications	
G. Gautier, T. Defforge, G. Gommé, D. Valente and D. Alquier	943

5.2: Harsh Environment Devices

Prolonged 500°C Operation of 100+ Transistor Silicon Carbide Integrated Circuits	
D.J. Spry, P.G. Neudeck, D. Lukco, L.Y. Chen, M.J. Krasowski, N.F. Prokop, C.W. Chang and G.M. Beheim	949
Design and Simulation of Bipolar 4H-SiC Memory Architecture for High Temperature Applications	
H. Elgabra, A. Siddiqui and S. Singh	953
Electrical Characterization of Integrated 2-Input TTL NAND Gate at Elevated Temperature, Fabricated in Bipolar SiC-Technology	
M. Shakir, H. Elahipanah, R. Hedayati and C. Zetterling	958
Inclusion of Body Bias Effect in SPICE Modeling of 4H-SiC Integrated Circuit Resistors	
P.G. Neudeck	962
High Temperature Behavior Prediction Techniques for Non-Uniform Ni/SiC Schottky Diodes	
G. Pristavu, G. Brezeanu, M. Badila, F. Draghici, R. Pascu, F. Craciunoiu, I. Rusu and A. Pribeanu	967
Low-Parasitic-Capacitance Self-Aligned 4H-SiC nMOSFETs for Harsh Environment Electronics	
T. Kurose, S. Kuroki, S. Ishikawa, T. Maeda, H. Sezaki, T. Makino, T. Ohshima, M. Östling and C. Zetterling	971
Complementary p-Channel and n-Channel SiC MOSFETs for CMOS Integration	
V. Soler, M. Cabello, V. Banu, J. Montserrat, J. Rebollo and P. Godignon	975
An Improved I-V Model of GaN HEMT for High Temperature Applications	
J. Yang, Y.T. Jia, N. Ye, Z.Y. Yuan, H.Y. Shen and J. Di	980
Electrical Characterization of the Operational Amplifier Consisting of 4H-SiC MOSFETs after Gamma Irradiation	
M. Masunaga, S. Sato, R. Kuwana, I. Hara and A. Shima	984
Magnetic Field Sensing with 4H SiC Diodes: N vs P Implantation	
C.J. Cochrane, H. Kraus, P.G. Neudeck, D.J. Spry, R.J. Waskiewicz, J. Ashton and P.M. Lenahan	988
High Current Silicon Carbide Diodes as Dose Detectors for Hard X-Rays	
N.R. Pereira, K.D. Hobart, A.D. Koehler, T.J. Anderson, B.V. Weber, J.C. Zier and J.T. Engelbrecht	993