

# Table of Contents

## Preface, Committees and Sponsors

## Keynote

<b>Exploratory Materials and Devices to Advance CMOS beyond the Classical Si Roadmap</b> M. Heyns	3
--	---

## Chapter 1: FEOL Surface Chemistry, Etching and Passivation

<b>Scanning Probe Microscopy Imaging before and after Atomic Layer Oxide Deposition on a Compound Semiconductor Surface</b> W. Melitz, J.B. Clemens, J. Shen, E.A. Chagarov, S. Lee, J.S. Lee, J.E. Royer, M. Holland, S. Bentley, D. McIntyre, I. Thayne, R. Droopad and A.C. Kummel	9
--	---

## Web Adds

<b>Optimized Post-CMP and Pre-Epi Cleans to Enable Smooth and High Quality Epitaxial Strained Ge Growth on SiGe Strain Relaxed Buffers</b> R. Loo, L. Souriau, P. Ong, K. Kenis and J. Rip	15
<b>Cleaning and Surface Preparation for SiGe and Ge Channel Device</b> M. Wada, H. Takahashi, J. Snow, R. Vos, T. Conard, P.W. Mertens and H. Shirakawa	19
<b>S-Passivation of the Ge Gate Stack Using (NH<sub>4</sub>)<sub>2</sub>S</b> S. Sioncke, C. Fleischmann, D. Lin, E. Vrancken, M. Caymax, M. Meuris, K. Temst, A. Vantomme, M. Müller, M. Kolbe and B. Beckhoff	23
<b>Wet Chemical Cleaning of InP and InGaAs</b> R. Vos, S. Arnauts, T. Conard, A. Moussa, H. Struyf and P.W. Mertens	27
<b>Achieving Ultra-Shallow Junctions in Future CMOS Devices by a Wet Processing Technique</b> J. Barnett, R. Hill and P. Majhi	33
<b>Effect of Wet Cleanings on GST Surface: XPS Characterization</b> A. Votta, F. Pipia, E. Ravizza, S. Spadoni, S. Rossini, L. Brattico and M. Alessandri	37
<b>Study of the Etching Mechanism of Heavily Doped Si in HF</b> N. Valckx, D. Cuypers, R. Vos, H. Philipsen, J. Rip, G. Doumen, P.W. Mertens, M. Heyns and S. De Gendt	41
<b>Study on Al<sub>2</sub>O<sub>3</sub> Film in Anhydrous HF Vapor</b> H. Ritala and M. Tuohiniemi	45
<b>Deposition Wet-Etching Deposition (DWD) Method for Polysilicon Gate Fill-In at Flash Memory</b> C.L. Chiang, C.M. Cheng, J.H. Liao, H.J. Lin, C.C. Yeh, J.Y. Hsieh, L.W. Yang, T.H. Yang, K.C. Chen and C.Y. Lu	49
<b>Poly-Silicon Wet Removal for Replacement Gate Integration Scheme: Impact of Process Parameters on the Removal Rate</b> F. Sebaai, A. Veloso, M. Claes, K. Devriendt, S. Brus, P. Absil, P.W. Mertens and S. De Gendt	53
<b>A Hybrid Dry-Wet Approach for Removal of a Dummy Polysilicon Gate in a Replacement Metal Gate Scheme</b> G.Y. Hwang, J.H. Liao, S.F. Tzou, M. Lin, A. Yeh, D. Lou, E. Chen, W. Huang, G. Kamarthy, K.D. Xu and A. Athayde	57

## Chapter 2: FEOL: Cleaning- and Drying-Induced Defects: Charging, Collapse of Fragile High Aspect Ratio Structures

<b>Static Charge Induced Damage during Lightly Doped Drain (LDD) by Single Wafer Cleaning Process</b>	
T. Guo, T.H. Tsai, C.C. Chien, M. Chan, C.L. Yang and J.Y. Wu	63
<b>Surface Charging Induced Gate Oxide Degradation</b>	
C.L. Chiang, C.M. Cheng, J.Y. Hsieh, J.H. Liao, L.W. Yang, T.H. Yang, K.C. Chen and C.Y. Lu	67
<b>Investigation of Wet Clean Induced Dielectric Surface Static Charge and its Impact on Gate Oxide Integrity</b>	
S.W. Lin, V.S. Chang, M. Yeh and E. Houyang	71
<b>Effect of Drying Liquid on Stiction of High Aspect Ratio Structures</b>	
G.H. Kim, S.H. Cho, J.H. Han, Y.B. Lee, C.H. Roh, K. Hong and S.K. Park	75
<b>Elucidation of an Isopropyl Alcohol (IPA) Adsorption Phenomenon on a Wafer Surface for Achieving an Ultra-Clean and IPA-Saving Drying Process in the Batch Cleaning System</b>	
Y. Hagimoto, T. Tetsuka, H. Iwamoto, H. Hyakutake and H. Tanaka	79

### **Chapter 3: FEOL: Photo Resist Removal**

<b>Measurement of Adhesion Force of Resist to Wafer by Using SAICAS: Characteristics of Lift-Off of Resist by Steam-Water Mixed Spray</b>	
T. Mashiko, T. Sanada, H. Horibe, I. Nishiyama, M. Watanabe and A. Hayashida	85
<b>High Temperature SPM Process Study for Stripping of Implanted Photoresist</b>	
M. Yeh, F.Y. Hsu, S.W. Lin, D. Liao, E. Houyang, T.J. Yang, S. Ku and C.M. Yang	89
<b>Study of Controlled Oxygen Diffusion Approaches for Advanced Photoresist Strip</b>	
S.J. Luo, O. Escorcia, D. Mattson, C. Waldfried, D.W. Roh and I. Berry III	93
<b>Non-Oxidizing Solvent-Based Strip of Ion Implanted Photoresist</b>	
D. Tsvetanova, R. Vos, K. Vanstreels, D. Radisic, R. Sonnemans, I. Berry III, C. Waldfried, D. Mattson, J. de Luca, G. Vereecke, P.W. Mertens, T.N. Parac-Vogt and M. Heyns	97
<b>All-Wet, Metal-Compatible High-Dose-Implanted Photoresist Strip</b>	
G.G. Totir, M. Khojasteh, R. Nunes, E.I. Cooper, M. Kern, K. van Berkel, M. Payne, R. Dellaguardia, B. To and S. Maurer	101
<b>Applicable Solvent Photoresist Strip Process for High-K/Metal Gate</b>	
M. Wada, H. Takahashi, J. Snow, R. Vos, P.W. Mertens and H. Shirakawa	105
<b>Study on Resist Removal Using Electrolyzed Sulfuric Acid Solution in Comparison with SPM</b>	
T. Nagai, H. Yamakawa, M. Uchida, T. Otsu, N. Ikemiya and H. Morita	109
<b>Using the Background Signal of a Light Scattering Tool for I/I Photo Resist Strip Optimization and Monitoring</b>	
S. Halder, R. Vos, M. Wada, M. Claes, K. Kenis, P.W. Mertens, P. Dighe, S. Radovanovic, G. Simpson and R. Sonnemans	113
<b>Wafer Edge Bead Cleaning with Laser Radiation and Reactive Gas</b>	
D.J. Elliott, V.M. Chaplick, E. Degenkolb, K. Harte and R.P. Millman Jr.	117

### **Chapter 4: Mechanical Cleaning Forces: Metrology**

<b>Effects of Interfacial Strength and Dimension of Structures on Physical Cleaning Window</b>	
T.G. Kim, A. Pacco, K. Wostyn, S. Brems, X.M. Xu, H. Struyf, K. Arstila, B. Vandeveldel, J.G. Park, S. De Gendt, P.W. Mertens and M. Heyns	123
<b>The Influence of Liquid Media on the Fracture Strength of Polysilicon Nanostructures</b>	
D. Peter, M. Dalmer, A. Lechner, A.M. Gigler, R.W. Stark and W. Bensch	127
<b>Comparisons of Various Physical Cleaning</b>	
S.W. Bae, D.H. Kang, H.S. Lee, K.T. Lee and Y.S. Koh	131

### **Chapter 5: Chemical Mechanical Cleaning: Liquid Aerosol Cleaning**

<b>Effects of Target Compliance on a High-Speed Droplet Impact</b>	
T. Sanada, K. Ando and T. Colonius	137

<b>Order Estimation of Physical Processes in Dynamics of Steam-Water Mixed Spray Cleaning Technique</b>	
M. Watanabe, T. Sanada, T. Mashiko and A. Hayashida	141
<b>Thermomechanical Resist Removal-Cleaning System Using Cryogenic Micro-Slush Jet</b>	
J. Ishimoto, D. Tan, H. Ohtake and S. Samukawa	145
<b>Uniformity of Particle Removal by Aerosol Spray</b>	
X.M. Xu, A. Pacco, M. Wada, L. Leunissen, H. Struyf and P.W. Mertens	149
<b>Development of a Novel Advanced Spray Technology Based on Investigation of Droplet Energy and Pattern Damage</b>	
T. Tanaka, M. Sato, M. Kobayashi and H. Shirakawa	153

## **Chapter 6: Chemical Mechanical Cleaning: Megasonic Cleaning**

<b>Comparison of Gold Particle Removal from Fused Silica and Thermal Oxide Surfaces in Dilute Ammonium Hydroxide Solutions</b>	
V. Pandit, M. Keswani, S. Siddiqui and S. Raghavan	159
<b>The Influence of the Angle of Incidence in Megasonic Cleaning</b>	
S. Brems, M. Hauptmann, E. Camerotto, X.M. Xu, S. De Gendt, M. Heyns and P.W. Mertens	163
<b>Simultaneous Removal of Particles from Front and Back Sides by a Single Wafer Backside Megasonic System</b>	
C.G. Park and H.S. Sohn	167
<b>The Importance of Cavitation Hysteresis in Megasonic Cleaning</b>	
E. Camerotto, S. de Gendt, M. Hauptmann, D. Shamiryman, M. Heyns, P.W. Mertens and S. Brems	171
<b>Control of Sonoluminescence in Carbon Dioxide Containing Di Water at near Neutral pH Conditions</b>	
S. Kumari, M. Keswani, S.K. Singh, M. Beck, E. Liebscher, P. Deymier and S. Raghavan	177
<b>Development of a Megasonic System for Cleaning Flat Panel Display</b>	
H.S. Kim, Y.L. Lee, E.S. Lim and M. Elimelech	181
<b>Stroboscopic Schlieren Study of Bubble Formation during Megasonic Agitation</b>	
M. Hauptmann, S. Brems, E. Camerotto, P.W. Mertens, M. Heyns, S. de Gendt, C. Glorieux and W. Lauriks	185

## **Chapter 7: Back-End-of-Line Cleaning**

<b>Low-k Integration Using Metallic Hard Masks</b>	
O. Joubert, N. Poss��m��, T. Chevolleau, T. David and M. Darnon	193
<b>Characterization of Low-k Dielectric Etch Residue on the Sidewall by Chemical Force Microscope</b>	
T.G. Kim, Q.T. Le, S. Suhard, M. Lux, G. Vereecke, M. Claes, H. Struyf, S. De Gendt, P.W. Mertens and M. Heyns	197
<b>Optimized Wetting Behavior of Water-Based Cleaning Solutions for Plasma Etch Residue Removal by Application of Surfactants</b>	
N. Ahner, S. Zimmermann, M. Schaller and S.E. Schulz	201
<b>Modification of Post-Etch Residues by UV for Wet Removal</b>	
Q.T. Le, F. Drieskens, T. Conard, M. Lux, J.F. de Marneffe, H. Struyf and G. Vereecke	207
<b>"Damage Free" Cleaning for Advanced BEOL Interconnections</b>	
L. Broussous, K. Courouble, E. Richard, C. Pernel, V. Loup and D. L��vy	211
<b>A Descum Review for Cleaning Surfaces in Polymer Embedded Process Flows</b>	
G. Jamieson, C. Gerets, F.C. Duval, N.P. Pham, F. Iker, T. Funaya and W. Boullart	215
<b>Influence of Photoresist and BARC Selection on the Efficiency of a Post-Etch Wet Strip in BEOL Applications</b>	
E. Kesters, M. Lux, J. Pittevels, J. Baeyens, G. Vereecke, C. Baerts, D. Shamiryman and H. Struyf	219
<b>ESH Friendly Solvent for Stripping Positive and Negative Photoresists in 3D-Wafer Level Packaging and 3D-Stacked IC Applications</b>	
S. Suhard, M. Claes, Y. Civale, P. Nolmans, D. Sabuncuoglu Tezcan and Y. Travaly	223
<b>Tungsten Oxidation Kinetic after Wet Cleaning: XPS and ToF-SIMS Characterization</b>	
F. Pipia, A. Votta, E. Ravizza, S. Spadoni, S. Grasso, S. Borsari, C. Lazzari and M. Alessandri	227

<b>A Comparison between BTA and Amidoximes and their Interactions with Copper Surfaces</b> S. Jethwa, D.W. Tee, S.M. Francis, F. Grillo, N.V. Richardson, C. Reid, L. McGhee and W.M. Lee	231
<b>Electrochemical, Physical, and Electrical Characterization of Two Clean Solutions for Cu PCMP Clean</b> Y.L. Li, N. Heylen, J. Daviot, C. Reid and L. Leunissen	235
<b>TiN Metal Hardmask Etch Residue Removal on Advanced Porous Low-k and Cu Device with Corner Rounding Scheme</b> H. Cui, M. Claes and S. Suhard	241
<b>Improved Cleaning Process for Etch Residue Removal in an Advanced Copper/Low-k Device without the Use of DMAC (Dimethylacetamide)</b> C.K. Jung, S.W. Joo, S.W. Ryu, S. Naghshineh, Y. Lee and J.W. Han	245
<b>Aqueous Fluoride Residue Removers for 32 nm and beyond Copper Ultra Low-k Technologies</b> G. Westwood, A. Pigliucci, T. Oszinda, S. Leppack and M. Schaller	249
<b>Wet Clean Induce Pattern Collapse Mechanism Study</b> C.C. Yang, C.C. Ko, H.O. Yang, K.F. Chen, Y.Y. Peng, J.W. Liou, C.C. Chou, H.Y. Tsai, K.C. Lin, S.M. Jeng, H.J. Tao and M. Cao	253

## **Chapter 8: Cleaning for 3D Applications**

<b>Ultra-Fast In-Line Inspection for 3D SIC TSV Line - Bonding &amp; Thinning</b> P.Y. Guittet, L. Markwort, G. Savage, S. Halder and A. Jourdain	259
<b>Cleaning Requirement in the Thinning Module for 3D-Stacked IC (3D-SIC) Integration</b> K. Wostyn, M. Zhao, H.S. Cui, P. Laermans, A. Jourdain, G. Verbinnen, H. Struyf, S. de Strycker, M. Claes, Y. Travaly and L. Leunissen	265
<b>High Efficiency Single Wafer Cleaning for Wafer Bonding-Based 3D Integration Applications</b> D. Dussault, F. Fournel and V. Dragoi	269

## **Chapter 9: Contamination Control: Metallic and Organic Contamination**

<b>Indirect Ultra-Pure Water Metals Analysis by Extended Ion Exchange on a Silica Surface</b> L.W. Shive, H.H. Liang, A. Grabbe and S. Kweskin	275
<b>Production of High Purity Functional Water at Point-of-Use for Advanced Mask Cleaning Processes</b> A.Y. Xia	279
<b>Gettering Behavior of Transition Metals in Low Energy, High Dose Ion Implanted Silicon</b> K. Saga	283
<b>Yield Impact of Backside Metal-Ion Contamination</b> S. Carey, D.M. Knotter, E. Ooms, J. Boersma, E. van der Sar, R. Cop, W. Gerritzen, H. van Zadelhoff and H. Bouma	287
<b>Reliable Quantification of Inorganic Contamination by TXRF</b> M. Müller, A. Nutsch, R. Altmann, G. Borionetti, T. Holz, C. Mantler, P. Hönicke, M. Kolbe and B. Beckhoff	291
<b>Reference Samples for Ultra Trace Analysis of Organic Compounds on Substrate Surfaces</b> A. Nutsch, B. Beckhoff, G. Borionetti, D. Codegoni, S. Grasso, P. Hönicke, A. Leibold, M. Müller, M. Otto, L. Pfitzner and M.L. Polignano	295
<b>Assessment of a FOUP Conditioning Equipment for Advanced Semiconductor Application</b> M. Otto, S. Rioufrays, A. Favre, A. Leibold, R. Altmann, S. Gennaro, R. Dell'Anna, R. Canteri and L. Pfitzner	299
<b>Concentration of Three Organic Compounds Influencing each other on Silicon Surface</b> H. Habuka, T. Naito and N. Kawahara	303
<b>Environmentally Benign In-Line Cleaning Solutions for Immersion Lithography Tools</b> T.N. Chen, M.B. Korzenski, S. Bilodeau, P. Zhang, T. Hogan, K. van Berkel, G. Mirth, R. Mih, K. Hoekerd, B. Jansen, R. Vangheluwe and N. Schuh	307

## **Chapter 10: Wet Processing and Cleaning for Silicon Photo-Voltaic Applications**

<b>Photovoltaics: The Renewable Energy Revolution Leading the Semiconductor Industry</b> P.J. Verlinden	313
<b>Ozone Based Chemical Oxide Growth for Crystalline Solar Cell Production</b> K. Wolke, C. Gottschalk, J. Rentsch and H. Angermann	321
<b>Simple Wet-Chemical Cleanings for High-Efficiency Silicon Solar Cell Applications</b> L. Breitenstein, F. Sevenig, D. Pysch, C. Gottschalk, M. Hermle and W. Warta	325
<b>Novel Texture Etch Chemistry for Transparent Conducting Oxides Used in Photovoltaic Cells</b> S. Verhaverbeke, R. Gouk, K. Leschkies and R. Visser	329
<b>Advanced Texturization of Mc-Si Solar Cells</b> S. Braun, S. Mathijssen, M. Michel, M. Schmidt, M.M.C. Shen, W.C.W. Lin and A. Klipp	333
<b>Surface Contamination of Silicon Wafer after Acidic Texturisation</b> A. Oltersdorf, A. Moldovan, M. Bayer, M. Zimmer and J. Rentsch	337
<b>Optimization of Post-Texturization Cleans for Heterojunction Solar Cells</b> T. Bearda, K. Yoshikawa, E. van Assche, B. O'Sullivan, I. Gordon, K. Yamamoto, K. Baert and J. Poortmans	341
<b>HF Last Passivation for High Efficiency a-Si/c-Si Heterojunction Solar Cells</b> A. Danel, F. Souche, T. Nolan, Y. Le Tiec and P.J. Ribeyron	345
<b>Wet-Chemical Preparation of Textured Silicon Solar Cell Substrates: Surface Conditioning and Electronic Interface Properties</b> H. Angermann, A. Laades, U. Stürzebecher, E. Conrad, C. Klimm, T.F. Schulze, K. Jacob, A. Lawrenz and L. Korte	349
<b>Two-In-One Texturing and Polishing in One Solution</b> V. Prajapati, J. John, J. Poortmans and R.P. Mertens	353
<b>Surface Passivation for Si Solar Cells: A Combination of Advanced Surface Cleaning and Thermal Atomic Layer Deposition of Al<sub>2</sub>O<sub>3</sub></b> B. Vermang, A. Rothschild, K. Kenis, K. Wostyn, T. Bearda, A. Racz, X. Loozen, J. John, P.W. Mertens, J. Poortmans and R.P. Mertens	357