

Table of Contents

Preface Committees

Future Challenges for Cleaning in Advanced Microelectronics

A. Bowling, B.K. Kirkpatrick, T. Hurd, L. Losey and P. Matz 1

Open Circuit Potential Analysis as a Fast Screening Method for the Quality of High-k Dielectric Layers

M. Claes, T. Witters, G. Loriaux, S. Van Elshocht, A. Delabie, S. De Gendt, M. Heyns and H. Okorn-Schmidt 7

Wet Etch Enhancement of HfO₂ Films by Implant Processing

J. Barnett, D.J. Riley, T.C. Messina, P. Lysaght and R. Carpio 11

Behaviour of High-k Dielectric Materials with Classical Cleaning Chemistries

E. Bellandi, B. Crivelli and M. Alessandri 15

Introduction of High-k Materials into Wet Processing, Analysis and Behavior

B. Onsia, D. Hellin, M. Claes, A. Maes, S. De Gendt and M. Heyns 19

Metallic Impurity Contamination from Tungsten Gate Cleaning

G.M. Choi and T. Ohmi 23

Single Chemistry Cleaning Solutions for Advanced Wafer Cleaning

R. Vos, M. Lux, S. Arnauts, K. Kenis, M. Maes, B. Onsia, J. Snow, F. Holsteyns, G. Vereecke, P.W. Mertens, M. Heyns, O. Doll, A. Fester, B.O. Kolbesen, T. Hackett and M. Hoffman 27

Single Chemistry Cleaning with Complexing Agents (CAs): Determination of CA-Lifetimes by UV/VIS-Spectroscopy

O. Doll and B.O. Kolbesen 33

Complexing Agents Employed in Single Chemistry Cleaning: Stability Studies Using HPLC

S. Metzger and B.O. Kolbesen 37

Stability and Residue Studies of Complexing Agents in SC-1 Bath

H. Saloniemi, S. Eränen, R.A. Ketola, J. Kokkonen, S. Lehto, K. Luomanperä, P. Vastamäki, H. Sirén and O. Anttila 41

Single Wafer Immersion Process Incorporating a Novel Megasonics Configuration with an Advanced IPA Vapor Condensation Dry

J.J. Rosato, E.G. Baiya, J.A. Imonigie, M.R. Yalamanchili and E. Hansen 45

Metallic Contamination Removal Evaluation for Single Wafer Processing

P. Boelen, S. Verhaverbeke, P. Garnier, D. Levy and H. Morinaga 49

Procedure to Evaluate Particle-Substrate Interaction during Immersion in Liquid

W. Fyen, J. Vansteenbergen, K.D. Xu, R. Vos, P.W. Mertens and M. Heyns 53

Surfactant Selection for AM Clean in a Single Wafer Oasis Wet System

J. Baker, C. Beaudry, H. Morinaga and S. Verhaverbeke 57

Investigating Post CMP Cleaning Processes for STI Ceria Slurries

R. Small, P. Berar and B. Scott 63

Long-Term Effect of Transportation on Particle Concentrations in Various Process Chemicals

S.I. Misat, G. De Vos and G. Huysmans 69

A New Industrial Etching & Drying Process for MEMS to Prevent Collapse of Microstructures

O. Raccurt, F. Arnaud d'Avitaya, E. Charlaix, T. Vareine and F. Tardif 73

In Situ SymflowTM Etching in an STG[®] Dryer

K.K. Christenson, N.P. Lee, T.J. Wagener and S.L. Nelson 77

High Uniformity Wet Processing for Oxide Thinning and Polymer Cleaning Applications

G. Wagner, K. Kinoshita, R. Sellmer and S. Fichtl 81

Wet Oxide Etching of Dual Gate Oxide for 0.13µm Technologies and Beyond: Interaction with Photoresist and Equipment

S.Y.M. Chooi, S. Loong, C. Lim, Z. Ismail and T. Tjoa 85

A Novel Instrumentation for Contamination and Deposition Control on 300 mm Silicon Wafers Employing Synchrotron Radiation Based TXRF and EDXRF Analysis

B. Beckhoff, R. Fliegauf, J. Weser and G. Ulm 89

Relation between Surface Contamination of Metals and Defect Formation in Si during Oxidation of Bulk- and SOI-Wafers	
I. Rink, A. De Veirman and A.J. Janssen	93
Evaluation of Ultratrace Metallic Elements in Poly-SiGe Thin Films	
Y. Yamada, S. Kozuka, A. Shimazaki and M. Takenaka	97
Effect of Additives on the Removal Efficiency of Photoresist by Ozone/DI-Water Processes: Experimental Study	
H. Vankerckhoven, F. De Smedt, M. Claes, S. De Gendt, M. Heyns and C. Vinckier	101
Organic Contamination: Purge Gas Impact in Plastic Storage Boxes	
M. Veillerot, A. Danel, S. Marthon and F. Tardif	105
Formation of Time-Dependent Haze on Silicon Wafers	
N. Münter, B.O. Kolbesen, W. Storm and T. Müller	109
Compatibility of Supercritical CO₂-Based Stripping with Porous Ultra Low-k Materials and Copper	
C. Millet, A. Danel, M. Ndour and F. Tardif	113
BEOL Post Ash Residue Removal Using DSP* Chemistry in an FSI Batch Spray Tool	
R. Vroom, G. Gogg and J. O'Dwyer	117
Backside Cleaning for Copper Removal	
C.T. Richard, F. Guyader and K. Barla	121
Evaluation of Organic Contamination on Si Wafers in Fab Environments	
J.S. Jeon, C. Wong, S. Ohsiek, H.S. Kim and B. Ogle	125
Selective Wet Etching of High-k Gate Dielectrics	
K.K. Christenson, B. Schwab, T.J. Wagener, B. Rosengren, D.J. Riley and J. Barnett	129
Investigation of Particle Removal from Silicon Surfaces by Means of Dry and Steam Laser Cleaning	
P. Leiderer, M. Mosbacher, J. Boneberg, C. Bartels, F. Lang, C.R.M. Afonso and D. Baeuerle	133
A Comprehensive Model for Cleaning Semiconductor Wafers	
G. Burdick, S. Eichenlaub, N. Berman and S. Beaudoin	135
Effect of Transient pH on Particle Deposition during Immersion Rinsing	
W. Fyen, K.D. Xu, R. Vos, G. Vereecke, P.W. Mertens and M. Heyns	139
Influence of Hardware and Chemistry on the Removal of Nano-Particles in a Megasonic Cleaning Tank	
G. Vereecke, M. Heyns, R. Vos, M. Schmidt, F. Holsteys, M. Baeyens, S. Gomme, J. Snow, P.W. Mertens, V. Coenen and T. Bauer	143
Influence of Frequency on the Removal Efficiency of Nano-Particles in a Megasonic Spray Cleaning Tool	
M. Schmidt, G. Vereecke, R. Vos, F. Holsteys, M. Baeyens and P.W. Mertens	147
A Theoretical and Experimental Study of Damage-Free BEOL Cleaning with Megasonic Agitation	
J.M. Lauerhaas, Y. Wu, M. Bran, B. Fraser, E. Brause and T. Nicolosi	151
Removal of Small (<100-nm) Particles and Metal Contamination in Single-Wafer Cleaning Tool	
A. Eitoku, R. Vos, J. Snow, M. Sato, S. Hirae, K. Nakajima, M. Nonomura, M. Imai, P.W. Mertens and M. Heyns	157
Relation between Particle Density and Haze on a Wafer: a New Approach to Measuring Nano-Sized Particles	
K.D. Xu, R. Vos, G. Vereecke, M. Lux, W. Fyen, F. Holsteys, K. Kenis, P.W. Mertens, M. Heyns and C. Vinckier	161
TXRF Analysis of Low Z Elements and TXRF-NEXAFS Speciation of Organic Contaminants on Silicon Wafer Surfaces Excited by Monochromatized Undulator Radiation	
B. Beckhoff, R. Fliegauf, G. Ulm, J. Weser, G. Pepponi, C. Streli, P. Wobrauschek, T. Ehmann, L. Fabry, S. Pahlke, B. Kanngießer and W. Malzer	165
Forced Vapour-Phase Decomposition (FVPD) in Combination with e.g. TXRF - a Method to Determine Contamination in Silicon	
I. Rink	171
On-Tool Real-Time Moisture Monitoring Provides Yield and Productivity Benefits	
R.P. Davis, R.B. Grant, L. Papens, N. Stouten, J. Van Hoeymissen and M. Heyns	175

Effect of Preparation-Induced Surface Morphology on the Stability of H-Terminated Si(111) and Si(100) Surfaces	
H. Angermann, W. Henrion, M. Rebien and A. Röseler	179
Thermal Evolution of (100) Silicon and Chemical Oxides as Seen by ATR Spectroscopy	
F. Tardif, A. Chabli, A. Danel, N. Rochat and M. Veillerot	183
Modelling the Growth of Chemical Oxide for Advanced Surface Preparation	
S. Petitdidier, N. Rochat, R. Rouchon and P. Besson	187
Wafer Surface Preparation Requirements for Next-Generation Devices	
I. Kashkoush, G. Chen and R. Novak	191
Cleaning of Si Surfaces by Lamp Illumination	
A. Danel, C.L. Tsai, K. Shanmugasundaram, F. Tardif, E. Kamieniecki and J. Ruzyllo	195
Defect-Free Si Thinning by In Situ HCl Vapour Etching	
R. Loo, M. Caymax, O. Richard, P. Verheyen and N. Collaert	199
Advanced Cylindrical Capacitor Formation Using Gas-Phase Selective Etching	
R. Hanestad, B. Schwab, J.W. Butterbaugh, K.T. Lee, W.G. Shim, S.Y. Kim and Y.P. Han	203
Gas-Phase HF/Vapor Etching of Thermal Silicon Dioxide Films	
G. Montañó-Miranda and A.J. Muscat	207
Electrochemical Impedance Spectroscopic Characterization of Hydrophobic Coatings Deposited onto Pre-Oxidized Silicon	
A.M. Almanza-Workman, S. Raghavan, P. Deymier, S. Petrović, D.J. Monk and R. Roop	211
Can we Increase the Efficiency of Organic Contamination Removal by Ozone/DI-Water Processes by Using Additives?	
F. De Smedt, H. Vankerckhoven, S. De Gendt, M. Heyns and C. Vinckier	215
New Residue Removal Method Using Ozonated Water with Phosphoric Acid	
I. Oya, M. Miyamoto and M. Kuzumoto	219
Ozone-Gas Concentration Measurements for Photoresist Stripping	
D.M. Knotter, M. Marsman, P. Meeusen, G. Gogg and S. Nelson	223
Accelerated Removal of Photoresist for Semiconductor Production by an Increased-Pressure Ozone and Water Vapor Process	
G.W. Gale, T. Toshima, N. Shindo, T. Iino, S. Kitahara and K. Taguchi	227
Novel Photoresist Removal Using Atomic Hydrogen Generated by Heated Catalyzer	
T. Miki, A. Izumi and H. Matsumura	231
'Resist / Wet Etch' Couple for Dual Gate Oxide	
A. Beverina, I. Guilmeau, J.P. Carrere, N. Emonet, F. Guyader, V. Huard, S. Petitdidier and R. Velard	235
New Contact Cleaning in HF & N₂/H₂ Microwave Plasma	
Y.B. Kim, J.H. Kim, Y.M. Lee, G.G. Lee, J.Y. Kim, J.C. Ku and J.O. Ryu	239
Cleaning after Contact Etching of Multi-Film Stack and Cobalt Disilicide: An XPS Study	
S.Y.M. Chooi, C. Lim, W.J. Liu and P. Ee	243
Alternative Post-Etch Polymer Removal in a Single-Wafer Platform	
C. Dundas, R. Vroom, J. Ghekiere, P. Van Doorne, I. Rink, I. Sharp and S. Heffernan	247
Ammonium Nitrate Cleaning Process for Post Metal Photo-Resister Removing	
C. Lo and F.Y. Chen	251
Post Metal Etch Polymer Removal: A New CF₄-Based Dry Plasma Process Sequence	
M.P. Pozzoli and S. Petroni	255
Influences of Cleaning Conditions and Elapse after Etch on Via Resistance in Multi-Level Cu Interconnects	
U.S. Hong, S.R. Hah, B.L. Park, C.G. Park, J.H. Oh, H.S. Son, J. Barnes, J.H. Chung and K.M. Park	259
Post-Etch Cleaning Chemistries Evaluation for Low k-Copper Integration	
L. Broussous, O. Hinsinger, S. Favier and P. Besson	263
Resist Strip and Cu Diffusion Barrier Etch in Cu BEOL Integration Schemes in a Mattson HighlandsTM Chamber	
G. Mannaert, M. Van Cauwenberghe, M. Schmidt, J. Van Aelst, D. Hendrickx, M. Stucchi, T. Conard, S. Vanhaelemeersch and W. Boullart	267
Corrosion Inhibitors for Copper in Hydroxylamine-Based Chemistries Used for CMP and Post-CMP Cleaning	
S. Tamilmani, W. Huang, S. Raghavan and R. Small	271

Tribological Characterization of Post-CMP Brush Scrubbing A. Philipossian and L. Mustapha	275
Defectivity Study of Cu Metallization Process by Dark- and Bright-Field Inspection L. Carbonell, F. Holsteys, Z. Tőkei, L. O'Reilly, K. Maex and P.W. Mertens	281
New Dry Tool after Cleaning of Low-k Dielectrics S. Okuda, H. Sugimoto, A. Hashizume, H. Tsujikawa, M. Imai and G. Asai	287
Supercritical Carbon Dioxide Processing of Porous Methylsilsesquioxane(PMSQ) Low-k Dielectric Films H.J. Martinez, T. Jacobs, J. Wolf and L. Rothman	293
Supercritical Carbon Dioxide Cleaning of Low-k Material G. Asai, Y. Muraoka, K. Saito, I. Mizobata, T. Iwata, K. Masuda, K. Iijima, T. Yoshikawa and D. Peters	297
Removal of Heavy Organics by Supercritical CO₂ A. Sehgal, M.R. Yalamanchili, C. Millet, A. Danel and F. Tardif	301