

Table of Contents

Preface

Chapter 1: Growing and Forming of Layers

Polarity Effect on the Heteroepitaxial Growth of B_xC on 4H-SiC by CVD F. Cauwet, Y. Benamra, L. Auvray, J. Andrieux and G. Ferro	3
Vertical Current Transport in Monolayer MoS₂ Heterojunctions with 4H-SiC Fabricated by Sulfurization of Ultra-Thin MoO_x Films S.E. Panasci, E. Schiliro, M. Cannas, S. Agnello, A. Koos, M. Nemeth, B. Pécz, F. Roccaforte and F. Giannazzo	9
Estimation of Influence on Carbon Vacancy Regarding 4H-SiC Substrate Grown by HTCVD Method H. Uehigashi, T. Okamoto, A. Horiai, H. Fujibayashi, T. Kanda, T. Kanemura and K. Tsuruta	15
Resistivity as a Witness of Local Crystal Growth Conditions A. Soukhojak and G. Chung	20
GaN Cap UV Spectroscopy Assessment in AlGaN/GaN HEMT C. Calabretta, N. Piluso, H.J. Chauveau, E. Roy, C. Iatosti, F. La Via and A. Severino	28
SNDM Study of the MOS Interface State Densities on the 3C-SiC / 4H-SiC Stacked Structure H. Nagasawa, Y. Cho, M. Abe, T. Tanno, M. Musya, M. Sakuraba, Y. Sato and S. Sato	33
Development of 200mm SiC Technology - Epitaxial Thickness Uniformity Observation on Different 8 Inch 4H-SiC Substrates R. Anzalone, D. Raciti, M. Arena, C. Calabretta, N. Piluso and A. Severino	41
4H-SiC Crystal Growth Using Recycled SiC Powder Source S.J. Lee, C.Y. Lee, J.W. Choi, J.H. Park, J.G. Kim, K.R. Ku, J.H. Na and W.J. Lee	46
High-Quality SiC Crystal Growth by Temperature Gradient Control at Initial Growth Stage C.Y. Lee, S.J. Lee, J.H. Park, J.W. Choi, J.G. Kim, K.R. Ku, J.H. Na, M.G. Kang and W.J. Lee	51
The Role of Air-Pocket in Crucible Structure for High Quality SiC Crystal Growth S.J. Lee, S.H. Kim, J.W. Choi, J.H. Park, J.G. Kim, K.R. Ku, H.L. Lee, G.U. Lee and W.J. Lee	56
Influence of the Size Distribution of the SiC Powder Source on the Shape of the Crystal Growth Interface during PVT Growth of 4H-SiC Boules J. Schultheiß, J. Ihle, S. Usseglio Nanot, S. Bonanomi, D. Callejo Munoz, R. Hammer and P.J. Wellmann	62
Confirmation of the Growth Mechanism of the Buffer Layer in Epitaxial Graphene on SiC V.S. Prudkovskiy, R. Templier, A. Moulin, N. Troutot, G. Gelineau, S. Huet, V. Le, K. Mony, G. Lapertot, M. Delcroix, S. Caridroit, S. Barbet and J. Widiez	68
Suppressing the Memory Effect in Al Doped 3C-SiC Grown Using Chlorinated Chemistry G. Colston, A.B. Renz, K. Perera, P.M. Gammon, M. Antoniou, P.A. Mawby and V.A. Shah	73
Investigations into the Impact of Deposition or Growth Techniques on the Field Oxide TID Response for 4H-SiC Space Applications V. Kotagama, A.B. Renz, V. Kilchytska, D. Flandre, Y. Qi, V.A. Shah, M. Antoniou and P.M. Gammon	78
Characterization of Growth Sectors in Gallium Nitride Substrate Wafers Y. Liu, S. Hu, Z.Y. Chen, Q.Y. Cheng, M.K. Cheng, W. Zhao, T. Buyuklimanli, B. Raghothamachar and M. Dudley	84
Doping Efficiency and Long-Term Stability of Various SiC Epitaxial Reactors and Process Chemistries R. Spetik, T. Novak, M. Soroka, H. Vemolova and R. Ctvrtlik	92

Chapter 2: Wafers and Substrates

Surface Structuring of Patterned 4H-SiC Surfaces Using a SiC/Si/SiC Sandwich Approach Y. Jousseau, P. Kumar, M.E. Bathen, F. Cauwet, U. Grossner and G. Ferro	101
---	-----

HYPREZ Wafering Solutions: A Novel Approach of SiC Wafering Solution G. Lee, A. Hartmann and S. Kassir	107
Poly-SiC Characterization and Properties for SmartSiC™ H. Biard, A. Drouin, W. Schwarzenbach, K. Alassaad, L. Coeurdray, V. Chagneux, M. Coche, S. Ledrappier, S. Monnoye, H. Mank, S. Rouchier, T. Barge, D. Radisson, A. Moulin, S. Barbet, J. Widiez, S. Odoul and C. Maleville	114
Application of Advanced Characterization Techniques to SmartSiC™ Product for Substrate-Level Device Performance Optimization A. Drouin, R.B. Simon, D. Radisson, W. Schwarzenbach, M. Zielinski, E. Guiot, E. Cela, A. Chapelle and H. Biard	119
A Novel Approach for Thin 4H-SiC Foil Realization Using Controlled Spalling from a 4H-SiC Wafer S.N. Wahid, M. Leitgeb, G. Pfusterschmied and U. Schmid	127
High-Temperature Reorganization Behavior of Single-Crystalline Porous 4H-SiC Thin Foils M. Perazzi, M. Leitgeb, A. Vengattoor Raghu, C. Zellner, R. Hahn, A. Kirnbauer, S. Schwarz, G. Pfusterschmied and U. Schmid	134
Dicing Process for 4H-SiC Wafers by Plasma Etching Using High-Pressure SF₆ Plasma with Metal Masks Y. Sano, Y. Nakanishi, M. Oshima, S. Iden, J. Yamada, D. Toh and K. Yamauchi	141
Investigations on the Recovery of the Electrical Properties of Smart Cut™-Transferred SiC Thin Film Using SiC-on-Insulator Structures G. Gelineau, C. Masante, E. Rolland, S. Barbet, L. Corbin, A. Papon, S. Caridroit, M. Delcroix, S. Huet, A. Moulin, V.S. Prudkovskiy, N. Troutot, S. Rouchier, L. Turchetti, K. Mony and J. Widiez	146
Demonstration of SiC-on-Insulator Substrate with Smart Cut™ Technology for Photonic Applications S. Huet, S. Guerber, E. Rolland, B. Szelag, G. Gelineau, A. Moulin, V.S. Prudkovskiy, N. Troutot, C. Licitra, P. Gergaud, S. Barbet, M. Delcroix, S. Caridroit, V. Amalbert, C. Alonso-Ramos, D. Melati, S. Edmond, L. Vivien, K. Mony, G. Lapertot and J. Widiez	155
A Novel Contactless SiC Wafer Planarization Processing after Mechanical Slicing by Dynamic Thermal Annealing Processes K. Toda, D. Kakutani, D. Dojima, Y. Nakajima, H. Mihara and T. Kaneko	165
Proposal of Damage-Free SiC Wafer Dicing Using Water Jet Guided Laser S. Kadoya, S. Takahashi, M. Michihata, N. Ohtani, K. Abe and S. Arimura	173
In-Line Characterization of HPSI SiC Wafers Using High Resolution Surface Photovoltage Spectroscopy (HR-SPS) T. Clausen, N. Schöler and K. Dornich	178
Characterization of Very Thin 3C-SiC Epilayers on Si M. Zielinski, M. Bussel, M. Portail, A. Michon and Y. Cordier	184

Chapter 3: Defects of Solid Semiconductor Structures

Evaluation of Basal Plane Dislocation Behavior near Epilayer and Substrate Interface Y. Nishihara, T. Shiono, Y. Mabuchi and K. Kamei	193
Body Diode Reliability of 4H-SiC MOSFETs as a Function of Epitaxial Process Parameter S. Kochoska, J. Franchi, S. Maslougkas, M. Domeij, T.T. Pham, S. Sunkari, J. Justice and H. Das	198
Accuracy of EVC Method for the PiN Diode Pattern on SiC Epi-Wafer K. Takano, T. Morita, Y. Matsushita and Y. Igarashi	205
Study on Quantification of Correlation between Current Density and UV Irradiation Intensity, Leading to Bar Shaped ISSF Expansion Y. Igarashi, K. Takano, Y. Matsushita and T. Morita	212
Early Detection of Bar-Shaped ISSF before Expansion by PL Imaging T. Morita, Y. Matsushita, Y. Igarashi and K. Takano	221
Analysis of Forward Bias Degradation Reduction in 4H-SiC PiN Diodes on Bonded Substrates H. Uchida, M. Kobayashi, N. Hatta, S. Ishikawa, K. Ozono, K. Masumoto, S. Kurihara, S. Harada and K. Kojima	227

Investigation of Dislocation Behaviors in 4H-SiC Substrate during Post-Growth Thermal Treatment	
H.Y. Peng, Y.H. Gao, Z.Q. Shi, Y.N. Pan, C. Zhu, C. Gao, B. Raghothamachar and M. Dudley	233
The Role of Defects on SiC Device Performance and Ways to Mitigate them	
H. Das, J. Justice, S. Sunkari, P. Kostelnik, T. Novak, S. Kochoska and D. An	238
Emission of Trapped Electrons from the 4H-SiC/SiO₂-Interface via Photon-Irradiance at Cryogenic Temperatures	
M. Weger, M. Bockstedte and G. Pobegen	247
SiC MOSFET Gate Oxide Quality Improvement Method in Furnace Thermal Oxidation with Lower Pressure Control	
Y.B. Im, I.K. Kim, S.P. Son, Y. Kang, C.J. Kim, J. Lee, J. Lee, J. Lim and C. Jeong	253
Investigating Dislocation Arrays Induced by Seed Scratches during PVT 4H-SiC Crystal Growth Using Synchrotron X-Ray Topography	
Q.Y. Cheng, Y. Liu, Z.Y. Chen, S. Hu, B. Raghothamachar, M. Dudley, V. Pushkarev, K. Moeggenborg, G. Chung, E. Sanchez and A. Soukhojak	257
Crystal Originated Defect Monitoring and Reduction in Production Grade SmartSiC™ Engineered Substrates	
E. Cela, K. Alassaad, A. Chapelle, S. Rouchier, W. Schwarzenbach, A. Drouin, V. Chagneux, M. Zielinski and C. Maleville	267
Analysis of Lattice Damage in 4H-SiC Epiwafers Implanted with High Energy Al Ions at Elevated Temperatures	
Z.Y. Chen, Y. Liu, Q.Y. Cheng, S. Hu, B. Raghothamachar, R. Ghandi, S. Kennerly, C. Carlson, D. Steski and M. Dudley	272
Near-Interface Defect Decomposition during NO Annealing Analyzed by Molecular Dynamics Simulations	
Y. Ohuchi, H. Saeki, H. Sakakima and S. Izumi	278
Differences between Polar-Face and Non-Polar Face 4H-SiC/SiO₂ Interfaces Revealed by Magnetic Resonance Spectroscopy	
R. Kondo, H.Y. Zeng, M. Sometani, H. Hirai, H. Watanabe and T. Umeda	284
Investigation of BPD Faulting under Extreme Carrier Injection in Room vs High Temperature Implanted 3.3kV SiC MOSFETs	
N.A. Mahadik, M.E. Liao, M.E. Mastro, E.M. Kallon, R.E. Stahlbush, J. Soto and B. Odekirk	289
Epitaxial Defectivity Characterization Combining Surface Voltage and Photoluminescence Mapping on 200mm 4H-SiC Wafers	
J. Thörnberg, G. Polisski, E. Carria, M. Isacson and B. Magnusson	295
Buffer Layer Dependence of Defectivity in 200mm 4H-SiC Homoepitaxy	
D. Raciti, R. Anzalone, M. Isacson, N. Piluso and A. Severino	300
A Study of Process Interruptions during Pre- and Post-Buffer Layer Epitaxial Growth for Defect Reduction in 4H SiC	
T. Rana, J. Wu, V. Pushkarev and I. Manning	305
Practical Improvement of Noncontact Production Monitoring of Doping in SiC Wafers with Extended Epilayer Defects	
A. Savtchouk, M. Wilson, B. Schrayner, L. Gutierrez, C. Almeida and J. Lagowski	310
Analysis of Defect Structures during the Early-Stages of PVT Growth of 4H-SiC Crystals	
S. Hu, Y. Liu, Z.Y. Chen, Q.Y. Cheng, B. Raghothamachar, M. Dudley, D. Dukes, V. Torres, L. Young, S. Griswold, H. Bricetti, C.H. Liu and Y.M. Zhu	316
Development of 3-Channel Inspection Analysis Technique for Defects of SiC Epitaxial Wafers Using Optical Inspection, Photoluminescence and X-Ray Topography	
J. Senzaki, J. Nishino and T. Osanai	324
High-Volume SiC Epitaxial Layer Manufacturing-Maintaining High Materials Quality of Lab Results in Production	
B. Thomas, D. Baierhofer, F. Staiger and C. Bierhoff	329
Non-Destructive Quantification of In-Plane Depth Distribution of Sub-Surface Damage on 4H-SiC Wafers Using Laser Light Scattering	
D. Dojima, K. Shigematsu, K. Tayake, K. Toda and T. Kaneko	336
Macro Step Bunching/Debunching Engineering on 4° off 4H-SiC (0001) to Control the BPD-TED Conversion Ratio by Dynamic AGE-Ing®	
D. Dojima, K. Tayake, K. Shigematsu, K. Toda and T. Kaneko	343
Charge Carrier Capture by Prominent Defect Centers in 4H-SiC	
O. Samperi, L. Vines, A. Hallén and M.E. Fragalà	351

Chapter 4: Formation, Processing and Characteristics of Solid-State Structures

Free-Standing 3C-SiC P-Type Doping by Al Ion Implantation

M. Canino, F. Torregrosa, M. Zielinski, V. Boldrini, C. Bidini, M. Russo, P. Maccagnani and F. La Via 363

Investigation of Potential Impact of Nitridation Process on Single Event Gate Rupture Tolerance in SiC MOS Capacitors

M. Takahashi, E. Kagoshima, T. Makino, M. Iwata, N. Ohtani, N. Nemoto, S. Narita, T. Tawara, J. Senzaki, K. Kobayashi, T. Suematsu, S. Harada, A. Takeyama, T. Ohshima, J. Saito, H. Fujiwara and H. Shindou 369

Venus Surface Environmental Chamber Test of SiC JFET-R Multi-Chip Circuit Board

P.G. Neudeck, L.Y. Chen, L.C. Greer, D.J. Spry, N.F. Prokop, D. Lukco, M.J. Krasowski and G.W. Hunter 375

TEM Investigation on High Dose Al Implanted 4H-SiC Epitaxial Layer

C. Calabretta, N. Piluso, C. Bongiorno, S. Boninelli, F. La Via and A. Severino 381

Evolution of the Substitutional Fraction on Post-Implantation Annealing in Al/4H-SiC Systems

V. Boldrini, A. Parisini and M. Pieruccini 386

Coupled Non-Destructive Methods, Kelvin Force Probe Microscopy and μ -Raman to Characterize Doping in 4H-SiC Power Devices

E. Vuillermet, K.T. Wu, A. Sedilot, R. Deturche, N. Bercu, E. Usureau, J. Beal and M. Lazar 394

Low Resistivity Aluminum Doped Layers Formed Using High Dose High Temperature Implants and Laser Annealing

F. Mazzamuto, Z. Chehadi, F. Roze, M. Opprecht, A. Gupta, S. Kerdilès, T. Tabata, M. Ameen, D. Roh, C. Sohl, M. Lazar, L.M. Rubin and L. Thuries 403

Concept and Technology for Full Monolithic MOSFET and JBS Vertical Integration in Multi-Terminal 4H-SiC Power Converters

R. Makhoul, N. Beydoun, A. Bourennane, L.V. Phung, F. Richardeau, M. Lazar, P. Godignon, D. Planson, H. Morel and D. Bourrier 411

Improving HfO₂ Thick Films for SiC Power Devices by Si, Y and La Doping

S. Krause, T. Mikolajick and U. Schroeder 419

Comparing 4H-SiC NPN Buffer Layers by Epitaxial Growth and Implantation for Neural Interface Isolation

S. Greenhorn, E. Bano, V. Stambouli and K. Zekentes 425

Dopant Activation Comparison in Phosphorus and Nitrogen Implanted 4H-Silicon Carbide

S. Das, D.J. Lichtenwalner, H. Dixit, S. Rogers, A. Scholze and S.H. Ryu 430

Modeling the Charging of Gate Oxide under High Electric Field

D. Scholten and J. Baringhaus 435

Transient-Enhanced Diffusion of Implanted Aluminum in 4H-SiC

K.L. Mletschnig, P.P. Michałowski and P. Pichler 442

Complementary Two Dimensional Carrier Profiles of 4H-SiC MOSFETs by Scanning Spreading Resistance Microscopy and Scanning Capacitance Microscopy

P. Fiorenza, M. Zignale, E. Zanetti, M.S. Alessandrino, B. Carbone, A. Guarnera, M. Saggio, F. Giannazzo and F. Roccaforte 448

Calibration of Aluminum Ion Implantation Monte-Carlo Model for TCAD Simulations in 4H-SiC

A. Scholze, A.V. Suvorov, D.J. Lichtenwalner, S. Rogers, H. Dixit and S.H. Ryu 453

Temperature Dependence of 4H-SiC Gate Oxide Breakdown and C-V Properties from Room Temperature to 500 °C

A. May, L. Baier and M. Rommel 458

The Effect of Nitrogen Plasma Treatment Process on Ohmic Contact Formation to N-Type 4H-SiC

A.H. Yeo, V.Q.G. Roth, L.K. Bera, N. Singh, U. Chand, S. Chung, A. Ranjan, G. Ho, S.K. Lim and X. Gong 466

Detection of Very Fast Interface Traps at 4H-SiC/AlN and 4H-SiC/Al₂O₃ Interfaces

A.M. Vidarsson, A.R. Persson, J.T. Chen, D. Haasmann, J. Ul-Hassan, S. Dimitrijevic, N. Rorsman, V. Darakchieva and E.Ö. Sveinbjörnsson 471

A Voltage Adjustable Diode Integrated SiC Trench MOSFET with Barrier Control Gate S.J. Li, X.C. Deng, X. Li, X. Li and Y. Wen	477
Ni/4H-SiC Ohmic Contact Formation Using Multipulse Nanosecond Laser Annealing M. Opprecht, S. Kerdilès, J. Biscarrat, P. Godignon, C. Masante, R. Laviéville, N. Vaxelaire, P. Gergaud, A. Grenier, C. Jung, F. Roze, Z. Chehadi, L. Thuries, L. Lu and T. Tabata	483
Lift-Off Process for Patterning of a Sputter-Deposited Thick Metal Stack for High Temperature Applications on 4H-SiC A. Fuchs, K. Brueckner, K. Ehrensberger and O. Rusch	489
Effects of High Gate Voltage Stress on Threshold Voltage Stability in Planar and Trench SiC Power MOSFETs A.K. Biswas, D.J. Lichtenwalner, S. Das, C. Isaacson, S. Ganguly and D.A. Gajewski	496
Design of Al₂O₃/LaAlO₃/SiO₂ Gate Stack on Various Channel Planes for High-Performance 4H-SiC Trench Power MOSFETs L.H. Huang, Y. Liu, X. Peng, T. Tsuji, Y. Onozawa, N. Fujishima and J.K.O. Sin	503
Plasma Treatment after NiSi-Based Ohmic Contact Formation on 4H-SiC to Enhance Adhesion of Subsequent Backside Metallization T. Becker, C. Hellinger, A. Fuchs, J. Koerfer and O. Rusch	512
Effect of Substrate Heating on Low Contact-Resistance Formation by Excimer Laser Doping for 4H-SiC Y. Kakimoto, T. Yasunami, K. Katayama, D. Nakamura, T. Goto and H. Ikenoue	518
Channel Density Design Guidelines for the Transient Characteristics of SiC Trench Gate MOSFETs S. Kimoto, R. Iijima and S. Harada	524
Nickel Ohmic Contacts Formed on 4H-SiC by UV Laser Annealing J.F. Michaud, C. Berger and D. Alquier	531
Electrical and Structural Properties of Ohmic Contacts of SiC Diodes Fabricated on Thin Wafers P. Badalà, C. Bongiorno, P. Fiorenza, G. Bellocchi, E. Smecca, M. Vivona, M. Zignale, M. Massimino, I. Deretzis, S. Rascunà, M. Frazzica, M. Boscaglia, F. Roccaforte, A. La Magna and A. Alberti	537
Analysis of On-State and Short-Circuit Capability in 3D Trench SiC MOSFET Designs K. Melnyk, L.Y. Zhang, P.M. Gammon, A.B. Renz and M. Antoniou	544
Revised Channel Mobility Model for Predictive TCAD Simulations of 4H-SiC MOSFETs H. Dixit, D.J. Lichtenwalner, A. Scholze, J. Kim, K.J. Han and S.H. Ryu	550
Empirical Model of Low-Ohmic Nickel-Based Contact Formation on N-Type 4H-SiC Depending on Thermal Budget C. Hellinger, M. Rommel and A.J. Bauer	555
Improvement of Reflectance Spectroscopy for Oxide Layers on 4H-SiC J. Koerfer, M. Rommel, A. Fuchs and O. Rusch	563
Low-Ohmic Nickel Contacts on N-Type 4H-SiC by Surface Roughness Dependent Laser Annealing Energy Density Optimization C. Hellinger, M. Rommel and A.J. Bauer	569
Doping and Temperature Dependence of Carrier Lifetime in 4H SiC Epitaxial Layers L. Lilja and J.P. Bergman	575
Long Term Reliability and Deterioration Mechanisms of High-Temperature Metal Stacks on 4H-SiC K. Brueckner and O. Rusch	581
Fail-to-Open Short Circuit Failure Mode of SiC Power MOSFETs: 2-D Thermo-Mechanical Modeling I. Kovacevic-Badstuebner, S. Race, N. Luethi, M. Nagel and U. Grossner	587
Metal Contact Processing Experiments towards Realizing 500 °C Durable RF 4H-SiC BJTs S. Rajgopal, D.J. Spry, D. Lukco and P.G. Neudeck	593
Performance Improvement by Carbon-Dioxide Supercritical Fluid Treatment for 4H-SiC Vertical Double Diffusion MOSFETs H.M. Chen, C.H. Yen, W.C. Hung, W.C. Hung, H.M. Kuo, F.C. Liang and T.C. Chang	598
Fast Estimation of the Lateral Fidelity of Ion Implantation in 4H-SiC through Calibration to JFET Transfer Characteristics in TCAD K. Sakai, N. Boettcher, M. Szabo, S. Beuer and M. Rommel	603

Hydrogen Etching Process of 4H-SiC (0001) in Limited Regions A. Mancuso, S. Boninelli, M. Camarda, P. Fiorenza, A. Mio, V. Scuderi, P. Godignon, S. Aslanidou, L. Calcagno and F. La Via	611
Comparative Study of the Self-Aligned Channel Processes for 4H-SiC VDMOSFET J.T. Hsiao, C.L. Hung, Y.K. Hsiao and B.Y. Tsui	618
Demonstration of Low Interface Trap Density ($\sim 3 \times 10^{11} \text{ eV}^{-1} \text{ cm}^{-2}$) SiC/SiO₂ MOS Capacitor with Excellent Performance Using H₂+NO POA Treatment for SiC Power Devices U. Chand, L.K. Bera, N. Singh, T. Fidler, P. Schmid, S. Kumar, V.Q.G. Roth, A.H. Yeo, H. Cakmak, A. Ranjan, V.P. Reddy, M. Camalleri, L. Scalia, M. Saggio, A. Guarnera, M.K. Teoh, M. Castorina and S. Chung	623
Increasing Mobility in 4H-SiC MOSFETs with Deposited Oxide by <i>In-Situ</i> Nitridation of SiC Surface M. Yakut, A. Roy, F. Arith, A. Whitworth, A. Alexander, J. Gryglewicz, J. Sherif, S. Olsen, K. Vasilevskiy and A. O'Neill	628
Demonstrating SiC <i>In Situ</i> Rounded Trench Processing Technologies for Future Power Trench MOSFET Applications B. Jones, A. Croot, J. Mitchell, C. Bolton, J.E. Evans, F. Monaghan, K. Riddell, M. Jennings, O.J. Guy and H. Ashraf	634
High Mobility 4H-SiC P-MOSFET via Ultrathin ALD B₂O₃ Interlayer between SiC and SiO₂ E.K. Ashik, V. Misra and B.M. Lee	642
Quality Improvement of SiC Substrate Surface with Using Non-Abrasive CMP Slurry S.J. Lee, B.H. Park, C.H. Lee, I.K. Lee, J.D. Seo, K.R. Ku, B.H. Choi, E.O. Kim, N.R. Shin, S.Y. Jung, D.W. Kim, J.H. Na and W.J. Lee	652
Addition of Transition Metal Ion CMP Slurry for Forming Ultra-Flat SiC Crystal S.H. Kim, H.S. Ryu, C.H. Lee, M.O. Kyun, J.D. Seo, K.R. Ku, J.W. Lee, B.H. Choi, E.O. Kim, N.R. Shin, S.Y. Jung, D.W. Kim, H.L. Lee, Y.J. Choi and W.J. Lee	658
Increasing 4H-SiC Trench Depth by Improving the Dry Etch Selectivity towards the Oxide Hard Mask O. Rusch, K. Brueckner and T. Erlbacher	663
A Comparison between Different Post Grinding Processes on 4H-SiC Wafers B. Cafra, A. Grasso, N. Piluso and A. Severino	671
Influence of Active Area Etching Method on the Integrity of Gate Oxide on 4H-SiC C.H. Wang, L.J. Lin, C.L. Hung, Y.K. Hsiao and B.Y. Tsui	681
High-K Gate Dielectric for High-Performance SiC Power MOSFET Technology with Low Interface Trap Density, Good Oxide Lifetime ($t_{\text{ddb}} \geq 10^4 \text{ s}$), and High Thermal Stability ($\geq 800^\circ \text{C}$) U. Chand, L.K. Bera, N. Singh, C. Zhixian, S. Kumar, V.Q.G. Roth, A.H. Yeo, B. Varghese, V.P. Reddy, H. Cakmak, A. Ranjan, H. Lin and S. Chung	686

Chapter 5: Circuitry and Characterizations of Solid-State Power Devices

3rd Quadrant Surge Current SOA of SiC MOSFETs with Different Voltage Class M. Alaluss, C. Böhm, C. Herrmann, T. Basler, R. Elpelt and G. Zeng	693
Reliability of SiC MOSFETs in the High Cycle Fatigue Regime under Fast Power Pulses C. Schwabe, N. Seltner and T. Basler	701
Investigation of the Trapping and Detrapping Behavior by the On-State Resistance at Low Off-State Drain Bias in Schottky p-GaN Gate HEMTs M. Goller, J. Franke, J. Lutz, S. Mouhoubi, G. Curatola and T. Basler	707
Study of the Bias Driven Threshold Voltage Drift of 1.2 kV SiC MOSFETs in Power Cycling and High Temperature Gate Bias Tests R. Boldyrjew-Mast, P. Heimler, X. Liu, K. Reiter, C. Schwabe, N. Thönelt, J. Lutz and T. Basler	714
Junction-Controlled-Diode-Embedded SiC-MOSFET for Improving Third Quadrant and Turn-On Characteristics Q. Lou, X. Li, Z.Y. Yang, L.F. Li, S.J. Li, X.C. Deng and B. Zhang	722
Dependence of the Silicon Carbide Radiation Resistance on the Irradiation Temperature A.A. Lebedev, V.V. Kozlovski, M.E. Levinshtein, K.S. Davydovskaya and R.A. Kuzmin	727

Effect Evaluation and Modeling of p-Type Contact and p-Well Sheet Resistance of SiC MOSFET with Respect to Switching Characteristics Y. Nagase, S. Nakata and T. Tominaga	732
Anomalous Electrical Behavior of 4H-SiC Schottky Diodes in Presence of Stacking Faults M. Vivona, P. Fiorenza, V. Scuderi, F. La Via, F. Giannazzo and F. Roccaforte	737
Ohmic Contact Resistance in SiC Diodes with Ti and NiSi P⁺ Contacts M. Mazzillo, D. Momeni, Z. Yu, J. Stache, J. Urresti, C. Liguda and S. Habenicht	743
Early-Stage Reliability Evaluation of Passivation Stack and Termination Designs in SiC MPS Diodes D. Momeni, M. Mazzillo, S. Laha, M.S.B.A. Sani, J. Urresti, T.X. Dai, C. Liguda and S. Habenicht	750
Influence of Material Properties on Ruggedness Evaluation of Package Architectures for SiC Power Devices H.J. Funke, Z. Li, H. Fan, O. Dong, A.J. Garete, T. Birkoben, C. Liguda and S. Habenicht	756
A Unique Failure Mode of SiC MOSFETs under Accelerated HTRB P. Moens, M. Domeij, J.F. Cano, L. de Schepper, S. Verleye and F. Allerstam	764
1.2 kV SiC MOSFET with Low Specific ON-Resistance and High Immunity to Parasitic Turn-On T.T. Pham, J. Franchi, S.H. Kang, K.S. Park, D.J. Choi and M. Domeij	771
Design Optimization and Reliability Evaluation in 1.2 kV SiC Trench MOSFET with Deep P Structure K.W. Lee, J. Choi, Y.H. Seo, K.S. Park, M. Domeij and F. Allerstam	776
Analysis of Electrothermal Imbalance of Hard-Switched Parallel SiC MOSFETs through Infrared Thermography A. Borghese, S. Angora, M. Boccarossa, M. Riccio, L. Maresca, V.R. Marrazzo, G. Breglio and A. Irace	782
Experimental Demonstration of Ultra-Fast SiC MOSFET Overload Protection Using Embedded Current and Temperature Sensors D. Tournier, T. Vadebout, P. Bevilacqua, P. Brosselard and J.F. de Palma	789
Dynamic Bias-Temperature Instability Testing in SiC MOSFETs E. Martino, S. Kicin, Y. Zong, A. Nasralla, G. Romano, R. Burkart, A. Mesemanolis and S. Wirths	795
Non-Linear Gate Stack Effect on the Short Circuit Performance of a 1.2-kV SiC MOSFET M. Boccarossa, L. Maresca, A. Borghese, M. Riccio, G. Breglio, A. Irace and G.A. Salvatore	801
UIS Ruggedness of Parallel 4H-SiC MOSFETs P. Steinmann, M. Atzeri, I.H. Ji, J. Langan, K. Myers, N. Oldham, J.H. Park, R. Potera, C. Rinderer and E. van Brunt	808
A Geometry-Scalable Physically-Based SPICE Compact Model for SiC MPS Diodes Including the Snapback Mechanism V. Terracciano, A. Borghese, M. Boccarossa, V. d'Alessandro and A. Irace	813
The Impact of Gamma Irradiation on 4H-SiC Bipolar Junction Inverters under Various Biasing Conditions A. Metreveli, A. Hallén, I. di Sarcina, A. Cemmi, A. Verna and C.M. Zetterling	821
SiC GAA MOSFET Concept for High Power Electronics Performance Evaluation through Advanced TCAD Simulations L. Maresca, V. Terracciano, A. Borghese, M. Boccarossa, M. Riccio, G. Breglio, A. Mihaila, G. Romano, S. Wirths, L. Knoll and A. Irace	827
Single Event Effects in 3.3 kV 4H-SiC MOSFETs due to MeV Ion Impact Z. Yuan, J.K. Lim, A. Metreveli, H. Krishna Murthy, M. Bakowski and A. Hallén	833
High-Speed and High-Temperature Switching Operations of a SiC Power MOSFET Using a SiC CMOS Gate Driver Installed inside a Power Module A. Yao, M. Okamoto, F. Kato, H. Hozoji, S. Sato, D. Yamaguchi, T. Ando, S. Harada and H. Sato	840
AFM-sMIM Characterization of the Recombination-Enhancing Buffer Layer for Bipolar Degradation Free SiC MOSFETs R.C. Germanicus, T. Phulpin, K. Niskanen, A. Michez and U. Lüders	847
Normally-Off 1200V Silicon Carbide JFET Diode with Low V_F K.K.H. Cho, C.J. Park, Y.J. Kim, K.S. Park and F. Allerstam	854
Modelling-Augmented Failure Diagnostics in Planar SiC MOS Devices Using TDDB Measurements D. Cornigli, H. Schlichting, T. Becker, L. Larcher, T. Erlbacher and M. Pesic	860

On the TCAD Modeling of Non-Permanent Gate Current Increase during Short-Circuit Test in SiC MOSFETs	
J. Roig, S. Kochoska, B. Vlachakis, J. Franchi and T.T. Pham	866
High Single-Event Burnout Resistance 1.2 kV 4H-SiC Schottky Barrier Diode	
Y. Qi, A.B. Renz, V. Kotagama, M. Antoniou and P.M. Gammon	873
Study of Parasitic Effects for Accurate Dynamic Characterization of SiC MOSFETs: Comparison between Experimental Measurements and Numerical Simulations	
T. Arai, R. Takeda, T. Neville and M. Hawes	879
Investigation of Threshold Voltage Instability and Bipolar Degradation in 3.3 kV Conventional Body Diode and Embedded SBD SiC MOSFET	
H. Krishna Murthy, J.K. Lim and M. Bakowski	887
Demonstration of 800°C SiC MOSFETs for Extreme Temperature Applications	
E. Andarawis, D. Shaddock, T. Johnson, S. Goswami and R. Ghandi	893
Analytical Modelling of the Quasi-Static Operation of a Monolithically Integrated 4H-SiC Circuit Breaker Device	
N. Boettcher, M. Rommel and T. Erlbacher	899
Dynamic On-State Resistance and Threshold-Voltage Instability in SiC MOSFETs	
A.J. Leles, R. Green Jr., D.B. Habersat, D.P. Urciuoli and E.S. Schroen	907
Visualization of P⁺ JTE Embedded Rings Used for Peripheral Protection of High Voltage Schottky Diodes by the Optical Beam Induced Current (OBIC) Technique	
D. Planson, D. Tournier, P. Bevilacqua, C. Sonnevile, P. Brosselard, G. Moulin, L.V. Phung and P. Godignon	912
Design and Characterization of an Optical 4H-SiC Bipolar Junction Transistor	
P. Brosselard, D. Planson, D. Tournier, P. Bevilacqua, C. Sonnevile, L.V. Phung, M. Lazar, B. Vergne, S. Scharnholz and H. Morel	919
Temperature-Dependent Evaluation of Commercial 1.2 kV, 40 mΩ 4H-SiC MOSFETs: A Comparative Study between Planar, One-Side Shielded Trench, and Double Trench Gate Structures	
V.P. Reddy, U. Chand, L.K. Bera, C.H.M. Chua, N. Singh and S. Chung	924
Excellent Avalanche Capability in SiC Power Device with Positively Beveled Mesa Termination	
Y.C. Liu, X.Y. Tang, Y. Zhou, H. Yuan, L.J. Sun, Q.W. Song and Y.M. Zhang	929
Frequency Investigation of SiC MOSFETs C-V Curves with Biased Drain	
I. Maticena, L. Maresca, M. Riccio, A. Irace, G. Breglio and S. D'Aliento	935
Experimental Demonstration and Analysis of 3.3kV 4H-SiC Common-Drain Bidirectional Charge-Balanced Power MOSFETs	
M. Torky, Z. He, C. Hitchcock, R. Ghandi, S. Kennerly and T.P. Chow	940
Comparison of Si CMOS and SiC CMOS Operational Amplifiers	
R. Kobayashi and M. Yamamoto	945
Comparative Performance Evaluation of High-Voltage Bidirectional, Conventional and Superjunction Planar DMOSFETs in 4H-SiC	
M. Torky and T.P. Chow	950
Comparison of the Surge Current Capabilities of SBD-Embedded and Conventional SiC MOSFETs	
K. Kawahara, K. Sugawara, A. Iijima, S. Hino, K. Fujiyoshi, Y. Oritsuki, T. Murakami, T. Takahashi, Y. Kagawa, Y. Hironaka and K. Nishikawa	955
The First Optimisation of a 16 kV 4H-SiC N-Type IGCT	
Q. Cao, P.M. Gammon, A.B. Renz, M. Antoniou, P.A. Mawby and N. Lophitis	962
Influence of Channel Length and Gate Oxide Thickness Variations in 3300 V 4H-SiC VDMOSFET	
S. Rathi, D. Macdonald, A. Murphy, M. Bell, R. Young and D.T. Clark	968
Investigation of the Short-Circuit Withstand Time and On-Resistance Trade-Off of 1.2 kV 4H-SiC Power MOSFETs	
J. Kim, B. Fetzer, S. Sabri, B. Hull and S.H. Ryu	973
Power Cycling Performance of 3.3 kV SiC-MOSFETs and the Impact of the Thermo-Mechanical Stress on Humidity Induced Degradation	
M. Hanf, F. Hoffmann, A. Brunko, J.H. Peters, S. Clausner and N. Kaminski	978
Estimation of Electron Drift Mobility along the c-Axis in 4H-SiC by Using Vertical Schottky Barrier Diodes	
R. Ishikawa, M. Kaneko and T. Kimoto	988

Chapter 6: Materials Application in Quantum, Sensors and Mechatronics Systems

Spin-Orbit Coupling of Color Centers for Quantum Applications M. Neubauer, M. Schober, W. Dobersberger and M. Bockstedte	997
Optical Ionization of Qubits and their Silent Charge States M. Bockstedte and M. Schober	1004
Thermochromic Properties of 3C-, 6H- and 4H-SiC Polytypes up to 500°C G. Ferro, D. Carole and D. Chaussende	1011
Monitoring of Graphene Properties in the Process of Viral Biosensor Manufacturing A.A. Lebedev, N.M. Shmidt, E.I. Shabunina, A.V. Nashchekin, E.V. Gushchina, V.N. Petrov, I.A. Eliseev, S.P. Lebedev, S.I. Priobrazhenskii, A.D. Roenkov, E.M. Tanklevskaya, M.V. Puzyk, A.S. Usikov, S.A. Klotchenko, A.V. Vasin, A.Y. Plehanov, V.A. Golyashov and O.E. Tereshchenko	1016
Fabrication of Wafer-Level Vacuum-Packaged 3C-SiC Resonant Microstructures Grown on <111> and <100> Silicon S. Sapienza, L. Belsito, M. Ferri, I. Elmi, M. Zielinski, F. La Via and A. Roncaglia	1022
250 μm Thick Detectors for Neutron Detection: Design, Electrical Characteristics, and Detector Performances G. Trovato, A. Meli, A. Muoio, R. Reitano, L. Calcagno, M.H. Kushoro, M. Rebai, M. Tardocchi, A. Trotta, M. Parisi, L. Meda and F. La Via	1027
Stress Fields Distribution and Simulation in 3C-SiC Resonators V. Scuderi, A. Muoio, S. Sapienza, M. Ferri, L. Belsito, A. Roncaglia and F. La Via	1033
Design of Monolithically Integrated Temperature Sensors in 4H-SiC JFETs F. Monaghan, A. Martinez, J.E. Evans, C. Fisher, O.J. Guy and M. Jennings	1038
Device Modeling of 4H-SiC PIN Photodiodes with Shallow Implanted Al Emitters for VUV Sensor Applications M. Schraml, M. Rommel, N. Papathanasiou and T. Erlbacher	1046
Plasmonic Ag Nanoparticles on SiC for Use as SERS Substrate and in Integrated Optical Sensors for Bio-Chemical Applications V. Cantaro, A. Sciuto, A. Brancato, G. Compagnini and G. D'Arrigo	1054
Experimental Observation of Raman Assisted and Kerr Optical Frequency Comb in a 4H-Silicon-Carbide on Insulator Microresonator A.A. Afridi, Y.Q. Lu, X.D. Shi, R.X. Wang, J.W. Li, Q. Li and H.Y. Ou	1061