

# Table of Contents

## Preface, Sponsors and Organizers

## Chapter 1: Composites

|                                                                                                                                                                                                            |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Study on Reliability of New Fixture Method for NOMEX Honeycomb</b><br>C.Z. Jin                                                                                                                          | 3   |
| <b>Study on Elevated-Temperature Performance of <math>\text{LiCo}_{0.02}\text{Cr}_{0.02}\text{Mn}_{1.96}\text{O}_4</math> by Surface Modification</b><br>X.H. Lu, D. Han, G.Q. Zhang, N. Ma and S.F. Liu   | 14  |
| <b>Singular Problems of Spherically Uniform Anisotropic Piezoelectric Solids</b><br>Y. Gao                                                                                                                 | 19  |
| <b>The Growth Mechanism of MgO in the ZnO Coated <math>\text{Mg}_2\text{B}_2\text{O}_5</math> Whisker Reinforced AZ31B Composite</b><br>L. Han, P.P. Jin, J.H. Wang, Y.P. Zhu and J. Xie                   | 25  |
| <b>Study on the Absorption Properties of Spinel Type Ferrite Composite Coatings in the Low Frequency</b><br>W.J. Wang, Q.J. Jiao, C.G. Zang and X.D. Zhu                                                   | 30  |
| <b>Study on Nano-Particle Modified Epoxy Resin Adhesive</b><br>G.Q. Gai, X.T. Dong, X.S. Chen and C.Y. Zheng                                                                                               | 35  |
| <b>Elastic Dynamics Optimization Design of Novel High-Speed Spatial Parallel Robot</b><br>X.L. Chen, S.S. Jia, C.J. Du and S.B. Shen                                                                       | 39  |
| <b>Retard of D-Galactose-Induced Aging in Mice by Whey Hydrolysates</b><br>J. Liu, Y. Miao and Z. Zhao                                                                                                     | 43  |
| <b>Preparation and Thermoelectric Characteristics of <math>\text{SiO}_2/\text{Mg}_2\text{Si}_{0.8}\text{Sn}_{0.2}</math> Bulk Nanocomposite</b><br>D.H. Zhang, W.H. Fan, F. Zhang, S.P. Chen and Q.S. Meng | 47  |
| <b>Effect of Grinder Guiding Error on the Machining Precision of Large Scale Surface Workpiece</b><br>Y.F. Peng, X.H. Lin, T. Jiang, C.G. Han, Z.Z. Wang and Y.B. Guo                                      | 52  |
| <b>Random Response Analysis for Nonlinear Systems of Composite Laminates</b><br>F.X. You, F. Zhang and B.L. Zuo                                                                                            | 56  |
| <b>The Viscous Coefficient Comparison between 2-D and 3-D Fluid Models in Molecular Dynamics Simulations</b><br>D.Y. Xia, X.S. Sun and M.F. Wang                                                           | 62  |
| <b>Study on the Effect of Ways of Gear Relief on Contact Force of Teeth Face</b><br>Y. Ma, Q. Huang, T. Ji and Z.F. Lou                                                                                    | 66  |
| <b>NbC and VC Nanoparticles Reinforced Fe-Si-Mn Matrix Composite <i>In Situ</i> Synthesized by Plasma Jet</b><br>C.X. Cui, Y.C. Li, T.B. Wang, S.J. Liu and S.B. Kang                                      | 71  |
| <b>Al Ion Implantation of SiC Coated Carbon Fiber-Reinforced SiC Matrix Composites by Metal Vapor Vacuum Arc Ion Source</b><br>G.J. Ma, G.Q. Lin and H.C. Wu                                               | 76  |
| <b>The Strength Model of Small Parameter Scroll Wrap in a Scroll Compressor</b><br>S. Bing                                                                                                                 | 80  |
| <b>The Synergy Effects of Styrene-Maleic Anhydride Copolymer and Epoxy Resin on Interface Adhesion of ABS/Short Glass Fiber Composites</b><br>J.B. Guo, B. Xue, M. He, H.J. Shao and S.H. Qin              | 85  |
| <b>Effects of Concentration of Alkaline Treated SF on the Tribological Properties of POM Composites Filled with LDPE and Sisal Fibers</b><br>D.H. Xiang, W.J. Li and J.L. Ma                               | 94  |
| <b>Comparative Study on the <math>\text{Mn}^{2+}</math> Removing Performance of Several Filters</b><br>J.K. Zhang, Y. Jiang and Y.X. Yuan                                                                  | 100 |
| <b>A Risk Management Framework for Users' Integration in Product Innovation</b><br>W.Y. Song, X.G. Ming, Z.Y. Wu, Z.T. Xu and L.N. He                                                                      | 106 |

|                                                                                                                                                                                |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Nano-Sized Silica Reinforcement of Epoxidized Natural Rubber Prepared in Latex State</b><br>M. Jarnthong, C. Nakason, Z. Peng and N. Lopattananon                           | 112 |
| <b>Iterative Learning Control Based on Radial Basis Function Network for Exoskeleton Arm</b><br>J. Liu, Y. Wang, H.T. Tong and R.P.S. Han                                      | 116 |
| <b>Influence of outside Environmental Variations on Adsorption Characteristics of Waste Dusty Slag /EPDM Composite</b><br>X.Q. Liu and H.Q. Xing                               | 123 |
| <b>Esterification and its Kinetics of Acetic Acid with 2-Methoxyethanol over a Ce-Pillared Layer Clay Catalyst</b><br>Y.J. Wang                                                | 126 |
| <b>Preparation and Analysis of Cotton Nonwoven Film Strengthened by Chitosan</b><br>S.S. Jia, H. Xu, Y.G. Pei, J. Luo, W. Ye, W.J. Hu and Y.J. Zhang                           | 133 |
| <b>Preparation and Performance of <math>\beta</math>-Sialon Bonded <math>ZrO_2</math> Composites</b><br>R.S. Wang, J.H. Zhao, Y.N. Wei, F.H. Peng and H.Y. Wei                 | 138 |
| <b>Structural Design of Rail-Beam Leveler</b><br>L.D. Ma, C.L. Zhou, H.Y. Pan and Y. Wang                                                                                      | 142 |
| <b>Effects of Amorphous and Nanocrystalline Inoculants on the Micro-Structure and Mechanical Behavior of Fe-Si-Mn Steels</b><br>L. Fang, C.X. Cui, T.B. Wang, C. He and K. Jia | 146 |
| <b>Prediction Control Method of Spot Welded Nugget Size Based on Finite Element Analysis of Thermo-Electricity Transient</b><br>H. Cai, P. Zhang and Y.X. Wang                 | 151 |
| <b>First-Principles Study of the Properties of Clean and Ni-Doped TiC/Fe Interfaces</b><br>Z.G. Xiao, Y. Wu, Y.F. Shen, Z.G. Zou, F. Long and K. Liu                           | 166 |
| <b>Microstructure and Wear Properties of <i>In Situ</i> TiC-Cr<sub>7</sub>C<sub>3</sub>/Fe Surface Composite</b><br>J. Wang, S.J. Fu, Y.C. Ding and Y.S. Wang                  | 170 |
| <b>Effect of Manganese Ions on Corrosion Inhibition of PANI for Mild Steel in 0.5 M H<sub>2</sub>SO<sub>4</sub></b><br>Y.Q. Huo and L. Bai                                     | 174 |
| <b>Low Temperature Fabrication of Platinum/Carbon Black Powder Coating</b><br>P. Kalnaowakun and X. Wei                                                                        | 178 |
| <b>Accelerated Aging Test and Study of Storage Life Prediction of NBR O-Ring</b><br>J. Pan, S.W. Xu, W.H. Chen, X.Y. Wang, P. Qian and Q.W. Hu                                 | 184 |
| <b>Crude Oil Adsorption on Fe<sub>2</sub>O<sub>3</sub>/EPDM Composite to the outside Environmental Variations</b><br>X.Q. Liu and H.Q. Xing                                    | 191 |
| <b>Metal Ions Doped Complex Cobalt Blue Pigment Research</b><br>M.Q. Ye, A.J. Han, Z.B. Liu and C. Wang                                                                        | 194 |
| <b>Hysteresis Heat Build-up and Low Temperature Processing of Polymer under the Vibration Force Field</b><br>G.S. Zeng, C. Xu, Y.J. Liu and J.P. Qu                            | 200 |
| <b>TiCl<sub>4</sub> Treatment to the Substrate of Dye-Sensitized Solar Cell for the Applications on BIPV</b><br>H.M. Tian, R.X. Yang and F.L. Tian                             | 205 |
| <b>Microstructure Analysis of in-Plane Quasi-Isotropic Composites Reinforced by Multi-Direction and Multi-Layer Three Dimensional Fabric</b><br>L.Y. Liu and Y.N. Jiao         | 210 |
| <b>Study on Optimal Design of Light-Weight Composite Hood</b><br>L.Y. Gu, P. Han and D.N. Yu                                                                                   | 214 |
| <b>Influence of Laser Power on the Microstructure and Anti-Corrosion Performance of LHPS NiCrAlY Coatings</b><br>S.Q. Li, S.L. Gong, Y.P. Duan and S.H. Liu                    | 221 |
| <b>Synthesis of Alumina-Tungsten Carbide Composites by Self-Propagating High Temperature Synthesis Process</b><br>X. Wei                                                       | 226 |
| <b>Study on a Anti-Optimization Method to Identify the Parameters of the Frequency Correlation Viscoelastic Model for Rubber</b><br>W.W. Liu, R.J. Jiang, J.J. Lou and H.P. Wu | 232 |
| <b>Particle Size, Structure and Powdering Process of Calcium Carbonate Nanoparticles Filled Powdered Styrene-Butadiene Rubber</b><br>Z.D. Zhang, X.M. Chen and G.L. Qu         | 237 |

|                                                                                                                                                                                                                             |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Fabrication Mechanism of in-Situ Synthesized Al<sub>3</sub>Ti-Mg Composites by Vacuum Hot-Pressing</b><br>H.K. Li and Y. Liu                                                                                             | 243 |
| <b>A Empirical Study of Industrial Design Contribution to Advances in Timber Materials Science</b><br>C. Thong and B. Kuys                                                                                                  | 248 |
| <b>Test Study on Overdose Cement Stabilized Crushed Rock Base</b><br>Y.P. Lin and J. Liu                                                                                                                                    | 254 |
| <b>Epoxy Cured with Anhydride Terminated Polydimethylsiloxane: Cure Kinetics and Thermal Properties</b><br>Y. Ren, Z. Xi, W.J. Gan, L. Zhang, J. Zhang and X.Y. Zhang                                                       | 261 |
| <b>Preparation and Application of Self-Compacting Concrete-Filled Steel Tube Using Polymer Admixtures</b><br>S.J. Chen and X.N. Zhang                                                                                       | 265 |
| <b>Study on Speciation of Cr in Cement</b><br>R.Y. Bai, Q.J. Yu and X.X. Feng                                                                                                                                               | 272 |
| <b>Study on Hot Dip and Coating Structure of 55% Al-Zn Alloy Coated Steel</b><br>Y.H. Leng, Y.L. Feng and M. Song                                                                                                           | 276 |
| <b>Study on Resilience of Mattress Foam and Body Pressure Distribution Characteristic of Mattress</b><br>Y.D. Zhu, L.M. Shen, J.J. Hou and J. Song                                                                          | 281 |
| <b>Interaction Mechanism between <i>In Situ</i> Nb<sub>2</sub>C-V<sub>2</sub>C Nanoparticles and S/L Interface during the Rapid Solidification of Fe-Nb-V Alloy</b><br>C.X. Cui, Y.C. Li, T.B. Wang, S.J. Liu and S.B. Kang | 285 |
| <b>Effects of Melting Process on the Microstructure and Thermal Conductivity of Cu-10Ni-5Mo Alloy</b><br>B.P. Lu, H. Xu and C.C. Liu                                                                                        | 289 |
| <b>Friction and Wear Behavior of POM Composites Filled with LDPE and Wood Fibers</b><br>X.H. Xiang, D.H. Xiang, W. Fang and J.L. Ma                                                                                         | 293 |
| <b>The Influence of Functionalized TiO<sub>2</sub> with Poly(<i>methyl methacrylate</i>) on the Mechanical Properties of TiO<sub>2</sub>/Epoxy Nanocomposites</b><br>H.B. Liang, L. Xiong, H.T. Xu and J. Guan              | 297 |
| <b>Transmission Line Characteristics Based on Metamaterials Substrate</b><br>J. Fan, D.Z. Li and W.R. Zhu                                                                                                                   | 302 |
| <b>Preparation of AlN-ZrO<sub>2</sub>(Ca) Composites by Pressureless Sintering</b><br>Y. Wang, R.L. Wang, J.L. Bu and L.X. Yu                                                                                               | 306 |
| <b>Investigation of Carbon Fibre Reinforced Composites Based on Novel Phenylethynyl-Terminated Polyimide</b><br>C.X. Tong, G.D. Dang, C.H. Chen and H.W. Zhou                                                               | 310 |
| <b>Study on Growth and Crack of Yb:YAG Laser Crystal</b><br>X.J. Zhang, C. Li, Y. Zhang, H. Lin, L. Gu, J.H. Liu and G.T. Zou                                                                                               | 316 |
| <b>Development of Slab Caster Break-Out Alarm ANN System</b><br>Y. Jin, H. Ding and Z.B. Tian                                                                                                                               | 321 |
| <b>Morphology and Crystallization Behavior of Toughened Poly(trimethylene terephthalate) Blends with Maleated Styrene-Butylene-Co-Ethylene-Styrene Copolymers</b><br>K.Y. Wang, S.Y. Zhou, X.Q. Xu and F. Cao               | 325 |
| <b>Study on the Densification Process of the High Density Graphite Materials</b><br>C.R. Di, C.G. Wang, K. Qiao, X.Y. Yin and X.D. Gao                                                                                      | 329 |
| <b>Investigation of Microstructure and Mechanical Property of the Machinable B<sub>4</sub>C/BN Composites Fabricated by Hot-Pressing Process</b><br>T. Jiang                                                                | 335 |
| <b>The Shell of Internal Combustion Tamping Pickax Injection Molding CAE Technology Research</b><br>L.M. Sun and J.C. Zou                                                                                                   | 339 |
| <b>Influence of Matrix Aggregates Particle Size Grades on Properties of Grouting Material for Blast Furnace</b><br>X.J. Pei, Z.F. Wang and R.S. Wang                                                                        | 343 |
| <b>Development Research of Failure Theories for Thick Composite Laminates</b><br>X.F. Zhu, Y.W. Feng and Y.S. Feng                                                                                                          | 347 |

|                                                                                                                                                                                                                            |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>The Experimental Study of TiO<sub>2</sub> Nano Compound Coating Applied in Air Conditioner</b><br>A.L. Wang, L.G. Xiong, W.D. Chen and X.Y. Liu                                                                         | 353 |
| <b>Synthesis and Properties of Epoxy Resin/Graphite Composites via <i>In Situ</i> Polymerization</b><br>X.F. Lu, P.Q. La, X. Guo and Y.P. Wei                                                                              | 358 |
| <b>Synthesis and Stabilization of BaTiO<sub>3</sub>/CoFe<sub>2</sub>O<sub>4</sub> Ferrocolloids</b><br>D.X. Zhou, F. Shi, S.P. Gong and Q.Y. Fu                                                                            | 362 |
| <b>Adhesion of TiC/Fe Cermet Interface with C Vacancy: A First-Principles Study</b><br>Z.G. Zou, K. Liu, Y.F. Shen, Z.G. Xiao, F. Long and Y. Wu                                                                           | 368 |
| <b>One Simple Finite Element Methodology to Determine the Moduli of Hexagonal Honeycomb</b><br>D.Q. Sun                                                                                                                    | 372 |
| <b>Surface Modification of Carbon Fiber via Atom Transfer Radical Polymerization (ATRP)</b><br>L. Xiong, H.B. Liang and H.T. Xu                                                                                            | 376 |
| <b>Mechanical Design and Virtual Teaching of a Two-Leg Walking Mechanism</b><br>H.H. Guo, G. Cheng and S.F. Wang                                                                                                           | 380 |
| <b>Preparation and Characterization of SrO-Al<sub>2</sub>O<sub>3</sub>-Fe<sub>2</sub>O<sub>3</sub>-B<sub>2</sub>O<sub>3</sub> System Nano-Ferrimagnetic Glass-Ceramics</b><br>J.A. Liu, M.M. Zhang, X.N. Yang and S.J. Liu | 384 |
| <b>A New Modifier Prepared and it's Applied in High-Density Polyethylene/Anhydrite Composites</b><br>S.H. Wang                                                                                                             | 390 |
| <b>Strain Characteristic of Filament Wound Composite Cylinder under Axial Loading</b><br>W.D. Wen, J. Li, H.T. Cui, Y. Xu and H.J. Zhang                                                                                   | 395 |
| <b>Flame Retardation of PP/EPDM Composites Containing Ammonium Polyphosphate and its Microcapsules</b><br>Z.Z. Wang, Z.Q. Gu and P.K. Jiang                                                                                | 399 |
| <b>Precision Predicting and Computer Aided Adaptive Assembly</b><br>W.D. Liu, J.H. Liu, K. Jiang and J. Wang                                                                                                               | 403 |
| <b>Study of Diffusion-Homogenization on SiCp/Al Composites Prepared by Elemental Powder</b><br>Y.X. Liu, Y. Liu, B.Y. Wang, H. Xie and S.D. Liu                                                                            | 410 |
| <b>Role of Epoxidized Natural Rubber in Dynamic Mechanical Properties of NR/ENR/silica Composites</b><br>Y.Q. Wang, Q.H. Wang, Y.Y. Luo, J.P. Zhong, Y.Z. Li, C.Z. He and Z. Peng                                          | 415 |
| <b>Enhancement of Machinability of Inconel 718 in End Milling through Online Induction Heating of Workpiece</b><br>A.N. Amin, M.I. Hossain and A.U. Patwari                                                                | 420 |
| <b>Preparation and Performance of a Novel Intumescent Flame Retardant</b><br>X. Zhang and F. Zhang                                                                                                                         | 424 |
| <b>Research on the Inclusive Materials of the Rice Direct Sowing Technology with Seed Tape</b><br>H.G. Cui and W.T. Ren                                                                                                    | 429 |
| <b>Rapid Prototyping for Treatment of Cranial Reconstruction Surgery</b><br>Y.D. Chen, H. Li, W.Z. Wu and W.S. Wang                                                                                                        | 433 |
| <b>Treatment of Printing and Dyeing Wastewater by the Iron Scurf and Flue Dust Internal Electrolysis Method</b><br>J.X. Yan, D.F. Li and S.F. Dong                                                                         | 438 |
| <b>Characterization of LiClO<sub>4</sub>-SiO<sub>2</sub> Composite Electrolyte Prepared by Modified Sol-Gel Method</b><br>H. Mat, M. Nor Sabirin and R.H.Y. Subban                                                         | 442 |
| <b>Microstructure Evolution in Preparation of Cu-Sn Contact Wire for High-speed Railway</b><br>M. Yan, Y.C. Wu, J.C. Chen and X.L. Zhou                                                                                    | 446 |

## Chapter 2: Micro/Nano Materials

|                                                                                                                                                          |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Modified Model for Static Behavior of Microcantilever Gas Sensor Adsorbed with Monolayer Molecules</b><br>X.M. Wang, F. Wang, X.Z. Zhao and D.L. Jing | 455 |
| <b>Study on Optimization Design of a Hoist Roller</b><br>L. Liu and H.X. Liu                                                                             | 460 |

|                                                                                                                                                                                        |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Low Temperature Preparation of <math>\text{ZnIn}_2\text{S}_4</math> by Hydrothermal Method and its Visible Light Photocatalytic Property</b>                                        |     |
| M.X. Guo, S.H. Yin, Y.X. Han and C.Y. Wang                                                                                                                                             | 464 |
| <b>Crystal Structures of New Compounds <math>\text{Na}_{0.5}\text{Sm}_{4.5}\text{Ti}_4\text{O}_{15}</math> and <math>\text{Na}_{0.5}\text{Eu}_{4.5}\text{Ti}_4\text{O}_{15}</math></b> |     |
| Q.H. Yu, Z.F. Li, Y.X. Li, P.Z. Si, J.Y. Wang, H.L. Ge and J.J. Zhang                                                                                                                  | 468 |
| <b>Study on Recovery of High Temperature Waste Gas from Rotary Hearth Furnace</b>                                                                                                      |     |
| J. Qin, G.G. Liu, Q.T. Wu and X.L. Zha                                                                                                                                                 | 472 |
| <b>Research on Generalized Overall Shape Setting Control Models with Asymmetric Shape Control Function for UCM Mill</b>                                                                |     |
| X.C. Wang, Q. Yang, Z.G. Liang and F. He                                                                                                                                               | 478 |
| <b>Green Synthesis of Silk Sericin-Based Silver Nanoparticles</b>                                                                                                                      |     |
| J.L. Ding and W. Wu                                                                                                                                                                    | 487 |
| <b>Immobilization of Horseradish Peroxidase on <math>\text{TiO}_2</math> Nanotube Arrays via Seeded-Growth Synthesis</b>                                                               |     |
| F.H. Wu                                                                                                                                                                                | 491 |
| <b>Study on Pr-Substituted Bismuth-Iron Garnet Crystallite and its Magnetism</b>                                                                                                       |     |
| Y.X. Sun, H. Yu, H.R. Liu, Y. Zhou and Z. Xia                                                                                                                                          | 495 |
| <b>Luminescence Properties of <math>\text{ZnS}:\text{Cu}, \text{Tm}</math> Semiconductor Nanocrystals Synthesize by a Hydrothermal Process</b>                                         |     |
| M. Xin, D.P. Liu, N.S. Yu, X.H. Qi and H. Li                                                                                                                                           | 499 |
| <b>An Effective IQ Assess Method before Information Action</b>                                                                                                                         |     |
| X.Z. Lu and L.N. Huang                                                                                                                                                                 | 504 |
| <b>Carbothermal Reduction Synthesis of Superfined <math>\text{TiC}</math> Powders from <math>\text{TiOSO}_4</math></b>                                                                 |     |
| J. Li, Y. Wu and P.F. Li                                                                                                                                                               | 510 |
| <b>Interfacial Transition Zone Micro-Structure of Light-Burnt <math>\text{MgO}</math> Concrete</b>                                                                                     |     |
| X. Chen, H.Q. Yang, Y.Z. Zuo, Y. Shi and K.T. Xiao                                                                                                                                     | 514 |
| <b>Universal Serial Protocol Grammar Analysis Model</b>                                                                                                                                |     |
| B.F. He and R.M. Li                                                                                                                                                                    | 519 |
| <b>The Geometrical Feature Recognition Method of Part Drawing</b>                                                                                                                      |     |
| Y. Dong and M. Li                                                                                                                                                                      | 523 |
| <b>Study on the Magnetic Induction Effect of Rare-Earth La Modified Amorphous Ribbons</b>                                                                                              |     |
| D.G. Jiang, C.B. Yang and G.T. Zheng                                                                                                                                                   | 527 |
| <b>Study on the Filling Particle for Foam Ferrous Metalmaking Needed</b>                                                                                                               |     |
| X.P. Luo, L. Kang and J.F. Ren                                                                                                                                                         | 532 |
| <b>Electrical-Pumped Active Plasmonic with <math>\text{InP}</math>-Based Quantum Wells</b>                                                                                             |     |
| T. Li and E.J. Hao                                                                                                                                                                     | 537 |
| <b>Study on Preparation and Mechanical Intensity of Nano-<math>\text{TiB}_2</math>/ Tussah Silk Fibroin Composite Membrane</b>                                                         |     |
| Y. Peng                                                                                                                                                                                | 541 |
| <b>Nano Materials Used in Industrial Design</b>                                                                                                                                        |     |
| F. Wu and W.P. Hu                                                                                                                                                                      | 545 |
| <b>Effect of Casting Velocity on Microstructures of <math>\text{Almg0.9Si0.7}</math> Alloy by Low-Superheat DC Casting</b>                                                             |     |
| D.Z. Zhao, F.X. Yu, F. Liu and K.Z. He                                                                                                                                                 | 549 |
| <b>Structure of Chromium Atomic Chains</b>                                                                                                                                             |     |
| H.X. Shen, W.Z. Zhu and A.Y. Li                                                                                                                                                        | 553 |
| <b>The Influence of Debonding Interface on the Effective Mechanical Properties for Nano-Composites</b>                                                                                 |     |
| D.M. Luo, Y.L. Zhou, W.L. Zhu and W.X. Wang                                                                                                                                            | 557 |
| <b>Dispersion of Single-Walled Carbon Nanotubes in Water by a Conjugated Surfactant</b>                                                                                                |     |
| M.X. Liu, Z.X. Jia and C.R. Zhou                                                                                                                                                       | 562 |
| <b>Magnetic Induction Effect of Rare-Earth La Modified <math>\text{FeSiB}</math> Amorphous Ribbon</b>                                                                                  |     |
| G.T. Zheng and D.G. Jiang                                                                                                                                                              | 566 |
| <b>Analysis of Failure Mechanism for a Diversion Ditch in Lake Beach</b>                                                                                                               |     |
| X.Y. Wang, S.W. Duan, X. Xu and H.L. Wang                                                                                                                                              | 571 |
| <b>Experimental study and Parameters Optimization of Laser Milling on <math>\text{Al}_2\text{O}_3</math> Ceramics</b>                                                                  |     |
| Z.M. Xu, J.Z. Zhou and Y.B. Zhu                                                                                                                                                        | 575 |

|                                                                                                                                                                               |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Facile Synthesis of Ammonium Aluminum Carbonate Hydroxide Multilayered Nanofiber by Using Solid State Reaction</b><br>X.F. Hu, Y.Q. Liu and C.G. Liu                       | 580 |
| <b>Synthesis of SnO<sub>2</sub> Nanoparticles with Varying Particle Sizes and Morphologies by Hydrothermal Method</b><br>D.X. Wang, X.J. Bao, J.M. Zhong and B.S. Sun         | 585 |
| <b>Optimal Design and Characteristic Analysis of a Special Type Gear Test Rig</b><br>X.Y. Jin, H.T. Wang, L. Zhang, L.L. Zhao and X.Y. Guan                                   | 590 |
| <b>Experimental Study on Porous Metal Bonded Diamond Grinding Wheels - The Selection of Porosity Inducers and Agglomeration's Parameter</b><br>H. Xu, C.J. Liao and Q.M. Weng | 594 |
| <b>Study on the Morphology of Nano-ZnO in Foam Glass</b><br>F.Y. Yu, Q.C. Sun, W.B. Ma, D.S. Lv and X.H. Li                                                                   | 598 |
| <b>Optimizing Preparation Technological Parameters of Nano-LiAlO<sub>2</sub> Powder by Orthogonal Experiment</b><br>S. Cui, B.L. Lin, Z.Q. Gao and X.D. Shen                  | 602 |
| <b>Research on Nano Porous Cu Films Prepared by Sol-Gel Method</b><br>H.J. Zhang, M.Y. Li, Q.X. Zeng and C.G. Feng                                                            | 606 |
| <b>A New Method of Producing Carbon Anode by High-Temperature Mould Pressing</b><br>Y.W. Wang, N.X. Feng and J. You                                                           | 611 |
| <b>Synthesis and Characterization of Water-Soluble Monolayer-Protected Gold Nanoparticles</b><br>Y. Su, Y.Y. Lin, Y.L. Fu, F. Qian, X.P. Yang and M.M.F. Choi                 | 617 |
| <b>An Analysis on Performance of High-Speed Gear Dynamics Based on Transfer-Matrix Method</b><br>X.Y. Jin, X.Y. Guan, L.L. Zhao, H.T. Wang and Z.H. Sun                       | 621 |
| <b>Rectifying Properties of La<sub>1-x</sub>Sr<sub>x</sub>MnO<sub>3</sub>/Si (x=0.2, 0.04) PN Heterostructures</b><br>T. Li, Y. Zhang and X.C. Ni                             | 625 |
| <b>Preparation and Evaluation of Sodium Hydroxymethyl Lignosulfonate as Eco-Friendly Drilling Fluid Additive</b><br>J. Zhang, G. Chen, N.W. Yang and Y.G. Wang                | 629 |
| <b>Solvothermal Synthesis and Photoluminescence of Rod-Like YVO<sub>4</sub>:Dy<sup>3+</sup> Nanocrystals</b><br>J.G. Li, G.C. Liu and D.W. Liang                              | 633 |
| <b>Harmful Gas Measured Research for GuanJiao Tunnel on Qinghai-Tibet Plateau Region</b><br>Z.X. Xie, S.X. Sun, G.L. Li and D. Zhao                                           | 637 |
| <b>Preparation of Carbon Nanofibers from Polyacrylonitrile Nanofibers by Electrospinning</b><br>E.Z. Li, D.X. Yang, W.L. Guo, H.D. Wang and B.S. Xu                           | 642 |
| <b>Preparation and Characterization of Ag, Au and Ti Metal Nanoparticles Colloids by Pulsed Laser Ablation in Liquids</b><br>B. Xu, R.G. Song and C. Wang                     | 648 |
| <b>Improve the Temperature Resistance of Guar Gum by Silanization</b><br>J. Zhang and G. Chen                                                                                 | 652 |
| <b>GaN-Based LEDs on Nano-Patterned Sapphire Substrates</b><br>J. Zhang and S. Sakai                                                                                          | 656 |
| <b>Study on the Structure and Properties of Surface Nanocrystallized Zr-4</b><br>C.H. Zhang, D.L. Liu, X.Z. Lan and X.C. Zhao                                                 | 660 |
| <b>Effect of Alkali and Silane Treatment on the Thermal Stability of Hemp Fibers as Reinforcement in Composite Structures</b><br>N. Lu, S. Oza and I. Ferguson                | 666 |
| <b>Preparation and Characterization of Ag Nanowires by Hydrothermal Method</b><br>L.G. Liu, Z.Q. Wei, X.J. Wu and G. Zhang                                                    | 671 |
| <b>Enhanced the Property of PP/EPDM with CaCO<sub>3</sub></b><br>G.S. Zeng, C. Meng, L. Chen and R.Z. Lin                                                                     | 677 |
| <b>A Novel Rectangle Plasmonic Optical Nano-Antenna with Two Protrusions in the Middle Gap</b><br>Z.H. Yuan, Z.W. Liu, M.J. Song and J. Huang                                 | 682 |
| <b>Effects of Pd and Ni Metals Electrolessly Deposited on Si Nanowires on Properties of Photoelectrochemical Solar Cell</b><br>W.L. Liu, Y.L. Hsieh, S.H. Hsieh and W.J. Chen | 686 |

|                                                                                                                                                                                                               |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Kinematics Simulation of Industrial Robot Based on MATLAB</b><br>H.M. Cai and T.T. Xing                                                                                                                    | 690 |
| <b>Manufacture and Characterization of TiO<sub>2</sub> Nanowires by CVD</b><br>W.L. Liu, S.H. Hsieh and W.J. Chen                                                                                             | 697 |
| <b>A Study of Divergence on still Point Charge and Moving Point Charge in the Vacuum Passive Space</b><br>G.T. Zheng and J.Y. Qin                                                                             | 701 |
| <b>Dry Sliding Wear Behaviour of Fe-Based Powder Sintered Steel</b><br>H. Chen and H.Y. Sun                                                                                                                   | 707 |
| <b>The Geometrical Characteristic Description Method of Part Drawing</b><br>M. Li and Y. Dong                                                                                                                 | 711 |
| <b>The Nanocrystallinity Enhancement of Sol-Gel Derived TiO<sub>2</sub> Nanoparticles by Pre-Hydrothermal Treatment</b><br>A.H. Yuwono, Y. Zhang and J. Wang                                                  | 715 |
| <b>Extraction Feature of Gas Flucturation of Guideway System Based on the Wavelet Transform</b><br>D.J. Chen, J.W. Fan, H.Y. Li and F.H. Zhang                                                                | 720 |
| <b>The Optimization of Thermomechanical Treatment and Properties of Cu-Fe-P Alloy C194</b><br>X.Z. Chen, Y.Z. Yang, Q.S. Lin and X.J. Bai                                                                     | 724 |
| <b>Establishment and Application of Simulation Mode on the Nano-Conductive Carbon Black Process</b><br>W.F. Yu, X.P. Zhou, W. Zhang, D.J. Liu, D.Y. Liu and D.L. Liu                                          | 728 |
| <b>Effect of Additives on Thermal Decomposition of Phosphogypsum</b><br>C.Y. Yang, Y. Wei, F.B. Ye, Y.G. Ding and Y.X. Wu                                                                                     | 735 |
| <b>A New Fuzzy Parameters Reliability Analysis Model</b><br>H.J. Chen, X.J. Lou and J. Liu                                                                                                                    | 741 |
| <b>Effect of Laser Fluence on Silver Nanoparticles Colloid</b><br>B. Xu, R.G. Song and C. Wang                                                                                                                | 747 |
| <b>Microstructure Characterization of Al Nanoparticles Prepared by Anodic Arc Plasma</b><br>Z.Q. Wei, X.J. Wu, L.G. Liu and G. Zhang                                                                          | 751 |
| <b>Rectifying Property of the Heterojunction Composed of La<sub>0.8</sub>Sr<sub>0.2</sub>MnO<sub>3</sub> on Si with and without SrMnO<sub>3</sub> Diffusion Barrier Layers</b><br>T. Li, Y. Zhang and X.C. Ni | 756 |
| <b>Micro Cantilever Beam Theory for Transverse Dynamics Using a Continuum Mechanics Model</b><br>C. Li, W.G. Huang and L.Q. Yao                                                                               | 760 |
| <b>Performance Study of ZrO<sub>2</sub>-Al<sub>2</sub>TiO<sub>5</sub> Composite Prepared by Solid Phase and Coprecipitation Method</b><br>L.F. Zhang, C.Z. Dong, H.F. Zhang and J.L. Bu                       | 764 |
| <b>Preparation and Characterization of SnO<sub>2</sub>/TiO<sub>2</sub> Composite with Low Infrared Emissivity</b><br>Y.J. Wang, J.P. Shao, A.Z. Deng and D. Li                                                | 768 |

### **Chapter 3: Iron and Steel**

|                                                                                                                                                                                                                       |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Kinematical Analysis on Three-DOF Cylindrical Industrial Manipulator</b><br>K. Tao and X. Wang                                                                                                                     | 775 |
| <b>Study on Cooling Process of Hot Rolled Wire Rod with Dual Phase Microstructure</b><br>X.J. Xu and J.Q. Kong                                                                                                        | 779 |
| <b>The Influence of Cold Working on Semiconducting Properties of Passive Film and Pitting Corrosion Resistance of High Nitrogen Austenitic Stainless Steel</b><br>L.W. Xu, H.B. Li, Q.F. Ma, Z.H. Jiang and D.P. Zhan | 784 |
| <b>The Design Study of New Insulation Board Synchronous Fixed-Length Cutting System</b><br>J. Sun, S. Mi, H. Zhu and T. Xu                                                                                            | 789 |
| <b>Research on the Effect of Microalloy Elements Mo and Nb on CCT Curve of Q&amp;P Steel</b><br>Z. Kuai, Y.L. Chen, B.T. Zhuang, A.M. Zhao, Y.H. Jiang and G.S. Zhu                                                   | 793 |
| <b>The Effect of Trace Boron Element on Local Corrosion Resistance of Casted 0.04C-16Cr Ferritic Stainless Steel</b><br>T.M. Guo, D.C. Zhang, Z. Hui, C.S. Han and L.M. Zhao                                          | 800 |

|                                                                                                                                                                                                               |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Optimization Design on Dynamic Reliability of a Tension Bar</b><br>X.G. Wang, B.Y. Wang and X.F. Tan                                                                                                       | 807 |
| <b>Secondary Hardening during Tempering of Cr-W-Mo-V High Alloy Medium-Upper Carbon Steel and its Hardness Forecast</b><br>Y.Q. Ma, H.T. Gao, Y.F. Liang and X.J. Zhang                                       | 813 |
| <b>FEM Analysis of the Mechanical Strain and Stress Characteristics of Continuous Casting Bloom under the Operation of Soft Reduction</b><br>K. Liu and J.Q. Zhang                                            | 819 |
| <b>Research on the Annealing Process of AISI4145H Steel</b><br>Z.Y. Huang, Y.Q. Wang, Y.H. Li, P. Wang and X.F. Zhang                                                                                         | 825 |
| <b>Effect of Casting Design to Microstructure and Mechanical Properties of 3 Mm TWDI Plate</b><br>J.W. Soedarsono, B. Suharno and R.D. Sulamet-Ariobimo                                                       | 831 |
| <b>Experimental Study on the Welding Property of Different Gauge Laser Tailor-Welded Blanks</b><br>W.Q. Lu and S. Xue                                                                                         | 838 |
| <b>Fully Automatic Wafer-Scale Micro/Nano Manipulation Based on Optically Induced Dielectrophoresis</b><br>Y.L. Qu, M.J. Zheng, W.F. Liang and Z.L. Dong                                                      | 842 |
| <b>Thermodynamic Research on Smelting Master Alloy by Direct Reducing Boron Oxide</b><br>D.G. Zhao, S.H. Wang, C.L. Wang and J. Gao                                                                           | 848 |
| <b>Effect of Coiling Temperature on Oxide Scale of Hot-Rolled Strip</b><br>X.L. Yu, Z.Y. Jiang, X.D. Wang, D.B. Wei and Q. Yang                                                                               | 853 |
| <b>Effect of Envelope Films on Thermal Properties of Vacuum Insulation Panels with Glass Fiber</b><br>W.P. Wu, Z.F. Chen, J.M. Zhou and X.Y. Cheng                                                            | 859 |
| <b>Study on SH-CCT Diagram and Weldability of S890 Steel</b><br>D.X. Yang, X.H. Wang, Z.Y. Liu and Y.F. Sun                                                                                                   | 865 |
| <b>Test Research on Single Point Impact of a Liquid Foundation</b><br>Y. Cao                                                                                                                                  | 869 |
| <b>Mechanical Properties and Fracture Characteristics of Ultra-Microduplex Structure in High Carbon Steel</b><br>J.P. Lu                                                                                      | 875 |
| <b>Research on Contact Fatigue of Cylindrical Gear</b><br>X.Y. Li, S.S. Li, D.Q. Geng and Q.L. Zeng                                                                                                           | 879 |
| <b>Effect of Cold Reduction Ratio on Deep-Drawing Performance of High Strength Ti-Nb-If Steel Sheets</b><br>M.L. Wang, Z.W. Zheng and L. Xiao                                                                 | 883 |
| <b>Stability Study on Perforated Columns in Steel Storage Racks under Axial Compression</b><br>S.F. Yu and Y. Ge                                                                                              | 889 |
| <b>The Microstructure and Creep Strength of 403Nb Martensitic Heat-Resistant Steel</b><br>Z.Y. Zeng, L.Q. Chen and F.X. Zhu                                                                                   | 896 |
| <b>EBS D Characteristics of HSLA100 Steel Quenched in the 2-Phase Region</b><br>X. Yan, F.X. Yin, G.F. Zhou and W. Chen                                                                                       | 901 |
| <b>The Influence of the Residual Mg Content in the Ductile Cast Iron on the Formation Law of Spheroidal Graphite</b><br>Z.Q. Shen, H.L. Zheng, T.T. Li, Y. Xu, R.F. Xu and X.L. Tian                          | 907 |
| <b>Research on Effect of Temperature on Nitrogen Solubility in Steel</b><br>S.H. Wang, C.L. Wang, D.G. Zhao and J. Gao                                                                                        | 915 |
| <b>Based on Grey Prediction and Fuzzy PID Control Method</b><br>Y. Fei, J. Ning and X.K. Wang                                                                                                                 | 920 |
| <b>UG and VERICUT-Based Processing of Special-Shaped Stone Samples</b><br>Y.H. Wu, Q. Gao and D.H. Zhao                                                                                                       | 924 |
| <b>Relationships between <math>\delta \rightarrow \gamma</math> Phase Transformation and the Crack Formation in Continuous Casting Slabs</b><br>G.W. Chang, Q.C. Li, S.Y. Chen, X.D. Yue, Y. Yu and C.Q. Wang | 929 |
| <b>A Comprehensive Utilization of Laterite Nickel Ore</b><br>Y. Liu, Y.W. Tian and Y.C. Zhai                                                                                                                  | 934 |



|                                                                                                                                                                                             |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Microstructure and Property Control of Hot Rolled DP600 Steel</b><br>L.Y. Zhou, Y.Z. Liu, L.H. Yang and D. Zhang                                                                         | 938 |
| <b>Effect of Heat Treatment on Microstructure and Mechanical Properties of 800MPa Grade Ultra Low Carbon Bainite Steel</b><br>Z.L. Wei, L.F. Zuo, B. Ma, L.X. Zhang, H. Zhang and Z.D. Wang | 943 |
| <b>Microstructure and Texture Evolution of Strip Casting Fe-6.2wt%Si Steel</b><br>H.T. Liu, Z.Y. Liu, Y. Sun, Y.Q. Qiu and G.D. Wang                                                        | 947 |
| <b>Performance Characteristics of the Steels for High-Rise Buildings</b><br>Q.B. Yu                                                                                                         | 951 |
| <b>Development of Processing Maps for Coiled Tubing Steel</b><br>Z.D. Zhang, H.T. Zhou, X.H. Liu, S.J. Li, J. Dong and X. Zhou                                                              | 955 |
| <b>A Modified Method of Life Analysis Based on Unascertained Theory</b><br>Z.L. Chu, Z.C. Yang, J. Liang, M.L. Peng and Z.H. Zhou                                                           | 960 |
| <b>A Study of the Inhibition of Iron Corrosion by Glutamic Acid Derivatives Self-Assembled Films</b><br>Z. Zhang, G. Yan and L. Ruan                                                        | 964 |
| <b>Research on Microwave Carbon-Thermal Reduction of the Preparation Concentrate of Coarse Niobium</b><br>J. Chen, B.W. Zhang, C.X. Liu and L.C.K. Bu                                       | 968 |
| <b>The Effect of Bainitic Transformation on Martensite Start Temperature of a Fe-C-Mn-Si Alloy</b><br>G. Xu, H. Zou and C.H. Bu                                                             | 974 |

## Chapter 4: Ceramic

|                                                                                                                                                                                                                                                                                          |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Developing the Crystalline Structures and Dielectric Properties of Excess Bi<sub>2</sub>O<sub>3</sub>-Added 0.95(Na<sub>0.5</sub>Bi<sub>0.5</sub>)TiO<sub>3</sub>-0.05BaTiO<sub>3</sub> Ceramics</b><br>Y.H. Lin, P.S. Cheng, Y.T. Hsieh, W.C. Tzou, C.C. Wu, K.T. Wang and C.F. Yang | 981  |
| <b>Development of a Phenomenological Method for Description of Crack Initiation Behavior under Thermo-Mechanical Fatigue Loading</b><br>L. Cui and P. Wang                                                                                                                               | 986  |
| <b>Backpressure of Three-Dimensional Reticulated Structure Silicon Carbide Ceramics Foam Filter</b><br>Q.Y. Du, J.H. Bai and H.J. Xu                                                                                                                                                     | 990  |
| <b>Effects of BN Dopant on Electrical Characteristics of Barium-Excessive BaTiO<sub>3</sub> Ceramics for Laminated Positive Temperature Coefficient Thermistors Fabricated by Tape Casting Technique</b><br>B.B. Chen, S.P. Gong, J.Q. Liu, L.H. Li and D.X. Zhou                        | 994  |
| <b>Effect of Ni Electrode on the Characteristics of BaTiO<sub>3</sub> Based PTCR Ceramics</b><br>H. Liu, R. Zhu, Z.P. Zheng, D.X. Zhou and Q.Y. Fu                                                                                                                                       | 1000 |
| <b>Fabrication of Lead-Free and High T<sub>c</sub> Positive Temperature Coefficient of Resistivity Ceramics Sintered in Air</b><br>J. Zhao, H.B. Yang, S.P. Gong and D.X. Zhou                                                                                                           | 1005 |
| <b>Influence of Sintering Temperature on the Properties of Porous Quartz Ceramics via the Atmospheric Pressure Sintering Method</b><br>J.G. Song, F. Wang, Y.Y. Ju, M.H. Xu and S.B. Li                                                                                                  | 1009 |
| <b>Dielectric and Ferroelectric Properties of (K<sub>0.5</sub>Na<sub>0.5</sub>)(Nb<sub>1-x</sub>V<sub>x</sub>)O<sub>3</sub> Ceramics</b><br>Y.M. Huang, L.J. Liu, D.P. Shi, S.Y. Zheng, S.S. Wu and L. Fang                                                                              | 1013 |
| <b>Study on Low-Temperature Fast-Firing CuO-MnO<sub>2</sub>-TiO<sub>2</sub>-NiO with Oxidizing Flame in the Preparation Process of Metallic Lustre Artistic Glaze Optimization</b><br>X.T. Shi, T. Zhang, X.Y. Fan and H. Zhong                                                          | 1017 |
| <b>Synthesis, Thermal Expansion Properties and Raman Spectroscopic Study of Ca<sub>1-x</sub>Sr<sub>x</sub>Zr<sub>4</sub>P<sub>6</sub>O<sub>24</sub> Ceramics</b><br>Z.H. Wang, D.Y. Xie, B.H. Yuan, X.S. Liu, W.B. Song, B. Yuan and E.J. Liang                                          | 1023 |
| <b>Temperature Field of Single-Well Aquifer Thermal Energy Storage in Sanhejian Coal Mine</b><br>Y. Zhang and D.M. Guo                                                                                                                                                                   | 1028 |
| <b>The Influence of Ba-Ti Ratio on the Electrical Properties and Microstructures of the Ba<sub>M-0.007</sub>Sm<sub>0.007</sub>TiO<sub>3</sub> Based Ceramics Fired in Reducing Atmosphere</b><br>X.X. Cheng, D.X. Zhou, Q.Y. Fu and S.P. Gong                                            | 1032 |

|                                                                                                                                                                                                                                              |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Preparation of Porous Lightweight Ceramics and Fibre Joining Materials</b><br>Y.N. Zhao, C.F. Wang, J.C. Liu and H. Xu                                                                                                                    | 1038 |
| <b>Effect of Fe<sub>2</sub>O<sub>3</sub> Dopant on Electronic Densities and Electrical Properties of ZnO-Based Varistors</b><br>W. Deng, Z.Q. Lei, J.L. Zhao, Y.Q. Lu and D.K. Xiong                                                         | 1042 |
| <b>Temperature Stable Bi<sub>1.3</sub>Yb<sub>0.7</sub>O<sub>3</sub>-BaTiO<sub>3</sub> Relaxor Ferroelectric</b><br>J.T. Qi, J.J. Hao, Y.X. Zhang, B. Liu and X.J. Wang                                                                       | 1046 |
| <b>Effect of Bi<sub>2</sub>O<sub>3</sub> Addition on the Physical and Electrical Properties of Lead-Free (Na<sub>0.5</sub>Bi<sub>0.5</sub>)TiO<sub>3</sub>-Ba(Sn<sub>0.08</sub>Ti<sub>0.92</sub>)O<sub>3</sub> Ceramics</b><br>C.H. Wang     | 1051 |
| <b>The Evaluation of Wheelchair Comfort Based on Analytic Hierarchy Process</b><br>T.M. Guan, M.C. Qin and Y.L. Yuan                                                                                                                         | 1055 |
| <b>Influence of CeO<sub>2</sub> Nanopowder on Crystallization Behavior and Sintering Performance of Fused Quartz Ceramic Materials</b><br>L.X. Yu, Y.J. Chen, J.L. Bu, J.X. Chen and Z.F. Wang                                               | 1060 |
| <b>The Influences of NaNbO<sub>3</sub> on the Dielectric and Structure Characteristics of (1-X) (Na<sub>0.5</sub>Bi<sub>0.5</sub>)TiO<sub>3</sub>-x NaNbO<sub>3</sub> Ceramics</b><br>C.C. Wu, Y.H. Lin, P.S. Cheng, C.C. Chan and C.F. Yang | 1064 |
| <b>Study on Microstructure of ZnO Lighting Arrester with High Voltage Gradient</b><br>M. He, Q.B. Liu and C.Q. Xia                                                                                                                           | 1070 |
| <b>Influence of La<sub>2</sub>O<sub>3</sub> Nanopowder on Crystallization Behavior and Sintering Performance of Fused Quartz Ceramic Materials</b><br>J.L. Bu, Y.J. Chen, J.X. Chen, L.X. Yu and Z.F. Wang                                   | 1074 |
| <b>Effect of La<sub>2</sub>O<sub>3</sub> Addition on the Microstructure and Electrical Properties of Copper-Nickel Manganese Thermistors</b><br>J.C. Yao, J.H. Wang, Q. Zhao, X. Huang and A.M. Chang                                        | 1078 |

## Chapter 5: Metal Alloy Materials

|                                                                                                                                                                                                          |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Fracture Behavior and Microstructure of 60Si2MnA Spring Steels Modified by V-Nb Inoculants</b><br>T.B. Wang, C.X. Cui, L. Fang and S.J. Bu                                                            | 1085 |
| <b>The Effects of Rolling and Annealing on the High Speed Impact Deformation Behavior of Mg-3%Li-1%Ce Alloy</b><br>T. Liu, G.Y. Sha, H.N. Wang, X.L. Wang and Y.H. Zhu                                   | 1090 |
| <b>Plasticity and Fracture Mechanism of Refine-Grain AZ31 Magnesium Alloys Sheet</b><br>B.J. Wang, Y.D. Zhang and S. Li                                                                                  | 1096 |
| <b>Thermal Characterization of Polyurethane from Castor Oil Reinforced Sugarcane Straw Composites</b><br>P.C. Miléo, G.J. de Moraes Rocha and A.R. Gonçalves                                             | 1103 |
| <b>Effect of Solid Solution on the Microstructure and Performance of Nuclear Power Slot Wedge Copper Alloy</b><br>Y.S. Xu, N.N. Lin and Y.L. Jiao                                                        | 1107 |
| <b>Electromechanical Analysis of a Beam Piezoelectric Transducer Energy Harvest Device</b><br>M.H. Xu and B.L. Wang                                                                                      | 1114 |
| <b>Titanium Boride in High Nb Containing TiAl Alloy: Morphology and Effect on Mechanical Properties</b><br>X.J. Xu, J.P. Lin and Y.L. Wang                                                               | 1121 |
| <b>Study on Nitridation Behavior of Mg-Ca Alloy under Nitrogen</b><br>X.X. Yang, D.Q. Tan, D.F. Xiao and Y.J. Zhan                                                                                       | 1127 |
| <b>Influence of Nb and Sn on <i>d</i> Electrons of TiAl Alloys Studied by Coincidence Positron Annihilation Spectroscopy</b><br>J. Gao, J.Y. Ye, W.C. Zhang, H.J. Wang and W. Deng                       | 1132 |
| <b>Microstructural Formation in Novel Co-Base ODS Alloys Produced by Mechanical Alloying</b><br>L. Zhang, X.B. He, X.H. Qu, R.U. Din, H.S. Liu, D. Li and H.M. Zhu                                       | 1136 |
| <b>Effect of Tool pin Profile and Axial Force on Tensile Behavior in Friction Stir Welding of Dissimilar Aluminum Alloys</b><br>R. Palanivel, P.K. Mathews, M. Balakrishnan, I. Dinaharan and N. Murugan | 1140 |

|                                                                                                                                                                                                             |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Constitutive Equation of an Al-12.7Si-0.7Mg Alloy in Superplastic Deformation</b><br>Y.B. Han, Z.L. Li, G. Zhou, F.R. Cao, H. Ding and F.X. Yu                                                           | 1147 |
| <b>Preparation and Mechanical Properties of a Bulk Icosahedral Quasicrystalline Ti-Zr-Sc-Ni Alloy</b><br>X.L. Wang, W.Q. Liu, S.S. Zhang and L.M. Wang                                                      | 1153 |
| <b>Tensile Properties of Hot Extruded Mg-Zn-Nd-Y-Zr Alloy at Elevated Temperatures</b><br>X. Zhou, H.T. Zhou, Z.D. Zhang, R.R. Liu and L.B. Liu                                                             | 1157 |
| <b>Application of Benzyl Ester of Modified Vegetable Oils as Rubber Processing Oils</b><br>H. Boontawee, C. Nakason, A. Kaesaman, A. Thitithammawong and S. Chewchanwuttiwong                               | 1164 |
| <b>Phase-Field Model for Spinodal Decomposition of Dilute Solute Field in Al-Ag Alloy</b><br>Y.J. Gao and Z.R. Luo                                                                                          | 1168 |
| <b>Research on the Shrinkage Cavity and Broken Graphite Mold Core of Copper Alloy in Horizontal Continuous Casting</b><br>S.N. Li, Y. Chen, J.W. Ye, S.Z. Zhang, A.C. Xiao, H.M. Chen, Z. Zheng and H. Chen | 1171 |
| <b><i>In Vitro</i> Bioactivity of a Biocomposite Fabricated from Ti and Mg Powders by Powder Metallurgy Method</b><br>E. Sharifi Sede, S. Mirdamadi and H. Arabi                                            | 1176 |
| <b>Effect of Different Aging Temperatures on Interfacial Reaction between SAC305 and ENEPIG Surface Finish</b><br>S. Azlina, A. Ourdjini, S.R.A. Idris and M.A. Azmah Hanim                                 | 1181 |
| <b>Influence of Combined Processes between Gas Soft Nitriding and Carburizing to Hardness of Low Carbon Steel</b><br>S. Siwadamrongpong, S. Khaengkarn and K. Tachee                                        | 1186 |
| <b>The Discovery and Preliminary Analysis of an Ancient Kiln Site near Cao Village in Linzhang Town of Hebei Province</b><br>R.W. Li, J.B. Wang, G.X. Li, Z.Z. Zhang, J. Wu and M.L. Zhang                  | 1190 |
| <b>Synthesis and Characterization of Siloxane-Modified Polyurethane Dispersion/Clay Nanocomposites</b><br>H.H. Noh, J.K. Lee, X. Liu and Y.M. Choi                                                          | 1196 |
| <b>Circumferences Lead to Enhancements of Nonresonant Third-Order Susceptibilities for Carbon Nanotube Bundles</b><br>W.D. Cheng, C.S. Lin and H. Zhang                                                     | 1200 |

## Chapter 6: Biomaterials

|                                                                                                                                                                                                                      |      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Preparation and Characterization of the Lignocellulose Aerogel</b><br>Q. Guan, X.H. Zhao and J. Li                                                                                                                | 1207 |
| <b>The Research on the Interfacial Adhesion of Polypropylene-Magesium Hydroxide Composite Modified by Different Compatibilizers</b><br>H. Shen, K.C. Mai and D. Liang                                                | 1211 |
| <b>Quantitatively Ca<sub>3</sub>SiO<sub>5</sub> Particles Adherence Affected the Teeth Enamel Remineralization</b><br>Z.H. Dong                                                                                      | 1215 |
| <b>Measure of the Photosynthetic Efficiency of the Ficus Altissima Leaves by Using Photo-Acoustic Tomography Spectroscopy Technology</b><br>G.H. Lie, G.W. Lie, Z.L. Tang, T. Yang, W. Dong, X.W. Tang and Y.F. Liao | 1219 |
| <b>Preparation of MIP Microspheres by Precipitation Polymerization with 1-Phenyl-1-Propanol as Template</b><br>C.Y. Yao, Q.Q. Li and Y.H. Lu                                                                         | 1225 |
| <b>Preparation of Starch/PS-g-MAH Blends and Effect on Controlled Release of Herbicide</b><br>L.M. Tai                                                                                                               | 1231 |
| <b>Contact Analysis of Prosthetic Knee Joint Using ANSYS</b><br>C.S. Ramesh and C. Shashishekar                                                                                                                      | 1235 |
| <b>Quick Cultivation of Micro-Aerobic Granular Sludge for Simultaneous Nitrogen Removal</b><br>X. Liu and L.N. Guo                                                                                                   | 1239 |
| <b>The Green Design of Modern High-Rise Office Building Internal Space</b><br>Z.H. Ye                                                                                                                                | 1243 |
| <b>Preparation of Phenol-Formaldehyde Foams Using Fulvic Acid</b><br>X.L. Zhang, Z.A. Wang and X. Su                                                                                                                 | 1247 |

|                                                                                                                            |      |
|----------------------------------------------------------------------------------------------------------------------------|------|
| <b>Evaluation of Tribological Performance of PTFE Composite Filled with Rare Earth Treated Potassium Titanate Whiskers</b> |      |
| Y. Fan, Q.J. Ding, C.H. Liu and J.L. Hu                                                                                    | 1252 |
| <b>Application of Biodegradable Polymers on Hydroseeding</b>                                                               |      |
| L.H. Chou, C.K. Lu and T.M. Chou                                                                                           | 1257 |
| <b>Effect of the Starting NCO/OH Molar Ratio on the Structure and Properties of Polyurethane</b>                           |      |
| Y.H. Yi and H. Shi                                                                                                         | 1261 |
| <b>Comparative Analysis on Chemical Composition and Charcoal Characterization of Two <i>Miscanthus</i> Species</b>         |      |
| W.B. Zhang, W.Z. Li and B.S. Zheng                                                                                         | 1265 |
| <b>Preparation of Salt-Resistance Superabsorbent Microspheres by Inverse Suspension Polymerization</b>                     |      |
| M. Zhou, J.Z. Zhao and Y. Yang                                                                                             | 1273 |
| <b>Study of Self-Assembled Monolayers of Stearic Acid on Pure Magnesium Surface</b>                                        |      |
| L.Y. Qiao, J.C. Gao, Y. Wang and F.Y. Xie                                                                                  | 1279 |

## Chapter 7: Optical/Electronic/Magnetic Materials

|                                                                                                                                                                                      |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>A Theoretical Study on Photosensitizers of Solar-Energy Cell: Transition Metal Carboxyphthalocyanine Complexes</b>                                                                |      |
| L.C. Xuan, Y.R. Guo and Q.J. Pan                                                                                                                                                     | 1287 |
| <b>Fabrication and Thermoelectric Properties of Magneli Phases by Adding Ti into TiO<sub>2</sub></b>                                                                                 |      |
| Y. Lu, Y. Matsuda, K. Sagara, L. Hao, T. Otomitsu and H. Yoshida                                                                                                                     | 1291 |
| <b>Irradiation Damage of Electron-Beam on High-Power AlInGaP Red LED</b>                                                                                                             |      |
| R.B. Zhang, Y.P. Huang, H.L. Liu and Z.G. Peng                                                                                                                                       | 1297 |
| <b>Theoretical Energy Distributions of Electrons from a Large Exponential-Doping GaAs Photocathode</b>                                                                               |      |
| Z.P. Cai, W.Z. Yang, W.D. Tang and X. Hou                                                                                                                                            | 1302 |
| <b>The Study of Thermal Effect in Liquid Crystal Director</b>                                                                                                                        |      |
| Z.Y. Ye and Z.Y. Wang                                                                                                                                                                | 1306 |
| <b>Study on the Synthesis and Application of THPS-OMMT-MDFP Nanocomposite Flame Retardant</b>                                                                                        |      |
| J.W. Yang, H.J. Ling, L. Xiang, F.Y. Li, Z.Y. Zhang and L.X. Li                                                                                                                      | 1310 |
| <b>A Study on Step-Like Magnetization Curves in Tb<sub>3</sub>Ga<sub>5</sub>O<sub>12</sub> at Low Temperature</b>                                                                    |      |
| H. Chen, G.Y. Zhang, D. Yang, Y.F. Duan and H.S. Liu                                                                                                                                 | 1315 |
| <b>Fluorescent Carbon Dots (CDs) as a pH Sensor</b>                                                                                                                                  |      |
| F. Lin, W.N. He and X.Q. Guo                                                                                                                                                         | 1319 |
| <b>Effect of Annealing Temperature on the Properties of Silicon Crystal</b>                                                                                                          |      |
| Q.Y. Hao, X.J. Xie, B.Z. Wang and C.C. Liu                                                                                                                                           | 1323 |
| <b>Characteristics of Two-Stage <math>\Gamma</math>-Gate on AlGaAs/InGaAs/AlGaAs DH-HEMTs by Using AlGaAs/InGaP Etching-Stop Layers</b>                                              |      |
| J.C. Lin, F.X. Zeng, J.N. Wei, C.T. Liu, M.K. Hsu and H.T. Hou                                                                                                                       | 1327 |
| <b>Preparation of Y<sub>4</sub>MgSi<sub>3</sub>O<sub>13</sub>:Tb<sup>3+</sup>,Ce<sup>3+</sup> Green Emitting Phosphor for White Light Emitting Diodes and its Luminescence Study</b> |      |
| G.H. Song, B. Jiang, J.W. Miao and B.D. Ding                                                                                                                                         | 1333 |
| <b>Experimental Verification of Circuit Analog of Three- and Four-Level Electromagnetically Induced Transparency</b>                                                                 |      |
| X. Chen, X.M. Leng, J.X. Li, Y.T. Yeh, T.C. Liao, J.Q. Shen, Y.H. Kao and T.J. Yang                                                                                                  | 1340 |
| <b>A New Method to Measure the Absorption Coefficient of the Automotive Driving Room Based on the Sound Pressure Delaying</b>                                                        |      |
| C.Y. Zhu, J.R. Shi and S.F. Yang                                                                                                                                                     | 1350 |
| <b>Optical Study of Poly (9,9-Dioctylfluorene) Isolated by AlB<sub>2</sub>O<sub>3</sub> Flat Rafts</b>                                                                               |      |
| G.H. Chen, P.P. Wang and J. Long                                                                                                                                                     | 1355 |
| <b>Organic Light Emitting Diodes with Metallocene Compounds as Cathode Interfacial Layers</b>                                                                                        |      |
| K.H. Park, D.H. Yeo, S.S. Oh, H.B. Kim, M.H. Ha, H.J. Oh, M.W. Park, J.S. Park, D.W. Park, D.G. Jung, H.Y. Chae, H.S. Kim and J.H. Boo                                               | 1360 |

|                                                                                                                                                                                                                                          |      |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Synthesis and Properties of Spirosilafluorene Oligomer</b><br>Q. Hou, N.Y. Li, Y. Zhang, J.G. Liu and H. Zhu                                                                                                                          | 1364 |
| <b>2.1μm Room Temperature Continuous Waves Operation of InGaAsSb-AlGaAsSb Double-Quantum Well Laser</b><br>M.H. You, X. Gao, Z.G. Li, G.J. Liu, M. Li, Y. Wang and X.H. Wang                                                             | 1368 |
| <b>The Enhanced Saturation Magnetization of Nanocrystalline (Ni<sub>0.5</sub>Zn<sub>0.5</sub>)<sub>1-x</sub>Co<sub>x</sub>Fe<sub>2</sub>O<sub>4</sub> Ferrite</b><br>Y.B. Qiu, Y. Liu, F.F. Min, Y. Cao, T. Qiu, M.X. Zhang and W.P. Pan | 1372 |
| <b>Second-Harmonic Generation of the Chalcogenide Amorphous Film by Electron Beam Irradiation</b><br>J. Hu and S.X. Gu                                                                                                                   | 1376 |
| <b>Synthesis and Photoluminescence Property of Tris(8-hydroxyquinoline) Bismuth Rod-Like Structures at Room Temperature</b><br>H.L. Wang, J.H. Zhang, Z.K. Qu, L. Jia and J.L. Wang                                                      | 1382 |
| <b>The Fluorescent and Photovoltaic Properties of Meso-Teraphenyl Porphyrins with Different Substituents</b><br>W. Yin, H.B. Fa, C.G. Chen and L.P. Zhang                                                                                | 1387 |
| <b>Heat Transfer Coefficient Prediction by FEM in the Hot Strip Rolling</b><br>R.B. Mei, C.S. Li and X.H. Liu                                                                                                                            | 1391 |
| <b>Effect of Two Different Mesogens on Liquid-Crystalline Properties of Chiral Side-Chain Liquid-Crystalline Polysiloxanes</b><br>J.W. Wang, J.Q. Zi, L.X. He, G.Y. Chen and Y.Z. Yang                                                   | 1395 |
| <b>Microwave Absorption Performance of La<sub>0.7</sub> Sr<sub>0.3</sub> MnO<sub>3</sub> with Different Sintering Temperatures</b><br>S.Y. Zhang and Q.X. Cao                                                                            | 1399 |
| <b>The Time Response of Exponential Doping NEA InGaAs Photocathode Applied to near Infrared Streak Cameras</b><br>W.D. Tang, W.Z. Yang, Z.P. Cai and C.D. Sun                                                                            | 1403 |
| <b>Tunable Magnetism and Half-Metallic Stability of Half-Heusler Compound NiMn<sub>1-x</sub>Nb<sub>x</sub>Sb</b><br>Q. Zhou, B. Wu, H.K. Yuan and H. Chen                                                                                | 1407 |

## Chapter 8: Building Materials

|                                                                                                                                                                                                     |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>UV Ageing Test and EIS Study of Fluorocarbon Resin Coatings on Galvanized Sheet</b><br>L. Wang, C.Q. An, J. Sun, H.Y. Yu and C.S. LIU                                                            | 1413 |
| <b>Application the Thermomechanical Damage Modeling Approach with Generalized Non-Linear Strength Theory</b><br>X. Guo and W.W. Yu                                                                  | 1417 |
| <b>Experimental Study on the Effect of Steel-Tube Replacement Ratio on the Eccentric Compression Bearing Capacity of Composite Column</b><br>X.H. Zhang and Q.Q. Guo                                | 1421 |
| <b>Difference between the Measured and Theoretical Value and Theirs Influencing Factors for Heat Transfer Coefficient of Exterior Wall External Insulation</b><br>Y.L. Tian, J.M. Lu and W.Y. Zhang | 1427 |
| <b>Ground Adaptability Characterization for Digging in Complex Geotechnical Conditions and Risk Mitigation</b><br>W.W. Yu and X. Guo                                                                | 1431 |
| <b>Study on Conductive Mechanism of Carbon Fiber Filled Cement-Based Composites</b><br>X.L. Nan and X.M. Li                                                                                         | 1435 |
| <b>Damage Model for Dissipative Materials with Generalized Non-Linear Strength Theory</b><br>W.W. Yu and X. Guo                                                                                     | 1439 |
| <b>Synthesis, Crystal Structure and Spectroscopy of Dibutyl Ester-Ether Fluorescein</b><br>K.L. Zhang, N.S. Zhang and C.T. Qu                                                                       | 1443 |
| <b>Synthesis and Surface Properties of a Novel Switchable Bolaform Surfactant</b><br>K.L. Zhang, N.S. Zhang and C.T. Qu                                                                             | 1447 |
| <b>First-Principles Study on Mechanical Properties of IVB-Group Transition-Metal Nitrides TiN, ZrN, and HfN</b><br>J. Wang, Z.Q. Chen, C.M. Li, F. Wang and Y. Zhong                                | 1451 |

|                                                                                                                                                                     |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Characteristics and Applications of the AAm-Grafting PE</b><br>L.H. Chou and M.T. Lee                                                                            | 1457 |
| <b>Study on the Performance Influencing Factor of Epoxy Asphalt Waterproof Cohesive Layer in Steel Deck Pavement</b><br>D.J. Zhang, F. Ye, J.Z. Zhou and S. Wang    | 1461 |
| <b>Influence of Calcination Temperature on Activity of Hydration Properties of Gangue</b><br>J.P. Zhu, J.W. Zhang, S.H. Zhao and D.X. Li                            | 1466 |
| <b>Adhesion Mechanism Analysis of Prepainted Steel Sheet at UV Ageing Test</b><br>L. Wang, C.Q. An, J. Sun, H.Y. Yu and C.S. LIU                                    | 1470 |
| <b>Effect of Carbon Fiber Gradient Distribution on Heat Property of Electrically Conductive Cement Mortar</b><br>R. Hai                                             | 1474 |
| <b>Study of Ground Lateral Flow on Piles Foundation due to Soil Liquefaction</b><br>W.W. Yu and X. Guo                                                              | 1478 |
| <b>Phase Field Model for Influence of Edge Dislocation on Precipitation</b><br>C.G. Huang, Y.J. Gao, L.L. Huang and J.L. Tian                                       | 1482 |
| <b>Research on Solid Wastes of Gangue, Slag, Fly Ash Used as Cement Composite Mixing Materials</b><br>J.G. Liao, Q. Ma, Y.S. Zhang, Z.Y. Song, K.H. Liu and Y.W. Hu | 1486 |
| <b>The Use of Residual Rice Husk Ash from Thermal Power Plant as Cement Replacement Material in Producing Self-Compacting Concrete</b><br>G. Sua Iam and N. Makul   | 1490 |
| <b>Improvement of Resistance of Concrete Against Chloride Ingression Using a New Admixture</b><br>W. Zhang, X. Yao and R. Mu                                        | 1496 |
| <b>Study on the Workability of Self-Compacting Lightweight Aggregate Concrete with Orthogonal Experiment Method</b><br>X.J. Liu and Y.M. Wang                       | 1503 |
| <b>Preparation and Performance Investigation of Phenolic Foam</b><br>L.Y. Wang, G.Q. Gai, H.Y. Yu and W.L. Liu                                                      | 1508 |
| <b>Wavelet-Based Denoising of Vibration Signals for Tool-Edge Wear Detection in High Speed Machining of Inconel 718</b><br>N. Fang, P.P. Srinivasa and N. Edwards   | 1512 |
| <b>Study on Relationship between Structural Parameter and Performance of Gas-Solid Separator</b><br>X.P. Wang and Z.W. Zhang                                        | 1516 |
| <b>The Experimental Studies on Self-Heat Conserving Facade Panel with Waste Fibers</b><br>H.C. Wang, Y.L. Yu and L.H. Lv                                            | 1521 |
| <b>Effects of Pebble Aggregate in Xinjiang Area on Concrete Performance</b><br>L. Wang, S.M. Song and W.Z. Bao                                                      | 1525 |
| <b>Performance of Asphalt Mixture Used for Asphalt Treated Base of Perpetual Pavements</b><br>F.M. Liu and D.Y. Wang                                                | 1531 |
| <b>Effect of Differential Speed Rolling on Microstructure and Mechanical Properties of AZ31B Magnesium Alloy Sheets</b><br>H.Q. Liu, D. Tang, Z.L. Mi and Z. Li     | 1537 |
| <b>Research on Fractal Characteristics of Cement-Based Materials by Nitrogen Adsorption Method</b><br>M. Tang and J.Q. Li                                           | 1545 |
| <b>Under Uniaxial Compression of Rock Specimens of Two Cracking of Shear Failure Mode Analysis</b><br>J. Liu, D.J. Yi, J. Cai, S.W. Luo and L. Xiao                 | 1553 |

## **Chapter 9: New Energy Materials and Environmental Materials**

|                                                                                                                                                                          |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Screening of Yeast with High-Yield Single Cell Protein and Preliminary Optimization of its Culture Coddion</b><br>M. Shi, M.Z. Liang, H.Y. Liang, M. Li and A.P. Liao | 1561 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|

|                                                                                                                                                                                                                                                                                      |      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Improved the Physical and Electrochemical Hydrogen Storage Kinetics of Mg<sub>2</sub>Ni-Type Alloys by Substituting Ni with Co and Melt Spinning</b><br>Z.H. Ma, B. Li, D.L. Zhao, H.P. Ren, G.F. Zhang and Y.H. Zhang                                                            | 1565 |
| <b>Green Energy Anode Materials: Pyrolytic Carbons Derived from Peanut Shells for Lithium Ion Batteries</b><br>G.T.K. Fey, Y.Y. Lin, K.P. Huang, Y.C. Lin, T.P. Kumar, Y.D. Cho and H.M. Kao                                                                                         | 1572 |
| <b><i>In Situ</i> Quaternized Gel Electrolyte for Quasi-Solid-State Dye-Sensitized Solar Cell</b><br>Y.H. Dai, X.L. Sun, J.L. Wang and M.S. Yang                                                                                                                                     | 1586 |
| <b>Preparation and Coagulation Performance of Poly Silicate Aluminium Ferric Boron (PSAFB)</b><br>Q.T. Lin, H.P. Pan and G.G. Liu                                                                                                                                                    | 1590 |
| <b>Preparation and Photoelectric Properties of Spinel MCr<sub>2</sub>O<sub>4</sub> (M = Cu, Ni) Nanopowders</b><br>Z.Q. Hu, Y. Qin, X.Q. Liu, S.R. Zhai and H. Gao                                                                                                                   | 1594 |
| <b>Thermodynamics of Phenol Adsorption onto Activated Carbon Fiber</b><br>M. Li, Y. Luo, T. Xie, M.Z. Liang and S.F. Wang                                                                                                                                                            | 1599 |
| <b>Enhanced Electrochemical Cycle Stability of RE-Mg-Ni System A<sub>2</sub>B<sub>7</sub>-Type Alloys by Melt Spinning and Substituting La with Pr</b><br>H.P. Ren, B.W. Li, Z.H. Hou, X.G. Liu, L.L. Chen and Y.H. Zhang                                                            | 1603 |
| <b>Performance Enhancement of Organic Solar Cells with the LiF/Al Cathode Structure by the Pyromellitic Dianhydride Layer</b><br>S.S. Oh, D.H. Yeo, K.H. Park, H.B. Kim, M.H. Ha, H.J. Oh, M.W. Park, J.S. Park, D.W. Park, D.G. Jung, H.Y. Chae, H.S. Kim, J.H. Boo and E.Y. Nam    | 1608 |
| <b>Improvement of the Properties of CuInS<sub>2</sub> Thin Film Prepared in Sulfate System</b><br>L. Lu and X.G. Li                                                                                                                                                                  | 1611 |
| <b>Thermoelectric Properties of Ba<sub>x</sub>Co<sub>4</sub>Sb<sub>12</sub> Prepared by High Pressure and High Temperature</b><br>B.K. Qin, Y.H. Ji, Z. Li and X.P. Jia                                                                                                              | 1615 |
| <b>Preparation and Properties of Corn Gluten Meal/Poly (Lactic Acid) Composite</b><br>Y. Chen, N. Zhang, G.Y. Wang, Y. Du and S. Isobe                                                                                                                                               | 1620 |
| <b>Starch-Chitosan Blend Films Prepared by Glutaraldehyde Cross-Linking</b><br>F.H. Li, Y.M. Chen, L. Li, X.L. Bai and S. Li                                                                                                                                                         | 1626 |
| <b>Study on the Effect of Carboxyl Bagasse Hemicellulose on Heavy Metal Adsorption</b><br>L.J. Wang, X.L. Liu, H.X. Zhu, M.L. Weng, Z.J. Li, Y.G. Lu, F.S. Wu and S.F. Wang                                                                                                          | 1630 |
| <b>Numerical Simulation and Optimization on Casting Process of Mould Clamping Board Using a Nodular Cast Iron</b><br>G.F. Mi, L.L. Chen and C.Y. Li                                                                                                                                  | 1637 |
| <b>Theoretical Study of the Effect of Ca Doping on the Electronic Properties of LiCoO<sub>2</sub></b><br>Z.H. Sun, W.H. Liu, Q.X. Wan, D.M. Li and Z.H. Xiong                                                                                                                        | 1643 |
| <b>Study on Diffusion of Copper of SOFC Cu-Based Anodes in Co-Sintering with Electrolyte</b><br>J. Peng, S.B. Li, W.G. Zhao, X.W. Song and S.L. An                                                                                                                                   | 1647 |
| <b>Control of Surface Quality of if Steel Sheet</b><br>G.R. Wu                                                                                                                                                                                                                       | 1651 |
| <b>Study on the Performance of the Modified Single Base Gun Propellant</b><br>B. Liu, Q.L. Wang, S.W. Liu, H.F. Yu, D. Li and Y.J. Yao                                                                                                                                               | 1656 |
| <b>Immobilization of Cadmium and Lead in Contaminated Soils by Different Amendments</b><br>Z.T. Liu, G.Y. Zhang and Z.S. Hu                                                                                                                                                          | 1662 |
| <b>Preparation of Cationic Rice Husk Flocculant and its Flocculating Characteristics</b><br>Y.H. Fu, C.L. Lin, L.F. Chen, Y. Song and H.C. Ma                                                                                                                                        | 1667 |
| <b>Preparation and Performances of Amino-SiO<sub>2</sub> Filled Cellulose Film</b><br>H.S. Wang, L.X. Zheng and C.Z. Chuai                                                                                                                                                           | 1671 |
| <b>Decolorization of Coking Wastewater by Mineral Adsorbents</b><br>K.N. Yu, C. Wang, Y. Yu and Y. Li                                                                                                                                                                                | 1675 |
| <b>Phase and Electrical Properties of [Li<sub>0.065</sub>(Na<sub>0.535</sub>K<sub>0.48</sub>)<sub>0.95</sub>]NbO<sub>3</sub> Lead-Free Piezoelectric Ceramics Sintered at Low Temperature</b><br>H.T. Li, B.P. Zhang, Q. Li and R.H. Xu                                              | 1679 |
| <b>An Investigation on the Electrochemical Cycle Stability of La<sub>0.75-x</sub>Zr<sub>x</sub>Mg<sub>0.25</sub>Ni<sub>3.2</sub>Co<sub>0.2</sub>Al<sub>0.1</sub> (x = 0-0.2) Alloys Prepared by Melt Spinning</b><br>Y.H. Zhang, X.G. Liu, L.L. Chen, H.P. Ren, Y. Cai and D.L. Zhao | 1683 |

|                                                                                                                                                   |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Electrochemical Performance of LiFePO<sub>4</sub>/C Positive-Electrode Material Prepared via a Rheological Phase Method</b>                    |      |
| J.H. Hong, C.F. Bai, G. He, M.Z. He, H.F. Li, X.Y. Sun and Y.F. Wang                                                                              | 1689 |
| <b>Comparison Proximate Analysis and Heating Value between Cassava Rhizome and Perennial Wood</b>                                                 |      |
| J. Jongpluempiti and K. Tangchaichit                                                                                                              | 1693 |
| <b>Experimental Research on Hydrogen Storage Characteristics of TBAB Hydrates</b>                                                                 |      |
| Y.M. Xie, J.M. Gong, T. Tang, D.P. Liu, N. Liu and Y.X. Qi                                                                                        | 1697 |
| <b>Experimental Study on the Optimal Thickness of Infiltration Media of the CRI System</b>                                                        |      |
| J.M. Chen and X.L. Yao                                                                                                                            | 1703 |
| <b>Enhanced Gaseous Hydrogen Storage Kinetics of Mg<sub>2</sub>Ni-Type Alloys by Melt Spinning and Substituting Ni with Cu</b>                    |      |
| B.W. Li, H.P. Ren, Z.H. Hou, X.G. Liu, L.L. Chen and Y.H. Zhang                                                                                   | 1708 |
| <b>Preparation and Performance of Controlled-Release Tablets of Sasanquasaponin</b>                                                               |      |
| X.Z. Liu, L.W. Zhu, Z.F. Lai, L.L. Guo, L.L. Song and Y.Z. Shi                                                                                    | 1713 |
| <b>Capillary Adsorption of Nanostructure Carbonic Materials for Nitrobenzene in Wastewater</b>                                                    |      |
| Y.F. Sun, A.M. Zhang, B.C. Peng, Z.T. Liu, Z.H. Fei, J.P. Wang and C.M. Jiao                                                                      | 1717 |
| <b>Synthesis of Al-Doped Lithium Manganese Oxide from Al<sub>2</sub>O<sub>3</sub>-Li<sub>2</sub>CO<sub>3</sub>-MnO<sub>2</sub> Ternary System</b> |      |
| X.Y. Sun, G. He, J.H. Hong, M.Z. He and H.F. Li                                                                                                   | 1721 |
| <b>Research of Poly (Ethylene Terephthalate) Modified by Calcium Lignosulfonate</b>                                                               |      |
| H.B. Ma, Y. Li and X.Y. Li                                                                                                                        | 1725 |
| <b>Control Technology of Internal Quality for CC Billet</b>                                                                                       |      |
| H. Pan                                                                                                                                            | 1729 |
| <b>Comparative Experiment Study on the Total Phosphorus Removal Efficiency of Different Infiltration Media Combinations in the CRI System</b>     |      |
| J.M. Chen                                                                                                                                         | 1735 |
| <b>Study on the Influence Factors of Desilication in Bioleaching by <i>B. Mucilagenosus</i></b>                                                   |      |
| X.X. Zeng, H.B. Zhou, Y.H. Hu, J.X. Tang, P. Jiang and W. Li                                                                                      | 1740 |
| <b>A New Interwell Tracer Technology - Particle Tracer Technology</b>                                                                             |      |
| Y.F. Liu and X.D. Fang                                                                                                                            | 1744 |
| <b>Discussion on Pavement Recycling Techniques in China</b>                                                                                       |      |
| D.C. Wang, Y.M. Li and Q. Wang                                                                                                                    | 1749 |
| <b>Vertically Aligned CuInS<sub>2</sub> Nanorod Arrays Prepared by Sulfurization Method with Porous Alumina Template</b>                          |      |
| Z.D. Wang, Z.Q. Lai and G.R. Chen                                                                                                                 | 1755 |
| <b>Preparation and Application of &lt;110&gt; Dislocation-Free Monocrystalline Silicon by CZ Method</b>                                           |      |
| X.N. Zhang, X.G. Zhang, J.H. Li, S.L. Gao, Y.T. Wang, H.P. Shen and J.H. Wang                                                                     | 1760 |
| <b>Preparation of Nanosize Anatase TiO<sub>2</sub> by a Simple, Low-Cost Method and their Performance in Dye Sensitized Solar Cells</b>           |      |
| L. Liu, X. Peng, X.M. Yu and Y.Q. Feng                                                                                                            | 1764 |

## Chapter 10: Biomaterials and Chemical Materials

|                                                                                                               |      |
|---------------------------------------------------------------------------------------------------------------|------|
| <b>ZM Solid Catalysts for Synthesis of 1-Butoxy-2-Propanol with High Selectivity</b>                          |      |
| Y.J. Wang                                                                                                     | 1771 |
| <b>Synthesis and Properties of a New Gemini Surfactant with Amide Group as Spacer</b>                         |      |
| S. Zhong, K.K. Wu and L.J. Gong                                                                               | 1777 |
| <b>The Transdermal Absorption Study of Human-Like Collagen</b>                                                |      |
| L. Chang, D.D. Fan, Z.G. Duan, L.P. Jia, C.H. Zhu, X.X. Ma, Y.N. Luo and J.F. Hui                             | 1781 |
| <b>Eco-Material Applied on the Interior Wall Decoration</b>                                                   |      |
| Y.Q. Liu and W.P. Hu                                                                                          | 1786 |
| <b>Synthesis and Characterization of Polyimides Derived from 5-Amino-2(p-aminophenyl) Benzoxazole Monomer</b> |      |
| X.L. Meng, P. Wang and L. Jiang                                                                               | 1789 |
| <b>Preparation and Adsorption Properties of Gelatin Microspheres for Cationic Dye</b>                         |      |
| B.Y. He, X.C. Wang, H.Y. Xue and X.L. Hao                                                                     | 1794 |



|                                                                                                                                                                                                                     |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>The Recent Advance of Molecularly Imprinted on-Line Solid Phase Extraction and its Application in Sample Pretreatment - A Mini Review</b><br>Q. Sun, Z.X. Xu, L.M. Zhang, L. Xu and J. Zhou                      | 1799 |
| <b>New Synthesis Method of the Lamellar Zinc Phosphate and its Electrochemical Corrosion Inhibitions</b><br>D.P. Wei, S.F. Wu, Z.W. Huang, S.M. Ma, A.P. Liao and A.Q. Yuan                                         | 1806 |
| <b>Preparation and Characterization of Silk Fibroin/Hydroxyapatite Bilayer Scaffolds</b><br>J.B. Liu, Q. Tang, S.Z. Lu, C. Zhang and M.Z. Li                                                                        | 1810 |
| <b>Microstructural Modifications in Electron Beam Irradiated Poly(ethylene terephthalate) Fibrics</b><br>C. Ding, J.C. Zhang, X.Q. Liu, H. Zhang and X.X. Feng                                                      | 1816 |
| <b>Design and Synthesis of PEG Curcumin Monomer for the Comb-Like Polymer Prodrug</b><br>F. Qiu and L. Wei                                                                                                          | 1821 |
| <b>The Synthesis and Properties of 3-(2'-Benzothiazolyl)coumarin Fluorescent Dyes for Polyester Fabrics</b><br>S.M. Lin, D.D. Yao, Z.H. Chu and S.H. Fu                                                             | 1825 |
| <b>Long-Chain Organofunctional Silanes: Synthesis and Surface Derivatization</b><br>Y.L. Pan, B. Arkles, E. Eisenbraun and A. Kaloyeros                                                                             | 1829 |
| <b>The Biocompatibility and Bioactivity of Gradient Composite Bioceramic Coating with Different Content of Nd<sub>2</sub>O<sub>3</sub> Fabricated by Wide Band Laser Cladding</b><br>M. Xiao, Q.B. Liu and Y.Z. Zhu | 1837 |
| <b>The Application of High Pressure Electrostatic in Microcapsule Preparation</b><br>W.N. Zhang, X.L. Zhu, C.H. Zhu, X.X. Ma, Y.N. Luo, J.F. Hui, J.J. Deng, Y. Mi and D.D. Fan                                     | 1841 |
| <b>Application of Ultrasonic Wave in Dyeing of Feather Fibers</b><br>J. Zhang, Y.P. Zhao, Y.L. Guo and B. Wu                                                                                                        | 1845 |
| <b>The Synthesis and Characterization of Nadic Dialkyl-Ester Derivatives with Trialkyl Borate</b><br>Y.W. Jin, J.S. Park, Y.S. Park and J.W. Woo                                                                    | 1849 |

## Chapter 11: Thin Films

|                                                                                                                                                                                                                                               |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>The Influences of Annealing Temperatures on the Properties of the Sol-Gel Deposition SrBi<sub>4</sub>Ti<sub>4</sub>O<sub>15</sub> Thin Films</b><br>W.C. Tzou, C.C. Diao, C.C. Chan, C.C. Wu, C.F. Yang and H.C. Shiu                      | 1855 |
| <b>Simulation of the Effect of Power on the Properties of Si-Based Films Deposited by PECVD</b><br>G.J. Jin, G.Q. Li, Y. Sun, L.X. Lu, S. Lin and Y.G. Tang                                                                                   | 1859 |
| <b>Residual Stress and Dielectric Property of Al<sub>2</sub>O<sub>3</sub> Films on N-Type Si-(100) Substrate</b><br>Y.D. Pu, W. Tang, Y.P. Chao and Y.T. Yang                                                                                 | 1863 |
| <b>Effects of Deposition Parameters and Annealing Temperatures on the Characteristics of the Sr<sub>0.6</sub>Ba<sub>0.4</sub>Nb<sub>2</sub>O<sub>6</sub> Thin Films</b><br>C.C. Chan, Y.T. Hsieh, C.Y. Chen, W.C. Tzou, C.C. Wu and C.F. Yang | 1867 |
| <b>Effects of Deposition Temperatures on ZnO:Al Films Deposited on Polymer Substrates by RF Magnetron Sputtering</b><br>X.J. Wang, D.J. Li, H.Q. Tao and J. Wang                                                                              | 1871 |
| <b>Effects of RF Power on Crystallinity Properties of ZnO Films Deposited by Helicon Wave Plasma Assisted Sputtering</b><br>X.Y. Teng, W. Gao, Y.H. Wu and W. Yu                                                                              | 1875 |
| <b>Organic Plasma-Polymer Thin Film Coatings on Super-Hydrophilic Coated Surface for Increasing the Surface Durability against Scratch without Changing of Surface Wettability</b><br>S.J. Cho, J.H. Boo, J.M. Kim, D.G. Jung and S.S. Kim    | 1879 |
| <b>Effect of Nonstoichiometric Pb Content on the Properties of PZT Ceramics</b><br>F.K. Zhao, W.B. Ma, Q.C. Sun, Y. Zhang and H.Q. Liu                                                                                                        | 1883 |
| <b>Thickness Effect on Spin Moment in Amorphous Co<sub>0.9</sub>Fe<sub>0.1</sub> Films</b><br>Y.X. Guo, J. Wang, P.S. Xu and W.S. Yan                                                                                                         | 1888 |
| <b>Effect of Neodymium Salt in the Anodization of Aluminum in Sulphuric Acid</b><br>X.Z. Liu, J.Q. Gen, A.B. Yu, G. Wang, L.L. Song and X.L. Zhang                                                                                            | 1895 |
| <b>Study on a New Method to Produce NiTi Thin Film</b><br>Y.G. Zhu and W. Mao                                                                                                                                                                 | 1899 |

|                                                                                                                                                                                           |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Effect of Cryogenic Treatment on Improving the Fracture Toughness of TiN Coated Cemented Carbide</b><br>C.Y. Nie, Y. Deng, Y. Ding, N. Li, X.G. Zhou and L.D. Wei                      | 1903 |
| <b>Effect of Microstructure on the Corrosion Behavior of TiN Coatings</b><br>M. Azzi and J.E. Klemberg Sapieha                                                                            | 1911 |
| <b>The Effects of Substrate Material and Surface Roughness on the Structure of SnO<sub>2</sub> Films</b><br>C.F. Li                                                                       | 1917 |
| <b>Studying on Thickness Control of ITO Films Deposited Using RF Magnetron Sputtering</b><br>W.H. Ma and C.L. Cai                                                                         | 1921 |
| <b>Impedance Spectroscopy Analysis of p Type Li Doped ZnO Thin Film Effect</b><br>K.C. Chiu and Y.H. Wu                                                                                   | 1925 |
| <b>Preparation of FePt Film via Electrochemical Deposition Method</b><br>Y.Y. Shen, X.Y. Du, S.Y. Shi and C.X. Li                                                                         | 1933 |
| <b>Corrosion Behavior of CrN/AlSiN Multilayer Coatings on AISI 304 Stainless Steel in Aluminum Alloy Melt</b><br>W.Y. Ho, C.H. Tsai, C.H. Hsu and W.Y. Ho                                 | 1938 |
| <b>Fabrication of TiO<sub>2</sub>/Cu Composite Photocatalyst Thin Film by 2-Step Mechanical Coating Technique and its Photocatalytic Activity</b><br>Y. Lu, L. Hao, K. Toh and H. Yoshida | 1942 |
| <b>High Saturation Magnetization Fe-Co-N Thin Film Deposited by Facing-Target Direct Current Magnetron Sputtering</b><br>K.Y. Yang, Y.H. Gao, C.M. Zhao, X. Wang and W.T. Zheng           | 1949 |
| <b>Effects of the Substrates Temperatue and Argon Oxygen Ratio on ZnO Thin Films</b><br>H. Zhu, H.W. Liu, H. Gao and X.W. Feng                                                            | 1953 |
| <b>Resistivity Control in Unintentionally Doped GaN Films Grown on Si (111) Substrates by MOCVD</b><br>Y. Wang, N.S. Yu, M. Li and K.M. Lau                                               | 1959 |
| <b>XPS Study on Barium Strontium Titanate (BST) Thin Films Etching in SF<sub>6</sub>/Ar Plasma</b><br>L.P. Dai, G.J. Zhang, S.Y. Wang and Z.Q. Zhong                                      | 1964 |
| <b>Design and Synthesis of DLC Films with Different sp<sup>3</sup>/sp<sup>2</sup> Ratios by Middle Frequency Magnetron Sputtering</b><br>J.L. Jiang, D. Chen and H. Yang                  | 1969 |

## Chapter 12: New Functional Materials

|                                                                                                                                                                                                               |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Tunneling Properties in GaAs/Al<sub>0.33</sub>Ga<sub>0.67</sub>As/In<sub>x</sub>Ga<sub>1-x</sub>As Double-Barrier Resonant Tunneling Structures</b><br>Y.M. Zhou                                           | 1975 |
| <b>Study on TlBr Single Crystal Growth Using Improved Electro Dynamic Gradient Method</b><br>Z.P. Zheng, J. Wang, L. Quan, S.P. Gong and D.X. Zhou                                                            | 1979 |
| <b>Piezoelectric and Dielectric Properties of MnO<sub>2</sub>-Modified Bi(Mg<sub>1/2</sub>Ti<sub>1/2</sub>)O<sub>3</sub>-PbTiO<sub>3</sub></b><br>X.N. Wang, Q.C. Sun, W.B. Ma, T. Liu, Y. Zhang and H.Q. Liu | 1983 |
| <b>Effect of Hetero-Interfaces on Rashba Spin-Orbit Coupling in a Gated In<sub>0.53</sub>Ga<sub>0.47</sub>As/InP Quantum Well Structure</b><br>Y.M. Zhou                                                      | 1988 |
| <b>The Synthesis, Characterization and Photocatalytic Property of K<sub>2</sub>La<sub>2</sub>Ti<sub>3</sub>O<sub>10</sub></b><br>W.Q. Cui, Y.L. Qi, J.S. Hu and Y.H. Liang                                    | 1992 |
| <b>Effect of Vitreous Fluid Temperature on Fiber Diameter and Surface Topography of Glass Wool by Centrifugal-Spinneret-Blow Process</b><br>B.B. Li, Z.F. Chen, Z. Chen, J.L. Qiu, Y.Q. Zhou and J.M. Zhou    | 1996 |
| <b>Low-Frequency Damping Behavior of Porous Magnesium</b><br>G.L. Hao, Q.P. Xu and F.S. Han                                                                                                                   | 2002 |
| <b>Study on Microstructure and Electrical Properties of ZnO Varistor Ceramics</b><br>C.Q. Xia, Q.B. Liu and M. He                                                                                             | 2008 |
| <b>The Research Situation and Development Trend of Energy Saving Phase Change Materials</b><br>B.P. Yang, Y.H. Li, J.F. Cui, J.H. Guo, Y.P. Zhou, P.F. Zhang, Y.L. Liu and Y.Q. Ma                            | 2012 |

|                                                                                                                                               |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Studies on Dynamic Adsorption and Desorption of Total Flavonoids with Ion-Exchange Fiber</b>                                               |      |
| T.Y. Liu, S.S. Nie, T. Yin, X.L. Xu and C.Y. Shao                                                                                             | 2016 |
| <b>Effect of Al Ions on Adsorption Efficiency of Mesoporous Organosilica for Water Treatment</b>                                              |      |
| M.H. Ani, M.A. Mohd Hatta and R. Othman                                                                                                       | 2024 |
| <b>Waterborne Polyurethane: Effect of Functional Groups in Aromatic Isocyanate and the Chain Length of Hydroxyl Terminated Natural Rubber</b> |      |
| L. Kaenhin, P. Klinpituksa, A. Rungvichaniwat and J.F. Pilard                                                                                 | 2032 |
| <b>Photoelectrochemical Biofuel Cell Using Triarylamine Dye-Sensitized Titanium Dioxide Film as Photoanode</b>                                |      |
| K.Q. Wang and Y. Gao                                                                                                                          | 2036 |
| <b>Dynamic Analysis and Simulation of Variable Topology Parallel Tire Building Drum Mechanism</b>                                             |      |
| S.H. Sun                                                                                                                                      | 2040 |
| <b>Synthesis and Characterization of Mn Doped ZnO Nanorod Arrays</b>                                                                          |      |
| F.F. Li, M.X. Zhang, W.C. Yang, Q.H. Wang, G.Q. Hou and Y. Shen                                                                               | 2044 |
| <b>Corrosion Resistance Mechanism of MgO-ZrO<sub>2</sub> Brick in RH Degasser Slag</b>                                                        |      |
| S.L. Chen, L. Yuan, Z.Q. Feng, X.J. Liu and J.L. Sun                                                                                          | 2048 |
| <b>Metallographic Study of Laser Thermal Fatigue Damage on Piston</b>                                                                         |      |
| Z.T. Liu, M. Pang, J.S. Tan and X.B. Liu                                                                                                      | 2053 |
| <b>Effect of Ce Addition on the Microstructures and Mechanical Properties of a Ni-Co-Based Superalloy</b>                                     |      |
| C.Y. Cui, G.M. Han and X.F. Sun                                                                                                               | 2062 |
| <b>Effect of Packaging Materials and Process on the White LED Fabricated with Quantum Dots</b>                                                |      |
| S.K. Kwak, T.W. Yoo, E.H. Kim, B.S. Kim, D.W. Lee, S.M. Lee and L.S. Park                                                                     | 2066 |
| <b>Study on the Anti- Corrosion Properties of Organic and Inorganic Inhibitor by Electrochemical Treatment in Aqueous Solution</b>            |      |
| H.S. Ryu and H.S. Lee                                                                                                                         | 2070 |
| <b>Study on the Development of a Thin-Film Corrosion Sensor for the Monitoring of Cl Ion Penetration into Cementitious Materials</b>          |      |
| H.S. Lee, H.S. Lee and S.H. Joh                                                                                                               | 2074 |
| <b>Study on FCAW Semi-Automatic Welding Procedure of Girth Weld Joint of Line Pipes</b>                                                       |      |
| X.Y. Wang, X.D. He, X.L. Han, N. Li, K. Tong and M.J. Hu                                                                                      | 2078 |

## Chapter 13: Materials and Design

|                                                                                                                                                                           |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Experimental Research on Explosion-Protection Performance of Porous Meshy Aluminum Alloy Material</b>                                                                  |      |
| Z.X. Xing, Y.G. Zhang and G.L. Ma                                                                                                                                         | 2087 |
| <b>The Parameter Influence of Electron Beam Irradiation on GaN Based Blue LED</b>                                                                                         |      |
| Z.G. Peng, H.L. Liu and R.B. Zhang                                                                                                                                        | 2093 |
| <b>Influence on Structure and Composition of Carbon Supported PtCu-LaO<sub>x</sub> Composite Membrane Electrode by Acid Treatment</b>                                     |      |
| B. Yang and M.Z. Shen                                                                                                                                                     | 2097 |
| <b>Deformation Effects on Metal Magnetic Memory in API 5L X70 Steel</b>                                                                                                   |      |
| F. Bai and B. Song                                                                                                                                                        | 2101 |
| <b>A New Extensional Viscosity Model Based on the Cross Model for Polymer Fluids</b>                                                                                      |      |
| L. Zhong, H.H. Xu, J.Z. Liang and A.P. Liao                                                                                                                               | 2105 |
| <b>A Research on Static and Dynamic Fracture-Resistance of Welding Parts of Coolant Piping Material</b>                                                                   |      |
| H.C. Li, K.H. Lee, J.M. Koo and C.S. Seok                                                                                                                                 | 2109 |
| <b>Hyperelastic Model Selection of Tissue Mimicking Phantom Undergoing Large Deformation and Finite Element Modeling for Elastic and Hyperelastic Material Properties</b> |      |
| S. Golbad and M. Haghpasani                                                                                                                                               | 2116 |
| <b>Analysis on the Influence Factors of Casing Collapse Resistance Strength</b>                                                                                           |      |
| Q. Lou, W. Du, X.L. Han, D.F. Li and G.L. Zhang                                                                                                                           | 2121 |

|                                                                                                                                                                                                                             |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Study on the Safety Assessment System of Fire Hazard in Coal Mine</b><br>J.Y. Zhang, X.M. Gong and L.W. Guo                                                                                                              | 2126 |
| <b>Study the Non-Linear Heat-Elasto-Plastic Constitutive Relation</b><br>X.J. Feng, L.F. Liang and S.Y. Wang                                                                                                                | 2130 |
| <b>Grain Boundary Relaxation in a Fe-Cr-Al Alloy</b><br>Z.C. Zhou, Q.Z. Wang, J. Du, H. Yang and Y.J. Yan                                                                                                                   | 2134 |
| <b>Effect of Loads on the Wear Properties of La<sub>2</sub>O<sub>3</sub>-MoSi<sub>2</sub> Composite against SiC at Elevated Temperature</b><br>S.Y. Gu, H.A. Zhang and C. Shi                                               | 2138 |
| <b>Effect of Moisture Absorption on the Residual Strength after Bending Fatigue of CFRP</b><br>A.Y. Zhang, D.H. Li, C.L. Liang, J.S. Jia and D.X. Zhang                                                                     | 2142 |
| <b>Failure Analysis of Automobile Redirector</b><br>Y. Luo, Y.L. You and Z. Zhang                                                                                                                                           | 2146 |
| <b>Nonlinear Vibration of a Cantilever FGM Rectangular Plate with Piezoelectric Layers Based on Third-Order Plate Theory</b><br>Y. Wang, Y.X. Hao and J.H. Wang                                                             | 2151 |
| <b>Measure of the Optical and Electrical Properties of Semiconductor SiO<sub>2</sub> Nano-Crystalline by Using Photo-Acoustic Technology</b><br>G.H. Lie, Z.L. Tang, G.W. Lie, T. Yang and X.W. Tang                        | 2156 |
| <b>Experiment Study on Aviation Kerosene's Flash Point Temperature of Low Pressure Environment</b><br>Y.F. Tang, L. Yin, Y. Niu and J. Wang                                                                                 | 2160 |
| <b>Study of Screw Loosening in Abutment Subject to Occlusal Loading</b><br>E.H. Cheng, M.J. Lin, S.Y. Shiu, T.L. Tsai and Y.C. Chen                                                                                         | 2166 |
| <b>Iterative Perturbation Methods for Isolation Structure Dynamic Model Responses Calculation with Non-Classical Damping and its Correlation Analysis</b><br>X.Z. Li, W.M. Xiang, H.C. Fu and Y.F. Xie                      | 2172 |
| <b>Enthalpy Relaxation during Non-Isothermal Crystallization from the Melt of Polymer: For IPP as Example</b><br>F. Wang                                                                                                    | 2180 |
| <b>The Effect of Thai Compost on Biodegradability of Polylactic Acid Based on ISO 14855-2 Method</b><br>W. Timbuntam, S. Pongsomnam, W. Vanichsiratana and P. Sukyai                                                        | 2184 |
| <b>Study on Tribological Behavior and Mechanisms of Weldox960 Steel</b><br>Y.F. Tan, B. Cai, L. He, S.Q. Hao, H. Tan and L. Gao                                                                                             | 2191 |
| <b>Application of Shape Memory Alloy Actuators to Control the Displacement of an Adaptive Beam</b><br>R. Liu, P. He and C.S. Feng                                                                                           | 2196 |
| <b>Study on the Dynamic Radial Tensile Test Method of Thin-Walled Tube Structure with Special Ring Section</b><br>B.Y. Song, T. Suo and B. Hou                                                                              | 2202 |
| <b>Analysis on Crystal Structure of 7Å-Halloysite</b><br>H.L. Zhang, X.R. Lei, C.J. Yan, H.Q. Wang, G.Q. Xiao, J.R. Hao, D. Wang and X.M. Qiu                                                                               | 2206 |
| <b>Use of Impact Testing to Assess the Softness of Bedding Materials</b><br>D.L. Zhao and X.H. Shao                                                                                                                         | 2215 |
| <b>A Study on the Fatigue Life Prediction for Bending Pipe</b><br>S. Park, H.H. Kwon, J.M. Koo, C.S. Seok, D.H. Jung and J.Y. Mo                                                                                            | 2219 |
| <b>Failure Analysis of the Stuffing Box in a Super High Pressure Compressor</b><br>X.H. Li, Y.L. Zhang and X.D. Xu                                                                                                          | 2226 |
| <b>Compression after Impact Performance of Composite Stiffened Panels</b><br>Z. Sun, F. Xu, W. Xie and B. Wang                                                                                                              | 2231 |
| <b>Effect of Vacuum Thermal Cycling on Mechanical and Physical Properties of an Epoxy Matrix Composite</b><br>Y. Gao, S.L. Dong, H.S. Wang, S.W. Lu and J.W. Bao                                                            | 2236 |
| <b>Mixed-Mode Bending Test for Fracture Toughness of Composite Bonding Adhesive Layer</b><br>X.M. Hu, K.C. Han, F. Xu, W. Xie and J.F. Kou                                                                                  | 2240 |
| <b>Experimental Investigation of Tensile Properties and Fracture Mechanism of WC<sub>p</sub>/Cu Composites Reinforced with Different WC<sub>p</sub> Volume Fraction</b><br>F. Yan, R.X. Guo, H.T. Xia, H. Yu and Y.B. Zhang | 2244 |

|                                                                                                                                     |      |
|-------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>Improved Properties of CENR/PP Blends by Using Compatibilizers for Promoting the Interfacial Adhesion between Phases</b>         | 2248 |
| A. Thitithammawong, A. Kaewsare and C. Nakason                                                                                      |      |
| <b>Evaporation Characteristics of Ammonium Formate-Urea-Water Solution Droplet for SCR Systems</b>                                  | 2252 |
| <b>A Study on the Structural Design and Sensing Performance of Conductive Woven Fabric Embedding CCFs</b>                           | 2257 |
| T. Liu, T.T. Shen and F.Y. Zou                                                                                                      |      |
| <b>Degradation Behavior of Tungsten in Molten Aluminum</b>                                                                          | 2262 |
| H.F. Luo, J. Wu, Y. Deng and W.P. Chen                                                                                              |      |
| <b>Nonlinear Constitutive Equation and Elastic Constant of Rubber Material</b>                                                      | 2267 |
| C. Li and L. Zhao                                                                                                                   |      |
| <b>Mechanism and Effect of Electrochemical Modification on Physicochemical Soft Rock</b>                                            | 2275 |
| J.S. Li, D. Wang, G.X. Kang and T.H. Kang                                                                                           |      |
| <b>The Comparison of Characteristics of Fracture Toughness of Materials for Nuclear Piping by Use of Various Types of Specimens</b> | 2281 |
| H.H. Kwon, S. Park, J.M. Koo and C.S. Seok                                                                                          |      |
| <b>High-Pressure Electronic and Optical Properties of <math>\alpha</math>-Si<sub>3</sub>N<sub>4</sub></b>                           | 2288 |
| C.C. Chen, X.J. Geng, Y.B. Li, B.H. Yu and D. Chen                                                                                  |      |
| <b>Corrosion Behavior of Drilling Pipe Steels for High Sour Gas Field</b>                                                           | 2292 |
| L.P. Wan, Y.F. Meng, G. Li and H. Zhou                                                                                              |      |
| <b>Fatigue Crack Propagation Simulation of Rubber Shock Absorbers</b>                                                               | 2298 |
| J.Y. Zhai, Y. Yang and Q.K. Han                                                                                                     |      |
| <b>Analysis of Collisions of Vehicle and Concrete Barrier on Rural Highways</b>                                                     | 2304 |
| Y.J. Sun, J. Rong and Y.G. Tai                                                                                                      |      |
| <b>Effect of Moisture Absorption on the Bending Fatigue Performance of Carbon/Epoxy Laminates</b>                                   | 2308 |
| A.Y. Zhang, D.H. Li, C.L. Liang, J.S. Jia and D.X. Zhang                                                                            |      |
| <b>Design of a Kind of Small Sample and Determination of Initial Tensile Stress for Implant Test</b>                                | 2312 |
| Y.T. Feng, X.H. Dai and X.X. Xu                                                                                                     |      |
| <b>Experimental Observation on the Uniaxial Cyclic Deformation Behaviour of TA16 Titanium Alloy</b>                                 | 2318 |
| Q.H. Kan, W.Y. Yan, G.Z. Kang and S.J. Guo                                                                                          |      |
| <b>Modeling of Hydrogen Weight Storage Capacity in Solid Porous Silicon</b>                                                         | 2322 |
| X.Z. Song and J. Wu                                                                                                                 |      |
| <b>Aircraft Three-Proof Index System Establishment and Evaluation Method Study</b>                                                  | 2329 |
| T.F. Zhang, X.H. Yang, W.Y. Zhao and S.L. Zhang                                                                                     |      |
| <b>A Comparative Study of the Effect of Crosslink Agents and Chemical Modification on Properties of Natural Rubber Vulcanizates</b> | 2334 |
| A. Thitithammawong, C. Nakason and R. Kasoe                                                                                         |      |
| <b>Experimental Analysis of Aluminum Alloy Section Bars and their Mortise and Tenon Joints under Bending Load</b>                   | 2338 |
| X.S. Huang, Q. Gao and Z.J. Zong                                                                                                    |      |
| <b>Preparation and Performance Testing of Tubular Cathode Support for Direct Ethanol Fuel Cell</b>                                  | 2345 |
| Y. Zhang, D. Tang, R.X. Duan and H.J. Ni                                                                                            |      |