

Table of Contents

Preface, Committees and Sponsor

Chapter 1: Composites and Specialized Composites

Investigation of Thermal and Rheological Properties of Polypropylene and Montmorillonite (MMT) Nanocomposites

A.A. Yussuf, M.A. Al-Saleh and S.T. Al-Enezi 3

Mechanical and Tribological Behavior of Bio Polymer Matrix Composites for Biomedical Prosthesis Applications

S. Zameer and M. Haneef 7

Properties of the Ti Void Metal Composites Prepared with Saccharose as a Space Holder and Coated by Hydroxyapatite

G. Adamek, D. Andrzejewski and J. Jakubowicz 13

MoS₂: Advanced Nanofillers for Polymer Nanocomposites

K.Q. Zhou, Z. Gui and Y. Hu 21

Durability Performance of Cement Composites Containing Ground Granulated Blast Furnace Slag

M. Kovalcikova, A. Ěstoková and A. Luptáková 26

Possibilities of Using Alternative Materials as a Substitute Binder or Filler into Composites

N. Štěvulová, I. Schwarzova, V. Hospodarova, J. Junak, M. Ondova and V. Vaclavik 31

Finite Element Analysis of the Mechanical Behaviour of a Reinforced PMMA-Based Hip Spacer

M.M. Bouziane, H. Salah, S. Benbarek, B.A. Bachir Bouiadra and B. Serier 36

A Comparison Study of Bonded Composite Repairs of Through-Wall Cracks in Pipes Subjected to Traction, Bending Moment and Internal Pressure

F. Benyahia, A. Albedah, B.A. Bachir Bouiadra and M. Belhouari 41

Polyethylene/Clay Nanocomposites Prepared in an Internal Mixer: Effect of Processing Variable on Mechanical Properties

O. Ujianto, M. Jollands and N. Kao 46

Fabrication and Characterization of Biocomposite Using Grewia Optiva Fibre (i.e. Bhimal) Reinforced Polyvinyl Alcohol (PVA)

K.M. Gupta and K. Kalauni 51

Effect of Bentonite and Zinc Borate (ZB) Addition on Recycled Polypropylene Composites against Tensile and Burning Rate Properties

N. Sri Suharty, H. Ismail, F. Rakhman Wibowo, D. Suci Handayani, M. Firdaus and L. Lathifah 56

High and Low Speed Impact Characteristics of Nanocomposites

S. Aldajah, Y. Haik, K. Moustafa and A. Alomari 62

Chapter 2: Intelligent and Electronic Materials, Magnetic Materials

Monte Carlo Simulation Model for Magnetron Sputtering Deposition

M.A. Hassan, M.B. Elfify, Y. Nukman and R. Mahmoodian 69

Effects of Sputtering Pressure on Cu₃N Thin Films by Reactive Radio Frequency Magnetron Sputtering

X.L. Ji, H.D. Ju, T.Y. Zou, J.L. Luo, K.Q. Hong, H. Yang and H. Wang 74

The Role of Twinned and Detwinned Structures on Memory Behaviour of Shape Memory Alloys

O. Adiguzel 78

Energy Loss Analysis and Magnetic Properties of Non-Oriented Electrical Steel Cut through Different Technologies

V. Manescu Paltanea, V. Păltănea and H. Gavrila 83

Fabrication of Hierarchical Flower Shaped PbS Crystals via Hydrothermal and Microwave Routes

P. Bhamhani, K. Kabra, D. Kumar, G. Sharma and B.K. Sharma 88

Effect of Cutting Parameters on the Quality of the Machined Surface of Cu-Zn-Al Shape Memory Alloy, SMA	93
A.I.O. Zaid and S.M.A. Al-Qawabah	
Modeling of Sheet Carrier Density, DC and Transconductance of Novel In_xAl_{1-x}N/GaN-Based HEMT Structures	99
N. Mohankumar, A. Mohanbabu, S. Baskaran, P. Anandan, N. Anbuselvan and P. Bharathi Vikkiraman	
Evaporation of Thin Film of Polar Liquid in Presence of Soluble Surfactant	105
V.Y. Gordeeva and A.V. Lyushnin	
Anomalous Effect on the Phononic Thermal Conductivity of Silicene Nanoribbon by Hydrogenation	110
E.D. Monterola, N.T. Paylaga, G.J. Paylaga and R.V. Bantaculo	

Chapter 3: Optics and Solar Materials

Solar Reflective Pigment of TiO₂ Nanoparticle Coated on Mica and Thermal Property of its Isolation-Heat Paint	117
H.J. Lee, D.S. Kim, S.H. Lee, B.K. Choi and K.C. Kang	
Influence of Substrate Temperature on the Optoelectronic Properties of CuPc Thin Film	123
T.Y. Zou, X.L. Ji, L.M. Yu, Z.F. Qiao, Y.J. Yang, Q. Wu, H. Yang and H. Wang	
CdTe/PbTe Superlattice Energy Bands Analysis Using k.p Method	127
A. Kabalan and P. Singh	
Parametric Requirements for Optimum Performance of InGaP/GaAs Heterojunction Solar Cell	131
B. Hadri and F. Djaafar	
Design of a New-Type Electro-Optical Sensor Based on the Total-Internal Reflection Theory in Heterodyne Interferometry	136
S.F. Wang, F.H. Kao and A.L. Liu	
Synthesis of Anatase and Rutile TiO₂ Crystals for High-Performance Dye-Sensitized Solar Cells	141
A.H. Ramelan, S. Saputro, S. Wahyuningsih, A. Khoirunisa, E. Supriyanto and P.L. Gareso	

Chapter 4: Novel Researches on Machining and Processing of Materials

Effect of Asymmetric Rolling with Cone-Shaped Rolls on Microstructure and Tensile Properties of Low-Carbon Steel	149
T.K. Balgabekov, E.M. Azbanbayev, A.Z. Isagulov, D.A. Isagulova, N.B. Zakariya, N.Z. Yermaganbetov, A.R. Kenzhekeeva and Z.A. Konirova	
Obtaining and Trademark of Copper Molybdenum Oxide from the CuMoO₄ Sample Using Carbon as a Reducing Agent	154
A.B. Alkenova, A.Z. Isagulov, K. Zhumashev and A. Hazotte	
Influence of Spindle Speed on Exit Burr Height in Drilling Forging Brass	159
M. Timata and C. Saikaew	
Grinding of Austempered Ductile Iron Grade 3 as Function of the Microcrystalline Al₂O₃ Grinding Wheels Composition	164
L. Benini, W.L. Weingaertner and E. Uhlmann	
Effect of Addition of Some Grain Refiners to Zinc-Aluminum 22, ZA22, Alloy on its Grain Size, Mechanical Characteristics in the Cast and after Pressing by the Equal Channel Angular Pressing, ECAP	172
A.I.O. Zaid, J.A.S. AlKasasbeh and S.M.A. Al-Qawabah	
A Study on Mechanical Properties of Friction Stir Welded and Electron Beam Welded AA2195 Sheets	178
Y.R. Lee, H.H. Jung, J.H. Yoon, J.T. Yoo, K.J. Min and H.S. Lee	
Investigation on the Effect of Geometrical Shape of Cold Direct Extrusion on Commercially Pure Aluminum Alloyed by 4% Cu	182
A.I.O. Zaid and S.M.A. Al-Qawabah	
Electrospun Gelatin Fiber Bundles by Self-Bundling Electrospinning	190
P. Thitiwongsawet, B. Wisesanupong and S. Pukkanasut	

Cube Texture Formation in Ni-8at.%W Alloy Substrates Effected by the Initial Grain Size of Ingot

Y.C. Meng, H. Suo, H. Tian, L. Ma, Y. Wang, Y.R. Liang and M. Liu

195

Chapter 5: Synthesis and Characterization of Materials

Preparation and Characterization of Hydrogels Based on Chitosan/Polyvinyl Alcohol Blends

M.A. Zitouni and S. Borsali Kara Slimane

203

An Experimental Investigation on Specific Heat Capacity and Enthalpy of Al 6061-SiC-Gr Hybrid Metal Matrix Composites Using Differential Scanning Calorimetry

S.A.M. Krishna, T.N. Shridhar and L. Krishnamurthy

208

Synthesis, Characterization, and Antimicrobial Activities of New Organic-Inorganic Hybrid Compound Based on Polyoxovanadate and Metal-Schiff-Base Complex

Q. Wu, X.L. Ji, L. Jing, H.P. Ju and H. Wang

215

The Synthesis and Structure of Anodized Titania Nanotubes for Energy Conversion Materials

R. Vongwatthaporn, N. Kodtharin and U. Tipparach

220

UV-Assisted Synthesis of Silver Nanoparticles Using Poly(Acrylic Acid) for Colorimetric Ammonia Sensing

E. Detsri, J. Popanyasak, N. Laomaneenopparat and K. Warngbun

225

Synthesis and Characterization of Modified Polydimethylsiloxane Nanomembrane for Chiral Separation

N.D. Masdar, A.H. Mahmud, M.T. Mohd Ali, S.N.A.S. Ismail, R. Tajuddin, N. Saim and A.M. Md Jani

231

Blunt V-Notch Brittle Fracture: An Improved Finite Fracture Mechanics Approach

A. Sapora, P. Cornetti, A. Carpinteri and D. Firrao

237

Numerical Modelling of the Interaction Macro–Multimicrocracks in a Pipe under Tensile Stress

M. Sahnoun, D. Ouinas, B.B. Bouiadja, J.V. Olay and J. Vina Olay

245

Chapter 6: Nanotechnologies: Nanofluids, Nanoribbon, Nano Thin Films

Heat Transfer and Pressure Drop in a Pin Fin Heat Sink Using Nanofluids as Coolant

W. Duangthongsuk and S. Wongwises

253

Tilted Microlens Fabrication Using Nano-Magnetic Particles

S.Y. Hung, Y.T. Hung and M.H. Shen

259

Interfacial and Demulsification Properties of Janus Type Magnetic Nanoparticles

N. Ali, Q.Y. Zhang, B.L. Zhang, W. Zaman and S. Ali

264

Size-Dependent Photoelectrochemical Properties of Nanostructured WO_3 Thin Films Synthesized via Electrodeposition Method

T. Zhu, M.N. Chong and E.S. Chan

269

Ultrananocrystalline Diamond/Amorphous Carbon Composite Films Prepared by Laser Ablation of Graphite in Nitrogen and Hydrogen Atmosphere

S. Al-Riyami and T. Yoshitake

274

Thermal Conductivity of Silicon-Graphene Nanoribbon (SiGNR): An Equilibrium Molecular Dynamics (EMD) Simulation

C.G.G. Alipala, G.J. Paylaga, N.T. Paylaga and R.V. Bantaculo

280

Molecular Dynamics Simulation of the Thermal Conductivity of Silicon-Germanene Nanoribbon (SiGeNR): A Comparison with Silicene Nanoribbon (SiNR) and Germanene Nanoribbon (GeNR)

J.M.P. Tagalog, C.G.G. Alipala, G.J. Paylaga, N.T. Paylaga and R.V. Bantaculo

285

Chapter 7: Researches on Materials Science and Technology

2-(Methacryloyloxyethyl) Trimethyl Ammonium Chloride Grafted onto Natural Rubber in Latex State	293
P. Klinpituksa, N. Chekmae and S. Borthoh	
Nonlinear Multiresponse Parameter Estimation Using Simplex Optimization Method	299
A.A.S. Mohammad and A.Y. Abdirahman	
Effect of Biogas Volume Flow Rate and Burner Temperature on Moisture Content of Organic Fertilizer in a Rotary Drying Process	305
A. Sonsiri and T. Radpukdee	
Electroactive Polymer Actuator Based on PVDF and Graphene through Electrospinning	311
F. Wang, S.Y. Ko, J.O. Park, S.H. Park and C.D. Kee	
Improvement of Geotechnical Characteristics of Clay Soils Using Lime	315
B. Louafi, B. Hadef and R. Bahar	
Physical Parameters Affecting on the Electrode Performance for Proton Exchange Membrane Fuel Cells (PEMFCs)	320
C. Rachid, W.R. Wan Daud, B. Abdellah and M.A. Yarmo	
Plastic Waste in Cement Concrete, LDPE and PVC Introduction Effect	325
M. Merbouh and B. Glaoui	
Wettability-Based Colorimetric Test Strips for Gasoline/Oil Mixture Differentiation	331
S. Qiu, M.C.K. Wong and P.C.H. Li	
A New Organic-Inorganic Hybrid Based on L-Arginine and Polyoxoanion	335
Q. Wu, J. Lu, X.L. Ji, T.Y. Zou, Z.F. Qiao, H.P. Ju and H. Wang	
Improvement and Control of Cement Slurry Formulation Resistant to the Critical Conditions HPHT	339
S. Bechar and D. Zerrouki	
Fly Ash/Blast Furnace Slag Geopolymer Repair System as a Sustainable Solution for the Maintenance of an Existing Bridge: Materials Design and Influence on Shear Capacity under Seismic Conditions	346
G. Nestovito and F. Messina	
Enhancement of Surface Properties on Films of Waterborne-Polyurethane Hybridized by Highly Dispersed and Aluminate-Modified Silica Sol	355
S.N. Lee, D.S. Kim, K.B. Lee, S.H. Lee, H.M. Lim, S.S. Park and G.D. Lee	
Utilization of Geosynthetic Material Interfaces for Reduction of Cyclic Motion Induced Accelerations	361
V. Kalpakci	
Use of Graphene Oxide as a Bitumen Modifier: An Innovative Process Optimization Study	365
N.Z. Habib, N.C. Aun, S.E. Zoorob and P.I. Lee	
Geometrically Non-Linear Free Vibration of Fully Clamped FGM Skew Plates Using Homogenization Technique	370
M.A. Hanane, K. El Bikri and B. Rhali	
Notcheffect on J and Amplification of Anisotropic Stress Concentration Factor in a Laminated Plate Subjected to Tensile Load	381
D. Ouinas, B.A. Bachir Bouadjra, A. Albedah and M. Sahnoun	
Adobe Bricks: The Best Eco-Friendly Building Material	386
D. Benghida	
Evaluation of SEE on a 32-bit Microprocessor by Laser Test and Heavy Ion Test	391
C.Q. Yu, L. Fan, S. Yue, J.H. Ma and H.C. Zheng	