

Table of Contents

Ultrasonic Nondestructive Measurement Systems – Models and Measurements	
A. Lopez-Sanchez and L.W. Schmerr	1
Inverse Models and Implications for NDE	
K. Balasubramaniam	6
Application of Modified Grid-Based Approach for Auto Mesh Generation of IT-Related Products	
Y.J. Park, B.S. Kim, H.O. Ko, Y.S. Chang, J.B. Choi, Y.J. Kim, J.S. Lee and C.S. Kim	12
Application of the Refined Mesh Method for the Strength Estimation around Openings	
K.S. Lee, J.Y. Song, K.S. Kim, S.C. Kim and J.H. Kim	16
Finite Element Analysis of an Induced Current Potential Drop Method for the Defect Detection of Railway Axles	
B.C. Goo, C.H. Lim and S.J. Kwon	20
Analysis of Residual Stress Components Developed in Cold Drawing by Finite Element Method	
T.H. Baek	24
Evaluation of the J Integral of a Surface Crack by the Three-dimensional Local Hybrid Method	
K. Machida, G. Mizukami and H. Oyama	28
Examination of Accuracy of the Singular Stress Field Near a Crack-Tip by Digital Image Correlation	
K. Machida and Y. Suzuki	32
Limit Loads for Circumferential Cracked Pipe Bends under In-Plane Bending	
Y.J. Kim, C.S. Oh, B.K. Park and Y.I. Kim	38
A Micromechanical Model for Ductile Fracture of API X65	
C.K. Oh, Y.J. Kim, J.H. Baek, Y.P. Kim and W.S. Kim	43
Ball SAW Sensors for Safety and Reliability of Fuel Cell Technologies	
K. Yamanaka	48
Optically Encoded Smart Dust from DBR Porous Silicon	
B.J. Lee, S.G. Kim and H.L. Sohn	53
Development of Biaxial Servo Controlled Fatigue Testing System	
A. Shimamoto, D.Y. Hwang and T. Nemoto	57
Separation and Concentration of Particles in Fluid Using Ultrasonic Standing Wave	
Y.S. Lee and J. Kwon	63
Measurement of Thermal Expansion Coefficients of Thin Film of Different Organic Coatings by Shearography	
K. Habib	67
Development of Novel Optical Fiber AE Sensor with Multi-Sensing Function	
H. Cho, T. Naruse, T. Matsuo and M. Takemoto	71
Measurement for In-Plane Displacement of Tensile Plates with Through-Thickness Circular Hole and Partly Through-Thickness Circular Hole by Use of Speckle Interferometry	
M.S. Kim and T.H. Baek	77
Test and Evaluation of a Newly Built Multi-Purpose Transmission Type Polariscopic	
T.H. Baek and M.S. Kim	81
The Detection and Imaging of Internal Defect Using ESPI-Based Strain Analysis	
T.H. Lee and K.Y. Jhang	87
An Optical Method for the Detection of In-Plane Motion of Acoustic Waves Propagating in Solids	
C.H. Yang and Y.C. Tsai	91
Quantitative Vibration Amplitude Measurement Using Stroboscopic Phase Shifting ESPI	
H.C. Jung and K.S. Kim	95
Surface Roughness Measurement by Using Interferometer and Active Interferometer Stabilization	
J.T. Kim, D. Kim, H.S. Kim and J.R. Park	99

Suppressing Technique of the Antisymmetric Mode by the Superposition of Lamb Waves Generated by Two Laser Beams in a Thin Plate	103
S.S. Lee and S.W. Dho	
Absolute Single-Mode Lamb Wave Generation by Laser in a Thin Plate	108
S.S. Lee and S.W. Dho	
Influence of Shearing Amount on Detecting Crack-Shaped Internal Defect by Shearography	112
K.S. Kang, K.S. Kim, H.C. Jung and H.S. Jang	
Out-of-Plane Micro-ESPI System for Measurement of Mechanical Properties of Film Materials	116
D.I. Kim, Y.H. Huh and C.D. Kee	
Residual Stress Evaluation of Thin Film Using Strip Bending Test	121
J.H. Kim, H.J. Lee, S.W. Han, J.M. Kim and C.W. Baek	
Gas Electron Multipliers for Potential Applications to Digital Radiography	125
H.S. Cho, S.I. Choi, H.Y. Kim, B.S. Lee and S. Kim	
A Correction of Geometric Error of Nano-Indenter Using Atomic Force Microscope and Finite Element Method	129
S. Baek, S.K. Cho and C.S. Seok	
Design and Characterization of Capacitive Micromachined Ultrasonic Transducer	132
B.Y. Ahn, K.B. Kim, H.W. Park, Y.J. Kim and Y.S. Kwak	
Novel Test Procedure of Tensile Test for MEMS Materials	136
J.H. Park, Y.J. Kim, M.S. Myung, C.S. Lee, S.H. Choa and N.S. Choi	
Structural Health Monitoring Based on Electrical Impedance of a Carbon Nanotube Neuron	140
I.P. Kang, J.W. Lee, G.R. Choi, J.Y. Jung, S.H. Hwang, Y.S. Choi, K.J. Yoon and M.J. Schulz	
PZT-Induced Lamb Waves and Pattern Recognition for On-Line Health Monitoring of Jointed Steel Plates	146
Y.R. Roh, D.Y. Kim, S.H. Yang, S.H. Park and C.B. Yun	
Characteristics of Fiber Bragg Grating Sensors with Various Grating Lengths Embedded in Composite Materials	152
D.H. Kang, C.S. Hong and C.G. Kim	
Knee Joint Analysis for Optimal Ligament Surgical Reconstruction Using Three Dimensional Motion Model	156
B.Y. Moon, H.K. Kang, K. Son and S.W. Chung	
Experimental Study of Evaluating Bio-Mechanical Characteristics of Cushioning System Using Nano-Shock Absorption Pocket	161
B.Y. Moon, C.T. Lee, K. Son and S.W. Chung	
Performance of Electro-Active Papers Made with Cellulose and Multi-Walled Carbon Nanotubes	166
J.H. Kim, S.R. Yun and C.S. Song	
Experimental and Analytical Studies for Impedance-Based Smart Health Monitoring of Concrete Structures	170
S.H. Park, S. Ahmad, C.B. Yun and Y.R. Roh	
A Study on Damage Behavior and Strength of Smart Material under Low Temperature Using Acoustic Emission	174
J.K. Lee, Y.C. Park, S.L. Lee, J.H. Lee and J.B. Lee	
Surface Monitoring Technique for Fatigue Effect of Shape Memory Alloys(SMAs)	178
K.K. Chang, I.K. Rhee and Y.S. Roh	
Strain Monitoring and Damage Detection of a Filament Wound Composite Pressure Tank Using Embedded Fiber Bragg Grating Sensors	182
S.W. Park, D.H. Kang, H.J. Bang, S.O. Park and C.G. Kim	
Numerical Modeling of Shape Memory Alloy Thin Film Actuators and Their Applications	186
J.H. Roh, J.H. Han and I. Lee	
Wireless Instrumentation for Monitoring of Smart Structures	192
C.Y. Kim, I.B. Kwon and D.C. Seo	
Cohesive Zone Parameters for the Interface between NiTi Shape Memory Alloy and CFRP	196
S.Y. Yang	
Velocity Feedback with a Non-Collocated Pair of Sensor and Actuator for Tip Vibration Suppression of a Beam	200
Y.S. Lee and K.H. Shin	

Biologically Inspired Smart Sensor for Acoustic Emission Detection	204
Y.S. Lee, H.J. Im, J. Kwon and D.J. Yoon	
Dynamic Characteristics of Novel Ionic-Polymer-Metal-Composites	208
I.K. Oh and J.H. Jeon	
Application of Fiber Optic BOTDA Sensor for Fire Detection in a Building	212
I.B. Kwon, C.Y. Kim and D.C. Seo	
Reliability-Based Assessment of Bridges Using Long-Term Monitoring Data	217
Y.Q. Ni, X.G. Hua and J.M. Ko	
Fatigue Reliability Analysis of a Suspension Bridge Using Long-Term Monitoring Data	223
Y.Q. Ni, X.W. Ye and J.M. Ko	
Embedded Fibre Bragg Grating Sensors for Internal Fatigue Damage Monitoring in Polymeric Composites	230
C.S. Shin and C.C. Chiang	
On-Line NDE and Structural Health Monitoring for Advanced Reactors	234
N. Nakagawa, F. Inanc, A. Frishman, R.B. Thompson, W.R. Junker, F.H. Ruddy, A.R. Dulloo, J.M. Beatty and N.G. Arlia	
Ultrasonic Estimation of Clamping Force in High-Tension Bolts	240
K.Y. Jhang, H.H. Quan, J. Ha and N.Y. Kim	
Development of Smart Stress Memory Sensor Using AE Kaiser Effect	244
S. Nambu, Y. Tsunawaki and M. Enoki	
Assessment Model for the Safety and Serviceability of Steel Beams Using Terrestrial LiDAR	248
H.S. Park, H.M. Lee, Y.H. Kwon, J.H. Seo and H.C. Rhim	
Simultaneous Monitoring of Acoustic Emission and Corrosion Potential Fluctuation for Mechanistic Study of Chloride Stress Corrosion Cracking	254
A. Yonezu, H. Cho, T. Ogawa and M. Takemoto	
Development of Heat Resistant AE Monitoring System Using Optical Fiber Sensor	260
T. Matsuo, H. Cho and M. Takemoto	
Monitoring of a Steel Plate Girder Railroad Bridge with Fiber Bragg Grating Sensors	264
W.S. Chung, D.H. Kang, E.S. Choi and H.M. Kim	
FE Model Updating for Health Monitoring of Structures and its Experimental Verification by Damage Detection	268
G.H. Heo, J.R. Jeon, C.O. Lee, G. Lee and W.S. Lee	
Optimal Accelerometer Locations for Structural Health Monitoring Using Time-Domain System Identification	273
S.J. Kwon, H.S. Lee and S.B. Shin	
Contribution of Three-Dimensional Trabecular Bone Microstructure of the Proximal Femur to its Mechanical Properties as Assessed by Micro-Finite Element Analysis	278
W.Q. Cui, Y.Y. Won, M.H. Baek and K.K. Kim	
Integrity Assessment for Beam-Like Structures by Continuous Wavelet Transform	282
H.S. Kim, J.H. Yi, K.Y. Koo, C.B. Yun and Y.H. Huh	
Fatigue Crack Growth Monitoring by Optical Fiber Sensors in Smart Composite Patch Repairs	286
D.C. Seo, I.B. Kwon and J.J. Lee	
Structural Health Monitoring for Carbon Fiber/Carbon Nanotube (CNT)/Epoxy Composite Sensor	290
S.I. Lee and D.J. Yoon	
Making Sense of Non-Destructive Evaluation Data with an Artificial Intelligence Approach	294
M. Nguyen, X.M. Wang and G. Foliente	
Assessment of Structural Integrity for a Concrete Runway by Seismic Techniques	298
S.H. Joh, T.H. Kang and S.A. Kwon	
Structural Integrity Assessment of Tunnel Concrete Lining by the Resonance Search Technique	302
T.H. Kang, S.H. Joh and M.R. Cho	
The Effect of Joint Conditions on the Longitudinal and Flexural Wave Velocities of a Rock Mass	306
M.S. Cha, Y.J. Sim, G.C. Cho and S.W. Lee	
A Study on the Elastic Wave Propagation in the Telecommunication Pole Having Different Subsurface End Condition	310
H.W. Kim, D.S. Kim and W.K. Kang	

Modified Surface Wave Velocity Measurement Technique in Concrete	314
S.W. Shin, C.B. Yun, W.J. Song and J.H. Lee	
Nondestructive Curing Monitoring of Early-Age Concrete Using Rayleigh Wave Velocity	318
S.W. Shin and C.B. Yun	
Assessment of Fire-Induced Damage on Concrete Segment of Shield TBM Tunnel	322
S.H. Chang, S.W. Choi and G.J. Bae	
Geomechanical Characterization of Faulted Rock Materials in Korea	328
Y.S. Seo, C.Y. Kim, K.Y. Kim and K.M. Lee	
Evaluation of Residual and Actual Stress Levels of Steel Columns in Existing Building Structures due to Working Loads	332
H.S. Park, W.H. Lee, K.S. Yun and H.C. Rhim	
Improvement of the Impact-Echo Method for the Higher Reliability in the Structural Integrity Assessment	336
M.R. Cho, K.B. Kim, S.H. Joh and T.H. Kang	
Assessment of the Integrity of Piles by Impedance Log Technique	340
J.R. Lai, C.P. Yu and S.T. Liao	
Experimental Study of Sliding Load According to Changes of Axial Bolt Clamping Force of H-Beam Affected by Pure Bending	344
C.H. Kim	
Development of Imaging Technique for Evaluating the RC Plate Containing Epoxy-Repaired Delamination	348
C.C. Cheng, K.C. Pei and J.H. Wu	
Non-Contact SWP Stability Estimation Using Laser-Ultrasonic Wave	352
K.S. Song, J.Y. Kim and Y.H. Kim	
Damage Assessment of Reinforced Concrete Beams by Complex Ratios of Transfer Functions	357
C.P. Yu, C.C. Cheng and C.H. Chiang	
Non-Destructive Pile Integrity Test Using HWAW Method	363
H.C. Park and D.S. Kim	
Effect of Confining Pressure on Modeling High Early Strength Concrete under Uniaxial Loading	367
B.H. Oh, H.C. Rhim and H.S. Park	
Assessment of Local Damage Level in Engineered Cementitious Composites (ECC) Using Stress Wave Propagation	371
D.S. Kim, K.M. Lee, N.R. Kim and S.W. Jin	
Magnetoelastic Measurements of Steel Stress under Uniaxial Loading	377
H.C. Rhim, B.H. Oh and H.S. Park	
Calibration of an Impact Device and Its Application to the Normalized Spectral Analysis of Impact-Echo Tests	381
Y.C. Lin, C.K. Yang and C.C. Cheng	
Analytical Evaluation of Plastic Resistance of Column Base Connection Using Convex Set Theory	386
J.H. Choi and K. Ohi	
Detection of Debonding in Concrete Members Retrofitted with FRP Using Electromagnetic and Ultrasonic Methods	390
H.C. Rhim, S.K. Woo and Y.C. Song	
Crack Detection by Static Measurement in Steel Beams	394
P. Park, Y.H. Huh, D.J. Kim and B.J. Son	
A Study on the Diagnosis Method of Concrete Structures of School Buildings Using Non-Destructive Tests Based on Stress Waves	400
Y.S. Cho and H.S. Lee	
Remote Sensing of Bridge Displacement Using Digital Image Processing Techniques	404
J.J. Lee, M. Shinozuka and S.J. Cho	
Nondestructive Characterization Hydrogen-Charged Zircaloy with a Laser Ultrasound Technique	410
C.H. Yang and Y.A. Lai	
Comparison of Absolute and Differential ECT Signal Characteristics Obtained at Tubesheet and Tube Expansion Area	414
Y.K. Shin, S.C. Song, H.S. Jung, C.J. Im and M.H. Song	

Prediction and Analysis of ECT Signals due to Tube Defects near Support Plate in Steam Generator	420
Y.K. Shin, S.C. Song, H.S. Jung and Y.T. Lee	
A New Eddy Current 3-D Profilometry for a Quantitative Measurement of Geometric Anomaly in Steam Generator Tubes of Nuclear Power Plants	426
D.H. Lee, M.S. Choi, D.H. Hur, J.H. Han, M.H. Song and U.C. Lee	
Wear Transitions of Tube-Support Materials for a Nuclear Steam Generator through Sliding Wear Test and Fretting Wear Test	430
S.H. Jeong, B.J. Lee and Y.Z. Lee	
DC Potential-Drop Technique for the Evaluation of 3-D Back-Wall Cracks in Steel Structures	434
S. Reaz Ahmed, M. Saka and F. Takeo	
Development of On-Line Health Monitoring System for Pipes in Nuclear Power Plants	441
H.S. Eom, S.H. Lim, J.H. Kim, Y.H. Kim, H.J. Kim and S.J. Song	
Integrated Approach for On-Line Condition Monitoring of Piping	445
J.T. Kim, S.H. Seong, J.H. Park, S.W. Cheon, C.K. Lee, N.Y. Lee, I.S. Hwang and S.J. Lee	
Evaluation of Motorized Rotating Pancake Coil Probe Signals Simulated by Numerical Analysis in Steam Generator Tubes	451
J.Y. Yoo, S.J. Song, C.H. Kim, H.J. Jung, Y.H. Choi, S.C. Kang and H.K. Jung	
Fault Detection Using Acoustic Methods for the Sodium-Water Reaction Monitoring in a Liquid Metal Reactor	455
S. Hur, S.H. Seong, S.O. Kim and S.J. Lee	
Investigation on Multifrequency Eddy Current Testing Signal Analysis for Nondestructive Inspection of Steam Generator Tubes	460
H.J. Jung, S.J. Song, C.H. Kim, J.Y. Yoo, Y.H. Choi, S.C. Kang and M.H. Song	
Effects of 3D Eddy Current Finite Element Formulations on ECT Signals	464
H.B. Lee	
Water Thickness Gaging in a Bellows Tube Using Special UT Shoes & an Immersion Ultrasonic System	468
K.M. Koo, S.B. Kim, I.C. Lim, C.M. Sim, Y.M. Cheong and C.S. Park	
Research on the Method for Drill Pipe Thread Inspection	472
J.F. Ding, Y.H. Kang and X.J. Wu	
Application of Ultrasonic Test on Creep-Fatigue Life Evaluation	476
B.J. Kim, B.S. Lim, S.J. Song and Y.H. Kim	
Evaluation of Fracture Toughness for Power Plant Materials Using Continuous Indentation Technique	480
J.S. Lee, J.I. Jang, K.B. Yoo and D.I. Kwon	
The Evaluation of Material Degradation in Modified 9Cr-1Mo Steel by Electrochemical and Magnetic Property Analysis	486
Y.K. Hyun, S.H. Won, J.H. Jang and I.B. Kim	
Evaluation of Hidden Corrosion in a Thin Plate Using a Non-Contact Guided Wave Technique	492
I.K. Park, T.H. Kim, H.M. Kim, Y.K. Kim, Y.S. Cho and W.J. Song	
Prediction of Ultrasonic Signals Captured from a Side-Drilled Hole Using a Rectangular Transducer	497
H.J. Kim, S.J. Song and L.W. Schmerr	
A Model to Predict Phased Array Ultrasonic Testing Signals from a Flat-Bottomed Hole in Two Medium	501
S.J. Song, J.S. Park, H.J. Kim, U.H. Seong, S.C. Kang and Y.H. Choi	
Multi-Coil Eddy Current Probe for the Detection of Circumferential Cracks in Tubing	505
Y.J. Kim, B.Y. Ahn, K.B. Kim and Y.G. Kim	
Thermo-Mechanical Fatigue of the Nickel Base Superalloy IN738LC for Gas Turbine Blades	509
J.S. Hyun, G.W. Song and Y.S. Lee	
Non-Contact Ultrasonic Inspection Technology of Fillet Weldments Monitoring	513
I.K. Park, H.M. Kim, T.S. Park, Y.K. Kim, Y.S. Cho and W.J. Song	
Fatigue Life Prediction of Heat-Aging Vulcanized Natural Rubber	518
C.S. Woo and W.D. Kim	

Evaluation for Toughness Degradation of 2.25Cr-1Mo Steel Using Magnetic Property Measurement Method	
S.H. Nahm, J.S. Park, I.H. Chung, K.S. Ryu and A.K. Kim	522
The Application of Nondestructive Methods for Degradation Evaluation of Modified 9Cr-1Mo Steel	
J.S. Park, U.B. Baek, S.H. Nahm, S.I. Han and S.C. Choi	528
A Study on Material Degradation in Carbon Steel for Pressure Vessel at 179°C	
U.B. Baek, J.S. Park, S.H. Nahm and H.M. Lee	532
Evaluation of the Ductile-Brittle Transition Behaviour of Aging Specimens by the Fracture Toughness Test	
H.I. Kim, Y. Huh, J.S. Park and C.S. Seok	536
A Study on Estimation of the Pipe Fracture Characteristics	
J.S. Park and C.S. Seok	541
Identification of AE Source in Corrosion Process	
A. Prateepasen, C. Jirarungsatean and P. Tuengsook	545
Semi-Parametric Learning for Classification of Pitting Corrosion Detected by Acoustic Emission	
A. Prateepasen, P. Kaewtrakulpong and C. Jirarungsatean	549
Effect of Sulfuric Acid Concentration on Acoustic Emission Signals in Uniform-Corrosion	
A. Prateepasen, C. Jirarungsatean and P. Tuengsook	553
Development of a Novel Rod Compression Technique for Characterizing Local Surface Strength	
Y.H. Lee, J.S. Park, S.H. Nahm and Y.H. Huh	557
Assessment of Mechanical Degradation in Pressure Vessel Steel by Morphological Analysis of Carbides	
J.W. Byeon, S.I. Kwun and K.M. Kang	561
Creep Rupture Studies of Zirlo Tubing Using Ring Tensile Specimen	
B.K. Bae, C.S. Seok, J.M. Koo, H.I. Kim and K.L. Murty	565
Fracture Toughness with Thermal Aging in CF8M/SA508 Welds	
S.W. Woo, J.D. Kwon and Y.H. Choi	570
Simultaneous Measurement of Longitudinal and Transverse Waves Velocities Employing Spherically Focused Acoustic Transducer	
N.Y. Kim and C.K. Lee	574
Characterization of Material Degradation in Epoxy Film Based on Scanning Acoustic Microscopy (SAM)	
N.Y. Kim, H.S. Nah and S.S. Lee	578
Assessment of Insulation Degradation in Rotating Machines	
H.D. Kim	582
Nondestructive Detection of Crack and Delamination of Ceramics Coating on SUS304 Stainless Steel Using ESPI Method	
R.G. Wang, M. Kido and Y. Shinhara	586
Experimental Study on the Fatigue Strength of the Bogie Frame for Tilting Railway Vehicles	
N.P. Kim, J.S. Kim, S.I. Seo and T.W. Park	590
Study for Evaluation of Surface Cracks on Tribological Coatings Failure in Contacting Systems	
B.Y. Moon, B.S. Kim, H.K. Kang and S.W. Chung	594
Fatigue Crack Propagation of Magnesium Alloy and Aluminum Alloy in Biaxial Stress Fields	
Y. Ito and A. Shimamoto	599
Experimental Study on the Structural Safety Assessment of the Tilting Bolster Frame	
J.S. Kim, N.P. Kim and S.H. Han	603
Evaluation of Corrosion Fatigue Characteristics of Artificially Sensitized Austenitic Stainless Steel Using the DCPD Method	
D.H. Bae, B.B. Choi and G.Y. Lee	607
Corrosion Fatigue Characteristics of Artificially Degraded CF8A Steel in 3.5 WT.% NaCl Solution	
S.C. Jang, D.H. Bae and G.Y. Lee	611

Fatigue Crack Propagation Life of Welded Joints Related to the Statistical Characteristics of Multiple Surface Cracks	
J.W. Han and S.H. Han	615
The Effect of Cavity on the Creep Fracture in P92 and P122 Steels and Its Detection by Intelligent Phased Array Ultrasound	
C.S. Jeong, S.Y. Bae and B.S. Lim	620
Process Integration of Fatigue Analysis for Welded Bogie Frames	
S.H. Han, J.S. Bang, C.W. Rim, K.S. Lee, K.K. Lee and S.Y. Song	624
Evaluation of SCC Distribution by Means of Focusing Ultrasonic Angle Beam	
T. Abe, H. Endo, T. Takagi and T. Uchimoto	628
Evaluation of High Temperature Characteristics in Gas Turbine Blades	
H.I. Kim, H.S. Park, B.K. Bae, Y.M. Lee, C.S. Seok and M.Y. Kim	632
Evaluation of Tensile Properties and Bending-Induced Residual Stress of Slender Copper Pipe	
S.Y. Kim, H.I. Kim, C.S. Seok, J.K. Lee, J.Y. Mo and D.Y. Park	636
The Contact Fatigue Life Evaluation According to Contact Surface Removal	
J.W. Seo, S.J. Kwon, H.M. Hur, J.B. Choi and Y.J. Kim	640
Sensitive Ultrasonic NDE of Tightly Closed Small Cracks in Carbon Steel Structures	
S.R. Ahmed and M. Saka	644
Failure Analysis of Railway Wheel Tread	
S.J. Kwon, D.H. Lee, S.T. Kwon and B.C. Goo	649
Experimental Study of High-Velocity Impact Characteristic of Mg Alloy Using Ballistic Range	
D.Y. Hwang, A. Shimamoto, D. Numata, T. Kikuchi and K. Takayama	654
A Study on the Improvement of Durability of a Drive Plate by Investigating the Optimum Peening Intensity	
K.J. Lee, J.H. Lee, T.K. Lee and S.K. Cheong	658
Burst Pressure Estimation of Steam Generator Tubes Based on Fracture Mechanics Analyses	
Y.S. Chang, Y.J. Kim, S.S. Hwang and J.S. Kim	666
Fluid Structure Interaction Analysis on Wall Thinned Pipes	
Y.S. Chang, K.H. Song, S.M. Lee, J.B. Choi and Y.J. Kim	670
Analysis of Fatigue Crack Growth in Weld Specimen Using Three-Dimensional Cohesive Zone Model	
S.Y. Yang	674
Effect of Local Strain on Low Cycle Fatigue Measured by ESPI System	
K.S. Kim, K.S. Kim, K.H. Lee, J.M. Kwon, S.M. Park and N.H. Lee	678
Influence of Inclusion on Deformation of Crack Tip in Rotating Disc by Photoelasticity and Method of Caustics	
T. Ezumie and K. Nishimura	684
Study on Stress Intensity Factor under Torsion Load of Double Column for Two Dissimilar Materials	
S. Sasaki and T. Ezumie	688
Tribological Performance of Multi-Walled Carbon Nanotubes in Mineral Oils under Boundary Lubricated Sliding	
S.H. Baik, K.S. Lee, D.K. Yoon and Y.Z. Lee	694
Residual Stress Evaluation and Its Effects on the Fatigue Life of an Autofrettaged Tube	
S.K. Koh	699
The Evaluation of Fretting Fatigue Life for Inconel 600 and 690 Alloy	
D.K. Park, Y.T. Bae, S.J. Choi, Y.S. Chai and J.D. Kwon	703
Life Prediction of High Pressure Steam Turbine Rotor	
G.W. Song, B.S. Kim and J.S. Hyun	707
Finite Element Analysis of the Stress Intensity Factor and the Residual Stress by Cold Expansion Method in CT Specimen	
J.S. Jang, C. Kim, M.R. Cho and W.H. Yang	711

Failure Analysis of Reinforced Concrete Bridge Column Using Cohesive and Adhesive Interfaces	
I.K. Rhee, H.U. Lee, J.S. Lee and W. Kim	716
Effect of Biaxial Static Loads on Fatigue Crack Propagation Behavior under Cyclic Tensile and Torsional Loading	
Y.H. Huh, P. Park, D.J. Kim and J.H. Park	720
Plastic Limit Loads for Through-Wall Cracked Pipes Using Finite Element Limit Analysis	
N.S. Huh, Y.S. Chang and Y.J. Kim	724
Degradation Depth Measurement of Polycarbonate Used by Castfilm Method	
T. Nemoto, H. Matsuura, M. Nakano and A. Shimamoto	729
Mixed-Mode Fatigue Crack Growth in Orthotropic Steel Decks	
D.H. Choi, H.Y. Choi, S.H. Chung and H. Yoo	733
Study on the Control and Fabrication of Thermal Fatigue Crack for Reliability Enhancement of NDT in Reactor Coolant System	
B.Y. Lee, H.K. Jin, D.H. An, J.S. Kim, D.H. Ryu and J.H. Lee	739
Application of Laser-Generated Ultrasound for Evaluation of Thickness Reduction in Carbon Steel Pipes	
J.H. Park, J.H. Lee, G.C. Seo and S.W. Choi	743
A Study on Ultrasonic Testing for Nondestructive Evaluation of Thermal Fatigue Crack in Pipelines	
W.G. Yi, M.R. Lee, J.H. Lee, S.W. Choi and B.Y. Lee	747
Uniform Model and Fracture Criteria of Annularly Breached Bars under Bending	
Y.T. Li, Z.Y. Rui and C.F. Yan	751
Anti-Fatigued Criterion of Annularly Breached Spindle on Mechanical Design	
Y.T. Li, P. Ma and C.F. Yan	755
Structural Health Monitoring of Composite Structures Using Guided Lamb Waves	
K. Balasubramaniam, B.V.S. Sekhar, J.V. Vardan and C.V. Krishnamurthy	759
Dispersion Behaviors of Wedge Waves Propagating Along Wedges with Bilinear Cross Sections	
C.H. Yang and C.Z. Tsen	765
Numerical and Experimental Studies on the Scattering of Lamb Waves in a Bent Plate	
A. Gunawan and S. Hirose	770
Time Reversal Technique for Ultrasonic Guided Wave Inspection	
H.J. Kim, S.J. Song, J.H. Seo, J.H. Kim and H.S. Eom	776
Comparison of an Array of EMATs Technique and a Magnetostrictive Sensor Technique for a Guided Wave Inspection of a Pipe	
Y.M. Cheong, H.K. Jung and Y.S. Kim	780
A Computational Tool for Defect Analysis in Rail with Ultrasonic Guided Waves	
C.M. Lee, J.L. Rose, W. Luo and Y.H. Cho	784
A Characteristic of Scattering Patterns from Defect in a Rail	
C.M. Lee, J.L. Rose and Y.H. Cho	788
SH Guided Wave Scattering in a Structure with Thickness Variation	
Y.H. Cho, J.L. Rose and H.G. Kwun	792
A Wall Thinning Detection and Quantification Based on Guided Wave Mode Conversion Features	
Y.H. Cho, W.D. Oh and J.H. Lee	795
Long Range Ultrasonic Guided Wave Technique for Inspection of Pipes	
I.K. Park, Y.K. Kim, H.M. Kim, W.J. Song and Y.S. Cho	799
Ultrasonic Guided-Wave Mode Identification in Pipe by Using Air-Coupled Transducer and Time-Frequency Analysis	
I.K. Park, H.M. Kim, Y.K. Kim and Y.S. Cho	804
Usefulness of Thermography in Evaluation of Patients with FBSS Following Radiofrequency Dorsal Root Ganglion Lesioning	
J.Y. Park, J. Park, S.D. Kim and D.J. Lim	808
Role of Intraoperative Infrared Thermography for Prediction of Successful Percutaneous Radiofrequency Sympathectomy for Palmar Hyperhidrosis	
J.Y. Park, J. Park, S.D. Kim, S.H. Kim and D.J. Lim	813
Analysis of Thermal Distribution for LCD-TV Using Infrared Camera	
S.J. Oh, D.H. Chung and H.S. Ko	817

Infrared Thermographic Technique to Measure Corrosion in Reinforcing Bar	821
L. Chung, I.K. Paik, S.H. Cho and Y.S. Roh	
Thermographic Damage Detection of Ceramic Matrix Composites During Tension Testing	825
J.H. Lee and J.G. Kim	
Correlations between the Changes of Pain and Temperature by Infrared Thermography in Central Poststroke Pain	
S.Y. Kim, D.I. Lee, K.S. Kim, D.O. Kim, Y.K. Choi, D.Y. Choi, S. Lim, J.D. Lee and Y.H. Lee	831
NDT Analysis of Metal Materials with Internal Defects Using Active Infrared Thermography Method	
W.T. Kim, M.Y. Choi and J.H. Park	835
Influence of the Thickness of the Specimen in the Infrared Hybrid Method in Consideration of Heat Conduction	
K. Machida and S. Miyagawa	841
Thermographic Diagnosis of Whiplash Injury with/without Radiculopathy	
H.Y. Zhang, B.Y. Cho, H.S. Kim and Y.E. Cho	845
Far IR Emission and Thermal Properties of Ceramics Coated Fabrics by IR Thermography	
C.H. Park, M.H. Shim and H.S. Shim	849
Medical Thermography Evaluation of Anti-Fatigue Mat to Prevent Muscular Skeletal Disorder	
S.J. Park and H.J. Lee	853
Modeling of Ultrasonic Wave Propagation Path through Cancellous Bone and Quantitative Estimation of Bone Density and Bone Quality	
T. Otani	857
Optical Inspection of Interfacial Thermal Strains in IC Composite Microstructures	
Y. Morita, K. Arakawa and M. Todo	862
A Study on the Fracture Characteristics of Plasma-Treated Graphite/Epoxy Laminated Composites	
M.H. Kim, K.Y. Rhee, Y.N. Paik and S.H. Ryu	869
Matrix Crack Detection of CFRP Laminates in Cryogenic Temperature Using Electrical Resistance Change Method	
A. Todoroki, K. Omagari and M. Ueda	873
The Collapse Characteristics of CFRP Hat-Shaped Section Members under Axial Compression	
K.S. Lee and I.Y. Yang	877
The Impact Collapse Characteristics of Al/CFRP Members for Light-Weight	
I.Y. Yang, K.S. Lee and C.S. Cha	881
The Penetration Characteristics of CF/Epoxy Curved Sheller According to Stacking Sequence	
I.Y. Yang, Y.J. Cho, Y.N. Kim, U. Heo, S.G. Park, K.H. Im, J.H. Kim and J.K. Sim	885
Ultrasonic Inspection of Carbon/ Phenolic Composites Using a Peak-Delay Measurement Method	
I.Y. Yang, K.H. Im, D.K. Hsu, S.J. Song, H. Cho, S.K. Kim, Y.H. Seo and J.W. Park	889
Nondestructive Determination of Ply-Layup Error in Cured/Uncured CF/Epoxy Composites	
Y.S. Kweon, K.H. Im, D.K. Hsu, D. Fei, S.W. Ra, K.S. Lee, J.W. Park, J.K. Sim and I.Y. Yang	893
Effective Flexibility Calculation for Beams with Periodic In-Homogeneities	
I.S. Chung and Y.S. Chai	897
Analysis of Dominant Frequencies of Glass Fiber/Aluminum Laminates during Acoustic Emission Measurement	
S.C. Woo and N.S. Choi	901
Acoustic Emission Monitoring of Ablative Composite Liner Bonded on Steel Nozzle under Static Loading	
C.W. Shul, K.B. Lee, J.H. Kim and S.H. Koo	907
Mechanical Property and Oxidation Behavior of LPS-SiC Materials	
S.L. Lee, Y.S. Shin, J.K. Lee, J.B. Lee and J.Y. Park	913
Carbon Nanotubes-Adsorbed Polymeric Microspheres for Electrorheological Fluids	
S.H. Yoon, H.J. Choi and H.J. Jin	917

Mechanical Properties of Silk Fiber Reinforced Polymer Composites with Carbon Nanotubes	
H.S. Kim, B.H. Park, J.S. Yoon and H.J. Jin	921
Characterization of Delamination in Laminated Composites Based on Damage Indices	
H.S. Kim, J.H. Kim and S.B. Choi	925
Thermal Shock Damage and Mechanical Property of MoSi₂ Materials by NDE Technique	
S.L. Lee, Y.H. Kim, Y.S. Shin, J.K. Lee, J.H. Lee and J.Y. Park	930
Electrospun Nanofiber of Nylon 610/Multi-Walled Carbon Nanotube Composites	
M.S. Kang and H.J. Jin	934
Fiber Orientation State Depending on the Injection Mold Gate Variations during FRP Injection Molding	
J.W. Kim and D.G. Lee	938
Impact Characteristics and Damage Detection of Woven Carbon/Epoxy Laminates for Car Body Structures of a Tilting Train	
J.H. Lee, S.K. Cheong, J.S. Kim and K.Y. Eum	942
NDE Characterization and Mechanical Behavior in Ceramic Matrix Composites	
J.G. Kim, S.T. Kwon and W.K. Kim	946
The Stress Concentration Factor (K_t) and Fatigue Crack Behavior on the Relative Defect Location in Monolithic Aluminum versus GLARE	
C.W. Kim, K.L. Kim, W.P. Lee, S.H. Lee and S. Heo	952
Detectability of Bearing Failure of Composite Bolted Joints by Electric Resistance Change Method	
Y. Shimamura, K. Oda, A. Todoroki and M. Ueda	957
Compressive Deformation Analysis of Smart Skin Structure Embedded with Round Shape Antenna	
J.S. Joe, H.C. Park, K.J. Yoon and N.S. Goo	963
Laser-Generated Ultrasonic Technique for Inspecting Delamination in CFRP	
W.S. Park, S.W. Choi, J.H. Lee, K.C. Seo and J.H. Byun	968
Ultrasound Speed in Articular Cartilage under Different Bathing Saline Concentration	
Y.P. Zheng, S. Patil and Q. Wang	972
Fabrication of a 40 MHz Single Element Ultrasonic Transducer Using a PMN-PT Single Crystal	
D.G. Paeng, H.H. Kim, S.G. Lee, S.M. Rhim and M.J. Choi	978
Pressure Distributions on the Buttocks and Thighs by Electrical Stimulation in the Sitting Posture	
S.J. Hwang, H. Kaplan, G.E. Loeb, H.S. Kim and Y.H. Kim	984
3D Motion Analysis on the Hallux Valgus by Using the Multi-Segment Foot Model	
S.J. Hwang, H.S. Choi, K.T. Lee and Y.H. Kim	988
High Resolution One-Dimensional Dose Measurement Using a Movable Miniature Fiber-Optic Radiation Sensor	
B.S. Lee, D.H. Cho, S.C. Chung, J.H. Yi, K.W. Chang, S. Kim, H.S. Cho and S.Y. Kim	992
The Effect of Oxygen on Verbal Performance : An fMRI Study	
S.C. Chung, J.H. You, B.S. Lee, G.R. Tack, S. Kim and S.H. Son	996
Design of Femoral IM Nail by Analysis of Lateral Curve Angle	
S.M. Kim, S.Y. Park, M.P. Lee and B.C. Choi	1000
A Flat-Panel X-Ray Imaging Module for Medical Imaging and Nondestructive Testing	
H.S. Cho, S.I. Choi, B.S. Lee and S. Kim	1004
Assessment of Muscle Spasticity by a Simple Pendulum Test and Modeling	
J.H. Jun, S.J. Kong, C.S. Kim, G.M. Eom, S.H. Lee and K. Hase	1008
A Comprehensive Assessment of Motor Function for Use at Home	
C.S. Kim, G.M. Eom, S.M. Kim and C.H. Lim	1012
Functional Reorganization in Chronic Hemiparetic Patients after Training: fMRI Studies	
K.S. Tae, S.J. Song, S.Y. Lee, G.Y. Park, C.H. Sohn and Y.H. Kim	1016
Effects on Foot/Ankle Roll-Over Characteristics According to Different Heel Heights during Walking	
H.S. Choi, H.S. Kim and Y.H. Kim	1022
Influence of α-Adrenoceptor Mediated Vasoconstriction on Spontaneously Hypertensive Rats after Exercise Training	
Y.H. Seo and K.H. Im	1028

Development of an MR-Compatible ECG Amplifier	1032
S.C. Chung, J.H. Yi, G.R. Tack, B.S. Lee, J.H. Kwon, S. Kim and J.H. Sohn	
Measurement of Elastic Properties of Self-Oscillating Gel	1036
R. Aoki, M. Enoki and R. Yoshida	
Label-Free DNA Detection Using a Near-Field Microwave	1040
K.J. Lee, A. Babajayan and S.H. Kim	
Monitoring of Bone Temperature during Osseous Preparation for Orthodontic Micro-Screw Implants: Effect of Motor Speed and Ressure	1044
O. Nam, W. Yu, M.Y. Choi and H.M. Kyung	
Glucose Biosensing Using a Near-Field Microwave Microprobe	1048
A. Babajayan, J.C. Kim, S.H. Kim, B. Friedman and K.J. Lee	
Characterization of CMOS Pixel Detectors for Digital X-Ray Imaging	1052
M.K. Cho, H.K. Kim, T. Graeve and J.M. Kim	
Investigation of Scintillation Screens for X-Ray Imaging	1056
J.M. Kim, H.K. Kim, M.H. Cheong, M.K. Cho, C.S. Shon and C.H. Lim	
Computational Toolset for X-Ray Spectral Analysis	1060
C.S. Shon, H.K. Kim, M.K. Cho, M.H. Cheong, C.H. Lim and J.M. Kim	
Model-Based Approach for Quantitative Evaluation of Spasticity	1066
K. Hase, N. Adachi, G. Obinata, G.M. Eom, C.S. Kim and S.J. Kong	
Non-Invasive Analysis of the Micro-Structural and Biomechanical Properties of Trabecular Bone in Human Femoral Head	1070
Y.Y. Won, M.H. Baek, W.Q. Cui and K.K. Kim	
An Automated Measurement System of Ultrasonic Properties of Tofu and Acorn Curd (Dotori Muk)	1074
Y. Li, S.R.A.R. Guntur, M.J. Choi and D.G. Paeng	
Detecting and Tracking Changes of Morphologies and Mechanical Characteristics in the Lumbar Vertebrae of OVX Rats Using RP Technique and Micro-FE Method	1078
D.G. Woo, H.S. Kim, C.Y. Ko, B.Y. Lee, G.R. Tack and Y.H. Kim	
Measurment of Strain Generated Potential Near Bone and Implant Interface for Assessment of Osseointegration	1082
J.H. Hong, Y.H. Park, S.O. Ko, S.H. Lee and G. Khang	
A New Severity Index for Nondestructive Dynamic Analyses in Equinus Gait	1086
Y.H. Rim, Y.J. Kim, S.S. Lee and J.H. Mun	
Non-Invasive Kinematic Analysis of the Triceps Surae Muscle-Tendon Complex during a Gait	1090
Y.H. Rim, A.R. Choi, S.S. Lee and J.H. Mun	
The Analysis of Slice-Induced Factors in Golf Swing Using a 3D Motion Capture System	1094
T.Y. Sim, S.E. Oh, S.S. Lee and J.H. Mun	
Moment Prediction for Evaluating Stability of the Upper Cervical Spine Fixed with Wires Using Finite Element Analysis	1098
H.S. Kim, Y.S. Kim and J.H. Mun	
The Development Telemedicine System for Blood Pressure Monitoring via Ethernet	1103
Y.K. Moon, Y.H. Song, J.H. Kim, S.S. Lee and J.H. Mun	
Development of a Portable and Wireless Surface EMG	1107
S.S. Lee, K.Y. Shin and J.H. Mun	
Development of an Algorithm for a PZT Ceramic Foot Pressure Sensor	1111
S.S. Lee, K.Y. Shin and J.H. Mun	
Computer-Graphics Based Analysis of Human Foot Kinematics during the Gait	1115
H.K. Choi and S.Y. Kim	
The Effects of High-Heeled Posture on COP Kinematics and Muscle Fatigue during the Balance Control of Human Body	1119
H.K. Choi and W.H. Cho	
Characterization of the Harmonic Generation from Cavitating Bubbles Interacted with a Diagnostic Ultrasound in the Focal Region of High Intensity Focused Ultrasound	1123
M.J. Choi, G.S. Kang, D.G. Paeng, S.M. Rhim, M.H. Bae, B. Zeqiri and A. Coleman	
Non-Invasive Analysis of Trabecular Microstructural and Biomechanical Properties in Obese OLETF Rats	1129
M.H. Baek, Y.S. Chung, Y.Y. Won, W.Q. Cui, H.K. Kim, C.H. Chung, S.H. Yoo and K.K. Kim	

Ultrasonic Characterization of Thermal Distribution in Vicinity for a Cylindrical Thermal Lesion in a Biological Tissue		
M.K. Jeong, M.J. Choi, S.J. Kwon, M.H. Bae, D.G. Paeng, B. Zeqiri, L. Wright and A. Coleman		1133
A Study on the External and Internal Morphology of the Mandibular First Premolar Using a Micro-CT		
K.J. Chun and H.J. Li		1139
Binding Inhibition Assay Using Fiber-Optic Based Biosensor for the Detection of Foodborne Pathogens		
M.T. Morgan, G.Y. Kim, D. Ess, A. Kothapalli, B.K. Hahm and A. Bhunia		1145
Volume Measurement by Using Helmholtz Acoustic Resonance for Porous Produce and Foods -- Real-Time Measurement of Bread Dough Volume in Fermentation Process --		
T. Nishizu and S. Kawada		1151
Detection of Contaminants on Poultry Processing Plant Equipment Using Laser-Induced Fluorescence Imaging		
M.S. Kim, B.K. Cho, K.L. Chao, A.M. Lefcourt, Y.L. Liu and Y.R. Chen		1157
Detection of Metal Contaminants in Food Using High Tc SQUIDs Magnetometer		
S. Tanaka, H. Fujita, Y. Hatsukade, T. Nagaishi, K. Nishi, H. Ota, T. Otani and S. Suzuki		1163
Detection of Listeria Monocytogenes Using an Automated Fiber-Optic Biosensor: RAPTOR		
G.Y. Kim, M.T. Morgan, D. Ess, B.K. Hahm, A. Kothapalli, A. Valadez and A. Bhunia		1168
Application of the X-Ray CT Technique for NDE of Wood in Field		
S.J. Lee, K.M. Kim and J.J. Lee		1172
Studies about the Influence Factors on Ultrasonic Velocity of Domestic Red Pine		
S.R. Han, C.Y. Park, Y.G. Eom and J.J. Lee		1177
NDE of Decayed Wood with Ultrasonic CT		
K.M. Kim and J.J. Lee		1182
A Real-Time Automatic Inspection System for Pattavia Pineapples		
W. Kaewapichai, P. Kaewtrakulpong and A. Prateepasen		1186
Wavelet Analysis of Ultrasonic Transmitted Signal of Apple during Storage Time		
K.B. Kim, M.S. Kim, H.M. Jung, S.D. Lee, J.G. Park and G.S. Kim		1192
Measurement of Moisture Content in Powdered Food Using Microwave Free-Space Transmission Technique		
K.B. Kim, S.G. Park, J.Y. Kim, J.H. Kim, C.J. Lee, M.S. Kim and M.Y. Choi		1196
Proper Light Array Design for the Optimum Nondestructive Evaluation of Fruit's Internal Quality		
S.W. Kang, K.J. Lee and J.R. Son		1201
Nondestructive Cucumber Quality Evaluation System Using Machine Vision		
S.W. Kang, K.J. Lee and H.Y. Lee		1205
Internal Quality Estimation of Watermelon by Multiple Acoustic Signal Sensing		
K.J. Lee, W.Y. Choi, G.Y. Kim, S.W. Kang and S.H. Noh		1209
Application of Sensors to Assess Soil Conditions in a Korean Paddy Field		
S.O. Chung, B.H. Chong, S.W. Kang and G.Y. Kim		1213
Development of a Portable Electronic Nose System to Analyze Flavour Signal Patterns of Kochujang		
J.W. Lee, D.W. Shin and S.M. Kim		1217
Analysis of Characteristics of In-Line Magnetic Resonance Sensor		
S.M. Kim and M.J. McCarthy		1221
Nondestructive Evaluation System for White Ginseng Quality Using Image Processing Technique		
S.M. Kim, C.S. Kim, C.H. Lee, M.H. Kim and S.J. Park		1225
Determination of Tillage Depth Based on Physical Properties of Soil for Rice Production in Korea		
L.Y. Kim, H.J. Cho, S.O. Chung, W.Y. Park and K.S. Lee		1229
Development of Spike Wavelet Analysis and Its Application to Damage Analysis on Gearbox		
S.K. Lee and J.S. Sim		1233
Design of Adaptive Filter for Health Monitoring on a Gearbox		
S.K. Lee and J.S. Lee		1237

A New Signal Processing Technique to Estimate Velocity Dependent Dynamic Friction Coefficient	1241
K.H. Shin	
Frequency Windowing Technique for Reducing Multi-Path Noise in Free-Field Reciprocity Microphone Calibration Method	1245
H.S. Kwon, S.J. Suh and J.G. Suh	
Multi-Reference Scan-Based Nearfield Acoustical Holography	1249
H.S. Kwon	
A Comparative Study on the Vibration Signal-Based Damage Detection for Rotor-Bearing System in Speed-Up Process: The Feature Extraction Approach	1253
B.S. Kim, S.H. Lee, J. Ni and J.Y. Song	
Design of a Time-Frequency Distribution for Vibration Monitoring under Corrosions in the Pipe	1257
G.Y. Park, C.K. Lee, J.T. Kim, K.C. Kwon and S.J. Lee	
High Speed Decoding of Entropy Codes in H.264/AVC Based on a Symbol Prediction	1262
C.H. Kim, T.S. Kong, Y.J. Lee, H.D. Kim and Y.H. Ju	
Automated Multichannel Signal Classification Systems for Ultrasonic Nondestructive Evaluation	1266
J. Kim, P. Ramuhalli, L. Udupa and S. Udupa	
An Approach To Discrete Spectrum Correction Based on Energy Centroid	1270
D. Kang, C. Dangdang and L. Weihua	
An Impact Source Localization on a Spherical Shell by Using Smoothed Wigner-Ville Distributions	1274
J.H. Park and Y.H. Kim	
Liquid Behavior in Containers with a Liquid-Packing Bag for Liquid Products Subjected to Drop Impact	1280
E. Umezaki, Y. Shinoda and K. Futase	
Determination of Principal-Stress Directions by Three-Step Color Phase Shifting Technique	1284
P. Pinit, T. Susumu and E. Umezaki	
Image Processing Based Automatic Inspection for Assembly Line of Automobiles	1288
Y.K. Chung and K.H. Kim	
Development of a Manipulator Free Mobile Ultrasonic C-Scan System	1293
H. Cho, S.J. Song, H.J. Kim, H.J. Lee and S.N. Choi	
Fast and Accurate Color Space Conversion Matrix	1297
J.W. Seo and M.C. Shin	
Wavelet Based Multi-Bit Fingerprinting Against Geometric Distortions	1301
W.G. Kim, Y.S. Seo, H.W. Jung, S.H. Lee and W.G. Oh	
Optical Properties for ZnSe Epilayer Obtained From Photoluminescence Measurement	1306
S.Y. Lee and K.J. Hong	
Asymmetrical Dual Charge EPCM for Delamination Monitoring of CFRP Laminate	1309
M. Ueda and A. Todoroki	
Luminance Change Method for Cure Monitoring of GFRP	1316
A. Todoroki, N. Hana and M. Ueda	
Effect of SiO₂ Cap Layer on Thermal Stability of Nickel and Nickel-Cobalt Silicide	1322
K.J. Han, Y.J. Cho, S.Y. Oh, Y.J. Kim, W.J. Lee, H.D. Lee and Y.C. Kim	
Nondestructive Evaluation of Corrosion Progression on Titanium and Its Alloy Surface by Wetting Method	1326
R.G. Wang, M. Kido and K. Mukai	
Measurement of Carboxyl Group Separated from a Thin Film Copolymerized by Low-Temperature Plasma at Atmospheric Pressure of C₂H₂ and CO₂	1332
H.L. Sohn, Y.T. Cho and B.J. Lee	
Synthesis and Characterization of Ce-Doped BZT Thin Films Deposited by a RF Magnetron Sputtering Method	1336
W.S. Choi, Y. Park, J.H. Boo, J. Yi and B.Y. Hong	
Evaluation of Recovery Process of Pure Magnesium at Room Temperature By Acoustic Emission	1340
Y.P. Li and M. Enoki	

Transition of Friction and Wear by Stick-Slip Phenomenon in Various Environments under Fretting Conditions	1344
S.H. Jeong, J.M. Park and Y.Z. Lee	
Residual Stress Measurement and Evaluation on Ceramics with X-Ray and Indentation Method	1348
T. Tokuda, R.G. Wang, G. Katayama and M. Kido	
FE Analysis of Thermoelectric Cooler Using Bi-Te-Sb Compound Alloy	1353
S.W. Han, M.H. Lee, H.W. Lee, J.H. Yu, G.H. Ha and K.H. Lee	
Measurement of TiAlN Coating Effects on Machining Characteristics of High Hardened Steel	1357
S.T. Won and D.Y. Jang	
Effect of Anisotropy on The Thermoelectric Properties of $\text{Bi}_1\text{Sb}_3\text{Te}_6$ Added with Au Alloys Prepared by Mechanical Alloying Process	1360
W.K. Min, C.H. Lee, Y.H. Park and I.M. Park	
Effect of Sr and Sb on Microstructure and Mechanical Properties of Mg-5Al-2Si Alloys	1365
D.H. Song, C.W. Lee, K.Y. Nam, S.W. Lee, Y.H. Park, K.M. Cho and I.M. Park	
Effect of Al on the Castability, Tensile and Creep Properties of Mg-xAl-Zn	1370
C.W. Lee, D.H. Song, K.Y. Nam, B.H. Choi, Y.H. Park, K.M. Cho and I.M. Park	
Fracture Characteristic of Aged DLC Films Using Nano-indentation and Micro-indentation	1374
S. Baek, J.M. Koo and C.S. Seok	
Analysis of Residual Stress in Thin Film Using Laser Scanning Method	1377
S.S. Lee and M.H. Yi	
Evaluation of Thermal Stress Resistance of Titanium Alloy for the Air Breathing Engine	1381
Y.S. Lee, H.S. Kim, Y.J. Choi and J.H. Kim	
Thermal Properties of a Liquid-Crystalline Polyurethanes Containing Biphenyl Mesogen	1385
J.B. Lee, K.H. Lee, B.C. Kang, B.W. Kang, S.L. Lee and J.K. Lee	
Influence of Anisotropic Materials on Stress Intensity Factor under Biaxial Stress Conditions	1389
T. Shimomura and A. Shimamoto	
Nondestructive Structural Analysis on Deformation Properties of Highly Porous Aluminum Material	1395
T. Asahina, I. Jeon, K. Katou and T. Sonoda	
High Resolution Electrical Resistance Profiling of Laboratory Soil Specimens	1399
J.S. Lee, G.C. Cho and E.S. Hong	
Strength-Based and Wave-Based Liquefaction Characterization	1403
G.C. Cho and J.S. Lee	
Evaluation of Grouting Performance Using Electrical Resistivity Tomography	1407
N.D. Thanh, G.C. Cho, Y.J. Sim and S.W. Lee	
Rock Mass Classification Using Electrical Resistivity - an Analytical Study	1411
J.S. Choi, H.H. Ryu, I.M. Lee and G.C. Cho	
Characterization of Clay Sedimentation Using Piezoelectric Bender Elements	1415
I.H. Chang, G.C. Cho, J.G. Lee and L.H. Kim	
Textures Evolution of Rolled AA5182 Alloy Sheets after Annealing	1421
K.J. Kim and J.S. Kim	
Inspection of Thin Copper Heat Exchanger Tubes Using SQUID-NDE System	1425
Y. Hatsukade, S. Okuno, K. Mori and S. Tanaka	
Determination of the Mechanism Based Deposition Processes of Thin Film in OLED	1431
K.K. Lee, K.S. Lee and T.W. Kim	
The Nondestructive Evaluation Method for the Optical Glass Lens by Resonant Ultrasound Spectroscopy	1435
K.S. Lee, S.H. Kim, H.K. Min, Y.N. Kim, C.S. Cha, J.H. Kim, S.H. Jeong and I.Y. Yang	
Spectrum Analysis of an Ultrasonic Signal According to a Surface Status by Using a Robust Laser-Based Ultrasonic System	1439
S.K. Park, S.H. Baik, C.H. Lim, C.J. Kim and Y.J. Kang	
Evaluation of Effect of Process Conditions on Microstructures in Plasma Sprayed Coating by In Situ Laser AE	1443
K. Taniguchi, S. Nishinoiri, M. Enoki and K. Tomita	

A Study of the Quantitative Nondestructive Evaluation Using the Cross Type Magnetic Source and the Magnetic Camera	1447
J.Y. Lee and J.S. Hwang	
Numerical Analysis of Magneto-Optical Eddy Current Imaging Using FEM	1451
J.Y. Lee, J.S. Hwang and T. Shoji	
Nondestructive and Non-Contact Characterization Technique for Metal Thin Films Using a Near-Field Microwave Microprobe	1457
H.J. Yoo, J.C. Kim, A. Babajayan, S.H. Kim and K.J. Lee	
Measurement of Alloying Degree of Galvannealed Steels by X-Ray Diffraction	1461
H.K. Park, J.H. Hong and C.S. Lee	
Comparisons of Precision Measurement Methods for Metallic Resistivities	1465
J.H. Kang, K.M. Yu, H.J. Kim, J.C. Ryu and S.O. Han	
Uncertainty Improvements of Metallic Resistivity Measurements by the Four-Point Probe Method	1470
K.M. Yu, J.H. Kang, H.J. Kim, K.S. Han and J.C. Ryu	
Ultrasonic Characterization of Residual Stress in Shot Peened Al 7075 Alloy Using Acoustic Signature	1475
C.S. Kim, D.S. Cho and I.K. Park	
The Influence of Microstructure and Chemical Composition on the Strength of Cast Iron Used for Railway Vehicles	1479
Y.M. Lee, Y. Huh, J.S. Park and C.S. Seok	
Evaluation of Surface and Internal Defects of Railway Wheel using Induced Current Focusing Potential Drop	1483
S.J. Kwon, D.H. Lee, J.W. Seo and C.W. Lee	
Durability Evaluations of the Car Body for Rubber-Tired Light Rail Vehicles	1487
Y.S. Kim, R.G. Jeong, T.K. Lim and W.J. Hwang	
Structural Safety Evaluations of Bogie Frames for Rubber-Tired AGT Vehicles	1491
Y.S. Kim, S.H. Park, R.G. Jeong and T.K. Lim	
The Evolution of Contact Stress and Surface Profile in Press-Fitted Shaft under Partial Slip Conditions	1495
D.H. Lee, S.J. Kwon, C.W. Lee, J.B. Choi and Y.J. Kim	
A Study on the Evaluation Methods of Running Safety for Railway Vehicle	1499
Y.S. Ham, J.S. Hong and T.Y. Oh	
Statistical Analysis of Casting Defects in Microstructure for Understanding the Effect on Fatigue Property of 17-4PH Stainless Steel	1503
J.Y. Kim, J.H. Lee and S.H. Nahm	
Consideration of Uncertainty in Diagnosis for Railway Arrester	1507
H.C. Kim, M.S. Han, H.J. Park, D.U. Jang, G.S. Kil and N.K. Nair	
Detection and Image Processing of Interfacial Micro-Delamination in the Thin-Layered Structure by Using Nonlinear Ultrasonic Effect	1513
J. Ha and K.Y. Jhang	
Application of Ultrasonic Test System for Test Performance Improvement of Welding Flaw	1517
C.H. Kim, J.Y. Kim, K.S. Song and Y.H. Cha	
Failure Analysis and Evaluation of Strength Properties for Brazed Joints	1522
K.W. Kang, B.J. Lee, K.Y. Jhang and J.K. Kim	
Risk Assessment of Axially Loaded Single Piles using RSM-based Reliability Method	1526
J.W. Huh and K. Kwak	
Formulation of Reliability-Based Fatigue Assessment of a Car Body for a High Speed Train Passing Through Tunnels	1530
C.S. Park, S.I. Seo, S.H. Choi and J.Y. Mok	
Reliability Assessment Approach Using Failure Mode Analysis in Machining Center	1535
B.S. Kim, S.H. Lee, J.S. Kim and J.Y. Song	
A Development of a New Life Test Procedure for Fan Motors	1539
W.G. Shin, S.H. Lee and Y.S. Song	
Reliability of Buried Pipeline Using FORM and Monte Carlo Simulation	1543
O.S. Lee and D.H. Kim	
The Tribological Behaviors of the Surfaces Lubricated by Polyaklylene Glycol and Polyolester Oils in Carbon Dioxide Environment	1548
S.D. Oh, T.S. Ahn, S.O. Cho and Y.Z. Lee	

Tribological Performance of Two Oilless Sintered-Metal Bearings for the Geared Motor in a Refrigerator	1552
S.D. Oh and Y.Z. Lee	
Gear Fault Classification Using Kernel Discriminant Analysis	1556
W.H. Li, K. Ding, T.L. Shi and G.L. Liao	
The Effect of the Operational Conditions on the Quantitative Leak Rate of Leak Detectors	1560
Y.H. Shin, S.S. Hong, I.T. Lim and K.H. Chung	
The Effect of Parameter Distribution Pattern on Frequency Response Localization in Nearly Periodic Systems	1564
S.H. Shin and H.H. Yoo	
Reliability Analysis of a Robot Manipulator Operation Employing Single Monte-Carlo Simulation	1568
D.H. Choi and H.H. Yoo	
Risk Based Optimization of the Life Assessment for Fossil Power Plant	1572
B.S. Kim, J.S. Ha, G.W. Song, J.S. Hyun and W.S. Choi	
Determination of the Hydrogen Concentration in Zr-2.5Nb Alloy by a Resonant Ultrasound Spectroscopy	1576
Y.M. Cheong and Y.S. Kim	
Probabilistic Reliability Design of Satellite Structures under Launching Environments By Metamodel	1580
J.S. Park, J.B. Im, Y.H. Ro and S.Y. Lee	
Characteristics of Stick Regions in Frictional Vibration with a Compressed Nonlinear Spring	1585
K.H. Shin and Y.S. Lee	
Evaluation of the Ride Comfort for High Speed Trains in Korea	1589
Y.G. Kim, S.W. Kim, C.K. Park, K.H. Moon and T.W. Park	
A Study on the Method of Vibration Analysis for Korean High Speed Train by the On-Line Test	1593
C.K. Park, K.W. Kim, J.Y. Mok, Y.G. Kim and S.W. Kim	
Dynamic Analysis and Fatigue Life Prediction of a Very Flexible Component in Multibody System	1597
J.W. Yoon, K.J. Jun and T.W. Park	
Dynamic Stress Analysis Method and Its Application for Urethane Wheels Using the Computer Model	1601
K.J. Jun, J.W. Yoon, T.W. Park and J.K. Park	
A Study on the Surface Characteristics with the Vibration Factor in the Micro-Machine	1605
J.M. Kin, M.S. Hong, B.S. Kim and S.H. Lee	
Measurement of Low-Frequency Wave Propagation in a Railway Contact Wire with Dispersive Characteristics Using Wavelet Transform	1609
S.Y. Park, B.U. Jeon, J.M. Lee and Y.H. Cho	
The Identification of Relationship between Vibration and Noise of Universal Motor in Working Status	1616
M.G. Kim, W.W. Hwang and S.H. Lee	
Characteristics of Crack Detection on Plates Using Strain Mode Shapes; Sensor Grids and Geometry	1620
B.S. Kim, S.H. Yoo, S.J. Lee and S.K. Baik	
Analysis of Vibration Caused by Ball Bearing in a HDD Spindle System at Elevated Temperature	1624
D.K. Kim and G.H. Jang	
Robust Measurement of Damping Ratios of a Railway Contact Wire Using Wavelet Transforms	1629
Y.H. Cho, J.M. Lee, S.Y. Park and E.S. Lee	
A Diagnostic Technique for the Inspection of Pipes in MOCVD System	1636
J.Y. Yun, Y.H. Shin and K.H. Chung	
Image Reconstruction of Blockage in the Continuous and Stepped Pipelines by Noninvasive Acoustic Method	1640
S.S. Jung, S.I. Cho, Y.T. Kim, C.U. Cheong and H.C. Kim	

Nonlinear Structural Dynamic Analyses of Micro Cantilever Beams Actuated by Electrostatic Force	1644
H.H. Yoo, S. Song, K.S. Jung and K.Y. Kim	
Dynamic Impact Analysis of a Rotating Beam Having a Tip Mass	1649
H.S. Lim and H.H. Yoo	
Dynamic Stability Characteristics of Axially Accelerated Beams	1654
H.H. Yoo and S.J. Eun	
Portable Neutron Source Using by Spherically Convergent Beam Fusion Device for Nondestructive Testing	1659
J.H. Park, H.J. Ju and K.C. Ko	
Application of Spectroscopic Radiography Using Pulsed Neutron Time-of-Flight Method for Material Characterization	1663
Y. Kiyanagi, T. Kamiyama, T. Nagata and F. Hiraga	
Nondestructive SANS Study of Reactor Pressure Vessel Steel after Irradiation	1667
Y.S. Han, E.J. Shin, B.S. Seong, C.H. Lee and D.G. Park	
Nondestructive Dynamic Process Monitoring Using Electrical Capacitance Tomography	1671
U.Z. Ijaz, J.H. Kim, M.C. Kim, S. Kim, J.W. Park and K.Y. Kim	
Interfacial Reaction of Cu-Tie Coating-Polyimide Flexible Copper Clad Laminates	1675
J.W. Lee, I.S. Lee, T.W. Kang, D.W. Kim and S.H. Kim	
Evaluation of Shockproofness of Small Form Factor Mobile TFT-LCD	1679
B.S. Kim, D.J. Lee, J.C. Koo, J.B. Choi, Y.J. Kim, J.N. Lee and Y.B. Chu	
Preparation and Characterization of Nanosized Al₂O₃ Particles Synthesized by the thermal MOCVD and Plasma CVD	1683
H.J. Kim, S.W. Oh, H. Noda, H.J. Chang and L.H. Kim	
Growth of Highly Oriented Zinc Oxide Thin Films by Plasma Enhanced Chemical Vapor Deposition	1687
H.J. Kim, D.Y. Jang, P.K. Shishodia and A. Yoshida	
Optical Emission Spectra Related to Microstructures of Diamond Film Deposited by Plasma Enhanced Chemical Vapor Deposition	1691
M. Noda, M. Umeho and H.J. Kim	
Thermal Diffusivity and Phase Transition of Rare Earth Manganites	1695
M. Kobayashi, H. Sato, Y. Hiyoishi, N. Kamagashira, D.J. Lee and H.J. Kim	
Preparation and Characterization of Polymer Light Emitting Diodes with ITO/PEDOT:PSS/MEH-PPV/LiF/Al Structure	1699
J.H. Yoo, H.J. Chang, S.C. Gong, I.J. Baek, H.S. Lim, G.K. Chang, Y.C. Chang and H.J. Kim	
(110) Silicon Hard Master Fabrication Using Wet Etching for Multi-Mode Planar Optical Splitter	1704
Y.M. Jung, Y.C. Kim and H.I. Seo	
Development of In-Situ SUB-100nm Particle Detection in Vacuum System	1707
K.H. Ahn and Y.M. Kim	
Ultrasonic Measurement of Elastic Properties of Nanostructured Alumina	1711
N.Y. Kim, H.J. Kim, S.W. Oh, N. Hozumi, C.K. Lee and M.S. Hong	
A Study on the Measurement System Using an Ultrasonic Sensor in Electron Beam Welding	1715
M.S. Hong, N.Y. Kim and J.M. Kim	
Reliability of Flip Chip Package with Underfills under Thermal Shock	1719
B.I. Noh and S.B. Jung	
The Evaluation of Weldability for AZ31B-H24 and AZ91C-F Mg Alloys in Friction Stir Welding	1723
W.S. Chang, H.J. Kim, J.S. Noh and H.S. Bang	
Study on Evaluation of AE Signals at Weld Region of SA 516 Steel	1729
N.E. Gyun, K. Hoon and K. Ono	
The Study on Mechanical Properties in Narrow-Gap Welds for SA312 TP347	1733
S.W. Woo, C.Y. Lee, J.D. Kwon, Y.H. Choi and H.S. Shin	
Numerical Simulation of Al-SPCC Weldment	1738
S.M. Joo, H.S. Bang and H.S. Bang	
The Weldability of Primer-Coated Steel for Shipbuilding by CO₂ Laser	1745
J.D. Kim, J.S. Oh and H.J. Park	

Implementation of Performance Demonstration Programs for Steam Generator Tubing Analysts		
C.H. Cho, M.W. Nam, D.H. Jee, J.H. Jung and H.J. Lee		1750
Comparison between Conventional and Performance Demonstration UT Method by Round Robin Test		
Y.S. Kim, S.H. Yang, B.S. Yoon and H.J. Lee		1754
Development of a Partial Blockage Detection Algorithm through Temperature Fluctuation Analyses in a Liquid Metal Reactor		
S.H. Seong, W.D. Jeon, S. Hur and S.O. Kim		1758