

# Table of Contents

## Preface

## Committee

### Analysis on the Hydroplaning of Aircraft Tire

Y.S. Wang, J. Wu and B.L. Su

1

### Dynamic Compressive Response and Failure Behavior of Basalt Fibers Polymer Functional Composites Embedded with ZnO Whiskers

W. Zhou, L.J. Wen, X.X. Zhang, X. Wang, J.L. Rong and H.B. Jin

7

### Preparation and Controlled-Release Analysis of Ethyl Cellulose – Moxa Leaf Powder Solution Microcapsules

Y. Zhang, L. Li, W.M. Au, Z.M. Yang, G.R. He, S.X. Deng, Z.H. Yang, J.W.Y. Chung and T.K.S. Wong

11

### Numerical Simulation of Temperature Field in Barrel of Injection Molding Machine during Induction Heating Process Based on ANSYS Software

S.J. Chang, P.C. Xie, X.T. He and W.M. Yang

16

### Adsorption Properties of Chemical Crosslinked Polymer Gel

X.Y. Hu and Y.B. Chen

22

### Investigation of Performance Advantages of Internal Circulation Two-Platen Injection Molding Machine

Z.W. Jiao, P.C. Xie, Z.Y. Yan, W.M. Yang and X.T. Wang

27

### Visual Experiment Study on the Influence of Mold Structure Design on Injection Molding Product's Defects

P.C. Xie, B. Du, Z.Y. Yan, Y.M. Ding and W.M. Yang

31

### Synthesis and Characterization of Novel Amphiphilic Fluorinated Triblock Copolymer

X.D. Tang, N.F. Han and D.J. Zhou

36

### Interaction of Polymer and Solvent in Chemical Crosslinked Polymer Gel

X.Y. Hu and Y.B. Chen

41

### Synthesis and Property of Photo- and Temperature- Dual-Responsive Amphiphilic Block Copolymers

X.D. Tang, N.F. Han and D.J. Zhou

47

### Research on High-Powered Brazing Diamond Saw for Cutting Vehicle Tyre

B.J. Ma and Z.A. Xu

52

### Research on Tribological Properties of Micro-Vehicle Clutch's Friction Material

J.C. Lv, Y.M. Mo and L.N. Pan

58

### Experimental Study on Mold Separations of Plastic Injection Molding Machines with Different Clamping Units

P.P. Zhang, P.C. Xie, D. Hua and W.M. Yang

64

### The Melting and Recrystallization Behavior of Poly(ethylene Terephthalate)/SiO<sub>2</sub> Nanocomposites Studied by Step-Scan DSC

C. Liu, K. Zheng, X.Y. Yao, X. Zhang, X.L. Liu, R.X. Wang and X.Y. Tian

69

### Preparation of Polysulfone Membranes Using Ionic Liquid [C<sub>16</sub>mim][SCN] as a Pore-Former and Plasticizer

Y.M. Zhao, X.L. Hu, J.Y. Yu and P. Guan

74

### Synthesis and Properties of Molecularly Imprinted Composite Membranes of Roxithromycin

J.Y. Yu, X.L. Hu, C.C. Jiao, Y.M. Zhao and W.W. Yang

80

### Thermal Conductivity of Nature Rubber Filled with Carbon Black

Y. He, H.T. Li and L.X. Ma

86

### Influence of Mineral Admixtures on the Performance of Polymer Modified Porous Concrete

F. Xu, M.K. Zhou, W.G. Shen and B.X. Li

92

### Carbon Nanofibers from Pyrolysis Flame and Research on the Affecting Factors

Y.C. Liu, B.M. Sun, T.K. Shan and Z.Y. Ding

98

### Carbon Nanotubes Preparation Using Carbon Monoxide from the Pyrolysis Flame

B.M. Sun, Y.C. Liu and Z.Y. Ding

104

### Experimental Study on Property of Rubber Composites Filled With Carbon Nanotubes

Z.P. Wang

110

<b>Heat Transfer during Rotational Molding of a Single Axis Device</b> Y.L. He and Y.M. Ding	116
<b>Influences of Preparative Conditions on Properties of Erythromycin-Molecularly Imprinted Membrane</b> P. Guan, X.L. Hu and Y.M. Zhao	119
<b>Research of Microprofile Extrusion</b> H. Wang, Z.H. Fu and D.G. Yao	125
<b>Quantum Chemistry Theoretical Studies on Molecular Structures of Polybutadiene</b> M. Zhang, Z.X. Huang and M.X. Shi	130
<b>Study on Oil Resistance Properties of Flexible PVC/PNBR Blends</b> Y. An, W.M. Yang, Y.M. Ding, Y. Liu and J. Tan	134
<b>Thermal Conductivity and Mechanical Properties of Silicone Rubber Filled with Different Particle Sized SiC</b> Y. He, Z.C. Chen and L.X. Ma	137
<b>Water-Activated Bacterial Cellulose-Based Electrorheological Fluids and Electromechanical Response of Artificial Muscle Based on Electrorheological Fluids and Siloxane Gel</b> N. Xu and D.M. Jia	143
<b>Fatigue Analysis of the New Stirring Kneader Shafts Using ANSYS</b> J.Q. Xu and Z.M. Fan	149
<b>Two New Thermotropic Liquid Crystalline Polyesters and their Composites: Synthesis and Characterization</b> C.J. Zhang, Z.X. Huang, M.X. Shi and M. Zhang	154
<b>Pressure Function Method in Tyre Structure Design</b> J.Z. Wang, D.G. Chang, Z.X. Xin and L. Li	160
<b>Effect of Activated Zinc Oxide on the Property of Sole Rubber</b> T.K. Shan, T. Zhuang and L.L. Zhou	167
<b>Optimum Design of Spindle Used in Tire Building Machine</b> D.G. Chang and X.F. Wang	172
<b>3D Finite Element Simulation of Transient Temperature Field for Rapid Electrical Heating Cycle Injection Mold</b> X.P. Li, G.Q. Zhao and Y.J. Guan	177
<b>The Application of Harmonic Response Analysis in Different-Speed Mixer Design</b> Z.M. Fan, W.G. Sun and J. Xu	183
<b>Comparison of Human Articular Cartilage and Polyvinyl Alcohol Hydrogel as Artificial Cartilage in Microstructure Analysis and Unconfined Compression</b> F. Li, Y.L. Su, D.F. Shi and C.T. Wang	188
<b>Virtual Prototype Design System of Tripod Universal Joints</b> D.G. Chang, F.Q. Yang and H. Chen	194
<b>Research of Thermal Conductivity and Tensile Strength of Carbon Black-Filled Nature Rubber</b> Y. He, Z. Yin, L.X. Ma and J.P. Song	200
<b>The Optimal Design of Oscillating Oil Cylinder Mechanism of Tire Building Machine</b> Z.M. Meng, Y.B. Qiao and Z.M. Fan	206
<b>A New Type Device of Thread Locking Connection of Pillar Flat Vulcanizing Machine</b> Z.M. Meng, Y. Zhang and Y.B. Qiao	211
<b>On-Line PVT Properties of Amorphous Polymers</b> J. Wang, P.C. Xie, Y.M. Ding and W.M. Yang	216
<b>Study on the End-Point Control of Holding Phase during Injection Molding</b> J. Wang, P.C. Xie, Y.M. Ding and W.M. Yang	222
<b>Preparation and Properties of Nano-Hydroxyapatite Modified Nylon Composites</b> L.Y. Zheng, Z.M. Liu and Y.J. Zhao	228
<b>Dispersion Polymerization of Acrylamide and Acrylic Acid in Aqueous Media</b> J. Lu, B. Peng, M.Y. Li and M.Q. Lin	233
<b>Properties of HDPE/UHMWPE Blown Films</b> J.D. Zuo, S.M. Liu and J.Q. Zhao	239

<b>A Study on the Optimization and Application of All Radial Truck Tire Building Process Technology</b>	244
Z.H. Li, S.L. Yang, P. Xia, Z.F. Li, Y.Q. Liu and S.Z. Wu	
<b>Analysis of Melting Process and Numerical Simulation of Pure UHMW-PE Pipe Based on Molding in Barrel Technology</b>	250
J.H. Qin, C.H. Liu, W.F. Gao and C.H. Yu	
<b>Experimental Research on Carbon Black Flowing in Pneumatic Conveying System</b>	256
Z.H. Li, Y.Q. Liu, P. Xia and L. Ma	
<b>Development of Durable Softening and Water-Repellent PP/HDPE Heat-Bondable Composite Fiber</b>	265
S.Y. Sun, Q.F. Zhao and Y. Xue	
<b>Hyperbranched Polymers as Novel Flame Retardant Material</b>	271
J. Borah, G.Y. Lin and C.S. Wang	
<b>Effects of Different Structure Rotors on Mixing Process and Quality of Short Fiber-Rubber Composite Material</b>	277
C.S. Wang, D.W. Zhang and H.G. Bian	
<b>Preparation and Thermal Properties of Phosphorus-Containing Copolyester Nanocomposites with Carbon Nanotube</b>	282
Q.F. Zhao, S.Y. Sun, X.W. Jiang, M.H. Qu and Y.Z. Wang	
<b>Research of Temperature Control System Based on Fuzzy Control Algorithm for Mixer</b>	288
C.S. Wang and F.H. Zhou	
<b>Research on the Curing Behaviour of an Epoxy/nmSiO<sub>2</sub> Nanocomposite System</b>	293
C.S. Wang, Y.X. Fu and G.Y. Lin	
<b>Synthesis of Conducting Polyaniline Using Compound Oxidant</b>	300
H. Huang, J.Q. Xu and Z.C. Guo	
<b>Research on the Key Technology of Precision Injection Molding Equipment for Light Guide Plate</b>	306
P.C. Xie, G. Gou, Z.X. Wen, Y.M. Ding and W.M. Yang	
<b>Investigation of the Structural Change of Doped Polyaniline during Heat Treatment</b>	311
H. Huang and Z.C. Guo	
<b>Experimental Study on Manufacturing Process of Short Fiber-Rubber Composite Material Using New Type Six-Wing Synchronous Rotor</b>	317
D.W. Zhang and C.S. Wang	
<b>Three Dimension Fluid Field of Mixer with Synchronous Rotors</b>	323
H.G. Bian, C.W. Fu and D.W. Zhang	
<b>Research on Mechanical Performance of Roof Tiles Made of Tire Powder and Waste Plastic</b>	329
Y. Liu, W.M. Yang and M.F. Hao	
<b>Prediction of Process-Induced Residual Stress for Laminated Composites with Metallic Plate</b>	333
J. Shi, Q. Zeng, X.D. He, R.G. Wang and Z.H. Hu	
<b>Heat Transfer of Water Film Outside the Vertical Helix Tube with Hydrophilic Nanolayer</b>	339
Y.Y. Wang and Z.R. Zhang	
<b>Preparation and Properties Study on the Composites of Polypropylene and Polyphenylene Sulfide Filled by Modified Molybdenum Disulfide</b>	345
J.Q. Zhang, H.X. Feng and J.H. Qiu	
<b>Study of Rheology of Flame-Retardant Copolyester Nanocomposites</b>	351
Q.F. Zhao, X.W. Jiang, S.Y. Sun, M.H. Qu and Y.Z. Wang	
<b>Bioadhesive from Distiller's Dried Grains with Solubles</b>	357
C.Q. Fang, R. Auras and S.E. Selke	
<b>Preparation and Electrical Conductivity of Composites of PA66 Filled with Carbon Nanotubes</b>	363
F.C. Tsai, P. Li, X.P. Shang, N. Ma, L.C. Tsai and J.T. Yeh	
<b>The Model Reconstruction of Carbon Black/Rubber Composites' Heat Generation Ratio Based on Levenberg-Marquardt BP Algorithm</b>	369
Z.Z. Yu and L.X. Ma	
<b>CAE Analysis of the Big-Size Injection Mold of Rear Bumper</b>	375
Q.Z. Yin, R.K. Song, X. Zhang and B. Qi	

<b>Research on Microchannel of PMMA Microfluidic Chip under Various Injection Molding Parameters</b>	
B.Y. Jiang, Y. Liu, C.P. Chu and Q.J. Qiu	381
<b>A Study in the Adsorption Behaviors of Cr (VI) on Crosslinked Amphoteric Starches Synthesized through Using the Microwave Radiation Method</b>	
L.X. Zou, Q.C. Liu, Q. Xu and J.H. Rong	387
<b>The Mechanical and it Combined with Enzymatic Preparation Methods of Microfibrillated Cellulose</b>	
W.S. Chen, H.P. Yu, Y.X. Liu and Q. Li	393
<b>An Improved Mixing-Extruding Machine for Polyblends</b>	
L. Li and C.S. Wang	398
<b>Influence of Fine Content of Carbon Black Pellets during Pneumatic Conveying on Rubber and Mixing Process</b>	
Y. Li	405
<b>An Experimental Method for the In-Plane Deformation Measurement in a Sample of Transparent Polymeric Material</b>	
X.L. Li, B. Liu, X.J. Li, Y.H. Qie, J.B. Sang and H.P. Jia	411
<b>Characterization of Amorphous Silicon Thin Films Deposited on Upilex-s Polyimide Substrates for Application in Flexible Solar Cells</b>	
Y.G. Li and D.X. Du	416
<b>Biodegradable Poly(Lactic Acid)/Organic-Montmorillonite Nanocomposites: Preparation and Characterization</b>	
N.L. Chen, H.X. Feng, H.M. Luo, D. Zhao and J.H. Qiu	422
<b>PP/LDH Nanocomposites via Melt-Intercalation: Synergistic Flame Retardant Effects, Properties and Applications in Automobile Industries</b>	
P. Ding, S.F. Tang, H. Yang and L.Y. Shi	427
<b>Preparation of Polyacrylamide Nanofibers by Electrospinning</b>	
L. Liu, W.W. Gu, W.T. Xu and C.F. Xiao	433
<b>Studies on the Properties of Banana Fibers-Reinforced Thermoplastic Cassava Starch Composites: Preliminary Results</b>	
X.Z. Mo, Y.X. Zhong, C.Q. Liang and S.J. Yu	439
<b>The Study on Buckling Deformation of Composite Pressure Vessel Based on Acoustic Emission Signals</b>	
Z.H. Hu, H.J. Liu, R.G. Wang, X.D. He and L. Ma	445
<b>Expert System of Precise Injection Molding Process Optimization Based on Moldflow Software</b>	
P.C. Xie, B. Du, Z.Y. Yan, Y.M. Ding and W.M. Yang	451
<b>Structure and Property of PGMA/Wood Composite</b>	
Y.F. Li, Y.X. Liu, J.T. Shi and G. Li	456
<b>Research on the Thermal Oxidation and Ultraviolet Radiation Aging of Nano-ZnO/NR Composite</b>	
T. Zhuang, T.K. Shan and L.L. Zhou	462
<b>Analysis and Comparison of Vapor and Liquid Deposition of Pyrrole on Wool Fiber</b>	
X. Jin, Y.Y. Wang and C.F. Xiao	468
<b>Research on the Adjustable LAVAL Nozzle during Pneumatic Conveying</b>	
D.M. Jiao	474
<b>Physical Properties of Poly(urethane-methacrylate)s Plastic Sheets Produced from Different Polyols</b>	
L.J. Gao, L.M. Zhou, S.M. Fang, H. Zheng, M. Hu and C.S. Liu	481
<b>Impact on Tire Performance with Improvement of Semisteel Meridian Tire Lamination Processing</b>	
C.S. Wang, P. Fu, S.H. Li and Y.D. Jiang	487
<b>The Experimental Research of SMR/SBR Inner Tube with RIIR</b>	
X.K. Zeng, C.S. Wang, H.G. Bian and L. Guo	493
<b>Preparation of Anion Modified Montmorillonite-Polystyrene Nanocomposite by Suspension Polymerization</b>	
Y. Wang, H.X. Feng and J.H. Qiu	499
<b>Effect of Vulcanization and Shaping Process on Radial Force Variation of TBR Tire</b>	
P. Fu, C.S. Wang, D.W. Zhang, H.G. Bian and Z. Pu	504

<b>Research Method of the Rubber's Plasticization Technological Parameter Optimize on Open Mill by Neural Network</b> G.Z. Wang	509
<b>Structure and Properties of Chitosan Containing Polyacrylic Acid Hydrogel Grafted SMS Nonwovens</b> X.P. Zhuang, W.J. Deng and B.W. Cheng	513
<b>The Steady-State Temperature Field Analysis of the 3D Rolling Tire Based on Adina FEA Software</b> J. Li, Y. He and Z.C. Chen	518
<b>Polymer Material Application in Cold Insulation Structures</b> X.L. Luo and B. Li	524
<b>Periodic Mixing Performance in a Square Cavity for Different Frequencies</b> B.P. Xu, Y.J. Liu and J.P. Qu	529
<b>Dependence of Thermal Conductivity of Carbon Black Filled Rubber on Several Factors</b> J.P. Song and L.X. Ma	536
<b>Research on the Polymer Ultrasonic Plastification</b> B.Y. Jiang, J.L. Hu, W.Q. Wu and S.Y. Pan	542
<b>A Study on Influence of Resin Temperature on Filling Balance of Multi-Cavity Molds</b> J.B. Chen, C.Y. Shen and H. Yokoi	550
<b>Morphology of Biodegradable Poly(hexamethylene Adipate)(PHMA) Nanofibers Prepared by Electrospinning</b> W.M. Kang, B.W. Cheng, Q.X. Li and X.P. Zhuang	555
<b>Experiment Research on Maximum Power of the VIC Mixer</b> F.Q. Yang, C.S. Wang, G.Y. Song and J. Xu	561