

Table of Contents

| | |
|---|-----|
| Development of New Device for Form-Grinding and Research on the Profile-Accuracy | 3 |
| Q.S. Yan, L.Y. Kong, N.Q. Wu, S.B. Chen, Z.Q. Zhang and Z.D. Zheng | |
| Adaptive Table-Motion Control of a Surface Grinding Machine Using an AE Sensor | 9 |
| A. Yui, S. Okuyama and T. Kitajima | |
| An Adaptive Control of Machine Table Reciprocation Using a Hydrophone - A Method for Improving the System Efficiency and Reliability - | 15 |
| S. Okuyama, M. Hayashi, A. Yui and T. Kitajima | |
| Abrasive Technology of Single-Crystal Diamond by Diamond Abrasive Wheel | 21 |
| Y. Ma and Z.F. Lou | |
| Effects of TiH₂ on the Properties of Fe-Based Diamond Composites | 27 |
| Q.L. Dai and X.P. Xu | |
| Effect of Ultrasonic Elliptic Vibration on Friction between Shoe and Workpiece in Ultrasonic Elliptic-Vibration Shoe Centerless Grinding | 33 |
| Y.B. Wu, Y. Fan, T. Tachibana and M. Kato | |
| Eco- and Energy-Efficient Grinding Processes | 39 |
| B. Denkena, M. Reichstein, N. Kramer, J. Jacobsen and M. Jung | |
| Study on Ultrasonic Vibration Grinding Character of Nano ZrO₂ Ceramics | 45 |
| B. Zhao, X.H. Zhang, C.S. Liu, F. Jiao and X.S. Zhu | |
| New Compensation Grinding of Axisymmetric Aspherical Lenses with High NA Value | 51 |
| N. Yoshihara and T. Kuriyagawa | |
| A New Diamond Wheel Containing Boron Doped Diamond Abrasives Enabling Electrically Conductive Cutting Edge and High Thermal Stability | 57 |
| K. Suzuki, M. Iwai, S. Ninomiya, K. Takeuchi, K. Tanaka, Y. Tanaka and T. Uematsu | |
| Attempt of Electrodischarge Grinding with an Electrically Conductive Diamond-Cutting-Edge Wheel | 63 |
| K. Suzuki, S. Ninomiya, M. Iwai, Y. Tanaka, Y. Murakami, S. Sano, K. Tanaka and T. Uematsu | |
| Ultra-High Speed Grinding Using a CBN Wheel for a Mirror-Like Surface Finish | 67 |
| M. Ota, T. Nakayama, K. Takashima and H. Watanabe | |
| Ultraprecision Fabrication of Large-Scale SiC Spherical Mirror Using ELID Grinding Process | 73 |
| Y. Dai, H. Ohmori, W.M. Lin, H. Eto and N. Ebizuka | |
| Studies on CCD On-Line Measurement System for Grinding Wheel Wear | 81 |
| Y.H. Zhang, H.Q. Tang and D.J. Hu | |
| Wear of Metal-Bonded Diamond Tools in Different Abrasive Processes | 85 |
| X.P. Xu, Q.L. Han and Y. Li | |
| Signal Analysis of Acoustic Emission for Laser Imitating Grinding Burn | 91 |
| X. Chen, Q.S. Liu and N. Gindy | |
| Analysis of Grinding Temperature Considering Surface Generation Mechanism | 97 |
| T. Obikawa and J. Shinozuka | |
| Noise and Vibration of Diamond Sawblade for Concrete Dry Cutting | 103 |
| C.Y. Wang, Y.N. Hu, Z.W. Wang and H.N. Ding | |
| Force Characteristics in Ultrasonic Vibration Grinding of Nanoceramics | 109 |
| Y. Wu, B. Zhao and X.S. Zhu | |
| Experimental Research on ELID Grinding and Cutting Performance of Nano Cemented Carbide Cutters | 115 |
| F.H. Zhang, J.C. Gui, Y.Z. Liu and H.L. Zhang | |
| ELID Grinding Properties of High-Strength Reaction-Sintered SiC | 121 |
| Y. Dai, H. Ohmori, W.M. Lin, H. Eto, N. Ebizuka and K. Tsuno | |
| Characterization of ELID-Ground Granite Surfaces | 127 |
| J.Y. Shen, W.M. Lin, H. Ohmori and X.P. Xu | |
| Surface Quality Improvement of Aspheric Pressing Mould Using Parallel Grinding Method | 133 |
| F.H. Zhang, L.J. Li and S. Dong | |

| | |
|--|-----|
| Effect of Cutting Edge Truncation on Ground Surface Morphology of Hard and Brittle Materials for Optical Devices | 139 |
| X. Kang, J. Tamaki, A. Kubo, J.W. Yan and T. Iyama | |
| Kinematic Analysis of Face Grinding Process at Lapping Machines | 145 |
| L.X. Cao, H.J. Wu and J. Liu | |
| Reliability Prediction of Centerless Grinding Machine | 151 |
| S.W. Lee, H.J. Choi, S.H. Nam and Y.J. Choi | |
| A Comprehensive Evaluation Model for Assessments of Grinding Machining Quality | 157 |
| H.Z. Huang, Y.H. Li and L.-. Xue | |
| Analysis of the Grinding Mechanism with Wheel Head Oscillating Type CNC Crankshaft Pin Grinder | |
| T. Fujiwara, S. Tsukamoto and M. Miyagawa | 163 |
| Investigation on the Dressing Shape of Vacuum Chuck in Wafer Rotation Grinding | |
| H. Gao, Y.B. Tian, Z.Y. Jia and R.K. Kang | 171 |
| Energy-Mode Adjustment in Laser Processing a Small Vitrified CBN Grinding Wheel | |
| X.Y. Wang, Y.B. Wu, R.K. Kang, J. Wang, W.J. Xu and M. Kato | 177 |
| Effects of Ultrasonic Vibration in Truing and Dressing of CBN Grinding Wheel Used for Internal Grinding of Small Holes | |
| M. Nomura, Y.B. Wu, M. Kato and T. Kuriyagawa | 183 |
| A Study on the Optimum Condition Selection of Rotary Dressing System of Ultra-Precision Centerless Grinding Machine for Ferrule | |
| E.S. Lee, Y.-. Chun and N.K. Kim | 189 |
| Dressing Monitoring by Acoustic Emission | |
| B. Denkena, J. Jacobsen and N. Kramer | 195 |
| Dressing of Vitreous Bonded Wheels for Continuous Generating Grinding of Gears | |
| B. Denkena, M. Reichstein and F. Catoni | 201 |
| Development on Micro Precision Truing Method of ELID-Grinding Wheel (1st Report: Principle & Fundamental Experiments) | |
| H. Ohmori, S.H. Yin, W.M. Lin, Y. Uehara, S. MORITA, M. Asami and M. Ohmori | 207 |
| Development on Micro Precision Truing Method of ELID-Grinding Wheel (2nd Report: Application to Edge Sharpening of Large Wheel) | |
| S.H. Yin, W.M. Lin, Y. Uehara, S. MORITA, H. Ohmori, M. Asami and M. Ohmori | 213 |
| Study on Lubricating and Cooling Effects of Several Cooling Systems Used in Face Grinding | |
| T. Tanaka and T. Kobayashi | 221 |
| A New Coolant Supply Method Using a Coolant Flow Guided Flexible Sheet Attracted to a Wheel Surface | |
| K. Suzuki, S. Ninomiya, M. Iwai, Y. Shishido and T. Uematsu | 227 |
| Effects of Actively Cooled Coolant for Grinding Brittle Materials | |
| Y. Gao, H. Lai and S. Tse | 233 |
| Soap Mist Jet Cooling of Grinding Processes | |
| D.M. Babic, A. Torrance and D.B. Murray | 239 |
| Trends in Fluid Application Strategy for Grinding Processes | |
| D.J. Stephenson | 245 |
| Analysis of Burr Formation Mechanism in Turning Aluminum Alloy Al6061-T6 | |
| A.A. Toropov, S.L. Ko and B.K. Kim | 253 |
| Effective Deburring of Micro Burr Using Magnetic Abrasive Finishing Method | |
| J.I. Park, S.L. Ko, Y.H. Hanh and Y.M. Baron | 259 |
| Improvement of Surface Texture of Stainless Steel by Utilizing Dry Blasting - 2_{nd} Report: Effect of Blasting Conditions on Wettability - | |
| K. Minaki, K. Kitajima, K. Minaki, M. Izawa and K. Tosha | 265 |
| Abrasives Characteristics on Mirror Finishing by Alumina Fiber Brush | |
| K.I. Ishikawa, H. Suwabe and Y. Tuta | 271 |
| Electrochemical Magnetic Abrasive Compound Finishing | |
| J.C. Fang, W.J. Xu, Z.Y. Zhao and H.Y. Li | 275 |
| Study on Internal Magnetic Field Assisted Finishing Process Using a Magnetic Machining Jig | |
| Y.H. Zou and T. Shinmura | 281 |

| | |
|---|-----|
| Development of Gas-Atomized Magnetic Tools | 287 |
| T. Saito, K. Koike, H. Yamato, A. Kuwana, A. Suzuki, H. Yamaguchi and T. Shimura | |
| Characterization of the Magnetic Abrasive Finishing Method and Its Application to Deburring | 291 |
| Y.M. Baron, S.L. Ko and J.I. Park | |
| Technique of Comparison and Optimization of Conditions for Magnetic Abrasive Finishing | 297 |
| Y.M. Baron, S.L. Ko and J.I. Park | |
| Finishing of Shape Surfaces by Magnetic Abrasive Polishing Method with Rotating Working Area | 303 |
| V.A. Litvinenko | |
| Mechanics of the Micro Cutting by Abrasive Particle at Vibroabrasive Processing | 309 |
| A.P. Babichev | |
| Quality of Deburring and Surface Finishing (DSF) in Russia | 315 |
| A.P. Babichev | |
| The Optimization of Technological Processes of Details Processing by Free Abrasives | 319 |
| M.A. Tamarkin | |
| Lapping Machining of High-Speed and High-Precision Ceramic Bearing Balls | 325 |
| Y.H. Wu, S.H. Li and K. Zhang | |
| Time Series Analysis for the Mechanical Lapping of Single Crystal Diamond Cutting Tools | 331 |
| W.J. Zong, D. Li, H.X. Wang, T. Sun, K. Cheng and M.J. Chen | |
| Effects of Particles Blend Ratio on Surface Quality in Surface Polishing Using Magnetic Polishing Liquid (MPL) | 337 |
| Y.B. Wu, K. Shimada, Y.C. Wong and M. Kato | |
| Fundamental Verification of Ultraviolet-Excited Abrasion and Polishing Characteristics of Copper - Study of Luminescence Machining - | 343 |
| Y. Chiwaya and T. Tanaka | |
| Ultra-Precision Finishing of Micro Aspherical Surface by Ultrasonic Vibration Assisted Polishing | 349 |
| H. Suzuki, R. Kawamori, M. Miyabara, T. Okino, Y. Hijikata, Y. Yamamoto, K. Nakamoto, T. Moriwaki and H. Shibutani | |
| Characteristics of High Rotational Speed Polishing with Oscillation Speed Control | 355 |
| K. Yoshitomi, A. Une and M. Mochida | |
| Improvement of Machined Surface Flatness in Ultra-Precision Plane Honing | 359 |
| S. Suzuki, N. Yoshihara and T. Kuriyagawa | |
| Polishing Characteristics of ELID-Ground Surface of Nano Precision Optical Elements | 365 |
| W.M. Lin, H. Ohmori, T. Suzuki, Y. Uehara and S. MORITA | |
| Precision Abrasive Jet Finishing of Cemented Carbide | 371 |
| T. Saito, S. Ito, Y. Mizukami and O. Horiuchi | |
| Measurement of Surface Roughness and Thickness of Silicon Wafers Using an Infrared Laser | 377 |
| S. Koshimizu | |
| Investigation of Chemical Mechanical Polishing of GaAs Wafer by the Effect of a Photocatalyst | 381 |
| S.H. Hong, H. Isii, M. Touge and J. Watanabe | |
| Machining Mechanisms of Si Wafers in Mechanochemical Polishing by Soft Abrasives | 385 |
| N. Yasunaga | |
| Friction Characteristic of Wafer Surface in Chemical Mechanical Polishing | 389 |
| Z.Y. Jia, J.X. Su, Z.J. Jin, D.M. Guo and L.P. Li | |
| Corrosion Inhibiting Effect on Copper Chemical Mechanical Planarization (CMP) in Fe(NO₃)₃ Based Slurries | 395 |
| D.M. Guo, X.J. Li, Z.J. Jin and R.K. Kang | |
| Nano Mechanical Processing of Silicon by Atomic Force Microscopy | 401 |
| S. Miyake, M. Wang and J. Kim | |
| Application of Nanometer-Scale Processing Technique in High-Density Recording | 407 |
| M. Wang and S. Miyake | |
| Optimization of the Chemical Vapor Deposition Induced Focused Ion Beam | 413 |
| H.J. Choi, E.G. Kang, S.W. Lee and W.P. Hong | |

| | |
|---|-----|
| Thinning Technology of Patterned Silicon Wafer for Micro Pressure Sensor T. Nagano, M. Touge and J. Watanabe | 419 |
| Study on the Surface and Subsurface Integrity of Ground Monocrystalline Silicon Wafers R.K. Kang, Y.X. Zhang, D.M. Guo and Z.J. Jin | 425 |
| MQL Cutting of Inconel 718 with a Super Lattice Coating Tool T. Obikawa and Y. Kamata | 433 |
| High-Speed Milling Experiments on the Extended Length of Milling Tool Z. Qin, C.Y. Wang, Y.N. Hu and Y.S. Lin | 439 |
| Drilling Assisted by Ultrasonic Elliptical Vibration C.X. Ma, E. Shamoto and T. Moriwaki | 443 |
| Study on Ultrasonic Vibration Drilling of Particulate Reinforced Aluminum Matrix Composites C.S. Liu, B. Zhao, G.F. Gao and X.H. Zhang | 447 |
| Enhancing the AWJ Cutting Performance by Multipass Machining with Controlled Nozzle Oscillation J. Wang and S. Xu | 453 |
| Mathematical Models for the Hydrodynamic Characteristics of Abrasive Waterjets J. Wang and H. Liu | 459 |
| Prevention from Delamination of Composite Material during Drilling Using Ultrasonic Vibration S. Aoki, S. Hirai and T. Nishimura | 465 |
| Influence of Material of Small Radius Ball End Mill on Cutting Accuracy in Deep Precision Machining T. Akamatsu, K. Kitajima, S. Minamino and T. Kiriyama | 471 |
| Study on Surface Integrity of PTFE Finished by Ultra-Precision Cutting and Surface Performance K. Okuda and M. Nunobiki | 475 |
| Comparative Study on Machining the Internal Stationary Toroidal Gear L.G. Yao, G.W. Wei, Z.H. Lan and J.S. Dai | 483 |
| Studies on NC Machining for Cylindrical Cams W.Q. Gao, Q.S. Yan, J. Liang and Z.Y. Liu | 489 |
| Dynamic Analysis of a Biglide Parallel Grinder P. Zou | 495 |
| A New Architecture of Tool Path Generation for Five-Axis Control Machining K. Nakamoto, K. Shirase, A. Morishita, E. Arai and T. Moriwaki | 501 |
| Development of Orthogonal Impact Cutting Testing Machine J. Shinozuka and T. Obikawa | 507 |
| Research of the Technological Parameters Influencing on the Surface Quality of Micro Complex Surface M.J. Chen, Y.C. Liang, Y.Z. Sun, W.X. Guo and W.J. Zong | 513 |
| The Effect of Secondary Piezoelectric Effect on the Measuring Precision of Quartz Dynamometers L.P. Shi, B.Y. Sun and M. Qian | 519 |
| Development of Shrinking Tool Holder Utilizing of Shape Memory Alloy K. Kitajima, H. Sogabe and M. Hiromi | 525 |
| Microstructure of Ni-Al-Diamond Composite Fabricated by Self-Propagating High Temperature Synthesis F.L. Zhang, H. Yuan, C.Y. Wang, K.X. Fu and Y.M. Zhou | 531 |
| Electroforming of Copper/ZrB₂ Composites Coatings and Its Performance as Electro-Discharge Machining Electrodes Z.J. Jin, M. Zhang, D.M. Guo and R.K. Kang | 537 |
| Performance of an Electrically Conductive CVD Diamond Electrode for EDM and FEM Analysis for a Very Low Wear K. Suzuki, M. Iwai, A. Sharma, S. Ninomiya, T. Uematsu and S. Sano | 543 |
| A New Application of PCD as a Very Low Wear Electrode Material for EDM K. Suzuki, A. Sharma, S. Sano, M. Iwai and T. Uematsu | 549 |
| A Study of Surface Integrity in WEDM-HS with Air Medium Z.N. Guo, J.W. Liu and F.Z. Zeng | 555 |

| | |
|---|-----|
| Calculating the Overcut in Electro-Discharge Machining F.L. Zhao, H. Wang and Z.Z. Lu | 561 |
| Research on Highly Efficient EDM Pulse Power Supply and Its Experiments Y.K. Wang, B.Y. Song and W.S. Zhao | 567 |
| The Research of Carbon Steel Surface Finished by Pulse Electrochemical Finishing Technology H. Wang, J.J. Zhou and W.J. Xu | 573 |
| Study on the Machined Surface Topography and Performances on Electrochemical Finishing H.Y. Li, X.M. Liu, H.J. Liu and J.C. Fang | 579 |
| Effect of Tool Segmentation in Ultrasonic Machining - Studies of Ultrasonic Die Sinking - O. Saito and T. Kuriyagawa | 585 |
| Study of Rapid Casting Process Based on SLS Prototypes H.J. Liu, Y.M. Li, Y. Hao, X.P. Dong and N.Y. Huang | 593 |
| Study on the Dimensional Precision of the Polymer SLS Prototype H.J. Liu, Y.M. Li, Y. Hao, N.Y. Huang and Y.S. Shi | 597 |
| Arc Spray Forming of Stainless Steel Mould Z.Y. Zhao, J.C. Fang, H. Wang and H.Y. Li | 603 |
| FGM Mould with Fine Veins Rapidly Manufactured by Plasma Spraying J.C. Fang, W.J. Xu, Z.Y. Zhao and L. Wang | 609 |
| Application of Neural Network in Plasma-Arc Flexible Forming W.J. Xu, J.C. Fang, F. Liu, X.Y. Wang and Z.Y. Zhao | 615 |
| Numerical Simulation of the Cooling Process of Extruded Plastic Profiles within Vacuum Calibrators D.Y. Zhao, M.J. Wang and M.C. Song | 619 |
| A Novel Automatic Feedrate Adjustment Method for Die-Cavity Roughing M.J. Wang, Y.J. Cai and W.G. Yan | 625 |
| Deformation Analysis of Fixturing for Workpiece with Complex Geometry Y. Wang, X. Chen and N. Gindy | 631 |
| Graph-Analytic Modification of the Method of Upper Estimation (Method of Energetic Geometry) A.A. Alexandrov and V.V. Evstifeev | 637 |
| Features of Application of the Laser Method for Normalization of Accuracy of Resistors in Hybrid Integrated Circuits Y. Antonov | 643 |
| Faults Monitoring and Diagnosis of Ball Bearing Based on Hilbert-Huang Transformation H. Li, H.Q. Zheng and L.W. Tang | 649 |
| Hilbert-Huang Transform and Its Application in Gear Faults Diagnosis H. Li, H.Q. Zheng and L.W. Tang | 655 |
| An Optimal Matching Algorithm Based on Rough Localization and Exact Adjustment Y.W. Sun and J.T. Xu | 661 |
| Study on Key Technologies of DNC System Oriented Networked Manufacturing M.J. Wang, Y.J. Cai and W.G. Yan | 667 |
| Wavelet Transform Based 3D Scattered Data Processing in Binocular Micro Stereovision System C. Liu, W. Pei, Z.Y. Xia, S. Niyokindi, J.C. Song and L.D. Wang | 673 |