

# Table of Contents

## Preface, Committees, Sponsors

## Chapter 1: Abrasive Machining

|                                                                                                                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Fabrication of Nanotwinned Surface on a Nickel Alloy Using a Developed Diamond Panel with Tips Array</b><br>B. Wang, Z.Y. Zhang, N.D. Duan, J.L. Lyu, G.X. Chen, Z.H. You, Z.F. Shi and S.L. Huang | 3   |
| <b>Simulation Research for the Effect of KDP Crystal Defect and Initial Internal Stress on Sawing Stress</b><br>P.Q. Ge, W.B. Bi, P.Q. Ge, Y. Jiao and C.H. Lu                                        | 9   |
| <b>Effects of Electricity Parameters on Surface Quality of Reaction Bonded Silicon Carbide Ceramic with Electrical Discharge Diamond Grinding</b><br>X.S. Rao, F.H. Zhang and C. Li                   | 15  |
| <b>A Mechanical Model of Diamond Wire Sawing of Steel Structures</b><br>B. Denkena, T. Grove and L. Tatzig                                                                                            | 22  |
| <b>Grinding of Riblets on Curved Paths</b><br>B. Denkena, T. Grove and J. Harmes                                                                                                                      | 28  |
| <b>New Evaluation Method of Polishing Pad Property for Estimating Edge Roll-Off of Silicon Wafer</b><br>Y. Obayashi, U. Satake and T. Enomoto                                                         | 34  |
| <b>Development of a Novel Shell Shaping Method with CF RTP: Forming Experiment Using Localized Heating in Processing Point</b><br>T. Ikari, H. Tanaka and N. Asakawa                                  | 40  |
| <b>Effects of Cutting Atmosphere on High-Speed End Milling Process for Titanium Alloy Ti6Al4V</b><br>E. Kondo, D. Goto, Y. Nishimura and M. Nakao                                                     | 46  |
| <b>Influence of Wheel Position Parameters on Flute Profile of Micro-Drill</b><br>S.Y. Zhang, Z.Q. Liang, X.B. Wang, T.F. Zhou, L. Jiao and P. Yan                                                     | 52  |
| <b>Development of a PCD Burnishing Tool and its Burnishing Performance</b><br>M. Iwai, M. Yamada, P. Chen, B. Lin and K. Suzuki                                                                       | 59  |
| <b>Adaptive Grinding Strategy Development</b><br>X. Chen                                                                                                                                              | 64  |
| <b>Optimization of the Removal Function of Dual-Rotation Magnetorheological Finishing</b><br>Y. Zhang and Z.J. Feng                                                                                   | 70  |
| <b>A Novel Method for Grinding Wheel Setting Based on Acoustic Emissions</b><br>X.L. Zhu, Z.H. Jiao, R.K. Kang, Z.G. Wang and H. Xu                                                                   | 79  |
| <b>Centrifugal Internal Grinding by Assembled Wheel with Radially Mobile Segments</b><br>D. Blurtsyan                                                                                                 | 85  |
| <b>Stochastic Simulation of Tape Grinding for Wafer-Like Workpiece</b><br>K. Shimada, A. Watanabe, Y. Takasu, M. Mizutani and T. Kuriyagawa                                                           | 91  |
| <b>Grinding Characteristics of Waspaloy with High-Speed Reciprocation Grinding</b><br>N. Yoshihara, Y. Fukuda, M. Houman, N. Nishikawa and M. Mizuno                                                  | 97  |
| <b>Cylindrical Grinding by Structured Wheels</b><br>A. Daneshi and B. Azarhoushang                                                                                                                    | 101 |
| <b>Cutting Performance of PCD Tools Improved by Ultraviolet-Ray Irradiation Polishing</b><br>K. Goto, Y. Izumi, T. Sakamoto, A. Kubota and M. Touge                                                   | 109 |
| <b>Grinding of Cermets with Cup-Wheels</b><br>J. Badger, R. Drazumeric and P. Krajnik                                                                                                                 | 115 |

## Chapter 2: Finishing, Lapping and Polishing

|                                                                                                                                                         |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Effect of Media Degradation on Finishing Characteristics in Abrasive Flow Machining</b><br>T. Sato, E. Soh, Y. Nakayama, M. Shinagawa and Y. Fukuchi | 127 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----|

|                                                                                                                                                                                      |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Surface Finishing on Arc-Shaped Inner Surface by Ultraviolet Assisted Polishing</b><br>H. Miwa, T. Katagi, M. Ota, K. Yamaguchi, K. Egashira and T. Nanbu                         | 133 |
| <b>Mirror-Like Surface Finishing of PCD by Fixed Abrasive Polishing</b><br>K. Yamaguchi, M. Ota, K. Egashira, H. Miwa, Y. Onchi and K. Tanada                                        | 139 |
| <b>Feasibility of Magnetocaloric Application in the Machining Processes</b><br>Y. Huang, L. Yan, F. Jiang and H. Guo                                                                 | 145 |
| <b>Study on Ultraprecision Polishing of Sapphire – Effects of Crystal Orientation on Polishing Characteristics</b><br>M. Okada, H. Suzuki, T. Suzuki, Y. Higashi and S. Aoyagi       | 151 |
| <b>Experimental Research of Cluster Magnetorheological Finishing on Anodic Oxide Film of Aluminum</b><br>R. Chen, J.B. Lu, Q.S. Yan, X.L. Xiao and D.Y. Li                           | 158 |
| <b>A Novel TEM Sample Preparation by Using Micro Magnetorheological Finishing</b><br>H. Luo, S.H. Yin and F.J. Chen                                                                  | 167 |
| <b>Experimental Research on Dressing Parameters of the Plate in Planetary Double-Sided Grinding Process</b><br>D.B. Song, X.L. Zhu, R.K. Kang, Z.J. Jin, S.J. Shi and B. Zhang       | 172 |
| <b>Estimation of Unsteady and Steady Polishing Force in Magnetic Abrasive Finishing Using a Permanent Magnet End-Mill Tool</b><br>L. Ma, T. Furuki, W. Wu, T. Hirogaki and E. Aoyama | 178 |

### **Chapter 3: Grinding Wheel and Abrasive Grain Technologies**

|                                                                                                                                                                              |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Research Status of the Pendulum High-Speed Single Grain Test</b><br>Y. Shi, F. Jiang and L. Yan                                                                           | 187 |
| <b>Effect of Li<sub>2</sub>O, K<sub>2</sub>O and ZnO on Vitrified Bond Composites for CBN Grinding Wheels</b><br>Z.X. Wang, T.B. Yu, J. Zhao, X.Z. Wang, X. Sun and S.X. Liu | 193 |
| <b>Preparation and Test of Conventional Composite Abrasives Using Recycled Alumina Grains</b><br>A. Dutra Gollanda, S. Galisteu Luiz, K.C.G. Candioto and C.Y. Shigue        | 199 |
| <b>Wear of Monolayer Brazed Diamond Beads in Wire Sawing of Granite</b><br>G.Q. Huang, H. Huang, H. Guo and M.Q. Zhang                                                       | 205 |

### **Chapter 4: Abrasive Jet Machining**

|                                                                                                                                                        |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>A New Look into the Loose Particle Impact Process for Ductile Materials</b><br>J. Wang and W.Y. Li                                                  | 213 |
| <b>Modeling of Kerf Profile Generated in Multi-Layered Laminate Composites with Abrasive Waterjet</b><br>N.P. Singh, D.S. Srinivasu and N. Ramesh Babu | 219 |

### **Chapter 5: Micro/Nano-Machining**

|                                                                                                                                                                   |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Drilling of Rod End Faces Using Micro-Cutting Tools</b><br>K. Egashira, K. Kuriyama, K. Yamaguchi and M. Ota                                                   | 227 |
| <b>Critical Feed/Tooth Value Providing Finest Machined Roughness by Peripheral Cutting with Micro Endmills</b><br>Y. Kobayashi, H. Sakamoto, A. Ishii and M. Itoh | 232 |

### **Chapter 6: Brittle Material Machining**

|                                                                                                                                                                                     |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Basic Study on Ductile-Mode Grinding of Optical Glass Lenses with Rubber Bonded Diamond Wheels</b><br>Y. Kawana, R. Sekiguchi, Y. Mizumoto, Y. Kakinuma, K. Tanaka and M. Fukuta | 241 |
| <b>Ultrasonic-Vibration-Assisted Micromachining of Sapphire</b><br>H. Wakabayashi, R. Koike, Y. Kakinuma, T. Aoyama, H. Shimada and S. Hamada                                       | 247 |

|                                                                                                                                 |     |
|---------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Experimental Research on High Speed Grinding of Silicon Nitride Ceramic Spindle</b><br>K. Zhang, J. Sun, H. Wang and Y.H. Wu | 253 |
|---------------------------------------------------------------------------------------------------------------------------------|-----|

## **Chapter 7: Truing, Dressing and ELID**

|                                                                                                                                                                                         |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Analysis of the Temperature Field of the Diamond Wheel Dressed Using Laser Assisted Ultrasonic-Vibration Combined Dressing Method</b><br>Z.B. Yang, Z. Zhang, R.Y. Yang and A.J. Liu | 261 |
| <b>Development of a New Truing Device Based on Electro-Contact Discharge Machining for Metal Bond Grinding Wheels</b><br>M. Mizuno, A. Karibe, N. Yoshihara, N. Nishikawa and T. Iyama  | 268 |
| <b>Laser-Profiling of Metal-Bonded Diamond Grinding Wheels</b><br>A. Zahedi and B. Azarhoushang                                                                                         | 272 |

## **Chapter 8: EDM, Ultrasonic Machining and Laser Machining**

|                                                                                                                                                                                                      |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Fundamental Investigation of Ultrasonic Assisted Pulsed Electrochemical Grinding of Ti-6Al-4V</b><br>S.S. Li, Y.B. Wu and M. Nomura                                                               | 279 |
| <b>Pulse Laser Irradiation Control Method for Blind Via-Hole Drilling of Printed Wiring Boards Based on High-Speed Camera Monitoring</b><br>K. Kanki, M. Iozumi, T. Hirogaki, E. Aoyama and K. Ogawa | 285 |
| <b>Characterisation of the Femtosecond Laser Micro-Grooving Process for Germanium Substrates</b><br>L. Li, J. Wang and H.Z. Li                                                                       | 291 |
| <b>Ultrasonic 3D Shape Milling for Acrylic Resin Optical Products</b><br>S. Inoue and K. Hara                                                                                                        | 297 |
| <b>Machinability Improvement on High Speed Ultrasonic Turning - The Effect of Tool Oscillating Direction and Tool Chip Shape</b><br>K. Hara, R. Sasaki and H. Isobe                                  | 302 |
| <b>Effects of Grinding Fluid Excited by Ultrasonic Vibration</b><br>H.N. Trung, J. Ishimatsu and H. Isobe                                                                                            | 308 |
| <b>Experimental Investigation and Optimization in Rotary Ultrasonic Drilling of C/C Composites</b><br>S.M. Yuan and Q. Wu                                                                            | 313 |

## **Chapter 9: Surface Integrity and Materials Characterization**

|                                                                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Nanotwinned Surface on a Ternary Titanium Alloy with Increased Hardness Induced under Nanoindentations</b><br>H.X. Zhou, M.L. Li, N.D. Duan, B. Wang, Z.F. Shi, J.L. Lyu and G.X. Chen | 323 |
| <b>Deformation Twinning of Molecular Dynamics Simulation in a Ternary Titanium Alloy under Nanoindentation</b><br>S.L. Huang, Z.Y. Zhang, J.F. Cui, S. Yang and X.G. Guo                  | 328 |
| <b>Mechanical Property and Characterization on Diamond Films Deposited on WC-Co Substrates</b><br>H.X. Zhou, M.L. Li and B.Y. Yuan                                                        | 333 |
| <b>Analysis of Element Diffusion between Alloy Cast Iron and WC/Co Cemented Carbides</b><br>T. Liu, S. Zhang and J.F. Li                                                                  | 339 |
| <b>Relaxation of Thermal Residual Stress in Laser Irradiated Fused Silica by Annealing Process</b><br>R.Q. Li, P. Yao, W. Wang, J. Wang, C.Z. Huang, Z.H. Yang and Y. Liu                 | 345 |
| <b>Multi-Scale Topography Analysis of Multi-Axis Machined Surfaces Based on Dual-Tree Complex Wavelet Transform</b><br>W.Z. Qin, J. Zhao, W.M. Huang and D.W. Wang                        | 351 |
| <b>Oxide Film Generation during Titanium Alloy Turning in Oxygen-Enriched Atmosphere</b><br>Y. Wan, Z.Q. Liu, R. Zhang and Z. Wang                                                        | 357 |

|                                                                                                                            |     |
|----------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Study on Influential Factors of Grinding Surface Residual Stress in Dry for Controlling Workpiece Surface Integrity</b> |     |
| X.M. Zhang, S.C. Xiu, L.J. Liu and X.L. Shi                                                                                | 362 |
| <b>Preparation and Research on Microwave Plasma Chemical Vapor Deposition Diamond Films on SiC Substrate</b>               |     |
| H. Wang, Y.H. Wu and K. Zhang                                                                                              | 368 |

## **Chapter 10: Tribology in Machining**

|                                                                                                                  |     |
|------------------------------------------------------------------------------------------------------------------|-----|
| <b>Quantitative Analysis of the Micro Friction of Single Crystal Silicon</b>                                     |     |
| R. Tian, H.T. Zhu, C.Z. Huang, J. Wang, A. Liu, P.Q. Ge, P. Yao, H.L. Liu and B. Zou                             | 375 |
| <b>Study on Tribological Property of Nano-TiO<sub>2</sub> Additive Oil-in-Water Lubricant during Hot Rolling</b> |     |
| W.Z. Xia, J.W. Zhao, H. Wu, S.H. Jiao and Z.Y. Jiang                                                             | 381 |

## **Chapter 11: CMP and Semiconductor Wafer Processing**

|                                                                                             |     |
|---------------------------------------------------------------------------------------------|-----|
| <b>Chemical Mechanical Polishing on Extremely Low Expansion Glass Ceramic Wafers</b>        |     |
| Z.F. Shi, Z.Y. Zhang, S.L. Huang, B.Y. Yuan, X.G. Guo, P. Zhou and Z.J. Jin                 | 389 |
| <b>Effects of Relative Velocity on Grinding Performances under Si Wafer Rotary Grinding</b> |     |
| J. Kusuyama, T. Kitajima, A. Yui and T. Ito                                                 | 395 |
| <b>Processing Single Crystal SiC with Semi-Consolidated Polishing Film</b>                  |     |
| J. Lu, G.Q. Hu, H. Guo and X.P. Xu                                                          | 401 |
| <b>Experiment on Chemical Magnetorheological Finishing of SiC Single Crystal Wafer</b>      |     |
| H.Z. Liang, Q.S. Yan, J.B. Lu and W.Q. Gao                                                  | 407 |
| <b>Environment-Friendly Chemical Mechanical Polishing Slurry for SiC Wafer</b>              |     |
| Z.W. Yuan, Y. He, Q. Wen and H.Y. Du                                                        | 415 |

## **Chapter 12: Advanced Cutting Technology**

|                                                                                                                                                     |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Proposed Stable Machining Condition Search Method Based on Machined Surface Information after End Milling</b>                                    |     |
| K. Aotani, R. Shiota, T. Hirogaki and E. Aoyama                                                                                                     | 423 |
| <b>Characteristic of Tool Wear in Small End Milling of Nickel-Titanium Alloy</b>                                                                    |     |
| K. Hamaguchi, H. Kodama and K. Okuda                                                                                                                | 429 |
| <b>Study on the Difference of Machinability between Iron-Based Sintered Materials and Steel Materials</b>                                           |     |
| T. Ueno and K. Yamada                                                                                                                               | 433 |
| <b>Study on High Speed Milling of Steam Turbine Blade Materials - Difference in Cutting Characteristics by Alloying Elements of Stainless Steel</b> |     |
| T. Kimura, T. Sawa and T. Kamijyo                                                                                                                   | 439 |
| <b>Study on High Speed Milling of Steam Turbine Blade Materials - Differences in Cutting Characteristics of Titanium Alloy and Stainless Steel</b>  |     |
| T. Kimura, T. Kamijo and T. Sawa                                                                                                                    | 445 |
| <b>Experimental Investigation of Heat Partition Ratio for the Cutting Tool at a Cutting Speed Ranging from 38 to 6500 m/min</b>                     |     |
| J. Shinozuka and D. Kidoura                                                                                                                         | 450 |
| <b>Identification of Aluminum Alloy Flow Stress to Determine FEM Analysis Constitutive Equation for Machining Material</b>                          |     |
| T. Nakamura, H. Sasahara, S. Kusunose and I. Nishizaki                                                                                              | 457 |
| <b>Investigation of cBN Electroplated End-Mill Shape for CFRP Machining</b>                                                                         |     |
| T. Furuki, T. Hirogaki, E. Aoyama, K. Ogawa, K. Inaba and K. Fujiwara                                                                               | 463 |
| <b>An Advanced Support Method of Aircraft Skin Mirror Milling - Fluid Lubricating Support</b>                                                       |     |
| Z. Li, Y. Bao, R.K. Kang, Z.G. Dong, P. Zhou and Z.J. Jin                                                                                           | 469 |
| <b>Development of the Axial Splitting Process for Small Diameter Brass Tubes</b>                                                                    |     |
| E. Nakanishi, K. Sugiura, M. Tezuka, Y. Koda, I. Yoshino and S. Hachikawa                                                                           | 475 |

|                                                                                                                                                                        |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Experimental Research on Small-Diameter Deep-Hole Drilling of Austenite Stainless Steel</b><br>H. Kodama, K. Okuda and T. Yamaguchi                                 | 481 |
| <b>Effect of Cutting Speed on the Face Milling of CFRP Using a PCD Tool</b><br>T. Kitajima, T. Horiuchi, A. Yui and Y. Ito                                             | 487 |
| <b>Tapping Performance by Use of Strong Alkali Ion Water</b><br>M. Iwai, M. Yamada and K. Suzuki                                                                       | 492 |
| <b>Surface Roughness and Topography Analysis in Precision Milling of 3J33 Maraging Steel</b><br>Y. Yao, H.T. Zhu, C.Z. Huang, D.C. Zhang, J. Wang, P. Zhang and P. Yao | 497 |

## **Chapter 13: Machine Tools and Systems, Tooling Processing**

|                                                                                                                                                                                   |     |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Spin Turning of Hardened Steel Using a Rod Tool Made of Cemented Carbide and On-Machine Forming of Rod Tool</b><br>F. Koga, S. Ninomiya and K. Suzuki                          | 505 |
| <b>Development of Automatic Servo Tuning Function in Rotary Axis with DDM for Machine Tools and its Performance for Stable Machining</b><br>T. Ikegami, T. Hirogaki and E. Aoyama | 511 |

## **Chapter 14: In-Process Measurement and Monitoring, Metrology**

|                                                                                                                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Monitoring Method of Process Temperature and Vibration of Rotating Machining Tool with a Wireless Communication Holder System</b><br>R. Matsuda, M. Shindou, T. Furuki, T. Hirogaki and E. Aoyama                                      | 519 |
| <b>Estimation of Machining Error Caused by Deflection of Tool Using Cutting Force in Ball End Milling of Inclined Surface</b><br>K. Shimana, E. Kondo, S. Yoshimitsu, Y. Kobaru and S. Yamashita                                          | 525 |
| <b>Quadrant Protrusion Measurement of Ultra-Precision Machine Tool by Real-Time Position Capturing Method</b><br>H. Duan, T. Hosobata, M. Takeda, S. MORITA and Y. Yamagata                                                               | 531 |
| <b>High Speed Measuring of a Grinding Tool Surface Topography by a Voronoi Diagram</b><br>A. Sakaguchi, T. Kawashita, T. Kawaguchi, S. Matsui, J. Maeda and S. Matsuo                                                                     | 537 |
| <b>Nanopatterning on Nano-Polycrystalline Diamond and Cubic Boron Nitride Using Focused Ion Beam and Heat Treatment to Fabricate Textured Cutting Tools</b><br>N. Kawasegi, K. Ozaki, N. Morita, K. Nishimura, M. Yamaguchi and N. Takano | 543 |