

# Table of Contents

## Preface, Committees and Sponsors

## Chapter 1: Grinding

|   |     |
|---|-----|
| <b>Deep Profiled Slot Grinding on a Nickel-Based Alloy with Electroplated CBN Wheels</b><br>Z.D. Shi, A. Elfizy and H. Attia  | 3   |
| <b>Experimental Study on the Surface Roughness in Mesoscopic-Scale Grinding of Nickel-Based Superalloy</b><br>Y.G. Zhou, Y.D. Gong, Y. Sun, Z.X. Zhu and Q. Gao   | 9   |
| <b>Grinding Behavior of Yttrium Partially Stabilized Zirconia Using Diamond Grinding Wheel</b><br>P.S.P. Anand, N. Arunachalam and L. Vijayaraghavan  | 15  |
| <b>Experiment and Finite Element Analysis Research on Surface Roughness in Micro-Grinding H62</b><br>X.L. Wen, Y.D. Gong, Y. Sun, J. Cheng and D.C. Ba  | 21  |
| <b>Research on Grinding Force of Zirconia Internal Grinding with Resin Bond Diamond Wheel</b><br>H. Wang, K. Zhang, Y.H. Wu and H. Song   | 30  |
| <b>Dental Grinding of Lithium Disilicate Ceramic Prostheses Using High-Speed Rotary Cutting Instruments in <i>In Vitro</i> Oral Adjusting</b><br>H.T. Ren, X.F. Song and X.F. Zhang                     | 36  |
| <b>Experiment and Surface Roughness Prediction Model for Ti-6Al-4V in Abrasive Belt Grinding</b><br>Y.X. Chen, Y. Huang, G.J. Xiao, G.L. Chen, Z.W. Liu and X.M. Liu                                    | 42  |
| <b>Grinding for Microstructural Functional Surface</b><br>X. Chen, H.L. Li, H.Y. Cao, J. Wharton, D. Allanson and Z.Q. Hu   | 48  |
| <b>Grinding Technology of Cylindrical Surface with Protrusion</b><br>K. Kato, Y. Maeda and H. Tanaka  | 54  |
| <b>Experimental Study on Profile Machining of Titanium Alloys with Superabrasive Tools</b><br>B. Jiang, Y.C. Fu, Z.C. Zhao, B. Ping, H.N. Wang and W.F. Ding  | 60  |
| <b>Characteristics in Grinding of YVO<sub>4</sub> with a Resin Bond Diamond Wheel</b><br>M.Q. Zhang, Y.Q. Yu, G.Q. Huang and X.P. Xu  | 66  |
| <b>Optimizing the Grinding Process through Reduction of the Loading of Grinding Tool by Infiltration</b><br>B. Azarhoushang, R. Rinderknecht, A. Vesali and J. Struss                                   | 71  |
| <b>Forces during Grinding Operation and its Relation to the Dressing Cycle</b><br>A. Nambiar, K. Matsumoto, M. Yamamoto, K. Ohashi and S. Tsukamoto   | 78  |
| <b>Experimental Study of Fabrication of Cast-Iron Bonded cBN Grinding Wheels by V-EPC (I) - The Influence Factors on the Qualities of Grinding Layer</b><br>Q.L. Dai, C.B. Luo and J.F. Liu             | 84  |
| <b>Optimization and Application of Laser-Dressed cBN Grinding Wheels</b><br>A. Zahedi, B. Azarhoushang and J. Akbari  | 90  |
| <b>Experimental Investigation on Bronze-Bonded CBN Formed Grinding Wheel by Means of Electro-Discharging Dressing</b><br>J.W. Yu, L.H. He, H. Luo and S.H. Yin  | 97  |
| <b>Recyclability and Performance Stability of Corrosion Inhibition Improved Amine-Free Water-Soluble Cutting Coolant</b><br>K. Yamaguchi, T. Fujita, Y. Kondo, S. Sakamoto, S. Tsukano and M. Yamaguchi | 104 |

## Chapter 2: Abrasive Jet Machining

|  |     |
|--|-----|
| <b>An Investigation of Hole Machining Process on a Carbon-Fiber Reinforced Plastic Sheet by Abrasive Waterjet</b><br>K. Thongkaew, J. Wang and G.H. Yeoh | 113 |
|--|-----|

|  |     |
|--|-----|
| <b>Investigation of Decision Criteria for Abrasive Conditions in Multi-Small-Hole Drilling of CFRP by Blast Process</b>        | 119 |
| H. Fukagawa, T. Hirogaki, K. Shimizu and K. Nishikawa  |     |
| <b>Control of Machining Profiles Based on Material Removal Capabilities in Cylindrical Blasting</b>                            | 125 |
| M. Harada, K. Ohashi, T. Fukushima and S. Tsukamoto  |     |
| <b>Study on Effect of Viscoelastic Properties on Surface Roughness Uniformity in Abrasive Flow Machining for Plate Surface</b> | 131 |
| X.P. Wang, Y.Z. Fu and H. Gao  |     |

## Chapter 3: Advanced Cutting Technology

|   |     |
|---|-----|
| <b>Influence of Fiber Orientation on Machined Surface Quality in Milling of Unidirectional CFRP Laminates</b>         | 137 |
| C.Y. Wang, L. Wen, C.D. Wang, H.Z. Zhang, Q.L. An and M. Chen   |     |
| <b>Influence of Pulsed Magnetic Treatment on Wear of Carbide Micro-end-Mill</b>                                       | 143 |
| Z.Q. Liang, L.P. Ma, X.B. Wang, W.X. Zhao, T.F. Zhou, P. Yan and L. Jiao  |     |
| <b>Milling Force and Machining Deformation in Mirror Milling of Aircraft Skin</b>                                     | 149 |
| Y. Bao, Z.G. Dong, R.K. Kang, Z. Li and Y.C. Yuan   |     |
| <b>Molecular Dynamics Simulation of a Cutting Method by Making Use of Localized Hydrostatic Pressure</b>              | 156 |
| J. Shimizu, K. Uezaki, L.B. Zhou, T. Yamamoto, T. Onuki and H. Ojima  |     |
| <b>Machining Accuracy and Cutting Temperature Property in Deep Hole Drilling of Stainless Steel</b>                   | 162 |
| T. Yamaguchi, K. Okuda, H. Kodama, T. Yamamoto and T. Takeda  |     |
| <b>Tool Wear Characteristics of Cylindrical Cutting of Nickel-Based Super Alloy</b>                                   | 168 |
| S. Yamada, Y. Maeda, T. Motoyoshi, H. Tanaka, K. Kato and T. Yazawa   |     |
| <b>Influence of Endmill Tool Run-Out to Machining Accuracy in Micro-Groove Milling</b>                                | 173 |
| D. Goto, Y. Maeda, K. Iwatsuka, T. Motoyoshi, H. Tanaka, K. Kato and T. Yazawa  |     |
| <b>Influence of Tool Shape on Cutting Characteristics in Ultra-Precision Cutting of Al-Mg Alloys</b>                  | 178 |
| T. Iida, Y. Maeda, D. Hirase, T. Motoyoshi, H. Tanaka, K. Kato and T. Yazawa  |     |
| <b>Study on Machining Single-Crystal Nickel by Molecular Dynamics Simulation</b>                                      | 184 |
| Z.X. Zhu, Y.D. Gong, Z.H. Gan, Y.G. Zhou and G.Q. Yin   |     |
| <b>Proposal of Tilt Helical Milling Method for Hole Creation of Carbon Fiber Reinforced Plastic (CFRP)</b>            | 190 |
| Y.B. Wu, Q. Wang and M. Nomura  |     |
| <b>Experimental Study on Surface Quality in Micro-Milling of Single Crystal Superalloy</b>                            | 196 |
| Q. Gao, Y.D. Gong and Y.G. Zhou   |     |
| <b>End-Milling of CFRP/Ti-6Al-4V with Electroplated cBN Tool</b>  | 203 |
| T. Furuki, T. Hirogaki, E. Aoyama, K. Ogawa, K. Inaba and K. Fujiwara   |     |
| <b>Proposal of Constant Load Feeding Method as a High Precision Cutting Tool for CFRP</b>                             | 209 |
| Y. Kondo, Y. Doi, T. Adachi, S. Sakamoto, K. Yamaguchi, T. Fujita and M. Yamaguchi                                    |     |
| <b>Temperature Field Study of Hole Drilling in Kevlar Composites</b>  | 215 |
| Y.J. Bao, Y.N. Zhang, H. Gao and X.S. Liu   |     |
| <b>Influencing Factors of Surface Generation in Ultra-Precision Fly Cutting</b>                                       | 221 |
| L. Zhan, F.H. Zhang, C.H. An and Z.P. Li  |     |
| <b>Development of a New Burnishing Method Utilizing a Flank Face of a Turning Tool and its Burnishing Performance</b> | 227 |
| M. Iwai, H. Hashimoto and K. Suzuki   |     |
| <b>Experimental Study on Thermal and Force Characteristics in the Dry Slotting of Cortical Bone</b>                   | 233 |
| L. Wen, Z.H. Zhao, J.B. Song, D.D. Yu, M. Chen and S.G.F. Shen  |     |
| <b>Effect of Diamond Coating on Drilling Force and Temperature during High Speed Micro Drilling of Bone</b>           | 239 |
| Z.H. Zhao, L. Wen, J.B. Song, D.D. Yu, M. Chen and S.G.F. Shen  |     |
| <b>Face Turning of Cobalt-Free Tungsten Carbide Using Nano-Polycrystalline Diamond Tool</b>                           | 245 |
| A. Yui, T. Kitajima and K. Yoshitomi  |     |

|  |     |
|--|-----|
| <b>Study on High Speed Milling of Steam Turbine Blade Materials</b><br>T. Kimura, T. Sawa and T. Kamijo  | 251 |
| <b>Synthesis and Characterization of AlMgB<sub>14</sub>-Ni<sub>3</sub>Al Composites for Cutting Tool Materials</b><br>Y.M. Zhou, F.L. Zhang, P.C. Li, K. Bai and S.H. Wu | 257 |

## Chapter 4: Processing of Brittle Materials

|   |     |
|---|-----|
| <b>Chip Formation during Precision Cutting of Metallic Glass</b><br>H. Kodama, K. Okuda and T. Inada  | 265 |
| <b>Characterization of KDP Crystal Surfaces from Single Point Diamond Milling</b><br>G.Q. Xu, Z.W. Liu, J. Wang and C.Z. Huang  | 271 |
| <b>Experimental Investigation at Relatively High Speed Scratching Induced by a Developed Diamond Tip</b><br>Z.Y. Zhang, B.Y. Yuan, S.L. Huang and Z.F. Shi                  | 277 |
| <b>Study on the Ductile Removal Behavior of K9 Glass with Nano-Scratch</b><br>Z.P. Li, H. Zhao and F.H. Zhang   | 282 |
| <b>FEM Stress Analysis of Interfacial Failure of Multilayered Thin Film Structures in Nanoscratching</b><br>C.W. Kang and H. Huang  | 289 |
| <b>Experimental Study on Effects of Translational Movement on Surface Planarity in Magnetorheological Planarization Process</b><br>S.H. Yin, Y.Q. Wang, Y.P. Li and S. Gong | 293 |

## Chapter 5: Chemical Mechanical Polishing, Processing of Semiconductor Wafer

|  |     |
|--|-----|
| <b>Fundamental Micro-Grooving Characteristics of Hard and Brittle Materials with a Fine Wire Tool</b><br>S. Sakamoto, K. Hayashi, Y. Kondo, K. Yamaguchi, T. Fujita and T. Yakou         | 299 |
| <b>Effect of Citric Acid in Chemical Mechanical Polishing (CMP) for Lithium Tantalate (LiTaO<sub>3</sub>) Wafer</b><br>H.S. Lee  | 305 |
| <b>Study on Sapphire Wafer Grinding by Chromium Oxide (Cr<sub>2</sub>O<sub>3</sub>) Wheel</b><br>K. Wu, N. Yamazaki, Y. Ebina, L.B. Zhou, J. Shimizu, T. Onuki, H. Ojima and T. Fujiwara | 311 |
| <b>Study on Removal Mechanism of Sapphire in Plasma Assisted Polishing</b><br>C. Kageyama, K. Monna, H. Deng, K. Endo and K. Yamamura  | 317 |
| <b>Polishing of Aluminum Alloy Using Photocatalyst and Cathilon Dye under Ultraviolet Irradiation</b><br>T. Tanaka   | 321 |
| <b>Study on the Influence of pH on MRR Based on Acidic Slurry in CMP of 304 Stainless Steel</b><br>J.X. Su, J.G. Yao, Z.K. Wang, L.J. Ma and S.F. Fu                                     | 327 |
| <b>Study on the Slicing of Sapphire Using a Wire Tool</b><br>M. Shinya, T. Yazawa and T. Ootubo  | 333 |
| <b>Numerical Analysis of Slurry Flow and Contact Pressure in CMP Considering the Effects of Retaining Ring</b><br>C. Li, P. Zhou, Z.J. Jin, B. Zhang and S.J. Shi                        | 338 |
| <b>Theoretical Research on Contact Length in the Rocking Motion Wire Saw</b><br>H. Huang, S.L. Zheng and X.P. Xu   | 343 |
| <b>Study on Precision Slicing Process of Single-Crystal Silicon by Using Dicing Wire Saw</b><br>T. Suzuki, T. Otsuki and J.W. Yan  | 350 |

## Chapter 6: Electrical Discharge Machining, Ultrasonic and Beam Machining

|  |     |
|--|-----|
| <b>Experimental Study on Ultrasonic Vibration-Assisted Grinding of High Volume Fraction SiCp/Al Composites Micro-Hole</b>                | 359 |
| S.X. Lu, H. Gao, C. Sun, Y.J. Bao and Z.C. Bao   |     |
| <b>Fundamental Investigation of Ultrasonic Assisted Surface Grinding of Inconel 718</b>  | 365 |
| S.S. Li, Y.B. Wu and M. Nomura   |     |
| <b>Machining Technology of Ultrasonic Assisted Grinding for a Silicon Carbide Wafer Carrier</b>  | 371 |
| C.J. Ting, C.F. Chen, T.H. Chou, T.C. Wu and T.H. Lin  |     |
| <b>The Effect of Fiber Laser Machining Parameters on Thermal-Affected Zone of Carbon Fiber Reinforced Plastic</b>                        | 377 |
| H. Yuki, K. Sakai and H. Shizuka   |     |
| <b>Development of EDT Equipment Using Wire Tool Electrode</b>  | 384 |
| Y. Takada, M. Shinohara, M. Ota, K. Egashira, K. Yamaguchi and Y. Hattori  |     |
| <b>Effect of Cutting Speed on Ultrasonically Added Turning in Soft Magnetic Stainless Steel</b>  | 390 |
| K. Hara and H. Isobe   |     |
| <b>Study on the Specific Energy Characteristics of the Ultrasonic Vibration Assisted Sawing Ceramic</b>                                  | 394 |
| J.Q. Wang, J.Y. Shen, Z.C. Li and X.P. Xu  |     |
| <b>A Study on Ultrasonic Torsional Vibration-Assisted Abrasive Waterjet Polishing of Ceramic Materials</b>                               | 400 |
| Y. Wang, H.T. Zhu, C.Z. Huang, J. Wang and P. Yao  |     |
| <b>Analysis and Optimization of Surface Roughness in Rotary Ultrasonic Burnishing of Titanium Alloy Ti-6Al-4V</b>                        | 406 |
| J. Zhao and Z.Q. Liu   |     |
| <b>Electrical Discharge Dressing (EDD) of Metal Bonded Diamond Arc Grinding Wheels</b>   | 412 |
| F.H. Zhang, K. Wang, Z.D. Liu, Z.K. Ma and D.R. Luan   |     |
| <b>High Efficiency EDM of PCD Utilizing a Specific Transition Metal Electrode</b>  | 418 |
| M. Iwai, H. Hashimoto and K. Suzuki  |     |
| <b>Hybrid Process of Laser Heat Treatment and Forming of Thin Plate with a Small Power Semiconductor Laser</b>                           | 423 |
| R. Oda, T. Hirogaki, E. Aoyama and K. Ogawa  |     |
| <b>Controllability Study of Single-Crystal Diamond Cutting Tool Focus Ion Beam Milling with Different Beam Current and Tilting Angle</b> | 430 |
| S.Y. Baek, W.K. Choi, Y.J. Choi and E.S. Lee   |     |
| <b>Drilling of Microholes Using Diamond Grinding Tools</b>   | 435 |
| K. Egashira, R. Okina, K. Yamaguchi and M. Ota   |     |
| <b>Controlled Fabrication of Micro/Nano-Structures on Germanium Using Ultrashort Laser Pulses under Ambient Conditions</b>               | 440 |
| M. Sivakumar and J. Wang   |     |
| <b>Precise Machining Method by Combining EDM and Grinding with a Rotary PCD Segment Tool for Cemented Carbide</b>                        | 446 |
| F. Koga, S. Ninomiya and K. Suzuki   |     |

## Chapter 7: Finishing, Lapping and Polishing

|   |     |
|---|-----|
| <b>Nano-Precision Polishing of Oxygen-Free Copper Using MCF (Magnetic Compound Fluid) Slurry</b>                                    | 455 |
| Y.L. Wang, Y.B. Wu and M. Nomura  |     |
| <b>Influence of Components on the Rheological Property of Shear Thickening Polishing Slurry</b>                                     | 461 |
| B.H. Lyu, W.T. Dai, H.Z. Weng, M. Li, Q.F. Deng and J.L. Yuan   |     |
| <b>Development of Polishing Tool Capable of Self-Adaptive to Processing Site Using Steel Balls and Magnetic Force</b>               | 466 |
| L. Ma, T. Furuki, T. Kure, T. Hirogaki and E. Aoyama  |     |
| <b>Investigation of Abrasive Super Finishing under Various Paths with a 5-Axis Closed-Link Compact Robot and Fine Diamond Stone</b> | 472 |
| T. Liu, T. Kure, T. Hirogaki, E. Aoyama and Y.D. Liu  |     |
| <b>Surface Roughness and Topography of Honed Nickel-Based Superalloy</b>  | 478 |
| C.Y. Yang, Y.C. Fu, D.S. Huang, J.H. Xu, N.G. Yang and W. Yan   |     |

|   |     |
|---|-----|
| <b>Experimental Research on Flexible Polishing by Compound Diamond Powder</b><br>R.L. Xiang, T.F. Zhou, Z.Q. Liang and X.B. Wang                  | 484 |
| <b>Ultraprecision Machining of Si<sub>3</sub>N<sub>4</sub> Ceramics with Shear-Thickening Polishing</b><br>M. Li, B.H. Lyu, J.L. Yuan and P. Zhao | 490 |

## Chapter 8: Surface and Subsurface Integrity and Materials Characterization

|  |     |
|--|-----|
| <b>Surface and Subsurface Integrity of Glass-Ceramics Induced by Ultra-Precision Grinding</b><br>B. Zhao, S. Gao, R.K. Kang, X.L. Zhu and D.M. Guo                             | 497 |
| <b>Wet-Etching Evaluation Method of Subsurface Damage after Grinding of Glass</b><br>R. Sekiguchi, S. Yoshikawa, K. Higashi, N. Miki, Y. Kakinuma, M. Fukuta and K. Tanaka     | 503 |
| <b>A Study on Residual Stresses in Machined Brittle Material</b><br>P.L. Tso and T.Y. Tsai   | 509 |
| <b>Study on the Inherent Correlations of the Material Properties for Silicon Nitride Ceramic Balls</b><br>J.L. Yuan, L.F. Yu, F. Li, F.F. Zhou, P. Zhao and W. Hang            | 515 |
| <b>High-Speed Capturing of Stress Distribution of Workpiece under Ultrasonically Assisted Cutting Condition</b><br>H. Isobe and K. Hara  | 520 |
| <b>Surface Integrity of AlSiC Composites Ground by Monolayer Brazed Diamond Wheels</b><br>F.L. Zhang, P. Liu, P. Wang, Y.M. Zhou, H.P. Huang and J.B. Lu                       | 526 |
| <b>Coupled Thermal-Mechanical Analysis of CO<sub>2</sub> Laser Irradiation on Fused Silica</b><br>R.Q. Li, P. Yao, H. Meng, J. Wang, K. Zhang, C.Z. Huang, B. Zou and H.L. Liu | 531 |
| <b>Surface Integrity of the Compressor Blade when Employing Different Polishing Method</b><br>G.J. Xiao, Y. Huang, Y.X. Chen, G.L. Chen, Z.W. Liu and X.M. Liu                 | 537 |
| <b>The Dynamic Mechanical Properties of Oxygen Free Copper under the Impact Load</b><br>Q.F. Liu, N.C. Wang, L. Yan, F. Jiang and H. Huang                                     | 543 |
| <b>Study on Mechanical Properties of Single-Crystal Silicon Carbide by Nanoindentation</b><br>M. Matsumoto, H. Harada, K. Kakimoto and J.W. Yan                                | 549 |
| <b>Wear Mechanisms in Grinding of PCBN</b><br>B. Denkena, T. Grove and L. Behrens  | 555 |
| <b>Improving Tool Wear Resistance in Inconel 718 Cutting by Considering Surface Microstructures of CBN Cutting Tool</b><br>T. Sugihara, S. Takemura and T. Enomoto             | 561 |
| <b>Effect of Carbide Orientation on Sliding Wear Behaviour of High Chromium Cast Iron</b><br>Z.Y. Jiang, X.J. Gao, D.B. Wei, S.L. Li, H.M. Zhang, J.Z. Xu, D. Wu and S.H. Jiao | 567 |
| <b>Enhanced Tribological Performance of CVD Diamond Films Enabled by Using Graphene Layers as Solid Lubricant</b><br>S.L. Chen, B. Shen and F.H. Sun                           | 573 |

## Chapter 9: In-Process Measurement and Monitoring, Metrology

|  |     |
|--|-----|
| <b>Wide Range and Accurate Measurement of Wafer Thickness Gauge Using Optical Spectral Analyzer</b><br>T. Onuki, Y. Ebina, H. Ojima, J. Shimizu and L. Zhou  | 581 |
| <b>Measurement of the Temperature Distribution at the Tool-Chip Interface by Using a Cutting Tool with Seven Pairs of Built-In Micro Cu/Ni Thermocouples</b><br>J. Shinozuka and H. binti Jaharadak        | 586 |
| <b>In-Process Monitoring of the Machining State in Superfinishing by Measuring the Dynamic Machining Forces</b><br>T. Onishi, K. Ohashi, K. Higashi, Y. Morinaka, S. Banno, T. Kitagawa and S. Tsukamoto   | 592 |
| <b>Experimental Study of the Causes for Shape Error of a Large Workpiece Machined by Surface Grinding</b><br>T. Onishi, Y. Shimizu, M. Sakakura, M. Harada, Y. Nakano, S. Baba, K. Ohashi and S. Tsukamoto | 597 |

|  |     |
|--|-----|
| <b>Measuring Method of Distribution of Abrasive Grain Cutting Edge by Means of AE Sensors</b><br>T. Yamada, H.S. Lee and K. Miura  | 601 |
| <b>Investigation of End-Milling Process Based on Monitoring Method with Wireless Telegraphic Multifunctional Tool Holder and Infrared Thermography</b><br>M. Shindou, R. Matsuda, T. Furuki, T. Hirogaki and E. Aoyama | 606 |
| <b>The Use of Power Monitoring and Electron Microscopy in Evaluating the Performance and Fracture Characteristics of Abrasive Grains</b><br>J. Badger, R. Drazumeric and P. Krajinik                                   | 612 |
| <b>Fabrication of Computer Generated Hologram for Aspheric Surface Measurement</b><br>Z.Y. Zhang, X. Yang and L.G. Zheng   | 620 |
| <b>Development of In-Process Monitoring System for Grinding Wheel Surface Temperature and Grinding State</b><br>Y. Fukuhara, S. Suzuki and H. Sasahara   | 624 |
| <b>Matching Algorithm for Profile Error Calculation of Blade Surface</b><br>X. Yang, X.L. Liu, J.M. Liu, S.J. Ji, X.T. Qu and Z.Y. Zhang   | 630 |

## Chapter 10: Machine Tools and Systems, Tooling Processing

|   |     |
|---|-----|
| <b>Investigation of Control Methods of Chatter Vibration Based on Analysis of End-Milling Chatter Mark</b><br>R. Shiota, T. Furuki, T. Hirogaki and E. Aoyama   | 639 |
| <b>Sensorless Cutting Force Estimation in Large Scale Ball-Screw-Driven Machine Tool</b><br>Y. Yamada, Y. Kakinuma, T. Ito, J. Fujita, A. Tada and M. Sagara  | 645 |
| <b>Optimization of Control Gains in Numerical Control</b><br>H. Aoyama and D. Zhang   | 651 |
| <b>Loop Stiffness of Grinding Machine Developed for 450 mm Silicon Wafers</b><br>J. Kusuyama, S. Iwahashi, T. Kitajima, N. Ogasawara, A. Yui, H. Saito and A.H. Slocum  | 655 |
| <b>Development of Direct Drive Motor for Machine Tools and its Performance in Machining</b><br>T. Ikegami, T. Hirogaki and E. Aoyama  | 661 |
| <b>New Development of Supersonic Surface Grinding Machine Tool with a Linear-Motor-Driven Table System</b><br>L. Yang, Y.C. Fu, J.H. Xu and Y.T. Liu  | 667 |
| <b>Improvement of Surface Roughness with Micro-Axial Vibration of Spindle by Pressure Pulsation of Grinding Fluid Supplied through inside of Wheel</b><br>K. Nomura, N. Takeuchi, A. Kusakabe, M. Chino and H. Sasahara | 673 |
| <b>Internally Cooled Toric Tools for Grinding of Medical Ceramics</b><br>B. Denkena, T. Grove and L. Tatzig   | 678 |
| <b>Process Automation in Computer Controlled Polishing</b><br>D. Walker, G.Y. Yu, C. Gray, P. Rees, M. Bibby, H.Y. Wu and X. Zheng  | 684 |