

# Table of Contents

## Preface and Committees

|                                                                                                                                                                                               |    |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|
| <b>Corrosion-Fatigue of High Strength Steel Bars: Evolution of Crack Aspect Ratio</b><br>J. Toribio, J.C. Matos, B. González and J. Escuadra                                                  | 1  |
| <b>Lamb-Wave Based Technique for Impact Damage Detection in Composite Stiffened Panels</b><br>Z. Sharif-Khodaei, R. Rojas-Diaz and F. M.H.Aliabadi                                            | 5  |
| <b>The Measurement of Residual Stresses in Thermal Barrier Coated Model Aerofoils</b><br>D. Liu, P.E.J. Flewitt and K.R. Hallam                                                               | 9  |
| <b>Development of Predictive Models for Fatigue Crack Growth in Rails</b><br>A. De Iorio, M. Grasso, G. Kotsikos, F. Penta and G.P. Pucillo                                                   | 13 |
| <b>Fracture Analysis of a First Stage Turbine Blade by FRANC3D</b><br>S. Asadikouhanjani and R. Ghorbani                                                                                      | 17 |
| <b>Fully Reversed Uniaxial Tension-Compression High Cycle Fatigue Behaviour of Shot-Peened Steels</b><br>A. Plumtree and M.M. Mirzazadeh                                                      | 21 |
| <b>Solutions for Impact over Aerospace Protection</b><br>L. Neckel, D. Hotza, D. Stainer, R. Janßen, A.G.R. Lezana, A. Dias and H.A. Al-Qureshi                                               | 25 |
| <b>The Effect of Mesh Density in Lattice Models for Concrete with Incorporated Mesostructure</b><br>J. Eliáš and M. Vořechovský                                                               | 29 |
| <b>Calibration of Constitutive Law and Ductile Failure Criterion for Very Thin Rectangular Al2024-T3 Aluminum Alloy Specimen</b><br>M. Giglio, A. Gilioli and A. Manes                        | 33 |
| <b>Flexural Wave Scattering by Double Elliptic Holes in an Infinite Thin Plate</b><br>H.L. Li, J. Guo and X.H. Shao                                                                           | 37 |
| <b>Advanced Finite Element Analysis to Predict Off-Axis Crushing Behaviour of Composite Aero-Structures</b><br>N. Ghafari-Namini, H. Ghasemnejad and M. Limbachiya                            | 41 |
| <b>Fatigue Fracture Mechanism of Extruded Al Alloy 7075-T6 in High Humidity</b><br>K. Kariya, N. Kawagoishi, H. Maeda, Q. Chen, M. Goto and Y. Nu                                             | 45 |
| <b>Validation of Modified Lemaitre's Anisotropic Damage Model with the Cross Die Drawing Test</b><br>M.S. Niazi, H.H. Wisselink and T. Meinders                                               | 49 |
| <b>Probabilistic Fracture Resistance of a Forged Quality Medium Carbon Alloy Steel</b><br>K.K. Ray and R.N. Jha                                                                               | 53 |
| <b>Spatial Statistical Analyses for Time-Dependent Corroded Surfaces of Uncoated Weathering Steel Plates in Various Corrosive Environments</b><br>S. Kainuma and Y.S. Jeong                   | 57 |
| <b>Corrosion Inhibition of Stress Corrosion Cracking and Localized Corrosion of Turbo-Expander and Steam/Gas Turbines Materials</b><br>B. Bavarian, J. Zhang and L. Reiner                    | 61 |
| <b>The Effect of Lamb Wave Interaction with Fatigue Crack in Thin Al Sheet</b><br>V. Pavelko, I. Pavelko and E. Ozolinsh                                                                      | 65 |
| <b>Modeling Ductile Fracture Using the Discontinuous Velocity Domain Splitting Method</b><br>I.R. Ionescu and E. Oudet                                                                        | 69 |
| <b>Notched Specimens Fracture Prediction with an Advanced GTN Model</b><br>J. Fansi, M. Bettaieb, T. Balan, X. Lemoine and A.M. Habraken                                                      | 77 |
| <b>Dynamic Characteristics of Composite Materials Body for Bi-Modal Tram</b><br>Y.S. Kim, S.K. Chang, K.H. Moon and J.K. Mok                                                                  | 81 |
| <b>Comparison between 3D FEM and Standard ISO Tooth Root Stresses</b><br>G. Marunić, G. Gregov and V. Glažar                                                                                  | 85 |
| <b>Crystallographic Analysis of Specimens Used for Calibrate a Failure Model for an Al 6061 – T6 Alloy</b><br>M. Giglio, A. Manes, C. Mapelli, D. Mombelli, C. Baldizzone and A. Gruttadauria | 89 |

|                                                                                                                                                                          |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Cyclic Mixed-Mode Crack Propagation due to Time-Dependent Multiaxial Loading in Jet Engines</b><br>G. Dhondt                                                          | 93  |
| <b>Crack Growth Rates and Corrosion Fatigue of Austenitic Stainless Steels in High Chloride Solutions</b><br>C. Vichytil, G. Mori, R. Pippan, M. Panzenböck and R. Fluch | 97  |
| <b>Rolling Contact Fatigue Crack Growth Prediction by the Asperity Point Load Mechanism</b><br>D. Hannes and B. Alfredsson                                               | 101 |
| <b>Mechanical Characterization of Friction Stir Channels under Internal Pressure and In-Plane Bending</b><br>C. Vidal, V. Infante and P. Vilaça                          | 105 |
| <b>Numeric Simulation of Fatigue Crack Growth in a Material Graded Structure</b><br>B. Schramm, H.A. Richard, M. Fulland and V. Kloster                                  | 109 |
| <b>Lifetime Determination of the Raceway of a Large Three-Row Roller Slewing Bearing</b><br>P. Göncz, R. Potočník and S. Glodež                                          | 113 |
| <b>Analysis of Combined Adhesive and Cohesive Cracking at Roughened Surfaces</b><br>O. van der Sluis, S.P.M. Noijen, J.B. Bouquet and P.H.M. Timmermans                  | 117 |
| <b>Performance of Different Metal-Foam Stuffed Whipple Shield against Hypervelocity Impact of Space Debris</b><br>B. Jia, F. Li, H.P. Gong and B.J. Pang                 | 122 |
| <b>Development of a Low-Constraint SE(T) Toughness Test</b><br>W.R. Tyson, G. Shen, J.A. Gianetto and D.Y. Park                                                          | 126 |
| <b>Modelling of Crack Bifurcation in Laminar Ceramics with Large Compressive Stress</b><br>M. Kotoul, O. Ševeček and T. Profant                                          | 130 |
| <b>Finite Element Analysis of Composite Flywheel with Two-Layer Pre-Stressed Rotor Structure</b><br>Z.Y. Ren, J.N. Liu, Q.F. Li and K.F. Li                              | 134 |
| <b>Identification of Slant Cracks in a Cantilever Beam Using Design of Experiment and Neuro-Genetic Technique</b><br>M. Hajhosseini and H. Nahvi                         | 138 |
| <b>Non-Linear Behaviour of Base-Isolated Building Supported on Flexible Soil under Damaging Earthquakes</b><br>S. Mahmoud, P.E. Austrell and R. Jankowski                | 142 |
| <b>Coupling Infrared Thermography and Acoustic Emission Measurement to Quantify the Shakedown State of Shape Memory Alloys</b><br>C. Dunand-Châtellet and Z. Moumni      | 146 |
| <b>Modeling Fracture of Fiber Reinforced Polymer</b><br>J. Ožbolt, V. Lacković and J. Krolo                                                                              | 150 |
| <b>Modeling Radiation Effects on the Fracture Process in Simplified Nuclear Glass</b><br>L.H. Kieu, J.M. Delaye and C. Stolz                                             | 154 |
| <b>Crack Growth Modeling in a Specimen with Polymer Weld</b><br>M. Ševčík, P. Hutař, L. Náhlík, R. Lach, Z. Knésl and W. Grellman                                        | 158 |
| <b>Basic Modes of Crack Propagation through the Interface in a Polymer Layered Structure</b><br>M. Zouhar, P. Hutař, L. Náhlík and Z. Knésl                              | 162 |
| <b>Effect of Notched Parameters on Low Cycle Fatigue Life of Shaft under Bending-Torsional Loading</b><br>P. Ma and Y.T. Li                                              | 166 |
| <b>Investigation of Eigen-Values for Matrix Cracks of Two Materials</b><br>Y.T. Li and R.F. Wang                                                                         | 170 |
| <b>Dimensionless Stress Intensity Factors of an Annular Notched Shaft</b><br>B. Chen and Y.T. Li                                                                         | 174 |
| <b>Fatigue Crack Shape Prediction Based on the Stress Singularity Exponent</b><br>P. Hutař, M. Ševčík, L. Náhlík and Z. Knésl                                            | 178 |
| <b>Experimental and Numerical Investigation of Fatigue Behaviour of Nodular Cast Iron</b><br>P. Canžar, Z. Tonković, A. Bakić and J. Kodvanj                             | 182 |
| <b>Modelling of Nonlinear Creep and Recovery Behaviour of Cortical Bone</b><br>M. Lovrenić-Jugović, Z. Tonković and I. Skozrit                                           | 186 |

|                                                                                                                                                                                                |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Finite Element Analysis by Using Hyper-Elastic Properties for Rubber Component</b><br>C.S. Woo, H.S. Park and W.G. Shin                                                                     | 190 |
| <b>Assessment of Thermal Damage for Railway Wheel of Long-Term Running</b><br>S.J. Kwon, J.W. Seo, D.H. Lee and S.T. Kwon                                                                      | 194 |
| <b>Influence of Curing Temperature on the Mechanical Properties of Alkali-Activated Bottom Ash Geopolymer Mortar</b><br>G.S. Ryu, S.H. Kim, K.T. Koh, S.T. Kang and J.H. Lee                   | 198 |
| <b>Investigation into Damage of AL-Mesh Bumper under Hypervelocity AL-Spheres Impact</b><br>G.S. Guan, B.J. Bang and R.T. Niu                                                                  | 202 |
| <b>Dynamic Antiplane Behavior for a Quarter Infinite Piezoelectric Medium with a Subsurface Circular Inclusion</b><br>T.S. Song, D. Li and T. Merhej                                           | 206 |
| <b>A Study on the Fracture Test in Railroad Truck</b><br>S.C. Yoon, J.G. Kim, K.S. Baik, B.C. Goo and K.Y. Choe                                                                                | 210 |
| <b>Fracture Behavior and Mechanical Properties of Bamboo Fiber Reinforced Concrete</b><br>M. Terai and K. Minami                                                                               | 214 |
| <b>Study on Welding Deformations of Shipboard of Container Vessel</b><br>H. Li, D.L. Qiu, G.L. Li and H.L. Ren                                                                                 | 218 |
| <b>Variational Principle and Buckling Analysis of Functionally Graded Plate with Temperature Changes</b><br>T. Fan                                                                             | 222 |
| <b>The Scattering of SH-Wave Caused by Subsurface Circular Cavities in a Layered Half-Space</b><br>D.N. Chen, H. Qi and Y. Shi                                                                 | 226 |
| <b>Fatigue Damage in On-Axis and Off-Axis Woven-Fiber/Resin Composite</b><br>J. Montesano, Z. Fawaz, K. Behdinan and C. Poon                                                                   | 230 |
| <b>Effect of Hydrogen on Mechanical Properties of Type 310S Stainless Steel</b><br>N. Takano and Y. Kaidu                                                                                      | 234 |
| <b>Fatigue Strength of Radical Nitrided Spheroidal Graphite Cast Iron</b><br>K. Morino, F. Nishimura and N. Kawagoishi                                                                         | 238 |
| <b>Combined Influence of Expansive and Shrinkage Reducing Admixtures on the Shrinkage Behavior of Ultra-High Performance Concrete</b><br>J.J. Park, D.Y. Yoo, S.W. Kim and Y.S. Yoon           | 242 |
| <b>Study on Gradient-Dependent Nonlocal Damage Constitutive Models of Concrete under Freeze-Thaw Action</b><br>Z.M. Liu, J.Z. Mao, H.Y. Song and X.D. Chen                                     | 246 |
| <b>Effect of YbCl<sub>3</sub>-Zn-Epoxy Coating on MIC Behavior of Low Alloy Steel</b><br>Y.D. Fu, Q.F. Li, J. Wang and C.H. Li                                                                 | 250 |
| <b>Improvement of MIC Behavior of Ship Plate Steel with LaCl<sub>3</sub>-Zn Epoxy Coating</b><br>Q.F. Li, J. Wang, Y.D. Fu and C.H. Li                                                         | 254 |
| <b>Computational Analysis of the AFM Specimen on Mixed-Mode I+II+III Fracture</b><br>Q.F. Li, L. Zhu, S.Y. Yan and X.N. Zhang                                                                  | 258 |
| <b>MIC Behavior of the Low Alloy Steel with Different Zn-Epoxy Coating in SRB Solution</b><br>J. Wang, Q.F. Li, Y.D. Fu and C.H. Li                                                            | 262 |
| <b>Crack Initiation Predictions of the AFM-Specimen under Bend and Torsion Loading</b><br>S.F. Zhu, L. Zhu and Q.F. Li                                                                         | 266 |
| <b>Numerical Simulation of Series Experiments of Concrete Fracture</b><br>A.M. Deng, X.D. Wang and D.Y. Xu                                                                                     | 270 |
| <b>Influence of the Type of Silica Fume on the Rheological and Mechanical Properties of Ultra-High Performance Concrete</b><br>K.T. Koh, J.J. Park, S.T. Kang and G.S. Ryu                     | 274 |
| <b>Strength Enhancement of Bottom Ash-Based Polymer Concretes</b><br>J.M. Zhao, Z.X. Yang, K.H. Hwang, J.K. Lee, M.C. Kim and G.D. Seo                                                         | 278 |
| <b>Potential of Shape Memory Complex Materials SMC as Welfare Equipment Actuator</b><br>T. Aoki, K. Fukunaga and A. Shimamoto                                                                  | 282 |
| <b>Performance of Nylon Based Polymer Foams at Elevated Temperature under Tensile Loading</b><br>V.G. Izzard, C.H. Bradsell, H. Hadavinia, V.J. Morris, P.J.S. Foot, L.M. Wilson and K. Hewson | 286 |

|                                                                                                                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Effect of REM Finishing on Fatigue Behavior of a Shot Peened Low Alloy Steel</b><br>S. Bagherifard, R. Ghelichi, M. Guagliano and M. Bandini                                                       | 290 |
| <b>Optimal Elastic Design of CFCs</b><br>G. Stasiuk, R. Piat and Y. Sinchuk                                                                                                                           | 295 |
| <b>High Cycle Fatigue Parameters of High Chromium Steel</b><br>M. Drobne, P. Göncz and S. Glodež                                                                                                      | 299 |
| <b>Slow Crack Growth and Creep Rupture of <math>\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}</math></b><br>J. Malzbender, G. Pećanac and S. Baumann                | 303 |
| <b>Influence of Al-Si Diffusion Coating on Low Cycle Fatigue Properties of Cast Superalloy Inconel 738LC at 800 °C</b><br>M. Juliš, K. Obrtlík, S. Hutařová, T. Podrábský and J. Polák                | 307 |
| <b>Effect of Friction Stir Welding Condition on Fatigue Limit of Welded Non-Combustible Mg Alloy</b><br>K. Hayashi, S. Hamada, I. Shigematsu, M. Sakamoto and H. Noguchi                              | 311 |
| <b>A Role of Destructive and Non-Destructive Tests in Creep Damage Identification</b><br>Z.L. Kowalewski, T. Szymczak, K. Makowska and B. Augustyniak                                                 | 315 |
| <b>Small Fatigue Crack Growth Behavior from Artificial Notch with Focused Ion Beam in Annealed 0.45% Carbon Steel</b><br>J. Sakamoto, Y. Takahashi and H. Noguchi                                     | 319 |
| <b>Loading Frequency Effects on the Fatigue Crack Growth Rate and Fracture Surface Morphology of Low Carbon Steel in Case of Long-Term Use in Hydrogen Gas</b><br>A. Nishimoto, Y. Oda and H. Noguchi | 323 |
| <b>Micromechanical Modeling of Heterogeneous Materials with Irregularly Shaped Pores</b><br>I. Tsukrov and B. Drach                                                                                   | 327 |
| <b>Edge-Strengthening of Structural Glass with Protective Coatings</b><br>M. Lindqvist, C. Louter and J.P. Lebet                                                                                      | 331 |
| <b>Residual Stresses in As-Welded Joints: Finite Element Modeling and Neutron Diffraction Stress Measurements</b><br>C. Acevedo, J.M. Drezet, J.P. Lefebvre, L. D'Alvise and A. Nussbaumer            | 335 |
| <b>Cellular Automata Multiscale Model of Creep Damage for Metals</b><br>K. Nowak                                                                                                                      | 339 |
| <b>Experimental Investigation of Fatigue Crack Growth in the Welding Nugget of FSW Joints of a 6060 Aluminum Alloy</b><br>P. Marcassoli, M. Longo, G. D'Urso, C. Giardini and T. Pastore              | 343 |
| <b>Experimental Study on Polymer Mass Used to Repair Damaged Structures</b><br>T. Falborski, R. Jankowski and A. Kwiecień                                                                             | 347 |
| <b>Shaking Table Experimental Study on Damage Mechanism of the Disconnecting Switch under Seismic Excitation</b><br>P. Dembowski and R. Jankowski                                                     | 351 |
| <b>Peridynamic Theory for Damage Initiation and Growth in Composite Laminate</b><br>E. Oterkus and E. Madenci                                                                                         | 355 |
| <b>Inelastic Dynamic Analysis and Non-Linear Static Analysis (Push-Over) of 3-Story and 6-Story RC Buildings of Ductile Frames</b><br>J.A. Avila and J.C. Manzano                                     | 359 |
| <b>Application of the <math>\Theta</math>-Method to 3D BEM Analysis of Cracks in Piezoelectric Components</b><br>K. Wippler and M. Kuna                                                               | 363 |
| <b>The Influence of the Weld Width on Fracture Behaviour of the Heterogeneous Welded Joint</b><br>P. Konjatić, D. Kozak and N. Gubeljak                                                               | 367 |
| <b>Simulation of a Strategy for the Assessment of Damage in Human Bones by Using FEM and Signal Processing</b><br>M. Miniaci, A. Marzani and E. Viola                                                 | 371 |
| <b>Effect of an Internal Open Crack on Pipes Wave Propagation</b><br>A. Marzani, M. Miniaci and E. Viola                                                                                              | 375 |
| <b>On the Stress Intensity Factors of Cracked Beams for Structural Analysis</b><br>E. Viola, Y. Li and N. Fantuzzi                                                                                    | 379 |
| <b>Cracks Interaction Effect on the Dynamic Stability of Beams under Conservative and Nonconservative Forces</b><br>E. Viola, N. Fantuzzi and A. Marzani                                              | 383 |

|                                                                                                                                                                                                            |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Finite Temperature Nanovoids Evolution in FCC Metals Using Quasicontinuum Method</b><br>M. Ponga, I. Romero, M. Ortiz and M.P. Ariza                                                                    | 387 |
| <b>Bone-Cement Interface Micromechanical Model under Cyclic Loading</b><br>J.A. Sanz-Herrera, H. Esteban and M.P. Ariza                                                                                    | 391 |
| <b>Comparison of Solutions of Stress Field Based on Hertzian and Combined Numerical-Crystallographic Approaches Beneath Nanoindenter</b><br>J. Horníková, P. Šandera and J. Pokluda                        | 395 |
| <b>Influence of Boundary Conditions on Higher Order Terms of Near-Crack-Tip Stress Field in a WST Specimen</b><br>V. Veselý, L. Šestáková and S. Seitzl                                                    | 399 |
| <b>Valuation of TMF Lifetime Calculation Methods and their Limitations of Usability</b><br>H. Köberl, G. Winter and W. Eichlseder                                                                          | 403 |
| <b>Fatigue Crack Growth Simulation in Railway Axles</b><br>A. De Iorio, M. Grasso, F. Penta and G.P. Pucillo                                                                                               | 407 |
| <b>Effect on the Alkali-Activator Mixing Ratio of Geopolymer Mortar Using Bottom Ash</b><br>S.H. Kim, G.S. Ryu, K.T. Koh, S.T. Kang and J.H. Lee                                                           | 411 |
| <b>Crack Propagation from Bi-Material Notches – Matched Asymptotic Procedure</b><br>J. Klusák, T. Profant, O. Ševeček and M. Kotoul                                                                        | 416 |
| <b>Evaluation of the Fatigue Resistance of Chromium Slurry Coating Steel Substrate Compounds by Means of an Improved Impact Testing Procedure</b><br>K.G. Anthymidis, K. David, A. Trakali and D.N. Tsipas | 420 |
| <b>Stress Responses to Large Simple Shear Deformation in Elasticity Based on the Logarithmic Strain</b><br>L.H. Yang, J. Qu and Y.Z. He                                                                    | 424 |
| <b>Slow Crack Growth by Grain Boundary Dissolution of Hydroxyapatite in Water</b><br>D.S. Seo, K.H. Hwang and J.K. Lee                                                                                     | 428 |
| <b>Research on Acoustic Emission Test Method for Metal Fatigue Fracture Based on Wavelet Packets Feature Extraction</b><br>Q. Wang, Y.S. Chen and K. Song                                                  | 432 |
| <b>The Study of AE and ESSPI Technique on the CBF Composite</b><br>Z.L. Chang, G.P. Zou, S. Chen and L. Chen                                                                                               | 436 |
| <b>Interaction of SH-Wave on Multiple Linear Cracks near Shallow-Embedded Structure</b><br>Z.L. Yang, H.N. Xu, M.J. Xu and B.T. Sun                                                                        | 440 |
| <b>Numerical Simulation of Multiple Fatigue Crack Growth with Additional Crack Initiation</b><br>D. Holländer, M. Wünsche, S. Henkel and H. Theilig                                                        | 444 |
| <b>Study on Damage Parameters and its Size Effect of Concrete by Tension Test</b><br>X.D. Wang, Y.F. Wang, Y. Wang, Y.J. Wu and X. Hua                                                                     | 448 |
| <b>Elastic-Viscoplastic Field at the Mixed-Mode Crack-Tip under Compression and Shear</b><br>W.Y. Liang, Z.Q. Wang and F. Liu                                                                              | 452 |
| <b>Effect of Rotational Speed on Thin-Rim Gear Bending Fatigue Crack Initiation Life</b><br>M. Opalić, K. Vučković and D. Žeželj                                                                           | 456 |
| <b>Investigation on Damage Tolerance of Carbon/Epoxy Laminate for Aircraft Structural Design</b><br>H.B. Park, C.D. Kong and K.S. Lee                                                                      | 460 |
| <b>Damage Analysis of Concrete Subjected to Freeze-Thaw Cycles and Chloride Ion Erosion</b><br>J.Z. Mao, Z.Y. Zhang, Z.M. Liu and C. Sun                                                                   | 464 |
| <b>Measurements of Mode I and Mode III Fracture Toughness of Spring's Steel</b><br>N. Gubeljak, V. Močilnik and J. Predan                                                                                  | 468 |
| <b>Numerical Implementation of Constitutive Material Law for Simulating the Kinkband Formation in Fiber Composites</b><br>B. Veluri and H.M. Jensen                                                        | 472 |
| <b>Fatigue Crack Propagation in New Generation Aluminium Alloys</b><br>S. Richard, C. Sarrazin-Baudoux and J. Petit                                                                                        | 476 |
| <b>An Effect of Shot Peening on Retardation and Growth of Short Fatigue Cracks in an Aircraft Al-Alloy</b><br>I. Černý                                                                                     | 480 |
| <b>The Effect of Nonlinear Matrix on Crack Propagation in the Particulate Composite</b><br>Z. Majer and P. Hutař                                                                                           | 484 |

|                                                                                                                                                                                                                                           |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>On Effective Properties of Layers in Damaged Composite Laminates</b><br>J. Varna                                                                                                                                                       | 490 |
| <b>Defect Size Measurement of Wall Thinned Pipe Using Shearography and Digital Image Correlation</b><br>K.S. Kim, C.S. Park, D.P. Hong, M.Y. Choi, H.S. Chang and H.C. Jung                                                               | 494 |
| <b>Fatigue Focused Optimization of Treatment Parameters – A Case Study about Deep Cryogenic Treatment</b><br>P. Baldissera and C. Delprete                                                                                                | 498 |
| <b>Fatigue Behaviour of Notched Ti-6Al-4V in Inert Environment</b><br>S. Baragetti, S. Cavalleri and F. Tordini                                                                                                                           | 502 |
| <b>A Comprehensive Study of the Performances of PVD WC/C-Coated Racing Gears</b><br>S. Baragetti, S. Cavalleri and F. Tordini                                                                                                             | 507 |
| <b>Effect of Shot Peening on the Fatigue Behavior of some Sintered Steels</b><br>S. Baragetti, R. Gerosa, G. Silva and B. Rivolta                                                                                                         | 511 |
| <b>Effect of Heat Treatment on Fracture during Bending in AA6016 Aluminium Alloy Sheets</b><br>A. Davidkov, R.H. Petrov, P. De Smet and L.A.I. Kestens                                                                                    | 521 |
| <b><math>K_I</math>, <math>\Delta J</math>-Integral and <math>\Delta CTOD</math> Parameter</b><br>Ž. Božić, S. Schmauder and M. Mlikota                                                                                                   | 525 |
| <b>Developed Random Tessellation for Modeling of Microstructure</b><br>K. Farhangdoost and S. Rahnama                                                                                                                                     | 529 |
| <b>Fracture Analysis of Cube- and Cylinder-Shaped WST Specimens Made of Cementitious Composites with Various Characteristic Length</b><br>L. Routil, V. Veselý and S. Seitl                                                               | 533 |
| <b>Finite Element Simulation on Failure Assessment of Toughened Epoxy Adhesives</b><br>P. Akbarzadeh and K. Farhangdoost                                                                                                                  | 537 |
| <b>Dynamic Behavior of Granular Mixture Solids</b><br>M. Buonsanti, G. Leonardi, F. Scoppelliti and F. Cirianni                                                                                                                           | 541 |
| <b>Load Sequence Effect on Fatigue Damage</b><br>Y.G. Xu, L. Wang, Y. Chen and W. Tiu                                                                                                                                                     | 545 |
| <b>An Experimental and Numerical Investigation of the Mixed-Mode Fracture Toughness and Lap Shear Strength of Aerospace Grade Composite Joints</b><br>J. Mohan, A. Karač, N. Murphy and A. Ivanković                                      | 549 |
| <b>Numerical Investigation into Dynamic Fracture of PCBN</b><br>D. Carolan, A. Ivanković and N. Murphy                                                                                                                                    | 553 |
| <b>A Methodological Approach to the Tolerance Problems during the Assembly Process of Deformable Bodies</b><br>F. Caputo, G. Lamanna, F.M. Pannullo and G. De Angelis                                                                     | 557 |
| <b>Energy Absorption Capabilities of a Square Tube System</b><br>F. Caputo, G. Lamanna and A. Soprano                                                                                                                                     | 561 |
| <b>Effects of Tolerances on the Structural Behavior of a Bolted Hybrid Joint</b><br>F. Caputo, G. Lamanna and A. Soprano                                                                                                                  | 565 |
| <b>The Influence of Short Glass and Polypropylene Fibers on First Crack Formation and Toughness of Cement Based Composites after their Exposure to Fire Conditions</b><br>Z.G. Pandermarakis, A.B. Sotiropoulou and N.D. Nikoloutsopoulos | 569 |
| <b>Characterisation of the Fracture Energy and Toughening Mechanisms of a Nano-Toughened Epoxy Adhesive</b><br>D. Mc Auliffe, A. Karač, N. Murphy and A. Ivanković                                                                        | 573 |
| <b>API J55 Steel Casing Pipe with an Initial Surface Crack under Internal Pressure - Determination of Fracture Parameters</b><br>M. Rakin, B. Medjo, M. Arsić, Ž. Šarkočević, I. Ivanović and A. Sedmak                                   | 577 |
| <b>Structural and Mechanical Properties of <math>CN_x</math> and <math>CP_x</math> Thin Solid Films</b><br>E. Broitman, A. Furlan, G.K. Gueorguiev, Z. Czigány, H. Högberg and L. Hultman                                                 | 581 |
| <b>Simulation of Rubber-Coated Fabric Material Damage</b><br>A. Derewonko, P. Baranowski and D. Rudnik                                                                                                                                    | 585 |
| <b>Elastic-Plastic FEM Modelling of the Single Overload Effect on the Fatigue Crack Front Shape</b><br>A. Materna and V. Oliva                                                                                                            | 589 |

|                                                                                                                                                                                                                                      |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Energy Principle in Crack Propagation</b><br>H.Y. Song and T. Fan                                                                                                                                                                 | 593 |
| <b>Infrared Thermographic Analysis of Railway Brake Disc during Braking</b><br>J.G. Kim, S.T. Kwon, S.C. Yoon and B.C. Goo                                                                                                           | 597 |
| <b>Structure Buckling Reliability Analysis for the Underwater Super-Speed Supercavitating Vehicle</b><br>H. An, W.G. An and L. Zhou                                                                                                  | 601 |
| <b>Finite Element Analysis of Secondary Cracks at a Crack Front under Pure Mode III Loading</b><br>M. Ressel and H. Theilig                                                                                                          | 605 |
| <b>On the Evaluation of the R-Curve Including the Self-Weight Contribution: Mortar</b><br>N. Dourado and S. Morel                                                                                                                    | 609 |
| <b>Influence of the Secondary Raw Materials on the Mechanical Properties of Multilayer Films</b><br>R. Didžiokas, J. Janutėnienė, M. Gintalas and A. Tadžievas                                                                       | 613 |
| <b>Analysis of the Influence of Microstructure Heterogeneity and Mechanical Properties of Welded Joint Constituents on Fracture Toughness for Plane Strain, <math>K_{Ic}</math></b><br>I. Čamagić, N. Vasić, Z. Burzić and A. Sedmak | 617 |
| <b>R-Curve and Size Effect in Quasibrittle Fracture: A Rewriting of the Bazant's Size Effect Law</b><br>S. Morel and N. Dourado                                                                                                      | 621 |
| <b>Interaction of Heat Checks in Aluminum Pressure Casting Dies and their Effect on Fatigue Life</b><br>P. Raninger, W. Ecker, T. Antretter, M. Leindl and R. Ebner                                                                  | 626 |
| <b>Dynamic <math>J</math>-Integral Evaluation of Three-Point-Bend Beams with Various Geometrical Dimensions</b><br>M. Gintalas, A. Žiliukas and K. Kalniņš                                                                           | 630 |
| <b>Fracture Behavior of Directional TiAl Lamellar Structures</b><br>J. Zhang                                                                                                                                                         | 634 |
| <b>Failure Mechanisms and Energy Absorption in Composite Elements under Axial Crush</b><br>A.F. Johnson and M. David                                                                                                                 | 638 |
| <b>Experimental Fracture Behavior of Polypropylene Fiber Reinforced Concrete Specimens with Variable Width</b><br>H. Cifuentes and F. Medina                                                                                         | 642 |
| <b>Influence of the Wall Thickness on the Allowable and Failure Pressures of Two- and Tree-Way Globe Valve Bodies</b><br>M. Opalić, I. Galić and K. Vučković                                                                         | 646 |
| <b>Analysis of Shear Strength of Wood</b><br>T. Štefić, A. Jurić and P. Marović                                                                                                                                                      | 650 |
| <b>Application of Two Methods for Notch Fatigue Life Prediction</b><br>R. Negru, L. Marsavina, H. Filipescu and C. Caplescu                                                                                                          | 654 |
| <b>A Microstructural Sensitivity Study of 316H Austenitic Stainless Steel to Inter-Granular Creep Fracture</b><br>B. Chen, P.E.J. Flewitt, D.J. Smith and C.M. Younes                                                                | 658 |
| <b>FEA of Fretting Fatigue: A Comparison between ANSYS and ABAQUS</b><br>M. Abdel Wahab, R. Hojjati Talemi and P. de Baets                                                                                                           | 662 |
| <b>Fatigue Behavior in Filled Natural Rubber: Study of the Mechanical Damage Dynamics</b><br>L. Munoz, L. Vanel, O. Sanseau, P. Sotta, D. Long, L. Guy and L. Odoni                                                                  | 666 |
| <b>High Rate and High Temperature Fracture Behaviour of Polycrystalline Diamond</b><br>M. Petrović, A. Ivanković and N. Murphy                                                                                                       | 670 |
| <b>Structural Analysis of Historic Masonry Arch Bridges: Case Study of Clemente Bridge on Savio River</b><br>L. Nobile, V. Bartolomeo and M. Bonagura                                                                                | 674 |
| <b>Explosion and Temperature Resistance of Underground Structures by Free Hexagons</b><br>P.P. Prochazka and T.S. Lok                                                                                                                | 678 |
| <b>Application of Gradient Based IR Thermography to the GRP Structures Inspection</b><br>L. Krstulović-Opara, E. Garafulić, B. Klarin and Ž. Domazet                                                                                 | 682 |
| <b>Tensile Properties of Random Distribution Short SMA Fiber Reinforced Composites</b><br>H.S. Lei, B. Zhou, Z.Q. Wang and X.Q. Wang                                                                                                 | 686 |

|                                                                                                                                                                                    |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Study on Static and Dynamic Mechanical Property of Sandwich Plate with Aluminum Foam Core under Confining Pressure</b><br>G.P. Zou, Z.L. Chang and R.R. Wang                    | 690 |
| <b>Study on Quasi-Static Growing Crack Field in Visco-Elastic Compressible Material</b><br>Y. Yang, G.H. Wu and L.Q. Tang                                                          | 694 |
| <b>Fatigue Life Prediction Investigation on Steel Honeycomb Sandwich Beams at High-Temperature</b><br>J. Lu, G.P. Zou and Y. Cao                                                   | 698 |
| <b>Solving the Equivalent Function of Failure Mode Based on Multiple Correlation</b><br>W.D. Chen, J.C. Li and Y.C. Yu                                                             | 702 |
| <b>Sensitivity Analysis for the Stiffened Plate Structure System with Crack Defects</b><br>W.G. An, H. An and X.H. Song                                                            | 706 |
| <b>Failure Conditions from Push Out Tests of a Steel-Concrete Joint: Fracture Mechanics Approach</b><br>J. Klusák, S. Seitzl, W. de Corte, P. Helinckx, V. Boel and G. de Schutter | 710 |
| <b>Failure Conditions from Push-Out Tests of a Steel-Concrete Joint: Experimental Results</b><br>P. Helinckx, W. de Corte, J. Klusák, S. Seitzl, V. Boel and G. de Schutter        | 714 |
| <b>Numerical Stress Intensity Factors Determination for Fabrication Defects in Coronary Stents</b><br>C.S. Nes, A. Enkelhardt, N. Faur and A. Birlan                               | 718 |
| <b>3-Dimensional Stress Intensity Factor Determination for a Notched Shaft under Mixed Mode Loading</b><br>C.S. Nes, N. Faur and L. Marsavina                                      | 722 |
| <b>Overview of the Methods for Service Life Prediction on Gears</b><br>B. Aberšek and J. Flašker                                                                                   | 727 |
| <b>Load-Rate Sensitivity in 1D Non-Linear Viscoelastic Model</b><br>I. Kožar, J. Ožbolt and T. Pecak                                                                               | 731 |
| <b>Effect of Tensile Dwell on Low Cycle Fatigue of Cast Superalloy Inconel 792-5A at 800°C</b><br>M. Šmid, K. Obrtlík, M. Petrenec and J. Polák                                    | 735 |
| <b>Assessment of Existing Concrete Buildings</b><br>L. Nobile, M. Bonagura and V. Bartolomeo                                                                                       | 739 |
| <b>Residual Fracture Toughness of Concrete Subject to Elevated Temperatures</b><br>J.T. Yu, K.Q. Yu and Z.D. Lu                                                                    | 743 |
| <b>Taking Full Advantage of Nominal Stresses to Design Notched Components against Variable Amplitude Multiaxial Fatigue</b><br>L. Susmel and D. Taylor                             | 747 |
| <b>Semi-Permeable Cracks in Magneto-electroelastic Solids under Impact Loading</b><br>M. Wünsche, A. Sáez, C.Z. Zhang and F. García-Sánchez                                        | 751 |
| <b>A Three Dimensional Graphical Aid for Fatigue Data Analysis</b><br>B. Atzori, G. Meneghetti and M. Ricotta                                                                      | 755 |
| <b>Meshfree Continuum Damage Mechanics Modelling for 3D Orthogonal Woven Composites</b><br>L.Y. Li, F. M.H. Aliabadi and P.H. Wen                                                  | 759 |
| <b>A Novel Methodology for Fatigue Delamination Growth Analysis of Composites</b><br>O. Bacarreza and F. M.H. Aliabadi                                                             | 763 |
| <b>Impact Detection Using Artificial Neural Networks</b><br>M. Ghajari, Z. Sharif-Khodaei and F. M.H. Aliabadi                                                                     | 767 |
| <b>Failure Analysis of Bolted Composite Joint Based on Extended Finite Element</b><br>Z.Q. Wang, S. Zhou, J.S. Zhou and X.D. Wu                                                    | 771 |
| <b>Influence of Drawing Straining Path on Hydrogen Damage of Prestressing Steel Wires</b><br>J. Toribio, M. Lorenzo and D. Vergara                                                 | 775 |
| <b>Structural Integrity of CO<sub>2</sub> Transport Pipelines – A Review</b><br>A. Chahardehi                                                                                      | 779 |
| <b>Damage Mechanics in G/E Tubes under Tension-Torsion Cyclic Loading</b><br>P.A. Carraro and M. Quaresimin                                                                        | 783 |
| <b>Acoustic Damage Analysis of a Gear System</b><br>A. Belsak and J. Prezelj                                                                                                       | 787 |

|                                                                                                                                                                    |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| <b>Meshless Local Integral Equation Method with Analytical Formulation and its Application to Computational Fracture Mechanics</b><br>P.H. Wen and F. M.H.Aliabadi | 791 |
| <b>Experimental Study to Verify the Fatigue Limit Found by Thermal Analysis of Specimen Surface in Mono Axial Traction Test</b><br>G. Risitano and C. Clienti      | 795 |
| <b>Measurement of Deformation on Welding Specimen Using ESPI</b><br>K.S. Kim, D.S. Kim, K.S. Kim, C.D. Kee, J.W. Kim and M.Y. Na                                   | 799 |