

Table of Contents

Preface, Committees

The Role of Prior Fabrication and in Service Thermal Ageing on the Creep Life of AISI Type 316 Stainless Steel Components A.I. Martinez-Ubeda, X. Warren, I. Griffiths and P.E.J. Flewitt	1
Basic Research on Simulation for 3D Crack Growth by Mesh Free BFM Y. Sonobe, A. Koyama and A. Saimoto	5
Determination of the Impact Location and Damage Characterization Based on Guided Waves A. de Luca, Z. Sharif Khodaei and F. Caputo	10
A User Defined Material Model for the Simulation of Impact Induced Damage in Composite A. Riccio, S. Saputo and A. Sellitto	14
On the Correspondence between Two- and Three-Dimensional Elastic Solutions of Crack Problems A.G. Kotousov, Z. He and A. Khanna	18
Reliability-Based Optimization of the Stacking Sequence Layup in Post-Buckled Composite Stiffened Panels C. López, O. Bacarreza, A. Baldomir, S. Hernández and M.H. Aliabadi	22
Investigation on Damage-Involved Structural Response of Colliding Steel Structures during Ground Motions B. Soltysik, T. Falborski and R. Jankowski	26
Effect of Shot Peening on Fatigue Behavior of AISI 4340 in Different Loading Conditions M.A.S. Torres, D.T. Harada, C.A.R.P. Baptista and M.P. Cindra Fonseca	30
Online Remaining Fatigue Life Prognosis for Composite Materials Based on Strain Data and Stochastic Modeling N. Eleftheroglou, D.S. Zarouchas, T.H. Loutas, R.C. Alderliesten and R. Benedictus	34
Simulation of Environmentally-Assisted Material Degradation by a Thermodynamically Consistent Phase-Field Model R. Falkenberg	38
Numerical Investigation of the Stringer Termination Debonding in Composite Stiffened Panels A. Sellitto, S. Della Corte and A. Riccio	42
A Dual BEM Formulation for Thermo-Magneto-Piezo-Electric 2D Fracture Problems G. Carrasco-Vela, F. García-Sánchez, A. Sáez and L. Rodríguez-Tembleque	46
Effects of PVD DLC Coating on 7075-T6 Fatigue Strength at High and Low Number of Cycles S. Baragetti, R. Gerosa and F. Villa	50
Micromechanical Boundary Element Modelling of Transgranular and Intergranular Cohesive Cracking in Polycrystalline Materials G. Geraci and M.H. Aliabadi	54
Micromechanical Modeling of Crack Initiation and Propagation in the Ductile-Brittle Transition Region G.N. Anh, G. Hütter and M. Kuna	58
Experimental-Numerical Assessment of Critical SIF from VHCF Tests S.H. Hasani Najafabadi, D.S. Paolino, A. Tridello, G. Chiandussi and M. Rossetto	62
Characterisation of Fracture and HAC Resistance of an Individual Microstructural Constituent with Micro-Cantilever Testing W. Costin, O. Lavigne and A.G. Kotousov	66
Determination of Fracture Mechanical Properties of Carbon Bonded Alumina Using Miniaturized Specimens H. Zielke, M. Abendroth and M. Kuna	70
Investigations on the Fracture Toughness of Electron Beam Welded Steels A.C. Hesse, T. Nitschke-Pagel and K. Dilger	74
Old Suspended Timber Floors Flexurally-Strengthened with Different Structural Materials H. Biscaia, N. Franco, R. Nunes and C. Chastre	78

Evaluation of Fatigue Strength of Different Thickness Laser Welded S355 Steel Sheets Considering Microstructure, Surface Conditions and Residual Stresses I. Černý and J. Sís	82
Comparative Study of Microstructure and High Temperature Low Cycle Fatigue Behaviour of Nickel Base Superalloys Inconel 713LC and MAR-M247 I. Šulák, K. Obrtlík and L. Čelko	86
Mixed Mode Failure Criterion for Random Composites Using a Finite Element Model J. Jamali, P. Sharifi, M.J. Mahmoodi, A.H.I. Mourad and J.T. Wood	90
Analytical-Numerical Determination of Stress Distribution around a Tip of Polygon-Like Inclusion O. Krepl, J. Klusák and T. Profant	94
Microdamage, Viscoelasticity and Viscoplasticity as Main Phenomena in Thermal Stress Relaxation in Laminated Composites J. Varna, M. Persson and A. Hajlane	99
Anisotropic Fatigue & Fracture Behaviour in Hot-Rolled and Cold-Drawn Pearlitic Steel Wires J. Toribio, B. González and J.C. Matos	103
Evaluation of Piezodiagnostics Approach for Leaks Detection in a Pipe Loop J. Camacho-Navarro, M. Ruiz, R. Villamizar, L. Mujica and O. Pérez	107
Structural Safety Review of a Building Damaged by Explosion in Mexico City J.A. Avila and J.A. Avila-Haro	111
Development and Numerical Implementation of an Anisotropic Continuum Damage Model for Concrete J. Hartikainen, K. Kolari and R. Kouhia	115
Nonlinear Solution of Steel Arch Supports L. Koubova, P. Janas and M. Krejsa	119
Determination of Initial Stages of Fatigue on the Basis of Fatigue Tensile and Fatigue Bend Testing N. Gubeljak and M. Cvetić	123
Simulation of Lamb Wave Propagation in Composite Structures Based on the Finite Element Stacked Shell Method G. Lampeas and K. Fotopoulos	127
Increasing Fracture Toughness for 3D Multiscale Carbon Nanotube and Carbon Fiber Reinforced Composites Y. Deng and L.Y. Tong	131
Structural Health Monitoring of Bonded Patch Repaired Composite F. Lambinet, Z. Sharif Khodaei and M.H. Aliabadi	135
Using X-FEM for Progressive Damage Simulation of Laminated Composites Featuring Manufacturing Imperfections L. Retschitzegger, A. Adumitroaie, S. Hörrmann and M. Schagerl	139
Incorporation of a Fracture Criterion in Ideal Flow Design E. Lyamina and S. Alexandrov	143
Relationship between Grain Growth and Formation of Fracture Surface of Ultrafine Grained Cu in High-Cycle Fatigue M. Goto, S.Z. Han, T. Yamamoto, J. Kitamura, K. Kusno, T. Fujimura and T. Yakushiji	147
Plane Asymptotic Interface Crack Solutions in Gradient Elasticity Theory M. Kotoul, T. Profant and P. Padělek	151
3D Continuum Damage Approach for Simulation of Crack Initiation and Growth in Ceramic Materials B. Michel, T. Helfer, I. Ramière and C. Esnoul	155
Effect of Side Grooves on Plane Stress Fracture Behavior of Compact Tension Specimens Made of Ultra-High Strength Steel M. Dabiri, T. Skriko, M. Amraei and T. Björk	159
Experimental Assessment of Residual Fatigue Life of High Pressure Pipeline Section Containing Longitudinal Cracks I. Černý and J. Sís	163
Shear-Mode Viscoelastic Damage Formulation Interface Element M.S. Goodarzi, H. Hosseini-Toudeshky and M. Jalalvand	167

The Effectiveness of Polymer Damper in Damage Reduction of Temporary Steel Grandstand	171
N. Lasowicz and R. Jankowski	
Comparison of One-, Two- and Three-Dimensional Models of a Metallic Insert in a Composite	175
A. Herwig, M. Woidt and P. Horst	
Anti-Plane Interfacial Crack with Functionally Graded Coating	179
Y.L. Tian, M. Li and P.H. Wen	
Creep Damage and Fracture in Advanced Tungsten Modified 9%Cr Ferritic Steel	183
V. Sklenička, K. Kuchařová, M. Kvapilová, P. Král and J. Dvořák	
Practical Method for Estimating Time-Dependent Corrosion Depth of Uncoated Carbon Steel Plates under Various Atmospheric Environmental Conditions Using Fe/Ag Galvanic Couple Corrosion Sensor	187
S. Kainuma, Y. Yamamoto and Y.S. Jeong	
Optimal Sensor Positioning for Damage Detection in Composite Sensorised Panels	191
L. Sainfort, Z. Sharif Khodaei and M.H. Aliabadi	
An Unexpected Feature of a Class of Damage Evolution Models	195
S. Alexandrov	
Passive Sensing of Sensorized Composite Panels: Support Vector Machine	199
N. Yue, Z. Sharif Khodaei and M.H. Aliabadi	
The J-Integral for Gradient Theory of Piezoelectricity	203
J. Sladek, V. Sladek, C.Z. Zhang and C.L. Tan	
Analytical Approximation of Crack-Tip Stress Field: Study on Efficient Determination of Coefficients of Higher Order Terms of Williams Power Expansion	207
J. Sobek, P. Frantík and V. Veselý	
Influence of Residual Stresses and Particle Properties on Mechanical Response of the Material in Particulate Ceramic Composites	212
K. Štegnarová, L. Náhlík, P. Hutař, P. Pokorný and Z. Majer	
Determining Cyclic Durability of Piezoceramic Structures Using Probabilistic-Structural Approach	216
D. Babich and T. Dorodnykh	
Mathematical Modelling of a Seismic Isolation System to Protect Structures during Damaging Earthquakes	220
T. Falborski, B. Sołtysik and R. Jankowski	
Influence of the Extent of Fracture on the Resistance against Chloride Penetration into Cementitious Composite	224
V. Veselý, P. Konečný, P. Lehner and L. Židek	
Helium Effects on 316L Austenitic Stainless Steel Fracture Mechanism	228
I. Villacampa, J.C. Chen, P. Spätig, H.P. Seifert and F. Duval	
Revisiting the Problem of Debond Initiation at Fibre-Matrix Interface under Transversal Biaxial Loads - A Comparison of Several Non-Classical Fracture Mechanics Approaches	232
L. Távara, I.G. García, R. Vodička, C.G. Panagiotopoulos and V. Mantič	
Properties of Fiber Reinforced High Performance Cement Based Overlays for Orthotropic Bridge Decks	236
W. de Corte, A. Jansseune, V. Boel and G. Martinola	
Effect of Plastic Deformation on Compliance Curve Based Crack Closure Measurement	240
M.A. Mohin, Y.G. Xu, A. Lewis and A. Chrysanthou	
Reliability Assessment of SHM Methodologies for Damage Detection	244
H. Tanaka and Z. Sharif Khodaei	
Model Order Reduction in Computational Multiscale Fracture Mechanics	248
M. Caicedo, J. Oliver, A.E. Huespe and O. Lloberas-Valls	
Server-Side Screening and Network Visualization of Huge Simulation Results	254
T. Yamada, K. Yodo, Y. Wada and S. Yoshimura	
A Study on Repair Technique of Vehicle Injector Parts	258
Y.W. Choi and D.H. Jung	
Evolution of Crack Density in Cross-Ply Laminates - Application of a Coupled Stress and Energy Criterion	262
M. Kashtalyan, I.G. García and V. Mantič	

Residual Lifetime Determination of Low Temperature Co-Fired Ceramics Z. Majer, K. Štegrerová, P. Hutař, M. Pletz, R. Bermejo and L. Náhlik	266
Influence of Hybrid Steel Fiber Addition on Direct Tensile Behavior of UHPC S.H. Park, K.T. Koh, G.S. Ryu, G.H. An and N.K. Lee	270
The Numerical Analysis for a Crack in the Cathode Electrode Surface of Planar SOFC C.J. Park, J.W. Kang and O.H. Kwon	273
Experimental Test of Compressive Strength after Impact Damage of Natural Composite Laminate H.B. Park	277
High-Temperature Structural Analysis of a Lab-Scale Alloy 800HT PCHE K.N. Song, E.S. Kim and S.Y. Jang	280
Influence of Compressive Stress to the Corrosion Rate of Magnesium T. Kawai and N. Takano	284
Temperature Robust PCA Based Stress Monitoring Approach J. Quiroga, J. Quiroga, L. Mujica, R. Villamizar and M. Ruiz	288
Thermal Stress in Volcanic-Ash-Deposited Thermal Barrier Coatings Monitored by Long-Range Laser System M. Arai and D. Yamaura	293
Measure of Nonlocal Response in Multiscale Gradient Modeling T. Lesičar, Z. Tonković and J. Sorić	297
Effect of the Crack Surface Friction on the Field Strength of Bi-Material-Interfacial Crack Y.T. Li and L. Liu	301
Studies on Mode II Rock Crack Propagation on Different Loading Environments C. Cheng, M.X. Li, Y. Liu, X. Zhang, Y.Y. Cheng and X.T. Ling	305
Modelling of Energy Dissipation during Fracture of Concrete Notched Beams: Proportion of the Effective Crack and the Fracture Process Zone Consumption J. Klon and V. Veselý	309
Fretting Wear Simulation in Fiber-Reinforced Composite Materials L. Rodríguez-Tembleque and M.H. Aliabadi	313
A Novel Numerical Formulation for Crystal Plasticity I. Benedetti and V. Gulizzi	317
Design of a Hybrid Lightweight Energy Absorber A. de Luca, G. Lamanna, R. Sepe and A. Soprano	321
Interlaminar and Intralaminar Fracture Behavior of Carbon Fiber Reinforced Polymer Composites S. Haldar, C.S. Lopes and C. Gonzalez	325
Flow Estimation in a Steel Pipe Using Guided Waves J. Quiroga, J. Quiroga, L. Mujica, R. Villamizar and M. Ruiz	329
Effect of Mean Stress on 2A12-T4 Aluminum Alloy under Tension-Torsion Constant Amplitude Loading T.Q. Liu, X.H. Shi and J.Y. Zhang	334
A MeshFree Micromechanical Analysis for Twill Composite L. Li and M.H. Aliabadi	338
Dynamic Crack Analysis in Functionally Graded Piezoelectric Materials by a Time-Domain BEM M. Wünsche, J. Sladek, V. Sladek, F. García-Sánchez and A. Sáez	342
Displacement Correlation Technique for Interface Crack by FEM P. Hinneh and P.H. Wen	346