

Table of Contents

Preface

Bending Fatigue Behavior of 7075-Aluminum Alloy E.V. Arcieri, S. Baragetti and E. Borzini	1
Effect of Water Temperature on Interfacial Shear Strength of Resin Particles Added CFRT H. Katogi, K. Takemura and M. Mochizuki	7
Investigation on Damage and Failure of Vinyl Composite Plate under Tensile Load Z.L. Chang, Y.L. Li and G.P. Zou	13
Influence of Thickness on Tensile Property of Copper Foil T. Fujii, K. Tohgo, Y. Noda, T. Yamada and Y. Shimamura	19
Trial Fabrication of Carbon Fiber-Reinforced Thermoplastic Honeycomb Sandwich Materials H. Takagi, K. Nishimura and A.N. Nakagaito	25
Disappearance of Martensitic Strengthened-Micro-Texture in Modified 9Cr-1Mo Steel Caused by Stress-Induced Acceleration of Atomic Diffusion at Elevated Temperatures T. Shinozaki, K. Suzuki and H. Miura	31
Cyclic Loading Behaviour of Double Strap Bonded Joints with CFRP and Aluminium H. Biscaia, R. Micaelo, C. Chastre and J. Cardoso	36
A Simple Analytical Approach for Creep Analysis of EB-FRP Systems H. Biscaia and C. Chastre	42
Stress Intensity Factors for Cracks Emanating from a Notch under Shear-Mode Loading J. Horníková, P. Šandera, S. Žák and J. Pokluda	48
Evaluation of the Apparent Interfacial Shear Strength of Nanocellulose/PVA Composites J. Andersons, I. Filipova, M. Kirpluks and U. Cabulis	54
Modelling Cracked Cross-Ply Laminates with Delamination Buckling A. Köllner, M. Kashtalyan, I. Guz and C. Völlmecke	60
Characterization of Adhesion Properties by Delamination of Ceramic-Metal Interfaces in Four Point Bending M. Lederer, A.B. Kotas, G. Khatibi and H. Danninger	66
Determination of Mixed-Mode Cohesive Zone Failure Parameters Using Digital Volume Correlation and the Inverse Finite Element Method J.Y.S. Li-Mayer, M. Martinez, J. Lambros and M.N. Charalambides	72
Failure Analysis of the Restraining System of the Directional Rudder of an MD80 Aircraft J. Coronado, K. Mendoza and M. Martinez	77
A Quasi-Static Delamination Model with Rate-Dependent Interface Damage Exposed to Cyclic Loading R. Vodička and K. Krajníková	84
Flexoelectric Effect for Cracks in Piezoelectric Solids J. Sladek, V. Sladek, M. Wünsche and C.L. Tan	90
SEM Study of the Influence of Microstructure on Low Cycle Fatigue Crack Growth in Martensitic Steel I T. Eterashvili, T. Dzigrashvili and M. Vardosanidze	96
Thermo-Mechanical Behaviour of a Composite Stiffened Panel Undergoing the Tail-Pipe Fire Event A. Riccio, A. Sellitto, S. Saputo, G. Conte and M. Zarrelli	101
A Numerical Study on Multi-Terrain Impacts of an Aeronautical Fuselage Section A. Riccio, S. Saputo, R. Cristiano and A. Sellitto	107
Application of Singular Integral Equation to a Crack Moving near a Hole in a Two-Dimensional Infinite Plate M. Arai and K. Yoshida	113
Interrelationship between Creep Deformation and Damage for Advanced Creep-Resistant Steels V. Sklenička, K. Kuchařová, M. Kvapilová, L. Kloc, J. Dvořák and P. Král	119

Investigation on Strength and Damage Test of Composite Blade for Vertical Axis Wind Turbine H.B. Park	125
Transfer Matrix Analysis for Curved Beam Structure S. Kuroda, M. Arai and K. Ito	131
Comprehensive Numerical Simulation of Stress and Damage Fields under Thermo-Mechanical Loading for TBC-Coated Ni-Based Superalloy H. Katori, M. Arai and K. Ito	137
Mechanical Response and Damage of Woven Composite Materials Reinforced with Figue O.A. González-Estrada, G. Díaz-Ramírez and J.E. Quiroga Mendez	143
Damage Assessment of Spinal Bones due to Prostate Cancer S.A.A. Parra, O.A. González-Estrada and J.E. Quiroga Mendez	149
Damage in Fibreglass Composite Laminates Used for Pipes J.S.B. León, O.A. González-Estrada and A. Pertuz	155
Evaluation of Tensile Properties and Damage of Continuous Fibre Reinforced 3D-Printed Parts O.A. González-Estrada, A. Pertuz and J.E. Quiroga Mendez	161
Cohesive Zone Modeling of Stable Crack Propagation in Highly Ductile Steel A. Burgold, S. Roth and M. Kuna	167
Creep Damage Mechanisms in Cast Cobalt Superalloys for Applications in Glass Industry M. Kvapilová, B. Podhorná, J. Dvořák, P. Král, J. Zýka, K. Hrbáček and V. Sklenička	173
Mixed-Mode Stress Intensity Factors in a Homogeneous Orthotropic Medium Loaded by a Frictional Sliding Rigid Flat Stamp K.B. Yilmaz, M.A. Güler and B. Yildirim	179
Theoretical Model to Adhesion Failure in Granular Materials M. Buonsanti, G. Leonardi, F. Scopelliti and F. Suraci	185
Finite Element Analysis for Palm Oil Bunches Press Shaft Fractured in Service O. Bohórquez, S.A.A. Parra, A. Pertuz and O.A. González-Estrada	191
Investigation of Integral Composite T-Joints under Mixed Mode Loading F. Nolte, A. Hannig and P. Horst	197
A Nonaffine Molecular Chain Network Model for Elastomeric Gel I. Riku, M. Ueda, T. Sawada and K. Mimura	203
Modeling, Simulation, and Experimentation of Fatigue Behavior in Amorphous Solids T. Barriere, G. Cheng and S. Holopainen	210
Design Methodology for Gear Design of a Formula One Racing Car: A Modelling Procedure Based on Finite Element S. Mantovani, F. Calacci, S. Fanelli and M. Parlamento	217
Research on Strength Design of Channel Clips for Suspended Ceilings S. Enoki, Y. Shibayama, M. Saito, J. Ito, Y. Nakamura and T. Ohata	223
An Influence of Tightening Torque Stored in Tightening Process on Fatigue Strength of Aluminum Bolts S. Hashimura, T. Nutahara and K. Kamibeppu	229
Structural Health Monitoring of Scarfed Repaired Composite Panels Using Inject-Printed Patterns D.G. Bekas, Z. Sharif Khodaei and M.H. Aliabadi	235
Application of Embedded Element in the Short Fiber Reinforced Composite J.H. Gao, X.X. Yang and L.H. Huang	241
The Role of Post Service Heat Treatment on the Contributions of Creep Deformation and Fracture to Service Life of AISI Type 316H Steel Components X. Warren, B. Chen, I. Griffiths and P.E.J. Flewitt	247
A NURBS-BEM Application in Continuum Damage Mechanics V. Mallardo, E. Ruocco and G. Beer	253
Effect of Stress Ratio on Stress Intensity Factor of Type I Crack in A7N01 Aluminum Alloy Y.T. Li, y. wang and L. Yang	259
The Effect of Explosion in a Tunnel Tube on its Damage P.P. Prochazka and M.J. Válek	265

Computational Analysis of Crack-Like Defects Influence on the Open Cell Ceramic Foam Tensile Strength	
O. Ševeček, Z. Majer, P. Marcián, L. Bertolla and M. Kotoul	271
Strength Development Characteristic of Cementless Mortar for Repair of Concrete	
G.S. Ryu, K.T. Koh, G.H. An, H.Y. Kim and S. Choi	277
Study on Nondestructive Inspection Method of Single-Lap Adhesive Joints to Eliminate the Influence of Inspector's Behavioral Characteristics	
G. Hotta, Y. Ohbuchi and H. Sakamoto	283
Effect of Water Immersion on Interfacial Strength of a Metal/Epoxy Joint	
Y. Yamazaki and K. Kudo	289
Stressed Cylinder Dispersion Curves Based on Effective Elastic Constants and SAFE Method	
J.E. Quiroga Mendez, O.A. González-Estrada and D.F. Villegas	295
Glass Bottle Fracture Behavior by Underwater Shock-Wave - Effect of Micro-Bubble on the Fracture Behavior -	
Y. Ohbuchi, S. Sugahara, S. Tanaka, S. Enoki, G. Hotta and H. Sakamoto	303
Thermo-Mechanical Analysis of the Exhaust Manifold of a High Performance Turbocharged Engine	
M. Lorenzini, M. Giacomini and S.G. Barbieri	307
Mechanical Properties and Fatigue Resistance of 3D Printed Inconel 718 in Comparison with Conventional Manufacture	
I. Černý, J. Kec, T. Vlasák, L. Remar, M. Jersák and M. Zetek	313
Experimental Verification of Dents Effect on the Structural Integrity of Pipeline DN 300	
J. Kec, I. Černý, J. Luštinec, M. Poupa, R. Pavelková and J. Janovec	319
Numerical Modelling of Cylindrical Specimen under Mixed-Mode Loading Conditions	
O. Slávik, P. Hutař, M. Berer, A. Gosch, F. Arbeiter, G. Pinter and L. Náhlík	325
Compression-Loaded Cracked Cylinder - Stress Intensity Factor Evaluation	
P. Dlhý, J. Poduška, L. Náhlík, M. Berer, A. Gosch, G. Pinter and P. Hutař	331
Effect of High Temperature Environment on the Tensile Strength of Carbon Fiber/Highly Heat Resistant Polyamide Resin	
K. Tanaka, T. Takei and T. Katayama	337
Guided-Waves in a Low Velocity Impacted Composite Winglet	
A. de Luca, D. Perfetto, G. Petrone, A. de Fenza and F. Caputo	343
Effect of the Type of Silica Fume and Filler on Mechanical Properties of Ultra High Performance Concrete	
K.T. Koh, S.H. Park, G.S. Ryu, G.H. An and B.S. Kim	349
Convergence of the BEM Solution Applied to the CCFFM for LEBIM	
M. Muñoz-Reja, L. Távora and V. Mantić	355
Optimization of Dynamic Cornering Fatigue Test Process of Aluminum Alloy Wheels	
A. Pastirmaci, A. Kara and C. Kalender	361
Effect of Press Condition on the Mechanical Properties of GFRTTP Molded by the Melted Thermoplastic-Resin Transfer Molding	
K. Tanaka, A. Hirata and T. Katayama	367
Mixed-Mode Stress Intensity Factors for Tubes under Pure Torsion Loading	
J.G.D. Rodríguez, L.F.N. Marques and R.E. Guzmán	373
Simulation of Inner Rim Compression Test of Aluminum Alloy Wheels	
A. Kara and O. Daysal	379
Analysis of the Analytical and Numerical Studies for Crack Widening in Lamellar Metal-Ceramic Composites	
R. Piat and P.A. Happ	385
A Model for High-Cycle Fatigue in Polycrystals	
I. Benedetti and V. Gulizzi	391
A Computational Study on Crack Propagation in Bio-Inspired Lattices	
R. Manno, W. Gao and I. Benedetti	398
Cutting of a Thick Glass Plate by Using Hot Wire	
Y. Miyashita, Y. Kurabe, T. Hiromoto and Y. Otsuka	405
Effect of CNT Grafting on Carbon Fibers on Impact Properties of CFRTP Laminate	
K. Tanaka, K. Uzumasa and T. Katayama	410

Optimization of Design Parameters of Fracture Resistant Piezoelectric Vibration Energy Harvester	
Z. Majer, O. Ševeček, Z. Machů, K. Štegnarová and M. Kotoul	416
Bending Properties of CFRTP Laminate Using CNT Grafted Carbon Fiber	
K. Tanaka, M. Kawabe and T. Katayama	423
How Material Properties Affect the Thermal Distortion of a Mold for Continuous Casting of Steel	
L. Moro, J. Srnec Novak, D. Benasciutti and F. de Bona	429
Influence of the Deformation Rate on the Delamination of Laminated Composite Materials	
C. López-Taboada, G. Castillo-López, H. Zabala, L. Aretxabaleta and F. García-Sánchez	435
Key Aspects in 3D Fatigue Crack Closure Numerical Modelling	
A. González-Herrera, D. Camas and J. Garcia-Manrique	441
Prediction of the Critical Energy Release Rate of Nanostructured Solids Using the Laplacian Version of the Strain Gradient Elasticity Theory	
M. Kotoul, P. Skalka, T. Profant, M. Friák, P. Řehák and P. Šesták	447
Stress Sensitivity of the T(0,1) Mode Velocity for Cylindrical Waveguides	
J.E. Quiroga Mendez, O.A. González-Estrada and Y.R. Ordóñez	453
Measuring Wear in a Fretting Test with a Confocal Microscope	
G. Jordano, C. Navarro, J. Vázquez and J. Domínguez	461
Characterization and Modelling of Multiple Intralaminar Cracking Initiation under Tensile Quasi-Static and Fatigue Loading	
H. Ben-Kahla and J. Varna	467
Numerical Analysis of the Pivot Node in Fracture Problems	
J. Garcia-Manrique, D. Camas, A. Lima-Rodriguez and A. González-Herrera	473
A Microstructural Model for Micro-Cracking in Piezoceramics	
I. Benedetti, V. Gulizzi and A. Milazzo	479
Robust and Reliability-Based Design Optimization of a Composite Floor Beam	
F. Sbaraglia, H. Farokhi and M.H. Aliabadi	486
Cold-Drawn Pearlitic Steels as Hierarchically Structured Materials: An Approach to Johann Sebastian Bach	
J. Toribio	492
Meshfree Continuum Damage Model for Twill Composites	
L. Li, P.H. Wen and M.H. Aliabadi	498
Prediction of Fatigue Life of Structural Steel S355-J2G3 with SK Critical Plane Model	
A.S. Cruces, P. Lopez-Crespo, S. Sandip and B. Moreno	504
Investigation of the Biaxial Behaviour of 316 Stainless Steel Based on Critical Plane Method	
A.S. Cruces, P. Lopez-Crespo, B. Moreno, S. Bressan and T. Itoh	510
An Innovative Secondary Bonding of Sensors to Composite Structures for SHM Application	
N. Yue, Z. Sharif Khodaei and M.H. Aliabadi	516
On the Thickness Dependence of ILTS in Curved Composite Laminates	
P.L. Zumaquero, J. Justo and E. Graciani	523
An Effective Impact Detection Method for Composite Curved Panel	
A.H. Seno, Z. Sharif Khodaei and M.H. Aliabadi	529
Effectiveness of RAPID and SSM Algorithms on Composite Scarf Repair	
F. Lambinet, Z. Sharif Khodaei and M.H. Aliabadi	535
Development of Gun Bullet Protect Board - Gun Bullet Experiment and Analysis -	
S. Fukuzaki, Y. Ohbuchi, K. Gotoh, H. Hata, T. Katayama, E. Nakamachi and H. Sakamoto	541
Strain Injection Techniques for Modeling 3D Crack Propagation	
I.F. Dias, J. Oliver and O. Lloberas-Valls	547
Shortening the Long Creep Strength Evaluation Period with the Assistant of Stress Relaxation Behavior	
T.S. Cao, C.Q. Cheng and J. Zhao	553
An Approach to Predict Creep Strain and Rupture Life of Heat Resistant Steels Based on ZC Parameter	
J. Zhao, T.S. Cao, X.Y. Liu and C.Q. Cheng	559
Elastic Properties and Failure Behavior of Tiled Laminate Composites	
W. de Corte, A. Jansseune, W. van Paepegem and J. Peeters	564

Numerical Analysis of the Failure Behavior of a C50/60 Brazilian Disc Test Specimen with a Central Notch	
P. Miarka, S. Seitzl and W. de Corte	570
A Thermodynamically Consistent CZM for Low-Cycle Fatigue Analysis	
F. Parrinello, I. Benedetti and G. Borino	576
Accurate SIF Analysis of a Partially Cylindrical Side Crack Opened by Far-Field Tension	
Y. Sonobe, T. Ino, A. Saimoto, T. Takase, A. Koyama and G. Shatil	583
Fatigue Assessment of a Slender Footbridge Based on an Updated Finite Element Model	
J. Pérez-Aracil, A.M. Hernandez-Díaz, J.F. Jiménez-Alonso and F.J. Puerta-Lopez	589
A FEM Simulation of the Mechanical Interaction between Asphalt Mixture and Geogrid at Micro-Scale	
F. Suraci, M. Buonsanti, G. Leonardi and R. Palamara	595
Comparison of Fracture Tests Numerical Models Created with Real Material Properties	
J. Klon and J. Sobek	601
Crack Surface Frictional Contact Modelling in Piezoelectric Materials	
L. Rodríguez-Tembleque, F. García-Sánchez and A. Sáez	607
Statistical Inference of the Equivalent Initial Flaw Size Distribution Using the Boundary Element Method under Multiple Sources of Uncertainty	
L. Morse, Z. Sharif Khodaei and M.H. Aliabadi	613
Corrosivity Evaluation of Steel Members near the Air-Liquid Interface Using a Ground Corrosion Sensor	
S. Kainuma and M.Y. Yang	619
A Boundary Element Model for Structural Health Monitoring Based on the S0 Lamb Wave Mode	
J. Li, Z. Sharif Khodaei and M.H. Aliabadi	625
A Phase Field Staggered Algorithm for Fracture Modeling in Heterogeneous Microstructure	
K. Seleš, T. Lesičar, Z. Tonković and J. Sorić	632
Guided Wave Based Damage Detection in a Composite Plate with an Opening	
N.G. Ming and Z. Sharif Khodaei	638
Numerical Study of the Progression of the Micromechanical Debonding Damage in Composites	
M.L. Velasco, F. París and E. Correa	644
Modelling the Mechanical Response of Adobe Components under Uniaxial Loading	
T.L. Piani, J. Weerheijm, L. Koene and L.J. Sluys	650