

Table of Contents

Preface

An Assessment of the Current State and Future Challenges in Quantitative NDE R.B. Thompson	1
Ultrasonic Characterization of Thin Film Material Constants and Defects J.D. Achenbach	8
Ultrasonic Guided Waves in Structural Health Monitoring J.L. Rose	14
Investigation of Magnetic Characteristics for a FeCo/Si Multilayer with the Variation of the Bias Potential at Substrate S.J. Cho, C.H. Lee, Y.J. Kim, M.K. Moon and T. Krist	22
3D Modeling of Porous Ceramics by High-Resolution X-Ray CT for Stress Analyses Y. Ikeda, Y. Nagano, H. Kawamoto and N. Takano	28
Residual Stress Assessment in API X65 Pipeline Welds by Non-Destructive Instrumented Indentation Y.H. Lee, D.I. Kwon, J.I. Jang and W.S. Kim	35
A Method for Quantitative Evaluation of Electrical Conductivity of Silicon Wafers by Millimeter-Waves Y. Ju, Y. Ohno and M. Saka	41
Bending Behavior of Thin-Walled Cylindrical Tube Filled with Aluminum Alloy Foam A.K. Kim, S.S. Cheon, M.A. Hasan and S.S. Cho	46
Non-Destructive Sans Study of Al Nano Powder Compacts Y.S. Han, B.S. Seong, C.H. Lee, G.H. Lee, C.K. Rhee and W.W. Kim	52
Finite Element Analysis of Residual Stress in NiCrAlY/Yttria-Stabilized Zirconia Coatings by Nanoscale Multi-Layered Deposition D.W. Seo and E.G. Na	58
Effect of Overlap Length and Adhesive Thickness on Stress Distribution in Adhesive Bonded Single-Lap Joints D.W. Seo, H.C. Yoon, Y.B. Jeon, H.J. Kim and J.K. Lim	64
Metallurgical Failure Characterization of 2.25Cr-1Mo Steel by Magnetic Property Analysis S.H. Won, Y.K. Hyun, K.S. Cho and J.D. Lee	70
Non-Destructive Determination of Flow Properties through Analysis of Contact Characteristics beneath Indenter S.H. Kim, M.K. Baik and D.I. Kwon	75
Arrangement of Probes for Measuring Case Depth by Means of Four-Point Probes F. Takeo, K. Nakajima, T. Baba, Y. Aonahata and M. Saka	82
Non-Destructive Characterization of Hydrogen Concentration in Zircalloy C.H. Yang and M.F. Huang	89
Prediction of the Crack Opening Behaviour for the Fatigue Crack Propagating in Welding Residual Stress Field E. Park, E.J. Kim and S.H. Yoo	96
Prediction of Material Properties of CF8M Cast Stainless Steel by Thermal Embrittlement Using Neural Network C. Kim, H.B. Park, T.E. Jin, I.S. Jeong and C.S. Seok	102
Surface Deflection of a Two Layered Half-Space Containing a Surface Crack J.W. Choi and S.H. Yoo	108
Simplified Impact Analysis Based on Equivalent Static Analysis for Impact Design of TFT-LCD Panels Y.J. Kim, J.C. Koo, S.I. Moon and Y.J. Kim	114
Ultrasonic Evaluation of Creep Damage of High Temperature Metallic Materials with Different Microstructures J.W. Byeon, J.H. Song and S.I. Kwun	120
X-Ray Stress and Diffraction Line Width Measurement by the Gaussian Curve and Parabola Methods Z.W. Liu and M. Kurita	126

A Spherical Indentation Technique Based on FE Solutions for Material Property Evaluation	
H.Y. Lee and J.H. Lee	133
A Measurement Method of Residual Stress in Quenched Steel by Neutron Diffraction	
D.Y. Ju, R. Mukai, N. Minakawa, Y. Morii and A. Moriai	139
Residual Stress in Compact Disk Generated during Molding Process	
M. Shimbo and H. Kawashima	147
New Phased Array Ultrasound System Based on DSP/BOIS and PCI Bus	
X.F. Zhang, K.R. Shi and L.N. Zheng	154
Ultrasonic Detection of the Metallurgical Defects in the Steel and its Evaluation by Neural Network Based on the Wavelet Transform Noise Suppression	
G.X. Zhang, H.J. Hu and D. Ta	160
High Frame Rate and High Resolution Imaging with Synthetic Aperture	
K. Kim and T.K. Song	168
Analysis of Beta-Ray Data Using the Wavelet Thresholding Method and Extended Kalman Filter	
S.H. Han, H.H. Kim and H.D. Bae	174
Generation of Three-Dimensional Images Using Ultrasonic Pulse-Echo Data for Fault Characterization	
J.H. Kwon, S.M. Song, H.R. Chang, J.J. Sung, H.K. Ahn, J.H. Lee and S.J. Jang	180
Non-Destructive Visualization of Two-Phase Fields by the Electrical Impedance Tomography with an Adaptive Mesh Grouping Scheme	
K.Y. Kim, Y.J. Lee and J.W. Park	186
3D X-Ray Laminography with CMOS Image Sensor Using a Projection Method for Reconstruction of Arbitrary Cross-Sectional Images	
Y.K. Chi, S.K. Ahn, K.H. Kim and G.S. Cho	192
3-Dimensional Imaging Technique for Shape Estimation of Flaw in Ultrasonic Non-Destructive Evaluation	
Y.S. Lee, C.S. Park and S.J. Kim	198
Multiple Transmit Focusing Using Modified Orthogonal Golay Codes for Ultrasound Nondestructive Testing	
B.H. Kim and T.K. Song	204
Signal Analysis for the Condition Monitoring of a Check Valve Using a Time-Frequency Representation	
C.K. Lee, D.B. Cha, J.T. Kim, J.S. Kim, S.J. Lee, J. Yoo and J.H. Lee	209
Multiplierless Sigma-Delta Modulation Beam Forming for Ultrasound Nondestructive Testing	
H.S. Han and T.K. Song	215
A Systolic Multi-Layer and Multi-Line Stereo Vision System for 3D Visual Inspection	
H. Jeong, S.C. Park and J. Kim	221
Transform Coding of Arbitrarily Shaped Regions in Ultrasonic Data	
J. Kim, H.J. Kim, J. Kim, D.H. Choi, I.G. Lee, K.H. Jin and K.R. Kwon	227
Line Defect Detection in TFT-LCD Using Directional Filter Bank and Adaptive Multilevel Thresholding	
J.H. Oh, D.M. Kwak, K.B. Lee, Y.C. Song, D.H. Choi and K.H. Park	233
Time-Domain Noise Analysis of CMOS Readout Ic for CZT X-Ray Detectors	
T.H. Lee, J.H. Ha, S.Y. Lee, W.I. Ko, D.Y. Song and H.D. Kim	239
Development and Characterization of a Flat-Panel Detector-Based Microtomography System	
S.C. Lee, H.Y. Kim, I.K. Chun, M.H. Cho, M.H. Cho and S.Y. Lee	245
Detection of Operational Abnormality of Ball Bearing with Ultrasonic Technique	
A. Takeuchi	252
Non-Destructive Evaluation Using Laser-Generated Ultrasonic Waves	
J.Y. Kim, K.C. Jang, M.S. Ko, C.H. Kim and K.S. Song	258
A Study on the Characteristics of Surface Wave Induced by Phased Array Ut	
Y.S. Cho, Y.S. Ahn, S.K. Park and J.H. Kim	264
Implementation of Ultrasonic Immersion Technique for Babbitt Metal Debonding in Turbine Bearing	
G.J. Jung, Y.S. Ahn, Y.S. Cho, S.K. Park, D.S. Gil and W.H. Lee	271

Analysis of Residual Stress Effect in Wear-In Procedure Using Ultrasonic Backward Radiation	
S.D. Kwon, S.S. Yoon, S.J. Song, Y.H. Kim and Y.Z. Lee	277
Study of Characteristics of Sound Field in Mixing Phased Array	
Y. Xiang, J. Huo, K.R. Shi and Y.F. Chen	283
Simultaneous Determination of Ultrasonic Wave Velocities and Thickness of Solid Plates	
Y.H. Kim, S.J. Song, J.S. Park and S. Kim	290
Effects of Rubber Loading on Back-Reflected Leaky Lamb Waves	
Y.H. Kim, S.J. Song, M.H. Jung and S.D. Kwon	296
Model-Based Interpretation of Angle Beam Ultrasonic Testing Signals from Welded Joints	
S.J. Song, H.J. Jung, J.S. Park, Y.H. Kim, H.J. Kim and Y.H. Choi	302
Simulation of Angle Beam Ultrasonic Testing with a Personal Computer	
S.J. Song, J.S. Park, Y.H. Kim, H.J. Kim and H.J. Jeong	308
Ultrasonic Measurement of Gap Size in an Epoxy Layer between a Steel Sheet and Fiber Reinforced Plastics	
S.J. Song, H. Cho, J.S. Park, Y.H. Kim, S.Y. Lim, N.G. Yun and Y.J. Park	314
Leaky Lamb Waves of a Piezoelectric Plate Immersed in a Conducting Fluid - Analysis and Measurement	
S.H. Kuo and Y.C. Lee	320
Ultrasonic Identification of the Structural Changes due to the Impact Testing of a Charpy Specimen Used for the Reactor Pressure Vessel Materials Testing	
S.L. Lee, K.O. Chang, B.C. Kim and C.M. Sim	328
Automatic Non-Contact Defect Inspection of Cylindrical Shell Using a Laser-Ultrasonic Technique	
K.Y. Jhang, H.M. Kim, K.I. Jung and H.K. Ahn	334
Evaluation of Thickness for NiCrAlY Coatings Sprayed on the Superalloy by Using Ultrasonic Spectral Analysis	
X.M. Li, L. Lin and M.K. Lei	340
Comparison among Ultrasonic Velocity, Attenuation and Power Spectra of Different Heat Treatment Transformation Products in 38CrMoAl Steel	
L. Lin, X.M. Li and J.L. Tan	346
Study on the Development of Multi-Path Ultrasonic Gas Flow Meter	
W. Hwang, H.D. Jeong, C.H. Lee and K.Y. Jhang	353
Two-Wave Mixing Interferometer for Ultrasonic NDT in Defect Detection	
C.H. Ho, J.Y. Lee, H.C. Shih, J.H. Shaw and Y.H. Liu	359
Development of Phased Array and Tofd Simultaneous Inspection System for Coke Drum	
M. Oka and K. Kawashima	364
Development of a Scanner and a Control System for an Automated Ultrasonic Testing of Pipe Elbows	
J.P. Lee, C.H. Park and B.G. Um	372
Examination of Flaw Detection near the Surface by the Ultrasonic TOFD Method	
N. Ido, H. Hatanaka, T. Arakawa, K. Katou and H. Furuta	378
Modeling of Transmitting and Receiving Ultrasonic Probes for Use with the Mass-Spring Lattice Model	
H.J. Yim and E. Baek	384
Application of Ultrasonic Techniques for Evaluation of Thermal Fatigue Crack	
S.H. Kang, J.H. Lee, S.W. Choi and B.Y. Lee	390
Ultrasonic Monitoring Technique for Icing and Flow in a Duct	
Y.H. Cho and M. Kim	396
Fundamentals of Ultrasonic Measurement Models	
L.W. Schmerr	402
Calculation for Guided Waves in Pipes and Rails	
T. Hayashi, K. Kawashima and J.L. Rose	410
Experimental Studies on Guided Waves for the On-Line Inspection of Steam Generator Tubes	
H.S. Eom, J.H. Kim, Y.H. Kim and S.J. Song	416
Analysis of the Circumferential Guided Wave for Axial Crack Detection in a Feeder Pipe	
Y.M. Cheong, D.H. Lee, S.S. Kim and H.K. Jung	422

Application of Guided Waves for Detection of Scale Inside Water Supply Pipes D.H. Lee, J.S. Park, S.J. Song, Y.H. Kim, H.D. Lee and C.H. Bae	428
Rapid, Long Range Inspection of Chemical Plant Pipework Using Guided Waves D.N. Alleyne, B. Pavlakovic, M.J.S. Lowe and P. Cawley	434
Ultrasonic Sensitivity Enhancement for Material Characterization Using Guided Wave Energy Loss Parameters Y.H. Cho, I.K. Park and S.I. Kwun	442
Investigation of Guided Wave Scattering in Curved Waveguides Y.H. Cho and J.M. Galan	447
Three-Dimensional Defect in a Plate Boundary Element Modeling for Guided Wave Scattering X.L. Zhao and J.L. Rose	453
Fracture Behaviors and Acoustic Emission Characteristics of Pipes with Local Wall Thinning K.W. Nam and S.H. Ahn	461
AE Features of PBX JOB-9003 Depending on Loading Rate Y. Tian, W.B. Zhang, M.P. Wen, L.L. Wang, D.P. Gao and Z.H. Xia	466
An Advanced Acoustic Emission Sensor for Transient Elastic Wave Measurements Y.C. Lee, Z.B. Lin and S.H. Kuo	471
Analysis of Acoustic Emission Behavior in Graphite Materials for Solid Rocket Motor S. Nambu and M. Enoki	479
Non-Contact Measurement of Acoustic Emission in Thin Specimen by Laser Interferometer M. Enoki, S. Nishinoiri, T. Seki and A. Kishimoto	485
The Use of Acoustic Emission Method to Evaluate Creep-Fatigue Interaction K.H. Oh, J.H. Jang, C.K. Jung, Y.C. Yang and K.S. Han	491
Nondestructive Evaluation of Damage Behavior of Ceramic under Thermal Shock Cycle J.K. Lee, J.H. Lee and S.L. Lee	497
Evaluation of Calendar Damage of Aircraft Structures Using Acoustic Emission R.S. Geng	503
Monitoring Nugget Formation of Nickel-Alloys in Micro Spot Welding Using Acoustic Emission T. Klyosumphan and A. Prateepasen	510
Measurement Strategy of the Water Leakage into a Low Pressure Sodium Boundary for a Liquid Metal Reactor S. Hur, D.H. Kim, S.H. Seong and S.O. Kim	518
Development of PC-Based Leak Detection System Using Acoustic Emission Technique M.R. Lee, J.H. Lee and Y.C. Park	525
Analysis of Acoustic Emission Signals for Condition Monitoring of Check Valve at Nuclear Power Plants J.H. Lee, M.R. Lee, J.T. Kim and J.S. Kim	531
Fatigue Crack Detection in Coldworked Aluminum Alloys Using Acoustic Emission Technique D.S. Lee, J.H. Lee and M.R. Lee	537
Acoustic Emission for Structural Integrity of Concrete from Fresh to Damaged M. Ohtsu	543
Principal Component Analysis of Eddy Current Signals Obtained from Steam Generator Tubes by Bobbin Probe Y.H. Kim, S.J. Song, E.L. Kim, C.J. Yim, K.B. Kim and Y.H. Choi	549
Prediction of Bobbin Probe Eddy Current Signals for Tubular Components with the Conductivity and Permeability Variation Y.H. Kim, S.J. Song, J.S. Heo, H.B. Lee and M.H. Song	555
Numerical Analysis of ECT Signals for Bulge and Dent Type Defect on SG Tube H.B. Lee, C.J. Yim and J.H. Lee	561
Signal Characteristics Observed in the Remote Field Eddy Current Testing Experiments Y.K. Shin, J.H. Lee, Y.T. Lee, S.J. Song and T.E. Chung	567
Evaluation Results on Enhanced ECT Implementation of Steam Generator Tubes after a Korean SGTR Event M.H. Song, H.S. Shin, Y.K. Kim and S.C. Kang	573

Preparation of Eddy Current Impedance Plane Diagram by Finite Element Modeling Y.K. Shin, J.H. Lee and M.H. Song	579
Time-Domain and Frequency-Domain Eddy Current Simulations by the Finite Element Method C.C. Tai and S.F. Wang	585
Rapid Reconstruction of Natural Stress Corrosion Cracking from Eddy Current NDT Data N. Yusa, Z.M. Chen and K. Miya	593
Development of an ECT Technique for Discriminating between a Through-Wall/Non Through-Wall Crack in a Steam Generator Tube D.H. Lee, M.S. Choi, D.H. Hur, J.H. Han and U.C. Lee	600
Applications of a Capacitive Probe to Detect Defects on Dielectric Materials Y.J. Kim, J.G. Lee, B.Y. Ahn and S.S. Lee	606
Long-Distance Inspection of Pipes Using Electromagnetic Acoustic Transducer for Cylindrical Wave R. Murayama, Y. Nakata, Y. Wakibe, H. Wada, Y. Imagawa and T. Hayashi	612
Flaw Detection of Railroad Wheel Tread Using EMAT Y.G. Kim, B.Y. Ahn, Y.J. Kim, Y.B. Moon and S.H. Kim	619
The Detection of Defects in Paramagnetic Materials Using Locally Focused Electromagnetic Field Technique H. Kim and T. Shoji	625
Numerical Consideration of Magnetic Camera for Quantitative Nondestructive Evaluation J.Y. Lee, D.W. Seo and T. Shoji	630
Magnetic Flux Leakage Testing Theory and Method for Magnetizer End Inspection S.F. Cheng, X.J. Wu and Y.H. Kang	636
The Method and Apparatus of Magnetic Nondestructive Testing for Boiler Waterwall Tube X.C. Song, X.J. Wu and Y.H. Kang	642
Investigation on Metal Magnetic Memory Signal of Surface Crack on Welding Scar in LPG Tank G.T. Shen, Y. Wu and Y. Wang	647
A Diagnostically Lossless Compression Method and FPGA Implementation for Pipeline Magnetic Flux Leakage Inspection Data L.J. Yang, H.L. Zhang and S.W. Gao	651
Nondestructive Evaluation of the Irradiated Mn-Mo-Ni Low Alloy Steel by Magnetic Methods S.S. Park, K.O. Chang, D.G. Park and C.O. Kim	657
Development of a New Transformer Type Torque Sensor J.I. Lee and K.S. Boo	662
Simultaneous Detection of Size and Depth of Embedded Reinforcement in Concrete by Arraying Sensing Coils in a Probe Y.J. Kim, D.J. Yoon, S.S. Lee and B.Y. Ahn	668
Nondestructive Testing for Wire Rope J.O. Lee, W.H. Yoon, Y.H. Son, J.W. Kim and J.K. Lee	673
A Study on Evaluation of Strain Behavior near Crack Tip by Self-Generated Magnetic Field from Externally Applied Stress A. Shimamoto, H. Ito and S. Akamatsu	679
Full-Field Measurement of Deformation of Recycled Paper Using Electronic Speckle Pattern Interferometry E. Umezaki and J. Takakuwa	686
Damage and Failure Monitoring of Fiber-Metal Laminates Using Optical Fiber Sensors Y.C. Yang and K.S. Han	690
Quantitative Evaluation of Defect inside Tire by Shearography K.S. Kim, I.Y. Yang, K.S. Kang, S.M. Yang and S.K. Cheong	696
Separation of DOAS Measurements Data by Independent Component Analysis H.H. Kim, S.H. Han and H.D. Bae	703
A Study of Overload Effects on Fatigue Crack Propagation under Cyclic Loading Using ESPI System K.S. Kim, S.C. Kim, C.S. Shim, H.M. Cho and S.W. Lee	709
Dynamic ESPI (DESPI) for Non-Destructive Testing S. Toyooka, V. Madjarova and H. Kadono	715

Strain Measurement by Multiplexed Optical Loss Based Fiber Optic Sensor I.B. Kwon, J.A. Yoo, C.Y. Kim and J.H. Jo	718
Study on the Band Gap Energy of CdIn₂Te₄ Crystal Obtained from the Photocurrent Spectroscopy H. Jeong and K.J. Hong	724
Thermal Annealing Effects of the CdIn₂Te₄ Single Crystal Obtained from Photoluminescence Measurement K.J. Hong, K.S. Kim and B.J. Lee	729
360-Deg Profilometry of 3-D Object by Multi-Reference-Planes Method S. Ri, M. Fujigaki and Y. Morimoto	736
Application of Micro-ESPI Technique for Measurement of Micro-Tensile Properties Y.H. Huh, D.I. Kim, D.J. Kim, P. Park, C.D. Kee and J.H. Park	744
Measurement of the Piping Elbow Integrity Using the Fiber-Optics Technique S. Hur, S.H. Nam, D.B. Cha, S.H. Seong, W.M. Park, J.T. Kim, J.Y. Nam and S.J. Lee	750
3-Dimensional Micro-Structure Inspection by Phase-Shifting Digital Holography H.Y. Yun, S.J. Jeong, J.W. Kang and C.K. Hong	756
Fiber-Optic Displacement Sensor to Detect the Vibration of the Thinned U-Section by FAC J.T. Kim, W.M. Park, C.K. Lee, S. Hur, J. Weiss, V. Luk, S.J. Lee and I.S. Hwang	762
Optical Measurement of Two-Dimensional Surface Roughness and Texture Using a Scattered Light Intensity Distribution M. Kurita and K. Hara	768
Detection of Real Defects in Composite Structures by Laser Techniques S.K. Cheong, Y.B. Kim, K.S. Kim and Y.J. Kang	775
Nondestructive Evaluation of Internal Defects for Composite Materials by Using Shearography S.W. Choi and J.H. Lee	781
Application of Scanning Laser Source Technique for Nondestructive Flaw Detection S.W. Choi, J.H. Lee, A.J. Nam and S. Krishnaswamy	787
Fatigue Life Estimation Using Diffusion of Laser A. Kato and M. Sano	793
Automatic Stress Analyzing System by Digital Speckle Photography Using 2-D Hybrid Method K. Machida and H. Yamada	800
Detection of Spot-Type Defects on Liquid Crystal Display Modules W.S. Kim, D.M. Kwak, Y.C. Song, D.H. Choi and K.H. Park	808
Electrical and Optical Properties of SiOC Films with Low Dielectric Constant Y.H. Yu, H.J. Ko and C.K. Choi	814
Reflow Characteristics of Copper in an Oxygen Ambient S.H. Kim and D.W. Kim	820
Metallic Multilayer Sputtering on Polycarbonate for EMI Shielding S.H. Kim and D.W. Kim	826
Ultrasonic Measurement of a Small Deformation of Hard Disk Drive Suspension N.Y. Kim and S.S. Lee	831
Application of the ESPI Method for Thermal Friction Noise in Rear Cover of TV J.H. Lee, S.I. Ham and S.D. Park	837
Interfacial Stresses in Viscoelastic Thin Layer due to Moisture Absorption S.S. Lee and N.Y. Kim	843
Nondestructive and Destructive Characterization of Nano-Structured Multilayer T.G. Kim, S.Y. Lee, I.Y. Kang, Y.C. Chung and J.H. Ahn	849
Measurement of Monodisperse Particle Charge in DC Plasma K.H. Ahn, J.S. Han and G.H. Kim	855
Design of Vertical Type Thermal CVD Reactor with Rotating-Disk for New Generation Semiconductor Processes H.J. Kim, A. Yoshida, S.B. Lee and K.S. Kim	860
Fabrication of Nano-Structure by STM Tip Induced Atomic Diffusion J.Y. Kim, M. Inoue, H. Uchida and H.J. Kim	866
Characterization of Heating Elements with Cobalt Silicide Films for Inkjet Printer H.J. Chang, Y.K. Noh, H.J. Kim and A. Yoshida	872

Transparent Conducting ZnO Films on Polymer Substrates by Pulsed Laser Deposition K.J. Suh, H. Okada, A. Wakahara, H.J. Chang, H.J. Kim and A. Yoshida	878
Diagnosis and Reduction of Robot Arm Vibration for 12-Inch Wafer Spin Scrubber N.Y. Kim and M.S. Hong	884
Effect of Al Composition on Luminescence Properties of Rare-Earth Implanted into AlGaN A. Yoshida, A. Wakahara, Y. Nakanishi, H. Okada, T. Ohshima, H. Itoh and Y.T. Kim	890
Evaluation Method of NFR Sliders Using Modal Analysis and Instrumental Variable Method K.H. Rim and C.H. An	895
The Special UTS for Ultra-High Temperature Measurement in the LaVa at SAC K.M. Koo, S.B. Kim, C.S. Park, S.S. Hong and S.J. Kim	901
The Influences of the Wheel Profiles on the Wheel Wear of the Passenger Cars for the Same Bogie Type C.W. Lee and J.C. Kim	907
Investigation of the Effect of Crack Closure Stress on Microwave Dual Frequency Technique for Evaluation of Small Cracks M. Saka, T. Miyadu and Y. Ju	913
Saw Sensor for Train Wheel Monitoring J.H. Kim and J.H. Park	921
Finite Element Analysis and Static Load Test of a Wheelset of Gwangju EMU for Measuring Wheel/Rail Force E.S. Jeon, Y.S. Ham and H.C. Chung	927
Axial Flaw Detection in Pipes with Circumferential Wave Excited by Transducers of Equi-Refraction Angle H. Ngamizo, M. Murase and K. Kawashima	933
Infrared Thermography and Modeling to the Concrete Deck with Internal Defects as a Non-Destructive Testing J.H. Park, M.Y. Choi and W.T. Kim	938
Measurement Methods of Crack Length for Real-Scale Pipe Specimen J.S. Park and C.S. Seok	944
Nondestructive Mapping of Corrosion of Steel beneath Paint Coating by Synchrotron X-Ray Absorption Spectroscopy C.H. Chang, J.S. Kim, J.H. Park, M.K. Joo and K.Y. Kim	950
Nondestructive Evaluation of Pipes with Local Wall Thinning by Wavelet Analysis of Elastic Wave J.W. Kim, K.W. Nam and S.H. Ahn	954
Assessment of Creep Damage of Power Plant Pipeline Steel by Ultrasonic Test S.G. Lee, S.K. Lee and J.S. Lee	959
Leak Location Identification of Water Pipes Using Elastic Waves Y.S. Lee, D.J. Yoon and S.S. Lee	965
Measurement of Performance and Heat Transport in Thermoacoustic Refrigerator W.T. Kim, K.J. Song and M.Y. Choi	971
An Adoption of Energy Dissipation Ratio for Real-Time Monitoring G.H. Heo, G. Lee, D.G. Lee, H.C. Shin and M.Y. Choi	977
In Situ Measurement of Average Surface Temperature of a Diesel Engine's Combustion Chamber H.M. Kim, C.H. Kim and D.J. Lee	984
Numerical Simulation of Design for Cylinder Wall Considering of Scavenging Efficiency S. Sasaki, T. Ezumie and K. Satoh	990
Nondestructive Fault Diagnosis of a Transformer Using Transfer Function Method T.J. Park, J.W. Kim, S.W. Kim and P.G. Park	996
Crack Detection in Press Fit Railway Axle Using Induced Current Focusing Potential Drop Technique S.J. Kwon and T. Shoji	1002
Defect and Ripeness Inspection of Citrus Using NIR Transmission Spectrum G.Y. Kim, K.J. Lee, K.H. Choi, J.R. Son, D.S. Choi and S.W. Kang	1008
Measurement of Sugar Contents in Citrus Using Near Infrared Transmittance K.J. Lee, G.Y. Kim, S.W. Kang, J.R. Son, D.S. Choi and K.H. Choi	1014

Measurement of Moisture Content in Powdered Food Using RF Impedance K.B. Kim, S.C. Kim, J.W. Lee and S.H. Noh	1020
Assessment of Internal Quality Using Colorimetric Information on Apples Y.J. Cho and J.K. Kim	1026
A Quantified Index for Rapid Evaluation of Starch Content in Apples Y.J. Cho and B. Gil	1032
Weed Detection in Paddy Field Using Machine Vision S.R. Suh, Y.T. Kim, Y.S. Choi and J.H. Sung	1038
Evaluation of Internal Defects of Dried Red Ginseng Using Magnetic Resonance Techniques S.M. Kim and C.S. Kim	1044
Evaluation of Fruit Firmness by Ultrasonic Measurement K.B. Kim, H.M. Jung, M.S. Kim and G.S. Kim	1049
Uses of Hyperspectral and Multispectral Laser Induced Fluorescence Imaging Techniques for Food Safety Inspection M.S. Kim, A.M. Lefcourt, Y.R. Chen and S.W. Kang	1055
Prediction of Melon Fruits Softening Using Density and Transmitted Light K. Kato and M. Matuda	1064
Analysis and Reduction of the Cross Talk in Micro-Machined Piezoelectric Ultrasonic Transducers Y.R. Roh and Y.S. Kim	1071
Development of SH-SAW Sensors in Underwater Environment for Chemical Applications Y.R. Roh and Y.J. Kwon	1077
On-Chip Integration of Microfluid and Cell Detector for Micro Cell Counter S.U. Son, Y.H. Choi and S.S. Lee	1083
Optimal Design of a Planar Array of Micro-Machined Ultrasonic Transducers S.S. Lee and Y.R. Roh	1089
Fabrication of a High-Aspect-Ratio Nano Tip Integrated Micro Cantilever with a ZnO Piezoelectric Actuator S.H. Lee, S.S. Lee, J.J. Choi, J.U. Jeon and K. Ro	1095
Novel Micropumps Using Gases as Pumping Sources Y.H. Choi, S.U. Son and S.S. Lee	1101
Measurements of Mechanical Properties of Thin Polymer Films by Nanoindentation Technique S. Hur, S.I. Hong, H.J. Lee, S.W. Han, J.H. Kim, J.Y. Kang, B.I. Choi and C.S. Oh	1107
Measurement of Micro-Tensile Properties for Hard Coating Material TiN S.C. Yeon, Y.H. Huh, D.I. Kim, J.H. Hahn, G.S. Kim and Y.H. Kim	1113
Analyses of Elastic Waves in Aluminum/Barium Sodium Niobate and Quartz/Epoxy Phononic Structures Z.G. Huang, T.T. Wu and S. Lin	1119
The Study of Acoustic Band Gaps in 2-D Air/Aluminum and Steel/Epoxy Phononic Structure J.H. Sun, J.C. Sun and T.T. Wu	1127
Oblique View Cone Beam Tomography for Inspection of Flat-Shape Objects M. Misawa, I. Tiseanu, R. Hirashima, K. Koizumi and Y. Ikeda	1135
Non-Contact Measurement of Dielectric Constant for a Nanometer-Thick Polymer Film G.W. Park, Y.J. Hur, J.H. Kim, S.H. Kim, S.R. Keum and K.N. Koh	1143
Effects of Metal-Plasma Source Ion Implantation on Tribological Properties of a DLC Film J.W. Yi, J.K. Kim and S.S. Kim	1147
Strength Evaluation of Swing Motion Bogie by Finite Element Analysis Y.S. Ham, H.C. Chung and W.J. Chung	1153
Development of a Code for 2D Elasto-Plastic Fracture Mechanics Analyses Using the Finite Element Alternating Method J.H. Park, S.Y. Park, M.W. Kim, J.S. Park and T.E. Jin	1159
Particle Erosion of Aged HK40 Steel A.K. Kim, Y.D. Jun, K.B. Lee and S.H. Nahm	1165
A Study on Fatigue Behavior at Pre-Crack Tip under Mixed-Mode Single Overloading (In the Case of Using the C-Scan Method) S.H. Song and J.M. Lee	1171

Evaluation of Material Degradation Using Electrical Resistivity Methods C.S. Seok, J.P. Kim and B.K. Bae	1177
Multiaxial Fatigue Life Prediction of Duplex Stainless Steels with Thermal Aging at 430°C under Axial-Torsional Load J.D. Kwon and J.C. Park	1183
Ultrasonic Evaluation of Fatigue Damaging Process of Cu Plates Joined with Sn-3.8wt%Ag-1.2wt%Cu Alloy Solder Z.M. Jin, H. Kato and K. Kageyama	1189
Finding the Degradation of Insulation Oil in a Transformer with a Fiber-Optic Sensor D.W. Kim and S.H. Lee	1196
Numerical Analysis of Adhesive Thickness Effect on Fracture Toughness in Adhesive-Bonded Joints J.Y. Choi, H.J. Kim, J.K. Lim and Y.W. Mai	1200
The Evaluation of Material Degradation in Modified 9Cr-1Mo Steel by the Electrochemical Technique Y.K. Hyun, J.D. Lee and I.B. Kim	1206
Degradation Evaluation of 2.25Cr-1Mo Steel Using Electrical Resistivity S.H. Nahm, J.M. Kim, J.S. Park, K.M. Yu, D.K. Kim, A.K. Kim and D.J. Kim	1212
The Analysis of Frictional Sliding Behavior on High-Tension Bolted Joints Using the Finite Element Method C.W. Lee, C.H. Kim and J.S. Shim	1218
Detection of Low Cycle Fatigue in Type 316 Stainless Steel Using HTS-SQUID D.G. Park, D.W. Kim, V.P. Timofeev and J.H. Hong	1224
Ball Indentation Studies on the Effect of Aging on Mechanical Behavior of 1Cr-1Mo-0.25V Steel C.S. Seok and J.P. Kim	1229
Prediction of Corrosion Fatigue Life of TMCP Steel Using the DCPD Method D.H. Bae and J.H. Park	1235
Plastic Limit Load Solutions for Cracks in Steam Generator Tubes H.S. Kim, J.S. Kim, T.E. Jin, H.D. Kim and H.S. Chung	1240
Fatigue Properties of Magnesium Alloy under Biaxial Stress Y. Ito and A. Shimamoto	1246
Fracture Behavior under Dynamic Biaxial Stress on Magnesium Alloy A. Shimamoto and R. Kubota	1254
Evaluation of the Mixed Mode Stress Intensity Factor by Infrared Thermography K. Machida and M. Sato	1262
Determination of Stress Intensity Factor near Crack-Tip of Anisotropic Polycarbonate Plate under Biaxial Loading A. Shimamoto, H. Osako and T. Shimomura	1270
Ultrasonic NDE of Closed Cracks-Sizing and Evaluation of Crack Opening Stress Intensity Factor under a No Load Condition M. Saka, M.A. Salam Akanda and S. Reaz Ahmed	1277
Quantitative Phase Analysis of the Multi-Phase Alloys Using Neutron Diffraction E.J. Shin, B.S. Seong, T.W. Joung, K.P. Hong, C.H. Lee and Y.J. Kim	1285
Very Low Energy Neutron Radiography with Neutron Energy Selection System for Variable Image Contrast Y. Kawabata, T. Nakano, M. Hino, T. Oku, J. Susuki and U. Matsushima	1291
Development of CT Imaging System with Very Low Energy Neutrons T. Nakano, Y. Kawabata, M. Hino and U. Matsushima	1297
A Monte Carlo Study of Contraband Detection Using Fast Neutron Resonance Technique J.H. Bae and J.H. Whang	1304
Neutron Diffraction Measurement and Finite Element Analysis of Stress Distribution in Welded 316L Stainless Pipe S.H. Kim, M.K. Moon, C.H. Lee, V.T. Em, Y.H. Choi, S.J. Cho, K.P. Hong, Y.J. Kim, U.W. Nam and K.N. Kong	1310
Development of Flaw Sizing Technique by Radiographic Testing - Application of the "GUCHI" Technique S. Higuchi, Z. Makihara, Y. Nonaka and N. Ooka	1316

Processing, Archiving and Management of Digital Image from X-Ray Flat-Panel Detector Z.G. Zhou, J. Chen and Z.G. An	1324
Applied Phase-Contrast Radiography with Polychromatic Thermal Neutrons N. Kardjilov, S.W. Lee, E. Lehmann, I.C. Lim, E. Steichele, C.M. Sim and P. Vontobel	1330
Application of Neutron Radiography for Researches on Hanaro I.C. Lim, C.M. Sim, B.H. Lee, S.Y. Hwang, B.J. Jun and C.H. Lee	1337
Characteristics of the IR Neutron Beam in Hanaro and the Recent Development for its Use in Dynamic Neutron Radiography I.C. Lim, B.C. Lee, C.M. Sim, M.S. Kim, C.H. Lee, B.J. Jun, H. Kobayashi, S. Watanabe and M. Satoh	1343
Towards the Visualization of Fuel Cavitation in a Nozzle of a Diesel Engine by Neutron Radiography N. Takenaka, T. Kadowaki, K. Tohara, K. Kawabata, Y. Kawabata, I.C. Lim and C.M. Sim	1349
Quantitative Measurement of Void Fraction Distributions in Gas-Liquid Two-Phase Flow by Neutron Radiography N. Takenaka, S. Kawano and A. Matsumoto	1356
Application of Digital Radiography to Aerospace-Craft K. Shinoda, R. Morotomi, K. Mukai, T. Yoshiara, M. Shirai and H. Miyamoto	1361
Experiments on Radiographic Image Quality Using Low Energy Portable X-Ray Equipments N. Yabushita, N. Ooka and K. Nakamura	1366
Characteristics of a New Type Neutron Radiography Using Time-of-Flight Method Y. Kiyonagi, T. Kamiyama, H. Iwasa and F. Hiraga	1371
Requirements of Neutron Tomography Standardization for Industrial Application C.M. Sim, S.W. Lee, J.K. Cheon, Y.J. Kim, J.C. Kim and K.I. Mochiki	1376
Assessment of the Uncertainty and the Proficiency Test for Accrediting KOLAS of ISO 17025 for a Neutron Radiography Facility H.S. Oh, C.M. Sim, I.C. Lim, K.P. Hong and B.H. Choi	1382
The Characteristics of a Mosaic Monochromator with a Cu Single Crystal S.K. Kim, S.A. Kim, Y.S. Han, C.H. Lee, S.Y. Jeoung and C.R. Cho	1387
A Study for Imaging of Scattered Radiation Sources Using a Pinhole Camera H. Kobayashi, M. Satoh, M. Etoh, I.C. Lim and C.M. Sim	1392
A Study for L/D Determination of Filtered Neutron Beams Including Scattering Neutrons Component H. Kobayashi, M. Satoh, S. Watanabe, I.C. Lim and C.M. Sim	1400
Fabrication and Characterization of a PVDF Hydrophone Array Transducer Y.C. Lee, J.M. Yu and S.W. Huang	1406
Influence of Stress Singularities on the Vibration of Rhombic Plates with V-Notches or Sharp Cracks J.W. Kim and H.Y. Jung	1414
Performance Comparison between Circular and Elliptical Magnetic Circuits in Elliptical Microspeakers Used for Mobile Phones S.M. Hwang, K.S. Hong, J.H. Kwon, H.J. Lee, B.S. Kang and G.Y. Hwang	1420
Computation of Dynamic Stress in Flexible Multi-Body Dynamics Using Absolute Nodal Coordinate Formulation J.H. Seo, I.H. Jung, H.S. Han and T.W. Park	1427
A Study on DC Motor Noise Reduction I.H. Jung, J.H. Seo, H.S. Han, T.W. Park and J.Y. Kim	1434
Structural Vibration Analysis of Electronic Equipment for Satellite under Launch Environment I.H. Jung, T.W. Park, J.H. Seo, S.W. Han and S.H. Kim	1440
Vibration-Based Non Destructive Structural Damage Detection L.H. Yam, Y.J. Yan and Z. Wei	1446
Optimal Sensor Placement in Structural Control Systems D.G. Lee, G.H. Heo, W.S. Lee and G. Lee	1454
Free Vibration of a Circular Membrane with a Concentric Circular Crack S.H. Yoo	1460

Identification of Wave Propagation on the Beam by Using Combined Higher Order Time-Frequency Method S.K. Lee	1466
The Effect of Contact Stiffness on the Out-of-Plane Vibration of a Disc Brake System K.H. Shin, Y.G. Joe and J.E. Oh	1472
Calculation of Truck Weights by Bridge Diagnostic System E.S. Hwang and D.B. Bae	1478
On the Feasibility of Deriving Transfer Function from Rayleigh Wave in the Impact-Echo Displacement Waveform C.C. Cheng, C.P. Yu and H.C. Chang	1484
Nondestructive Testing Method and Technique for Cable-Stayed Bridge Steel Cables X.J. Wu, Y.H. Kang and H.G. Chen	1493
Soundness Evaluation of a Tunnel Concrete Lining by Using the Hammer Impact-Induced Sound Wave I.M. Lee, G.J. Bae, S.W. Lee and J.G. Lee	1500
Assessment of Post-Fire Residual Strength of Reinforced Concrete Using Ultrasonic Pulse Velocity C.H. Chiang, C.C. Yang and C.Y. Huang	1506
Identification of Strength-Reducing Characteristics in Lumber Using Microwave Scanners M. Nguyen, R. Leicester, G. Foliente and C. Seath	1513
State-of-the-Practice & Challenges in Non-Destructive Evaluation of Utility Poles in Service M. Nguyen, G. Foliente and X.M. Wang	1521
Time-Frequency Analysis for Impact Echo-SASW (IE-SASW) Method D.S. Kim, N.R. Kim and W.S. Seo	1529
The Development of Concrete Quality Evaluation System - Automation of Measurement and Wireless Data Transfer J.H. Tong	1535
Nondestructive Evaluation of Vibration-Mitigated Concrete by the Forced Resonance Test Y.S. Chung, C.K. Park and S.H. Joh	1543
Study on Detection Limit of Buried Defects in Concrete Structures by Using Infrared Thermography A. Kamoi, Y. Okamoto and V. Vavilov	1549
Radar Image Processing for Detection of Shape of Voids under Concrete Slab S.K. Park and T. Uomoto	1556
Quality Control of In-Situ Concrete by Ultrasound Monitoring H.K. Lee, K.M. Lee and S.H. Lee	1562
Evaluation of Concrete Properties by Stress Wave Propagation Methods K.M. Lee, H.K. Lee, J.K. Park and Y.H. Kim	1568
Measurement of Acoustic Emission and Source Location Considering Anisotropy of Rock under Triaxial Compression J.S. Heo, C.I. Lee and S.K. Jeon	1574
Basic Study on Estimation for Water-Cement Ratio of Fresh Concrete Using Ultrasonic Wave Y. Murata, H. Toda, K. Sumikawa and K. Futagami	1580
Characterization of Stress-Induced Damage in Rock by the Moment Tensor Analysis of Acoustic Emission S.H. Chang, C.I. Lee and S.K. Jeon	1586
Non-Destructive Evaluation Techniques of Reinforcing Steel Corrosion Using Infrared Thermography L. Chung, I.K. Paik and Y.S. Roh	1592
Influence of Shear Load on the Characteristics of Acoustic Emission of Rock-Concrete Interface C.W. Hong and S.K. Jeon	1598
Evaluation of Freeze-Thaw Damage in Concrete by One-Sided Stress Wave Velocity Measurement Technique W.S. Park and J.H. Lee	1604
Damage Evaluation for Steel Bridge Member Using Compliance Technique P. Park, Y.H. Huh and D.J. Kim	1610

Non-Destructive Testing and Evaluation of Civil Infrastructures Using Stress Wave Propagation D.S. Kim and H.W. Kim	1616
Damage Evaluation for Railway Structures by Means of Acoustic Emission T. Shiotani, Y. Nakanishi, X. Luo, H. Haya and T. Inaba	1622
Observation of Internal Cracking in Concrete by Virtual Reality Modeling of Acoustic Emission Moment Tensor Analysis M. Shigeishi, J. Shimasaki and M. Ohtsu	1631
Practical Use of Half-Cell Potential Method for NDE of Corrosion of Reinforced Concrete Structure J.W. Kyung, M. Yokota, V. Leelalerkiet and M. Ohtsu	1638
Low Frequency Elastic Wave Diagnosis Method for Detecting the Internal Defects of Concrete Using Metal Magnetostrictive Devices S. Hattori, T. Kamada, T. Shimada, Y. Takemura and K. Matsushashi	1645
Characterization of Unsaturated Particulate Materials Using Elastic and Electromagnetic Waves J.S. Choi, K.I. Song, G.C. Cho and S.W. Lee	1653
Investigation of the Track Irregularities Reconstruction Methods W.J. Chung and Y.S. Ham	1659
New Modular Concept for Level 3 - Qualification in Germany H. Heidt and R. Holstein	1665
Development of the Korean Standardized Carbody for the Rubber-Tired Light Rail Vehicle Y.S. Kim and S.H. Choi	1668
Leak Rate Calibration System Y.H. Shin, S.S. Hong, I.T. Lim and K.H. Chung	1674
Personnel Qualification and Certification in the ISO/TC 135 Community M. Takagi and H. Hatano	1679
Identification of Stress-Free State and Mapping of Residual Stress Fields by Laser Interferometry D.W. Kim, N.K. Lee, K.H. Na and D.I. Kwon	1682
Estimation of Failure Probability Using Boundary Conditions of Failure Pressure Model of Buried Pipelines O.S. Lee and D.H. Kim	1688
Applications of Advanced Indentation Technique to Pre-Qualification and Periodic Monitoring of Strength Performance of Industrial Structures Y. Choi, J.I. Jang, K.H. Kim, D.I. Kwon and S.K. Park	1694
Burst Pressure of Damaged Steam Generator Tubes from Plastic Instability Analysis K.I. Shin and J.H. Park	1700
The Evaluation of Fatigue Life in TWB Sheet Using Magnetic Method J.K. Kim, S.S. Cho and C.S. Kim	1706
Nondestructive Evaluation of Defects in Conductive and Non-Conductive Materials by High-Frequency Signal Transmission Characteristics Technique K. Ogawa, T. Baba, M. Suzuki and T. Shoji	1712
The MTTF and Reliability Evaluation of a PLC System G.B. Lee, Z.D. Han and J.S. Lee	1719
Safety Evaluation of Socket Weld Integrity in Nuclear Piping Y.H. Choi, S.Y. Choi, Y.J. Kim, Y.J. Kim and H.J. Kim	1725
Piping Failure Analysis for the Korean Nuclear Piping Including the Effect of In-Service Inspection S.Y. Choi and Y.H. Choi	1731
Analysis of Singular Thermal Stresses in Polymeric Layer Deposited on Concrete Substrate S.S. Lee and N.Y. Kim	1737
Statistical Reliability Assessment of UT Round-Robin Test Data for Piping Welds H.M. Kim, I.K. Park, U.S. Park, Y.W. Park, S.C. Kang and J.H. Lee	1743
Reliability Analysis of the Reactor Protection System with Fault Diagnosis D.Y. Lee, J.B. Han and J. Lyou	1749
Comments on Probabilistic Fracture Mechanics Analysis of Cracked Components N.S. Huh, D.J. Shim, Y.J. Kim, K.H. Lee and Y.J. Kim	1755

Detection of Micro-Delamination in Electronic Packaging by Using the Ultrasonic Nonlinearity	1761
K.Y. Jhang, J. Ha and H.S. Jang	
An Effective Method for Measuring Elastic Modulus of Large TFT-LCD Panels	1767
Y.J. Kim, J.C. Koo, S.I. Moon and Y.J. Kim	
A Development of Optimization Tool for Mechanical Shock Proof Design of a Digital Display Panel	1773
S.I. Moon, J.C. Koo, J.B. Choi, Y.J. Kim, S.S. Choi and J.G. Lee	
Measurement of Residual Stress in PDP Glass by Chemical Etching Method	1779
J.H. Kim, B.I. Choi and H.J. Lee	
Imaging of Defects in Thin Plate by Scanning of Laser-Generated Focused-Lamb Waves	1785
K.Y. Jhang, J.H. Jung, H.J. Kim and M.K. Hyeon	
The Novel Concepts for Reliability Technology	1791
D.S. Ryu and S. Chang	
Inspection of Inhomogeneities in Carbon/Phenolic Matrix Composite Materials Using NDE Techniques	1799
K.H. Im, D.K. Hsu and I.Y. Yang	
Development of Motorized Ultrasonic NDE Scanner for Layup Evaluation of CFRP Composites	1806
K.H. Im, D.K. Hsu, S.W. Ra, Y.N. Kim, N.S. Park, J.H. Kim, J.K. Sim and I.Y. Yang	
Electric Resistance Change Method for Cure/Strain/Damage Monitoring of CFRP Laminates	1812
A. Todoroki	
Evaluation of Thermal Deformation Process of Nickel Base Active Composite by Laser AE Technique	1821
S. Nishinoiri, M. Enoki, T. Mochizuki and H. Asamuma	
Fracture Processes and Acoustic Emission in Continuous Fiber Reinforced Composite Laminates	1827
J.H. Kim, S.C. Woo and N.S. Choi	
Nondestructive Evaluation of Adhesively Bonded Joints Using Ultrasonic Technique	1833
W. Yi, C.S. Jang, J.Y. Han and M.G. Kim	
Development of On-Line Monitoring System and AE Characterization of SMA Composite under Severe Conditions	1839
Y.C. Park, J.K. Lee and G.C. Lee	
Development of Fieldable Systems for Inspecting Aircraft Composite Structures	1845
D.K. Hsu, J.J. Peters and D.J. Barnard	
Development of the Two-Step Delamination Identification Method by Resonant and Anti-Resonant Frequency Changes	1852
T. Inada, Y. Shimamura, A. Todoroki and H. Kobayashi	
Delamination Identification of CFRP Structure by Discriminant Analysis Using Mahalanobis Distance	1859
A. Iwasaki and A. Todoroki	
Influences of Cracking Behavior of Coating Film on Fatigue Strength in Alumina Coated Stainless Steels	1866
H.S. Shin and K. Katagiri	
Evaluation of Apparent Interface Toughness of Ceramic/Metal Composites Using Indentation Method	1872
J.H. Song, H.K. Kim and J.K. Lim	
Analysis of Bending and Impact Damage Behavior of CFRP/Al7075 Hybrid Composite Plate by NDT Technology	1878
H.K. Yoon, J.K. Lee, Y.H. Park, J.H. Lee and J.H. Lee	
Air-Coupled Ultrasonic Inspection Method for CFRP	1884
S. Matsubara, T. Nagai, T. Yoshiara, M. Shirai and H. Miyamoto	
Nondestructive Evaluation of Interfacial and Damage Sensitivity for Single Fiber/Epoxy Composites with PVDF and PZT Sensors Using Micromechanical Test and Acoustic Emission	1892
J.M. Park, J.W. Kong, D.S. Kim and D.J. Yoon	

A Fundamental Study of Detecting Delaminations in Composite Tanks by Using Lamb Waves Y. Mizutani and T. Shimoda	1898
Fiber Arrangements on Densification Behavior of Titanium Metal Matrix Composites T.W. Kim	1905
Impact Response and Damage of Composite Shell with Various Curvatures Y.N. Kim and I.Y. Yang	1911
The Effects of Temperature Change on the Bending Strength of CF/PEEK Laminates after Impact I.Y. Yang, Y.N. Kim and S.W. Ra	1917
Analysis for Properties of Discontinuously-Reinforced Composites on the Basis of Micromechanics Y.T. Cho and B.J. Lee	1923
Embedded PVDF Film Sensor for In-Situ Monitoring of Structural Integrity of Laminated Composites O.Y. Kwon and Y.A. Dzenis	1929
Effect of Fiber Volume Fraction on Monitoring Delamination of CFRP Laminates with Electric Resistance Change Method M. Ueda, A. Todoroki and Y. Shimamura	1935
Application of Localized Flexibility Method to Damage Detection of CFRP Space Frame Y. Aoki, G. Ben and T. Yamada	1943
Acoustic Emission during Fracture Process of Rubber-Modified Epoxy Resin D.B. Lee and N.S. Choi	1951
Measurement of Moisture Absorption Ratio of FRP Using Micro Polymer Sensor Y. Shimamura, T. Urabe, A. Todoroki and H. Kobayashi	1957
Cure Monitoring and Microfailure Sensing of Single-Fiber Reinforced Cement Composite by Measurement of Contact Resistance and Acoustic Emission S.I. Lee, D.J. Yoon and J.M. Park	1965
Detection of Crack Source Location on RC Structures Strengthened with CFRP Plate for Health Monitoring System J.Y. Park, H.D. Cho, S.H. Han and M.Y. Choi	1971
Critical Threshold Value for Monitoring & Management of Cable Tension Force in Cable-Stayed Bridge H.N. Cho, Y.M. Choi, S.C. Lee, K.K. Kang and M.Y. Choi	1977
Health Monitoring Method Using Committee of Neural Networks J.W. Lee, J.H. Yi, J.D. Kim and C.B. Yun	1983
Running Safety Estimation of Korean Style High Speed Railway Vehicle Y.S. Ham, J.S. Hong and T.Y. Oh	1989
Wireless Instrumentation System for Measuring the Dynamic Characteristics of a Beam C.Y. Kim, I.B. Kwon, H.S. Kwon, M.Y. Choi and S.S. Lee	1995
Plastic Collapse Evaluation on the Notched Stainless Steel Piping Subjected to Combined Tension and Bending by Photo-Elastic Coating S. Izawa, M. Matsubara, K. Nezu and K. Sakamoto	2001
On-Line Monitoring of Cable Defects by RF Detection S.H. Lee, W.H. Lee, H.D. Jeong and C.H. Lee	2006
An Analysis of the Characteristics of SPG Bridges Using NExT and ERA for Real-Time Monitoring G.H. Heo, G. Lee, D.G. Lee, C.O. Lee and M.G. Kim	2012
A Faster Wavelet Analysis Algorithm Based on DSP/BIOS X.F. Zhang, K.R. Shi and L.N. Zheng	2018
Design Strategies for Phased Array Ultrasound Systems in Nondestructive Testing X.G. Xu, K.R. Shi and Y.F. Chen	2024
Potential for the Diagnosis of Micro Bone Fractures Using an Ultrasonic C-Scan Technique M.J. Choi, W.K. Park, J.H. Park, K.S. Kang, M.K. Jeong, D.G. Paeng and Y.J. Lee	2030
Ultrasonic Backscatter Response to Blood Flow Disturbance by a Severe Eccentric Stenosis D.G. Paeng, P.J. Cao, M.J. Choi and K.K. Shung	2036
Imaging of Thermally Ablated Tissue Using Ultrasonic Elastography Y.B. Ahn, M.K. Jeong, S.J. Kwon and M.J. Choi	2042

The Fatigue Delamination due to Four Different Stacking Sequences of Ankle Foot Orthosis (A.F.O.) in GFRP Laminates C.W. Kim, S.H. Song and D.J. Oh	2048
Ultrasonic Techniques to Assess the Properties of Hard and Soft Biological Tissues S.H. Wang and P.H. Tsui	2055
A Nondestructive Diagnostic Modeling for Muscular Dysfunction of Human Pharynx Using Finite Element Method S.M. Kim, S.J. Kim, H.S. Bae, B.C. Choi and J.H. Mun	2061
Evaluation of Dynamic Behavior of the Human Middle Ear with Nonhomogeneity by Finite Element Method S.H. Yoo, K.H. Park, S.K. Moon, W. Kim and J.H. Bae	2067
Nondestructive Evaluation of the Mechanical Behaviors of the Human Femoral Head with Osteonecrosis C.J. Byun and S.H. Yoo	2073
Evaluation of Human Bone Elastic Stiffness by Resonant Ultrasound Spectroscopy and Micro Finite Element Method S.H. Yoo, W. Kim, J.H. Moon and S.S. Lee	2079
Quantitative Estimation of Diffused Liver Diseases Using Ultrasound Echo Signal H. Hachiya and T. Yamaguchi	2085
In Vitro Evaluation of Fracture Resistance of Various Thickness Fiber-Reinforced Composite Inlay FPD Y.J. Yi, D.J. Yoon, J.H. Yang, C.J. Park and L.R. Cho	2093
Dynamic Bridge Structure Monitoring Using Smart Elastomeric Bearing Equipped with PVDF Polymer Film J.H. Kim, J.I. Lee, I.M. Choi, Y.K. Park and D.I. Kang	2101
ER/MR Fluids Characterization at High Frequencies J.H. Kim and C.H. Jo	2107
Dynamic Strain Measurement with Fiber Bragg Grating Sensor System for Smart Structure K.S. Kim	2114
Effects of Shape Memory Alloys on Structural Modification J.H. Roh, J.H. Han and I. Lee	2120
Application of Magnetorheological Fluid to Semi-Active Control of Building Structures by BRI and Partners H. Fujitani, H. Sodeyama, K. Hata, T. Hiwatashi, Y. Shiozaki, N. Inoue and S. Soda	2126
Multiplexing of FBG Sensor by Light Source Intensity Modulation I.B. Kwon, C.Y. Kim, D.J. Yoon, J.M. Seo and J.J. Lee	2134
Measurement of Material Properties of Composites under High Temperature Using Fiber Bragg Grating Sensors D.H. Kang, S.W. Park, S.H. Kim, C.G. Kim and C.S. Hong	2140
Simultaneous Monitoring of Crack Signals and Strain of Composites Using a Stabilized EFPI Sensor System D.H. Kim, C.G. Kim and C.S. Hong	2146
Design and Analysis of Multilayer Surface-Antenna-Structure C.S. You and W. Hwang	2152
Collocation Strategies of Piezoelectric Sensor and Actuator Pair for Smart Structures Y.S. Lee, S.J. Elliott and M.J. Brennan	2158
Effect of Crack Closure in Shape Memory Alloy TiNi Fiber Reinforced/CFRP Composite C.C. Lee, A. Shimamoto and F. Nogata	2164
Distribution of Unique Performances for Shape Memory Alloy Composite G. Murasawa, S. Yoneyama, K. Tohgo and M. Takashi	2172
Effect of Temperature Caused for Mechanical Characteristics and Crack Closure Effect of Shape-Memory Alloy Fiber Reinforced Composite K. Yamashita and A. Shimamoto	2179
Active Vibration Control Using Cantilever Beam of Smart Matrix Composite with Embedded Shape Memory Alloy T. Aoki and A. Shimamoto	2187
Application of Smart Materials to Composite Structures I. Lee, D.H. Kim, J.H. Roh and J.H. Han	2193

Risk-Informed Inservice Inspection Program for Ulchin Unit 4 B.S. Chung, S.Y. Hong, M. Kim, C.Y. Park, H.C. Oh and M.R. Seo	2199
Criteria of UT Thickness Measurement on Thinned Pipe Management Program S.H. Lee, H.S. Chung, T.R. Kim and S.C. Jeon	2204
Equipment Development and Nondestructive Examination Techniques for Inspection of Reactor Pressure Vessel Head Penetration M.H. Park, M.S. Park, K.S. Park, E.S. Doh and P.J. Boon	2210
Application of Nondestructive Testing Technique for Safeguards Inspection W.S. Park, W.W. Na, S.K. Kim and Y.M. Choi	2214
The Development of Fusion Sensor Techniques for Condition Monitoring of a Check Valve S.H. Seong, J.S. Kim, S. Hur, J.T. Kim, W.M. Park and D.B. Cha	2220
Development of a Web-Based Integrity Evaluation System for Primary Components in a Nuclear Power Plant S.M. Lee, J.C. Kim, J.B. Choi, Y.J. Kim, S.N. Choi, K.S. Jang and S.Y. Hong	2226
Development of an On-Line Ultrasonic System to Monitor Flow-Accelerated Corrosion of Piping in Nuclear Power Plants N.Y. Lee, C.B. Bahn, S.G. Lee, J.H. Kim, I.S. Hwang, J.H. Lee, J.T. Kim and V. Luk	2232
Inspection of the Defect in an Irradiated Fuel Rod Using the Probe of a Differential Encircling Coil Type D.S. Koo and H.C. Suk	2239
Development of an Integrity Evaluation System on the Basis of Cooperative Virtual Reality Environment for Reactor Pressure Vessel J.C. Kim, J.B. Choi, Y.J. Kim, Y.H. Choi, Y.W. Park and S. Yoshimura	2244
Irradiation Behavior of Fe-Cu Model Alloys Analyzed with the Positron Annihilation Lifetime Technique E.S. Kim, S.C. Kwon and J.H. Hong	2250
Hand-Eye Coordination of a Robot for the Automatic Inspection of Steam-Generator Tubes in Nuclear Power Plants D.H. Choi, Y.C. Song, J. Kim and J. Kim	2256
Fatigue Analysis of Nuclear Welded Structures Considering FSRE Based on NDE J.S. Kim, H.K. Youm and T.E. Jin	2262
SANS Study of Precipitate and Recrystallization in Ti-Added Extra Low Carbon Steels B.S. Seong, J.Y. Choi, E.J. Shin, Y.S. Han, K.P. Hong, C.H. Lee, H.R. Kim and H.C. Lee	2267
A Feasibility Study on Aluminum Nitride Pieces for an Application to the Nuclear Power Plant Flux Detector B.S. Moon, S.H. Han, I.K. Hwang, Y.H. Cho and C.E. Chung	2273
Development of a Neutron Tomography at HANARO S.W. Lee, J.C. Kim, C.M. Sim, K.P. Hong, J.K. Cheon, C.H. Lee and Y.J. Kim	2278
Detection of Cracks in Stud Bolts of Nuclear Reactor by Novel Ultrasonic Technique W.D. Oh, J.H. Lee, S.W. Choi and M.H. Park	2284
Development of Ultrasonic Inspection Technique for Epoxy Liner in Nuclear Fuel Interim Storage N.Y. Kim and S.S. Lee	2290
A Study on the Effect of Welding Residual Stress on Fatigue Behavior by Finite Element Analysis B.C. Goo, S.Y. Yang and D.Y. Lee	2296
A Study on the Effect of Welding Residual Stress and Weld Bead Profiles on Fatigue Behavior B.C. Goo, J.H. Kim, J.W. Seo and C.S. Seok	2302
On-Line Penetration Depth Measurement System Using Infrared Temperature Sensing on Co₂ Laser Welding M.Y. Lee and J.W. Kim	2308
Stereo Vision System for Welding Line Tracking Robot J. Kim, H. Jeong, D.H. Choi and J. Kim	2315
Outline of Laboratory Accreditation Scheme for Nondestructive Testing Organizations N. Ooka and M. Ebata	2321
Studies on the Microstructure and Corrosion Characteristics of Electrical Resistance Welded Steel B.Y. Lee and S.Y. Lee	2327

Measurement of Weld Bead Defect for Shock Absorber Using Laser Vision Sensor H. Lee, K. Sung, H. Park and S.H. Rhee	2332
A Study of Nondestructive Weld Quality Inspection and Estimation during Resistance Spot Welding T. Kim, Y.S. Lee, J. Lee and S.H. Rhee	2338
Non-Destructive Characteristics Evaluation for Low Vacuum Dry Pumps in the Semi-Conductor Manufacturing Process Line J.Y. Lim, W.S. Cheung and K.H. Chung	2345
A Study on an Accurate Seam Detecting Sensor for Laser Welding Automation J.R. Park, J.W. Park and K.S. Boo	2351
Neural Network Analysis for Evaluating Welding Process K.C. Kim and R.G. Maev	2357
CO₂ Laser Welding of 800MPa Grade TRIP Steel T.K. Han, S.S. Park and C.Y. Kang	2365
A Study on the Mechanical Behaviors in Welded Parts by Numerical Simulation H.S. Bang, Y.P. Kim, S.M. Joo, J.M. Kim and W.S. Hwang	2371
A Study on the Lamination Produced by Corner Joint Welding of Ultra Thick Plate by Newly Designed Z-Quality Evaluation Methods W.S. Chang, T.Y. Yoon and H.S. Bang	2377
Basic Experiments by Hybrid Welding to Steels for Shipbuilding S.M. Joo, Y.P. Kim, C.S. Ro, H.S. Bang and J.U. Park	2383
Welding of Steel and Aluminum by Nd-YAG Laser S.M. Joo, Y.P. Kim, H.S. Bang, S. Katayama and W.S. Hwang	2389