

Table of Contents

Sponsors and Committees

Preface

I. Precision Machining

Precision Mould Making – From Macro to Micro

E. Brinksmeier and J. Osmer 1

Compound Micro/Nano Machining – A Tool-Based Innovative and Integrated Approach

M. Rahman, A.B.M.A. Asad, T. Masaki, Y.S. Wong and A. Senthil Kumar 9

Removal and Fracture Characteristics of Cemented Tungsten Carbide under

Nanoindenting and Nanoscratching

R. Irwan and H. Huang 16

Ductile and Brittle Mode Grinding of Fused Silica

P. Yao, N. Yoshihara, N. Hitomi, J.W. Yan and T. Kuriyagawa 21

Study and Optimization of Polymer Lapping on D2 Steel

Y.Y. Zhang, I.D. Marinescu and R. VandenBoom 26

Effects of Crystallographic Structure on Machining Performance with Polycrystalline

Oxygen Free Copper by a Single Crystalline Diamond Micro-Tool

X. Ding, L.C. Lee, D.L. Butler and K.C. Shaw 31

Ultraprecision Microgrooving of Hard Material by Means of Cutting Point Swivel Machining

X.R. Tang, M. Yoshinaga, K. Nakamoto, T. Ishida and Y. Takeuchi 36

The Effect of One Directional Ultrasonic Vibration Assistance in High Speed Meso-Scale Milling Process

J.H. Ko, K.C. Shaw, H.K. Chua and R.M. Lin 41

Ultra Precision Machining of Non-Ferrous Metals and Nitrocarburized Tool Steel

J. Osmer, A. Meier, R. Gläbe, O. Riemer and E. Brinksmeier 46

Effects of Insert Nose Radius and Processing Cutting Parameter on the Surface Roughness of Aisi 316 Stainless Steel

M.F. Abdullah, M.I.H. Chua Abdullah, A.B. Sulong and J.A. Ghani 51

Measurement of Spindle Thermal Growth on a Machine Intended for Micro/Meso Scale Milling

J.B. Saedon, S.L. Soo and D.K. Aspinwall 55

Basic Characteristics of a Simultaneous Double-Side CMP Machine, Housed in a Sealed, Pressure-Resistant Container

K. Kitamura, T.K. Doi, S. Kurokawa, Y. Umezaki, Y. Matsukawa, Y. Ooki, T. Hasegawa, I.
Koshiyama, K. Ichikawa and Y. Nakamura 61

Atomic-Scale Planarization of Single Crystal Diamond Substrates by Ultraviolet Rays Assisted Machining

M. Touge, S. Anan, S. Wada, A. Kubota, Y. Nakanishi and J. Watanabe 66

Achieving High Flatness of Workpiece Edge Shape by Considering Polishing Pressure

T. Miyake and T. Enomoto 71

Microstructural Changes during Precision Machining of Thin Substrates

K. Saptaji and S. Sathyan 76

A Feasibility Study on Laser-Mechanical Drilling of SiC Ceramics

C. Nath, G.K.L. Ng, G.C. Lim and J.H. Ko 81

The Application of Nanotechnology for Mechanical Manufacturing

L.Z. Gu, Q. Hong and C.J. Xiang 86

Forming of Microstructure on Hard Brittle Materials in Ductile Mode Cutting

K. Kuriyama, M. Fukuta, K. Sekiya, K. Yamada and Y. Yamane 91

Improvement in Drilling Performance of Micro Compound Tool

O. Ohnishi, H. Onikura, T. Eguchi, M. Aziz, T.K. Doi and S. Kurokawa 96

Fabrication of a Beam Shaping Lens for Chip Scale Packaged LEDs

J.Y. Joo, C.S. Kang, S.S. Park and S.K. Lee 101

| | |
|--|-----|
| Effect of Wheel Additive On Chemo-Mechanical Grinding (CMG) of Single Crystal Si Wafer H. Takahashi, Y.B. Tian, Y. Mikami, J. Shimizu, L.B. Zhou, Y. Tashiro, H. Iwase and S. Kamiya | 106 |
| A Study of Wear Characteristics of Superpolished Orthopaedic Implant Materials Using Ultra-Precision Polishing C.F. Cheung, W.B. Lee, P. Charlton and S. To | 111 |
| An Experimental Study on Microcutting of Soda-Lime Glass by Milling Process M. Arif, M. Rahman and Y.S. Wong | 116 |
| Investigation of Copying Rate of Tool Motions on Workpiece Profile D. Kono and A. Matsubara | 121 |
| Efficiency and Wear Behavior of the Abrasive Flow Machining Processing A.C. Wang, C.H. Liu, Y.C. Lin and S.H. Pai | 126 |
| Development and Test of CVD-Diamond Microgrinding Wheels H.W. Hoffmeister and R. Wittmer | 131 |
| Analysis of Motion Trajectory and Dwell Time of Abrasive in Magnetorheological Finishing with Tiny-Grinding Wheel Cluster J.F. Chai, Q.S. Yan, J.B. Lu and L.Y. Kong | 136 |
| Polishing Mechanism of Glass Substrates with its Processing Characteristics by Cerium Oxide and Manganese Oxide Slurries T. Yamazaki, T.K. Doi, S. Kurokawa, S. Isayama, Y. Umezaki, Y. Matsukawa, H. Kono, Y. Akagami, Y. Yamaguchi and Y. Kawase | 141 |
| Advanced Lapping and Polishing Methods for Planarizing a Single-Crystal 4H-Sic Utilizing Fe Abrasive Particles A. Kubota, M. Yoshimura, T. Watayo, Y. Nakanishi and M. Touge | 146 |
| Methods for Prevention of Ignition during Machining of Magnesium Alloys J.Z. Hou, W. Zhou and N. Zhao | 150 |
| Ultraprecision ELID-Grinding of Aspheric WC Lens Mold for Plastic Injection Molding A. Nemoto, H. Ohmori, Y. Murata and N. Itoh | 155 |
| Effects of Electrolyte Formulas on Electrochemical Polish Planarization of Pure Copper J.C. Huang, Y.J. Weng, Y.C. Weng, Y.F. Chan, H.K. Liu and H.S. Fang | 159 |

II. Non-Traditional Machining

| | |
|---|-----|
| Development of 2DOF Ultrasonic Vibration Cutting Device for Ultraprecision Elliptical Vibration Cutting T. Moriwaki | 164 |
| Investigation on Influences by Adapting Additives to Electrolytic In-Process Dressing (ELID) Grinding N. Lou, I.D. Marinescu and M.C. Weismiller | 169 |
| Focused Ion Beam Nano-Precision Machining for Analyzing Photonic Structures in Butterfly H.X. Wang, W. Zhou and E.P. Li | 174 |
| Reverse Simulation of Sinking EDM for Intricate Shapes Y. Kaneko and M. Kunieda | 178 |
| Machined Surface Characteristics and Removal Mechanism of Soft and Brittle Solids Z.Y. Zhang, R. Irwan and H. Huang | 183 |
| Nickel Injection Mould Fabrication via Proton Beam Writing and UV Lithography N.N. Liu, P.G. Shao, S.R. Kulkarni, J.H. Zhao and J.A. van Kan | 188 |
| Parametric Study of Micro Machining Three Dimensional Microstructure with the Tiny-Grinding Wheel Based on the EMR Effect W.Q. Gao, Q.S. Yan, Y. Liu, J.B. Lu and L.Y. Kong | 193 |
| Effect of Tool Cone Angle on Micro Machining Based on the EMR Effect Y. Liu, Q.S. Yan, J.B. Lu, L.Y. Kong and W.Q. Gao | 198 |
| On-Machine Heat Treatment System Using YAG Laser: Laser Hardening of Micro-Cutting Edge K. Ogawa, H. Nakagawa and A. Ohtsuka | 203 |
| Fabrication of Ultraprecision Millimeter-Thick Elliptical Neutron Focusing Mirror Substrate by Local Wet Etching F. Yamaga, M. Nagano, N. Zettsu, D. Yamazaki, R. Maruyama, K. Soyama and K. Yamamura | 208 |

| | |
|--|-----|
| Fabrication of Damage-Free Curved Silicon Crystal Substrate for a Focusing X-Ray Spectrometer by Plasma Chemical Vaporization Machining | 213 |
| M. Hosoda, K. Ueda, M. Nagano, N. Zettsu, S. Shimada, K. Taniguchi and K. Yamamura | |
| Effect of Substrate Heating in Thickness Correction of Quartz Crystal Wafer by Plasma Chemical Vaporization Machining | 218 |
| M. Ueda, M. Shibahara, N. Zettsu and K. Yamamura | |
| Research on Ultrasonic Vibration Combined with Grinding Machining and its Application in Processing Brittle Hard Materials | 223 |
| Y.J. Zhang, Y.J. Tang and X.K. Liu | |
| Study on Machining of Cracking Notches for Automotive Connecting Rod Using WEDM | 228 |
| Y.J. Tang, Y.B. Li, Y.J. Zhang and C.Q. Zhou | |
| Micro-EDM for an Aluminium Matrix Composite | 233 |
| F.Q. Hu, B.Y. Song, J.C. Bai, P.J. Hou, H.C. Chen and H. Zhang | |
| Electrical Discharge Machining of Submicron-Diameter Micropins | 238 |
| H. Ueno, Y. Kono and K. Egashira | |
| The Function Deployment of EDM Machine Tools | 242 |
| R. Xue, C.N. Guo, X.X. Yang and J.Y. Pei | |
| Practical Design for Energy-Saving EDM Supply System | 247 |
| Y.K. Wang, Z.L. Wang, B.Y. Song and F.Q. Hu | |
| Study of Dynamic Magnetic Field Assisted Finishing for Metal Mold Using Magnetic Compound Fluid (MCF) | 258 |
| T. Sato, Y.B. Wu, W.M. Lin and K. Shimada | |
| Study on Influence of Stray Inductance in Micro EDM Using Electrostatic Induction Feeding Method | 263 |
| X.D. Yang, Y. Wan and F.Q. Hu | |
| High Spindle Speed Wire Electrical Discharge Grinding Using Electrostatic Induction Feeding Method | 268 |
| Y. Yahagi, T. Koyano, M. Kunieda and X.D. Yang | |
| Deterministic Process Modelling of Micro Air Abrasive Jet Machining of Glass Channel | 272 |
| S. Wan, W.S. Fong and Q.Y. Leong | |
| Strategies for Polymer Welding with High-Power Diode Lasers | 277 |
| W. Horn | |
| Performance of Bunched-Electrode in EDM | 282 |
| L. Gu, L. Li, W.S. Zhao and K.P. Rajurkar | |

III. Manufacturing Systems

| | |
|---|-----|
| Automatic Manufacturing Feature Extraction of CAD Models for Machining | 287 |
| Y. Narabu, J. Zhu, T. Tanaka and Y. Saito | |
| The Tool Path Generation by Using Configuration Space for Five-Axis Controlled Machining - Application to Rough Cutting by Using Square End Mill - | 292 |
| T. Masuda and K. Morishige | |
| Gear Precision and Cutting Force in Dry Hobbing Gear Cutting for Gears Made of Brass Material | 297 |
| T. Abe and K. Fukunaga | |
| Towards Smart and Competitive Sustainable Machining | 301 |
| P.L. Liu | |
| Integrated Production Planning, Scheduling and Shop Floor Tracking System for High-Mix Low-Volume Manufacturing - A Consortium Approach | 306 |
| T.J. Chua, C.H. Tan, T.X. Cai, G.H. Phua, L.L. Aw and Y.L. Huang | |
| Optimal Vacation Policy for a Manufacturing Facility Using Retrial System | 316 |
| W.M. Yeo and X.M. Yuan | |
| Tool Path Planning Assist System for Freeform Surface Machining | 321 |
| J. Zhu, K. Nomura, T. Tanaka and Y. Saito | |
| Intelligent AGV Control of Autonomous Decentralized FMS by Oblivion and Memory | 326 |
| H. Yamamoto and T. Yamada | |
| Planning and Optimizing Projects for MRO | 336 |
| A.N. Zhang, K.W. Lye, B. Ma, D. Loke, S. Kumar and Y.Y. Chan | |

| | |
|--|-----|
| Design Approach for Jig in Computer Assisted Total Knee Replacement Surgery | 341 |
| A.B. Sulong, M.I.H. Chua Abdullah, M.F. Abdullah, S.W. Koon, N.H.N. Yahya and R. Ramli | |

IV. Advanced Moulding and Forming

| | |
|---|-----|
| Micro Incremental Forming Characteristics of Stainless Foil | 346 |
| T. Sekine and T. Obikawa | |
| Manufacturing of High-Grade Micro Components by Powder Injection Molding | 351 |
| V. Piotter, K. Plewa, T. Mueller, A. Ruh, E. Vorster, H.J. Ritzhaupt-Kleissl and J. Hausselt | |
| A Study on Application of Making Porous Micro-Structural Aluminum Oxide Template by Anodic Aluminum Oxide Processing Technology in Cell Reproduction | 356 |
| Y.J. Weng, J.C. Huang, Y.C. Weng, Y.C. Wong, H.K. Liu and S.Y. Yang | |
| Comparing Microgroove Array Forming with Micropyramid Array Forming in the Glass Molding Press | 361 |
| T.F. Zhou, J.W. Yan and T. Kuriyagawa | |
| Design and Fabrication of Composite Solar Concentrator | 366 |
| Y. Cheng, F.Z. Fang, X.D. Zhang and X.T. Hu | |
| Study on Precise Stamping under Eccentric Load Using a Multi-Point Die-Support Structure | 371 |
| T. Ohashi, H.J. Lian and S. Saito | |
| Development of Bi-Layer Porosity Graded Ceramic Component | 376 |
| Z.Y.A. Ong, S.X. Zhang, T. Li and Q.F. Li | |
| Investigation of Microstructure and Hardness in Microfoming of Pure Copper Pins | 381 |
| E. Ghassemali, A.W.E. Jarfors, M.J. Tan, S.C.V. Lim and M.Q. Chew | |
| Improving the Sensitivity of T-Shape Test to Friction Conditions for the Evaluation of Friction Behaviour in Microforming | 386 |
| M. Taureza, S. Castagne and Y. Aue-U-Lan | |
| Research on Hygrothermal Aging of Dynamic Injection Molded Polypropylene Products | 391 |
| B. Liu, S.J. Wu, Q.H. Liu and J.P. Qu | |
| Fabrication and Molding Testing of the Blazed Gratings for Microoptics Applications | 396 |
| C.B. Lee and S.K. Lee | |
| Feasibility Study on Producing Components with Embedded Channel by Powder Injection Moulding | 401 |
| S.X. Zhang, Z.Y.A. Ong, T. Li, Q.F. Li and F.L. Ng | |
| FEM-Based Modeling of Dynamic Recrystallization of AISI 52100 Steel Using Cellular Automaton Method | 406 |
| K.L. Wang, M.W. Fu and J. Lu | |
| Strength Evaluation of Joint Formed by Powder Injection Molding | 412 |
| T. Li, S.X. Zhang, Q.F. Li, S.F. Pook and Z.Y.A. Ong | |
| FEM Investigation of Particle Behavior in Particulate Reinforced Metal-Matrix Composites during Micro-Extrusion | 417 |
| X.P. Zhang and S. Castagne | |
| Spin Formability of Al-6061 Aluminum Alloy Pre-Forms Obtained via Liquid Forging | 422 |
| C.W. Su, P.H. Oon, K.S. Fong, H. Sina and C.C. Wong | |
| Experimental Investigation of Flaring in the Warm Flow-Forming of AZ31 Magnesium Cups | 427 |
| K.S. Fong, C.C. Wong and D. Atsushi | |
| Process and Material Property Effects in the Progressive Forming of Micro-Pins | 432 |
| S.C.V. Lim, Y. Aue-U-Lan, D. Atsushi, M.Q. Chew and C.C. Wong | |
| Investigation of Process Parameters in Superplastic Forming of Mechanical Pre-Formed Sheet by FEM | 437 |
| J. Liu, M.J. Tan, S. Castagne, Y. Aue-U-Lan, K.S. Fong and A.W.E. Jarfors | |

V. Machine Condition Monitoring, Control and Diagnosis

| | |
|--|-----|
| Development of CAD System Based on Function Features | 442 |
| S. Ando, R. Ikeda, H. Aoyama and N. Hiruma | |
| Automatic Egg-Cell Gathering by Two Versatile Miniature Robots and a Miniature Pump on an Inverted Microscopy | 447 |
| O. Fuchiwaki, T. Ichikawa and T. Yamagiwa | |

VI. Micro & Nano-Electromechanical Systems, Microfluidics

Sub Micron Poly-Dimethyl Siloxane (PDMS) Replication Using Proton Beam Fabricated Nickel Moulds

P.G. Shao, J.A. van Kan and F. Watt 452

Micro Machining of Metal Injection Mould with Micro Channel Features of Tens Micro Meters for Polymer Microfluidic Devices Manufacturing

K. Liu, J.H. Zhao, K.C. Shaw, H. Wu and F.L. Ng 456

Joint Formation Mechanism and Strength in Resistance Microwelding of Brass Sheet to Fine Insulated Cu Wire

B.H. Mo, Z.N. Guo, Y.B. Li and C. Liu 461

Electrostatic Control and the Need of Feedback Control Ionization in Critical Environment of MEMS Manufacturing Process

A. Chakkaew and W. Titiroongruang 466

VII. Mechatronics

An Easy-to-Manufacture 2 Degree-of-Freedom Remote Center of Compliance for Micro-Transfer Printing

N. Ahmed, R. Saeidpourazar and P.M. Ferreira 471

Screw-Driven Multi-Channel Peristaltic Pump for Pneumatic Micro Actuator System

W. Rhee and T. Higuchi 478

Hot-Embossing of Microstructures on Large Area of Polymers

W. Lin, W.J. Chen, C.M. Kiew, C.L. Ng, H. Luo, C.S. Teo and G.L. Yang 483

Micro-Object Orientation Control by Using Different Vibration Modes of Board Stage

T. Tateno, A. Kakuta and K. Okui 488

Precision Motion Control with Active Eddy Current Damper

C.S. Teo, C.J. Ong, C.J. Ho, S. Huang and K.K. Tan 493

Piezo Actuator and its Hysteresis Compensation for an Active Clamping System in Wood Machining

H.W. Hoffmeister, K. Loeis and B.C. Schuller 498

An Multi-Axis Spindle for Automated Coaxial Alignment

W.J. Chen, W. Lin, H. Luo, L.S. Wong and G.L. Yang 503

Development of a Linear-Motor-Driven Table Supported by Hydrostatic Water Bearings: Effect of Air Volume Contained in Water-Supply Tube on Pitching Motion of Table Slider

A. Yui, G. Okahata, S. Okuyama, H. Kobayashi and A.H. Slocum 508

Development of Piezo Driven Inchworm Micro X-Y Stage and Hemispherical Tilting Positioner with Microscope Head

H. Aoyama, H. Chiba, M. Takizawa, Y. Itami, Y. Irie and S. Hirata 513

VIII. Measurement and Test

Surface Characterization with an Ionization Probe

C. Yang, A. Zharin and S. Danyluk 518

An Optical Fiber Probe for 3-D Micro Metrology

H. Murakami, A. Katsuki, H. Onikura, T. Sajima, N. Kawagoishi, E. Kondo and T. Honda 524

Development of an On-Machine Machining Error Measurement and Compensation System for Micro Milling Process

S.M. Wang, H.J. Yu, J.P. Yang and D.F. Chen 529

Automatic Surface Characterization for Micro-Structured Surfaces Fabricated by Fast Tool Servo Diamond Turning

D.P. Yu, Y.S. Wong and G.S. Hong 534

Deformation Mode Construction Using Photoresist Microstructure Devices Produced with Nanoindentation Technology

Y.J. Weng, Y.C. Weng, H.K. Liu and L.H. Chiu 539

Design of Digital Filters for Si Wafer Surface Profile Measurement - Noise Reduction by Wavelet Transform -

M. Ono, K. Nonomura, L.B. Zhou and J. Shimizu 544

| | |
|--|-----|
| Nanoindentation of Multi-Wall CNT Reinforced Al Composites | 549 |
| J.Z. Liao, J.J. Pang and M.J. Tan | |
| Design Models of Polymer Electrolyte Membrane Fuel Cell System | 554 |
| Mulyazmi, W.R. Wan Daud and E.H. Majlan | |
| Review on Serpentine Flow Field Design for PEM Fuel Cell System | 559 |
| M. Erni, W.R. Wan Daud and E.H. Majlan | |

IX. Optical Measurement

| | |
|--|-----|
| Uncertainty Estimation in Intelligent Coordinate and Profile Measurement | 564 |
| K. Takamasu, S. Takahashi and X. Chen | |
| Quality Control Method Based on Gear Tooth Contact Evaluation Using Near-Infrared Ray Imagery | 569 |
| M. Nagata, T. Hirogaki, E. Aoyama, T. Iida, Y. Uenishi, M. Matsubara and Y. Usui | |
| Plasmonic Lens for Nanometrology | 574 |
| J. Wang and W. Zhou | |
| A Novel High-Resolution Optical Displacement Encoder Design Based on Double-Concave Lens | 579 |
| Y.H. Fan, Y.T. Lee, C.Y. Chen, Y.L. Liao and C.E. Chen | |
| Optical Sensing Based on Localized Surface Plasmon Resonance | 584 |
| S.L. Zhu and W. Zhou | |
| A Multi-Probe Measurement Method to Evaluate the Yaw and Straightness Errors of XY Stage on High Precision CMM | 590 |
| P. Yang, S. Shibata, S. Takahashi, K. Takamasu, O. Sato, S. Osawa and T. Takatsuji | |
| Development of In-Process Evaluation for Microlens Mold Using Angle Resolved Scattering System | 595 |
| T. Hayashi, N. Yuki and Y. Takaya | |
| Video-Based Interferogram Analysis for Measuring Influence of Vibration to White Light Interferometry | 599 |
| W.K. Chong, X. Li and S. Wijesoma | |
| Profile Measurement of Large Aspheric Optical Surface by Scanning Deflectometry with Rotatable Optical Devices - Error Analysis and Pre-Experiment- | 604 |
| M.Z. Xiao, S. Jujo, S. Takahashi and K. Takamasu | |
| Laser-Pointer Rangefinder between Mobile Robot and Obstacles via Webcam Based | 609 |
| S. Shojaeipour, B. Parhizkar, A. Hosseiniemmar, A. Shojaeipour, H. Esfandiari, E. Mobasher and Z.M. Binti Gebril | |

X. Advanced Materials and Functional Surfaces

| | |
|--|-----|
| Electrical Conductivity and Micro Hardness of Synthetic and Natural Graphite Epoxy Composite | 614 |
| H. Suherman, J. Sahari and A.B. Sulong | |
| Effects of Molecular Weight and Annealing on Electrical Conductivity of Multi-Walled Carbon Nanotube/Polypropylene Composites | 619 |
| Y.Z. Pan, L. Li, S.H. Chan and J.H. Zhao | |
| Drilling of Titanium/CFRP/Aluminium Stacks | 624 |
| I. Shyha, S.L. Soo, D.K. Aspinwall, S. Bradley, S. Dawson and C.J. Pretorius | |
| Molecular Interactions in PA6, LCP and their Blend Incorporated with Functionalized Carbon Nanotubes | 634 |
| H.K.F. Cheng, N.G. Sahoo, L. Li, S.H. Chan and J.H. Zhao | |
| Fiber-Compled and Reeled Microstructure of Insect Cuticle and Biomimetic Fabrication | 639 |
| B. Chen, Q. Yuan and J. Luo | |
| Electrical Conductivity and Flexural Strength of Graphite/Carbon Nanotubes/Epoxy Nanocomposites | 643 |
| H. Suherman, J. Sahari, A.B. Sulong and R.N. Royan | |
| Fiber-Intersected Microstructure of Cockle Shell and Biomimetic Fabrication | 648 |
| B. Chen, Q. Yuan and J. Luo | |
| Effect of Mixture of Plasticizer on the Thermoplastics Formability of Polyvinyl Alcohol (PVA) | 652 |
| B. Liu, D. Qiu and C.Z. Zhao | |

| | |
|---|-----|
| Fiber-Spiral Microstructures of Bamboo and Biomimetic Research | 657 |
| B. Chen, Q. Yuan and J. Luo | |
| Combinatorial Searching for Ni-Nb-Zr Amorphous Alloys as Glass Lens Molding Die Materials | |
| J. Sakurai, M. Abe, M. Ando and S. Hata | 661 |
| Fabrication of Dense Composite Ceramic Electrolyte SDC-(Li/Na)₂CO₃ | |
| R. Jarot, A. Muchtar, W.R. Wan Daud, N. Muhamad and E.H. Majlan | 666 |
| Optimisation of Processing Parameters of Titanium Foams Using Taguchi Method for Compressive Strength | |
| S. Ahmad, N. Muhamad, A. Muchtar, J. Sahari, K.R. Jamaludin, M.H.I. Ibrahim and N.H.M. Nor | 671 |
| Micro Texturing of Polycarbonate Plate with Ion Beam Irradiation and its Friction Properties in Water | |
| N. Umebara, Y. Demizu, J. Nishio and T. Tokoroyama | 676 |
| Tribology of Micro Milled Surfaces | |
| S. Twardy, O. Riemer and E. Brinksmeier | 681 |
| Surface Micro-Structuring Using Polymer Elongation | |
| A. Kaneko, H. Kobayashi and N. Moronuki | 685 |
| Safe and Comfort Design of Micro-Structured Surfaces for Artifacts in Contact with Human | |
| N. Moronuki and A. Kaneko | 690 |
| Surface Modification of AZ91D Magnesium Alloy Using Millisecond, Nanosecond and Femtosecond Lasers | |
| Y.C. Guan, W. Zhou, H.Y. Zheng and Z.L. Li | 695 |
| Thin Film of Palladium on Alumina Ceramic Membrane Tube: Effect of Combine Sol-Gel Process with Electroless Plating on Deposits Morphology | |
| S. Ratna, Z. Yaakob, I. Manal and W.R. Wan Daud | 700 |
| Thermal Conductivity of CrAlN and TiAlN Coatings Deposited by Lateral Rotating Cathode Arc | |
| M.K. Samani, G.C.K. Chen, X.Z. Ding and X.T. Zeng | 705 |
| Flexible Transparent Conducting Film by Hot Embossing | |
| A. Suparerk, W.T. Kerk, H. Wu and H.J. Lu | 710 |
| Characterization of Silicon Wafer Surface Irradiated with Fiber Laser | |
| H. Farrokhi, W. Zhou, H.Y. Zheng and Z.L. Li | 715 |
| Chemical Surface Treatment for Enhanced Bonding Strength between Polymer Coating and Aluminum Alloy | |
| L.Y.L. Wu, Y.Y. Feng and G.J. Qi | 720 |
| Thermal Stability and Oxidation Resistance of CrAlSiN Nano-Structured Coatings Deposited by Lateral Rotating Cathode Arc | |
| J.Y. Cheong, X.Z. Ding, B.K. Tay and X.T. Zeng | 725 |
| Influence of Crystal Structure, Morphology and Sodium Ion on the Photocatalytic Reactivity of Spray Deposited Titanium Dioxide Film | |
| R. Cai, W.K. Tan, F.L. Ng and C.Q. Sun | 734 |
| Room Temperature Processed Hard Easy Clean Coating Using Ammonia Treatment | |
| X. Zhang, M. Qian, Y.C. Liu and H. Xie | 740 |

XI. Bio and Medical Manufacturing

| | |
|--|-----|
| Micro-Laser Welding of Plastics for the Applications in Micro-Fluidic Devices | |
| G.J. Bi, S.H. Ng, K.T. May and C.Z. Chan | 745 |
| A Portable Device for Fabricating Biomaterial Microfiber Bundles | |
| A. Liu, J. An, C.K. Chua and K.F. Leong | 750 |
| Biodegradable Microfluidic Device: Hydrolysis, Decomposition and Surface Modification | |
| J.E. Low, W.X. Koh, J.K. Lai, Y.J. Lee, X. Li, G. Chen, Y.K. Juay and J.H. Zhao | 755 |

XII. Green and Sustainable Manufacturing

| | |
|---|-----|
| Fabrication of Binder-Free Green Composite Using Bamboo Fibers Extracted with a Machining Center | |
| K. Ogawa, T. Hirogaki, E. Aoyama, M. Taniguchi and S. Ogawa | 760 |

| | |
|---|-----|
| Economic Viability of Nickel Recovery from Waste Catalyst Q.Z. Yang, R.S. Ng, G.J. Qi, H.C. Low and Y.P. Zhang | 765 |
| Nickel-Hydroxyapatite as Biomaterial Catalysts for Hydrogen Production via Glycerol Steam Reforming H. Lukman, Z. Yaakob, I. Manal and W.R. Wan Daud | 770 |
| Study Effect of Stress in the Electrical Contact Resistance of Bipolar Plate and Membrane Electrode Assembly in Proton Exchange Membrane Fuel Cell: A Review K. Miftah, W.R. Wan Daud and E.H. Majlan | 775 |

XIII. Rapid Manufacturing

| | |
|---|-----|
| Properties of Test Coupons Fabricated by Selective Laser Melting A. Liu, C.K. Chua and K.F. Leong | 780 |
| Study on Reduction of Residual Stress Induced during Rapid Tooling Process: Influence of Heating Conditions on Residual Stress T. Furumoto, T. Ueda, M.S. Abdul Aziz, A. Hosokawa and R. Tanaka | 785 |
| Effects of Molding Parameters and Addition of Fillers on Gate Chip Off Formation during the Degating Process in Transfer Molding A.B. Sulong, G.T. Keong and J. Sahari | 790 |
| Driving – A Flexible Manufacturing Method for Individualized Sheet Metal Products D. Scherer, Z. Yang and H. Hoffmann | 795 |

XIV. Machine Tools

| | |
|--|-----|
| Multi-Axis Control Ultraprecision Micromilling Y. Takeuchi | 801 |
| Thermal Behavior and Tool Failures on Rotary Cutting of Difficult-to-Cut Materials Utilizing Multi Tasking Lathe H. Yamamoto, K. Satake, H. Sasahara, T. Narita, M. Tsutsumi and T. Muraki | 806 |
| Surface Integrity in MQL Drilling Nickel-Based Superalloy E.A. Rahim and H. Sasahara | 811 |
| Effect of Machining Parameters and MQL Liquids on Surface Integrity of High Speed Drilling Ti-6Al-4V E.A. Rahim and H. Sasahara | 816 |
| Investigation on the Cutting Process of Plasma Sprayed Iron Base Alloys K. Ding, H. Sasahara, S. Adachi and K. Nishimura | 821 |
| Development of Flexible Worktable for Endmilling Based on Parallel Mechanism T. Tanaka, M. Komori, J. Zhu and Y. Saito | 826 |
| New Type MEDM Machine Tool and its Control Technology L.X. Zhang, F. Ji, Y.B. Zhang, X.H. Tang and J.G. He | 831 |
| Effect of Rapid-Feed Step-Drilling Cycle and Super-High-Speed Spindle for High-Speed Micro Drilling in Printed Wiring Boards E. Aoyama, T. Hirogaki, K. Ogawa, S. Nojiri and Y. Takeda | 836 |