

Table of Contents

Preface

Lead Free Piezoelectrics

Phase Transition and Structural Analysis of (Li,Na,K)NbO₃ Lead-Free Piezoelectric Ceramics

K. Kakimoto, T. Hotta and H. Ohsato 3

Defect Structure and Electrical Property of Na_{0.5}K_{0.5}NbO₃ Lead-Free Piezoceramics

H. Matsudo, K. Kakimoto and I. Kagomiya 9

Domain Wall Engineering in Lead-Free Piezoelectric Materials

S. Wada and P. Pulpan 13

Crystal Growth and Electrical Properties of Na_{0.5}Bi_{0.5}TiO₃-BaTiO₃ Lead-Free Ferroelectric Piezocrystals

C. Chen, X.Y. Zhao, H. Liu, W.W. Ge, H.S. Luo and X.P. Jiang 17

Piezoelectric Properties of *c*-Axis-Oriented (Sr,Ca)₂NaNb₅O₁₅ Piezoelectric Ceramics with Single-Plate Type and Multilayered Type Fabricated Using Crystal-Oriented Sheet Forming

H. Shimizu, Y. Doshida, S. Tanaka and K. Uematsu 21

Preparation and Characterization of Lead Free Multi-Layer Ceramic Actuators with Ni Inner Electrodes Prepared by Inkjet Printing

Y. Sakai, T. Futakuchi and M. Adachi 26

Growth and Characterization of Bismuth Magnesium Titanate Bi(Mg_{1/2}Ti_{1/2})O₃

Y. Yoneda, H. Saitoh, K. Yoshii, T. Nishida, H. Hayakawa and N. Ikeda 30

Phase Diagram and Microstructure Analysis of Barium Titanate – Potassium Niobate System Piezoelectric Ceramics

S. Wada, M. Nitta, N. Kumada, D. Tanaka, M. Furakawa, C. Moriyoshi and Y. Kuroiwa 34

Crystal Structure Analysis of Barium Titanate – Bismuth Perovskite-Type Oxide System Ceramics and their Piezoelectric Property

K. Yamato, N. Kumada, C. Moriyoshi, Y. Kuroiwa, B.Y. Lee, T. Iijima and S. Wada 38

Electrical Properties and Phase Transition Behavior of (Li,Na,Ba)(Nb,Ti)O₃ Lead-Free Piezoelectric Ceramics

R. Aoyagi, R. Rinaldi, N. Sumiyama, M. Iwata and M. Maeda 42

Electrical Properties and Piezoelectric Properties of CaBi₂Ta₂O₉-Based Ceramics

T. Tokusu, H. Miyabayashi, Y. Hiruma, H. Nagata and T. Takenaka 46

Preparation of CaBi₄Ti₄O₁₅ Based Thick Films on Si Substrates by Screen Printing

T. Kakuda, T. Futakuchi, T. Obata, Y. Sakai and M. Adachi 50

Effects of Compressive Stress on Dielectric Properties of Lead-Free (Bi_{1/2}Na_{1/2})TiO₃-(K_{1/2}Na_{1/2})NbO₃ Ceramic Systems

T. Sareein, M. Unruan, A. Ngamjarurojana, S. Ananta and R. Yimnirun 54

Microwave Dielectrics

Dielectric Properties of Low-Temperature Sintered Ba_{0.6}Sr_{0.4}TiO₃ Ceramics by Addition of Bi₂O₃-CuO Mixed Oxides

H.T. Jiang, J.W. Zhai, J.J. Zhang and X. Yao 61

Investigation on the Effect of Mn on the Dielectric Properties of Ba_{0.4}Sr_{0.6}TiO₃/MgAl₂O₄/MgO Composite Ceramics

J.J. Zhang, J.W. Zhai, M.W. Zhang and X. Yao 65

B-O Bond Character and Microwave Dielectric Properties of (1-x)CaTiO₃-xCa(Zn_{1/3}Nb_{2/3})O₃ Perovskite Ceramics

J. Shen, W. Chen, J. Zhou, J. Zhu and Q. Lei 69

Microwave Characterization Techniques for High K Thin Films

K. Sudheendran and K.C.J. Raju 73

Origin of High Q for Microwave Complex Perovskite H. Ohsato, E. Koga, I. Kagomiya and K. Kakimoto	77
Thin Films	
ZnO Nanoarrays Film Grown by Forced-Hydrolysis-Initiated-Nucleation Technique and its Photo-Induced Electrical Property X.L. Hu, Y. Masuda, T. Ohji and K. Kato	83
Effect of Incubation Time on Deposition Behavior of Ruthenium Films by MOCVD Using (2,4-Dimethylpentadienyl)(Ethylcyclopentadienyl)Ruthenium M. Hirano, K. Kawano and H. Funakubo	87
Effects of UV Irradiation on Microstructure and Properties of HfO_2 Films Prepared from Alkoxy-Derived Precursor Solution K. Suzuki and K. Kato	91
Measurement of d_{15} Shear-Mode Piezoelectric Response in PZT Thin Film T. Aoki, S. Umemiya, M. Hida and K. Kurihara	95
Polarized Raman Study for Epitaxial PZT Thick Film with the Mixture Orientation of (100)/(001) M. Nakajima, T. Fujisawa, K. Nishida, T. Yamamoto, M. Osada, H. Naganuma, S. Okamura and H. Funakubo	99
Effect of PAA-NH_4 Dispersant on Dispersibility of Aqueous $\text{Pb}(\text{Zr}, \text{Ti})\text{O}_3$ Slurries and Piezoelectric Properties of Resultant Sintered Bodies M. Fujioka, T. Yamaguchi, W. Sakamoto, K. Kikuta and S.I. Hirano	103
Resistance Changes of $(\text{La}, \text{Sr})\text{MnO}_3$ Thin Film via Exchange Bias Tuning by the Application of an External Electric Field T. Yokota, S. Murata, S. Kito and M. Gomi	107
Ferroelectric Properties of Epitaxial $\text{BiFe}_{0.97}\text{Mn}_{0.03}\text{O}_3$ Thin Films with Different Crystal Orientations Deposited on Buffered Si Substrates H.Y. Go, N. Wakiya, T. Kiguchi, T. Yoshioka, O. Sakurai, J.S. Cross, M. Tanaka and K. Shinozaki	111
Effect of Stacking Layers on the Structure and Properties of $\text{Ca}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3 / \text{CaTiO}_3$ Thin Films J. Zhou, J. Zhu, W. Chen, J. Shen, Q. Lei and H.M. He	115
Dielectric Properties of $\text{Pb}_{1-x}\text{Ba}_x\text{ZrO}_3$ Thin Films with Higher Barium Content X.H. Hao and J.W. Zhai	119
Preparation of N-Doped ZnO Films by MOCVD K. Kobayashi, H. Kobayashi, Y. Tomita, Y. Maeda and Y. Khono	123
Preparation of $(\text{Ba}_{1-x}, \text{Sr}_x)\text{TiO}_3$ Thin Films on Glazed Alumina Substrate and Improvement of Temperature Dependence of Dielectric Properties T. Nozaka, Y. Mizutani, G. Bhakdisongkhram, Y. Kawakami, M. Echizen, T. Nishida, H. Takeda, K. Uchiyama and T. Shiosaki	127
Characteristics of Synthesized Diamond Films by Using CACVD Techniques at High Temperatures Y. Wongprasert and S.B. Pongsai	131
Investigation of Oxygen Vacancies in Micro-Patterned PZT Thin Films Using Raman Spectroscopy K. Nishida, M. Osada, S. Yokoyama, T. Kamo, T. Fujisawa, K. Saito, H. Funakubo, T. Katoda and T. Yamamoto	135
Fabrication of Dielectric/Conductive Hybrid Artificial Superlattices Using Molecular Beam Epitaxy Method Y. Yonezawa, H. Kinbara, H. Umehara, H. Kakemoto, T. Hoshina, H. Takeda and T. Tsurumi	139
Structural Characteristics and Ferroelectric Properties of Bismuth-Based Compound Thin Films Crystallized by Hot Isostatic Pressing M. Kobune, H. Tada, H. Oshima, D. Horii, A. Tamura, Y. Daiko, A. Mineshige and T. Yazawa	143
Growth and Electrical Properties of $\text{PbMg}_{0.047}\text{Nb}_{0.095}\text{Zr}_{0.416}\text{Ti}_{0.442}\text{O}_3$ Films Fabricated by Metalorganic Decomposition Y. Hasegawa, M. Kobune, Y. Daiko, A. Mineshige, T. Yazawa, H. Fujisawa, M. Shimizu, M. Tsukada, H. Yamaguchi and K. Honda	148

Realization of Tunable Varactors Using $\text{Bi}_{1.5}\text{Zn}_{1.0}\text{Nb}_{1.5}\text{O}_7$ Thin Films K. Sudheendran and K.C.J. Raju	153
Influence of an External Magnetic Field on Injected Charges of a $\text{Cr}_2\text{O}_3/\text{Fe}/\text{CeO}_2/\text{Si}$ MIS Capacitor T. Yokota, S. Murata, S. Kito and M. Gomi	157
Preparation and Characterization of Silica Film on PBT Substrate by Sol-Gel Method Using Perhydropolysilazane H. Horikawa, T. Ogihara, A. Shimomura and J. Shimomura	161
Effects of Pretreatments on Deposition Rate of Films in Aerosol Deposition Method K. Mihara, T. Hoshina, H. Kakemoto, H. Takeda and T. Tsurumi	165
Study on Improvement of Oxidation-Resistant Capability of Metal-Silicide Thin Film and Application to Heater T. Hayashi, M. Satoh and S. Yoshikado	169
Preparation of Thin Films of TiO_2-Nanoparticles Using Electrophoresis Deposition Method K. Ito, Y. Sato, M. Adachi and S. Yoshikado	173
Monte Carlo Investigation of Ferroelectric Properties in Thin Films Y. Laosiritaworn	177

Optical Crystals & Ceramics

$\text{Li}(\text{Ga}_{1-x}\text{M}_x)\text{O}_2$ (M: B or Al) Single Crystals Grown by Floating Zone Method H. Kimura, R. Tanahashi and K. Maiwa	185
Crystallization Behavior of Ferroelectric Glass-Ceramics of the $\text{Na}_2\text{O}-\text{Nb}_2\text{O}_5-\text{Al}_2\text{O}_3-\text{SiO}_2$ System Contained TiO_2 A. Niyompan, K. Srisurat and R. Tipakontitikul	189
Zinc Self-Diffusion in Isotopic Heterostructured Zinc Oxide Thin Films K. Matsumoto, Y. Adachi, T. Ohgaki, I. Sakaguchi, T. Nakagawa, N. Ohashi and H. Haneda	193
Observation of Diffusion Behavior in Al-Implanted ZnO Single Crystal T. Nakagawa, I. Sakaguchi, K. Matsumoto, M. Uematsu, H. Haneda and N. Ohashi	197
Redistributing Unintentional Defects Induced by Heavy Ion Implantation in ZnO Ceramics I. Sakaguchi, T. Nakagawa, K. Matsumoto, S. Hishita, Y. Adachi, N. Ohashi and H. Haneda	201
Radiation of X-Rays in Low-Pressure Gas Using LiNbO_3 Single Crystal S. Fukao, Y. Nakanishi, T. Mizoguchi, Y. Ito and S. Yoshikado	205
Effect of Zr-Addition on Electric Degradation Characteristics of ZnO Varistors Y. Akiyama, M. Takada, A. Fukumori, Y. Sato and S. Yoshikado	209
Crystallization and Raman Spectra of Languisite-Type $\text{Na}_2\text{CaGe}_6\text{O}_{14}$, $\text{Na}_2\text{SrGe}_6\text{O}_{14}$ and $\text{Pb}_3\text{Ga}_2\text{Ge}_4\text{O}_{14}$ in Corresponding Glasses Y. Takahashi, T. Fujiwara, Y. Benino and T. Komatsu	213

Dielectric & Ferroelectric Materials

Dielectric and Magnetic Properties of CoFe_2O_4-BaTiO_3 Composite Thick Film L. Zhang, J.W. Zhai, W.F. Mo and X. Yao	219
Fabrication and Characterization of Perovskite SrZrO_3 Ceramics through a Combustion Technique A. Thongtha and T. Bongkarn	223
Stress Dependence of Dielectric Properties in Relaxor Ferroelectrics: Monte Carlo Investigation Y. Laosiritaworn, R. Yimnirun, R. Guo and A.S. Bhalla	227
Acceptor-Doped Ferroelectric Modeling via Monte Carlo Simulation S. Sucharitakul, R. Yimnirun and Y. Laosiritaworn	231
Sintering of $\text{Ba}_{1-x}\text{Sr}_x\text{TiO}_3$ Powders Prepared Using $\text{KOH}-\text{KNO}_3$ Molten Salt Method T. Kishiki, M. Higuchi, T. Asaka, Y. Azuma and K. Katayama	235
Properties of Barium Stannate Titanate with Boron Oxide Addition N. Tawichai, S. Eitssayeam, U. Intatha, K. Pengpat and G. Rujijanagul	239

The Effect of Calcination Temperatures on the Phase Formation and Microstructure of (Pb_{1-x}Sr_x)TiO₃ Powders	
R. Sumang and T. Bongkarn	243
Influences of Firing Temperatures on Phase and Morphology Evolution of (Ba_{0.25}Sr_{0.75})(Zr_{0.75}Ti_{0.25})O₃ Ceramics Synthesized via Solid-State Reaction Method	
A. Thongtha, K. Angsukased and T. Bongkarn	247
Effects of Iron Addition on Aging Behavior of Barium Titanate Ceramics under Compressive Stress	
J. Tangsritrakul, M. Unruan, P. Ketsuwan, N. Triamnak, S. Rujirawat, T. Dechakupt, S. Ananta and R. Yimnirun	251
Dielectric Properties of Bi_{0.2}K_{0.8}(Zn_{0.1}Ti_{0.1})Ta_{0.8}O₃ Ceramics	
P. Ketsuwan, A. Prasatkhetragarn, S. Ananta, C.C. Huang, D.P. Cann and R. Yimnirun	255
Effect of Compressive Stress on Ferroelectric Aging Behavior of Hybrid-Doped Fe³⁺/Nb⁵⁺ BaTiO₃ Ceramics	
S. Prasertpalichat, M. Unruan, T. Sareein, J. Tangsritrakul, A. Ngamjarujana, S. Ananta and R. Yimnirun	259
Pinched Hysteresis Scaling in Hybrid-Doped BaTiO₃	
S. Sucharitakul, S. Prasertpalichat, R. Yimnirun and Y. Laosiritaworn	263

MLCC Technology

Synthesis of Nano-Sized Barium Titanate Powder by Rotary-Hydrothermal Process	
T. Kubo, M. Hogiri, H. Kagata and A. Nakahira	269
Wide Range Dielectric Spectroscopy of Barium Strontium Titanate Ceramics	
T. Teranishi, T. Hoshina, H. Takeda and T. Tsurumi	273
E–J Characteristics in Multilayer Ceramic Capacitors with the Thin Dielectric Layers	
M. Nakano, A. Saito and N. Wada	277
Behavior of Hydrogen Atoms in Perovskite-Type Oxide Thin Films under Electric Fields	
K. Morito, T. Suzuki, Y. Mizuno, I. Sakaguchi, N. Ohashi, K. Matsumoto and H. Haneda	281
The Effects of Sintering Temperature Variations on some Physical Properties of Al₂O₃-SiO₂-PbO-MgO Laminated Tape System	
R. Alias, I. Azmi, S.M. Shapee, Z. Ambak, Z.M. Yusoff, M.R. Saad, C.S. Mahmood and M.H.A.R.M. Ahmad	285
Sintering Behavior of Silver Particles in Electrode for Multilayer Ceramic Substrate	
A. Okada and T. Ogihara	289
The Influence of BaTiO₃ Tetragonality by Solid State Synthesis on MLCC's Dielectric Characteristics	
M. Hogiri and H. Kagata	293
Electrical Properties of Conductive Paste with Silver Nanoparticles and its Application to Flexible Substrates	
Y. Yamamoto and T. Ogihara	297
The Effect of Rare Earth (Ln = Gd, Dy, Y and Yb) Doping on the Microstructure and Reliability in BaTiO₃-Based Monolithic Ceramic Capacitors (MLCs)	
T. Okamatsu, H. Nishimura, N. Inoue, H. Sano and H. Takagi	301

Advanced Ceramics for Sensors

Durability Improvement of Optical H₂ Gas Sensor Using Pd Thin Film on Sputter-Etched Glass Substrate	
Y. Yakushiji, Y. Kuroki, T. Okamoto and M. Takata	307
Sensing High Concentrations in Air of H₂ Based on Spin-Coated Films of Flame-Spray-Made SnO₂ and Pd/SnO₂ Nanoparticles	
C. Liewhiran, A. Wisitsoraat and S. Phanichphant	311
Upgrade Mechanoluminescence by Sr²⁺ Substitution in CaAl₂Si₂O₈: Eu²⁺	
L. Zhang, C.N. Xu, H. Yamada and N. Bu	315
Triboluminescence of Highly Oriented SrAl₂O₄:Eu Film and its Potential Role as a Stress Indicator	
X.Y. Fu, H. Yamada and C.N. Xu	319

Application of Nano-Sized CeO₂ Powder for Fast Response Oxygen Sensors N. Murayama, N. Izu, W. Shin and I. Matsubara	323
V₂O₅ Nanotubes Novel Gas Sensor with High Sensitivity for Ethanol W. Jin, W. Chen, B.T. Dong, C.X. Zhao, L.Q. Mai and Y. Dai	328
Ultra-Rapid CO Gas Detection by a Gas Sensor Based on Flame-Spray-Made Pt/ZnO Nanoparticles N. Tamaekong, C. Liewhiran, A. Wisitsoraat and S. Phanichphant	332
Improving the Performance of High Temperature Protonic Conductor (HTPC) Electrolytes for Solid Oxide Fuel Cell (SOFC) Applications E. Fabbri, D. Pergolesi, A. D'Epifanio, E. di Bartolomeo, G. Balestrino, S. Licoccia and E. Traversa	336
Development of Intermediate-Temperature Solid Oxide Fuel Cells Using Doped Lanthanum Gallate Electrolyte H. Eto, T. Akbay, J. Akikusa, G. Uozumi, N. Chitose, T. Inagaki and T. Ishihara	340
Fabrication and Characterization of Organic Semiconductor Based Gas Sensor M. Atique, G. Shabbir and M. Mehmood	344
Photo-Assisted VOC Detection by Transparent pn Junction Y. Nakamura, Y. Morita, Y. Yoshida and S. Fujitsu	348
Synthesis and Luminescence Properties of Non-Doped Long Persistent Phosphors : Mg₂SnO₄ A. Torisaka, H. Kaneko, K. Nomizu, S. Abe, T. Ishigaki, K. Toda, K. Uematsu and M. Sato	352
Luminescence Properties of Y(P,V)O₄ Synthesized by Microwave Heating A. Toda, K. Toda, T. Ishigaki, K. Uematsu and M. Sato	356
Development of New Red Phosphor Na₃YSi₂O₇:Eu³⁺ for a White LED S. Kousaka, K. Toda, T. Ishigaki, K. Uematsu and M. Sato	360
Photochromic Characteristics of Tungsten Trioxide Films Prepared by Electric Current Heating Using Tungsten Wire T. Hagizawa, T. Honma, Y. Kuroki, T. Okamoto and M. Takata	364
Electrical Properties of Dye-Sensitized Solar Cells Prepared by Blending SnO₂ Micro Particles and TiO₂ Nano Particles T. Nakamura, Y. Nakatani, T. Ogihara, H. Horikawa and M. Asahara	368

Dielectric, Ferroelectric & Piezoelectric Ceramics

Piezoelectric Ceramics for High Temperature Applications Y. Higuchi, H. Ogawa, D. Kuroda, M. Kimura, H. Takagi and Y. Sakabe	375
Improvement of Electromechanical Coupling Factor and Mechanical Quality Factor in PZT-PMN Ceramics by MnO₂ Addition R. Tipakontitukul, A. Kamonlert, S. Eitssayeam and A. Niyompan	381
Dielectric and Ferroelectric Properties of (Cr,Nb)-Doped Lead Zirconate Titanate Ceramics P. Ketsuwan, A. Prasatkhetragarn, S. Ananta, C.C. Huang, D.P. Cann and R. Yimnirun	385
Pb Displacements in Pb(ZrTi)O₃ (PZT) T.R. Welberry, K.Z. Baba-Kishi and R.L. Withers	389
Textured PbTiO₃ Based Ceramics Fabricated by Slip Casting in a High Magnetic Field Y. Miwa, S. Kawada, M. Kimura, Y. Higuchi, H. Takagi, T. Suzuki, T. Uchikoshi and Y. Sakka	395
Dynamic Hysteresis Scaling in BaTiO₃ Bulk Ceramics N. Wongdamnern, A. Ngamjarujana, S. Ananta, Y. Laosiritaworn and R. Yimnirun	399
Dynamics of Central Peaks in the Brillouin Scattering Spectra of Relaxor Ferroelectrics G. Shabbir and S. Kojima	403
Dielectric Properties of 0-3 Lead Magnesium Niobate Titanate (PMNT)-Ordinary Portland Cement (PC) Composites N. Jaitanong and A. Chaipanich	407
Ferroelectric Properties of Pb(Zr_{1/2}Ti_{1/2})O₃-Pb(Zn_{1/3}Nb_{2/3})O₃ Ceramics under Compressive Stress Applied Perpendicular to Electric Field M. Unruan, T. Sareein, A. Prasatkhetragarn, A. Ngamjarujana, S. Ananta and R. Yimnirun	411
XPS Characterization of Perovskite Relaxor PNN Ceramics Prepared by Corundum Precursor Method L. Srisombat, O. Khamman, R. Yimnirun, S. Ananta and T.R. Lee	415

Electrical Properties of Pb(Mg_{1/3}Nb_{2/3})-PbTiO₃ Ferroelectric Single Crystal G. Shabbir and S. Kojima	419
Mechanical and Electrical Properties of Pb(Zr,Ti)O₃ Ceramics Prepared by Aerosol Deposition T. Miyoshi	423
Fabrication and Properties of PZT-Cement-Encapsulated Carbon Composites A. Chaipanich and N. Jaitanong	428
Artificial Neural Network Modeling of Ferroelectric Hysteresis: An Application to Soft Lead Zirconate Titanate Ceramics W.S. Laosiritaworn, R. Yimnirun and Y. Laosiritaworn	432
Composition, Structure and Properties of PZT-BT Ceramics Prepared by Two-Stage Sintering W.C. Vittayakorn, R. Yimnirun and S. Ananta	436

Advanced Ceramic Integration

Mixed Conduction of Proton and Electron in Tungsten Phosphate Glass and its Hydrogen Transport S. Fujitsu and H. Kawazoe	443
Nanocomposite SPEEK/Titania Nanosheets (TNS) Proton Exchange Membranes for Fuel Cell Applications D. Marani, S. Licoccia, E. Traversa and M. Miyayama	447
Effect of Sendust Particle Size on Absorption Characteristics of Composite Electromagnetic Wave Absorber K. Sakai, Y. Wada, Y. Sato and S. Yoshikado	451
Ion Exchange of Layer Structured Crystal CsTiNbO₅ and its Application as Cathode Material in a Rechargeable Lithium Battery M. Ohashi	455
Electrocatalytic Activities of Trirutiles Based on MTaO₆ (M=Co, Ni, Mg) for Oxygen Reduction Reaction T. Konishi, H. Kawai, M. Saito, J. Kuwano and H. Shiroishi	459
Electrical Properties of Pt/Nb-Doped SrTiO₃ Schottky Junctions J.Y. Li, T. Ohgaki, R. Matsuoka, H. Okushi and N. Ohashi	463
Electrochemical Properties of Porous LiAl_xMn_{2-x}O₄ Powders Prepared by Immersion of Li and Al Nitrate Solution to Spherical Mn₂O₃ Powders K. Nishiwaki, T. Ogihara, S. Motohira and T. Kodera	467
Proton Conducting Electrolytes Synthesized with Diammonium Hydrogen Phosphate D.E. Priyanto, H. Shiroishi, S. Tanimoto, S. Hirukawa, M. Saito and J. Kuwano	471
Effect of Organic Compound on the Preparation of C/LiFePO₄ Powders by Spray Pyrolysis K. Egawa, T. Kodera and T. Ogihara	475
Oxygen Reduction Reaction Activity of Pyrochlore Oxide Electrocatalysts Prepared by Precipitation Method H. Kawai, K. Yoshihara, T. Konishi, M. Saito, J. Kuwano and H. Shiroishi	479

Nanocrystals & Processing

Screen Printing Parameter Effect on the Surface Roughness Measurement of Printed Gold Paste on LTCC Tape S.M. Shapee, R. Alias, I. Azmi, Z. Ambak, Z.M. Yusoff and M.R. Saad	485
Synthesis and Characterization of Samarium Doped Ceria(Ce_{0.8}Sm_{0.2}O_{1.9}) Nano-Particle by Aerosol Plasma Pyrolysis K. Myoujin, Y. Ichikawa, A. Toriyama, T. Kodera and T. Ogihara	490
Synthesis of Nano-Sized Oxide Phosphor Particles Using an Ion-Exchange Polymer/Water/Oil Emulsion Method H. Sano, S. Harada, M. Shimizu and M. Kuwabara	494
Low Temperature Synthesis of TiO₂ from Acid Solution S. Watanabe, S. Nakajima, K. Uematsu, T. Ishigaki, K. Toda and M. Sato	498

Fabrication of PbTiO₃ Nanocrystals on Atomically Flat Sapphire Substrates by Sputtering T. Nishida, K. Kubo, M. Echizen, H. Takeda, K. Uchiyama and T. Shiosaki	502
Particle Structure Analysis of Highly-Dispersed Barium Titanate Nanoparticles Obtained from Barium Titanyl Oxalate Nanoparticles and their Dielectric Properties S. Kondo, C. Moriyoshi, Y. Kuroiwa and S. Wada	506
Preparation of Barium Titanate Nanoparticle Thin Films by the Electrophoretic Deposition Method Using Polyacrylic Acid as a Charge-Compensating Agent M. Arimura, T. Makino, K. Fujiyoshi and M. Kuwabara	510
Preparation of Barium Titanate and Strontium Titanate Nanocube Particles and their Accumulation Using Smart Glue A. Nozawa, T. Kuwabara, H. Uchida, C. Moriyoshi, Y. Kuroiwa and S. Wada	514

Functional Materials

Relaxation Phenomena of MgCuZn Ferrites T. Murase and H. Umeda	521
Effect of Thermal Annealing on Electrical Degradation Characteristics of Sb₂O₃-Bi-Mn-Co-Doped ZnO Varistors M. Takada, Y. Sato and S. Yoshikado	525
The Effect of Reoxidation on Thermal Shock Resistance of SrTiO₃-Based Varistors A. Hitomi, N. Chida, M. Ogasawara and D. Matsuoka	529
Millimeter Wave Sintering of AlN Ceramics for Heat Sink Application A. Kishimoto, T. Morimoto and H. Hayashi	533
Thermophysical Behaviour of Crystalline Halides with Temperature M. Anis-ur-Rehman	537
High Frequency Characteristic of Elements Substituted Hexagonal Ferrites N. Hiratsuka, K. Kakizaki and K. Kamishima	541
New Titanium Oxide Compound for Photocatalytic Water Splitting, Hydrous Na₁₆Ti₁₀O₂₈ S. Nakajima, S. Watanabe, K. Uematsu, T. Ishigaki, K. Toda and M. Sato	546
Effect of Vibro-Milling Time on Phase Formation and Particle Size of ZnNbO₆ Nanopowders A. Ngamjarujana, R. Yimnirun and S. Ananta	550
Photocatalytic Activity of Bismuth Layered Perovskite Treated with Acid S. Watanabe, Y. Narumi, K. Toda, T. Ishigaki, K. Uematsu and M. Sato	554
Preparation and Characterization of Spherical Metal Particles by Spray Pyrolysis T. Kodera, K. Myoujin and T. Ogihara	558