

# Table of Contents

## Preface

## Lead Free Piezoelectrics

<b>Phase Transition and Structural Analysis of (Li<sub>x</sub>Na<sub>1-x</sub>K)NbO<sub>3</sub> Lead-Free Piezoelectric Ceramics</b>	
K. Kakimoto, T. Hotta and H. Ohsato	3
<b>Defect Structure and Electrical Property of Na<sub>0.5</sub>K<sub>0.5</sub>NbO<sub>3</sub> Lead-Free Piezoceramics</b>	
H. Matsudo, K. Kakimoto and I. Kagomiya	9
<b>Domain Wall Engineering in Lead-Free Piezoelectric Materials</b>	
S. Wada and P. Pulpan	13
<b>Crystal Growth and Electrical Properties of Na<sub>0.5</sub>Bi<sub>0.5</sub>TiO<sub>3</sub>-BaTiO<sub>3</sub> Lead-Free Ferroelectric Piezocrystals</b>	
C. Chen, X.Y. Zhao, H. Liu, W.W. Ge, H.S. Luo and X.P. Jiang	17
<b>Piezoelectric Properties of <i>c</i>-Axis-Oriented (Sr,Ca)<sub>2</sub>NaNb<sub>5</sub>O<sub>15</sub> Piezoelectric Ceramics with Single-Plate Type and Multilayered Type Fabricated Using Crystal-Oriented Sheet Forming</b>	
H. Shimizu, Y. Doshida, S. Tanaka and K. Uematsu	21
<b>Preparation and Characterization of Lead Free Multi-Layer Ceramic Actuators with Ni Inner Electrodes Prepared by Inkjet Printing</b>	
Y. Sakai, T. Futakuchi and M. Adachi	26
<b>Growth and Characterization of Bismuth Magnesium Titanate Bi(Mg<sub>1/2</sub>Ti<sub>1/2</sub>)O<sub>3</sub></b>	
Y. Yoneda, H. Saitoh, K. Yoshii, T. Nishida, H. Hayakawa and N. Ikeda	30
<b>Phase Diagram and Microstructure Analysis of Barium Titanate – Potassium Niobate System Piezoelectric Ceramics</b>	
S. Wada, M. Nitta, N. Kumada, D. Tanaka, M. Furakawa, C. Moriyoshi and Y. Kuroiwa	34
<b>Crystal Structure Analysis of Barium Titanate – Bismuth Perovskite-Type Oxide System Ceramics and their Piezoelectric Property</b>	
K. Yamato, N. Kumada, C. Moriyoshi, Y. Kuroiwa, B.Y. Lee, T. Iijima and S. Wada	38
<b>Electrical Properties and Phase Transition Behavior of (Li<sub>x</sub>Na<sub>1-x</sub>Ba)(Nb,Ti)O<sub>3</sub> Lead-Free Piezoelectric Ceramics</b>	
R. Aoyagi, R. Rinaldi, N. Sumiyama, M. Iwata and M. Maeda	42
<b>Electrical Properties and Piezoelectric Properties of CaBi<sub>2</sub>Ta<sub>2</sub>O<sub>9</sub>-Based Ceramics</b>	
T. Tokusu, H. Miyabayashi, Y. Hiruma, H. Nagata and T. Takenaka	46
<b>Preparation of CaBi<sub>4</sub>Ti<sub>4</sub>O<sub>15</sub> Based Thick Films on Si Substrates by Screen Printing</b>	
T. Kakuda, T. Futakuchi, T. Obata, Y. Sakai and M. Adachi	50
<b>Effects of Compressive Stress on Dielectric Properties of Lead-Free (Bi<sub>1/2</sub>Na<sub>1/2</sub>)TiO<sub>3</sub>-(K<sub>1/2</sub>Na<sub>1/2</sub>)NbO<sub>3</sub> Ceramic Systems</b>	
T. Sareein, M. Unruan, A. Ngamjaruojana, S. Ananta and R. Yimnirun	54

## Microwave Dielectrics

<b>Dielectric Properties of Low-Temperature Sintered Ba<sub>0.6</sub>Sr<sub>0.4</sub>TiO<sub>3</sub> Ceramics by Addition of Bi<sub>2</sub>O<sub>3</sub>-CuO Mixed Oxides</b>	
H.T. Jiang, J.W. Zhai, J.J. Zhang and X. Yao	61
<b>Investigation on the Effect of Mn on the Dielectric Properties of Ba<sub>0.4</sub>Sr<sub>0.6</sub>TiO<sub>3</sub>/MgAl<sub>2</sub>O<sub>4</sub>/MgO Composite Ceramics</b>	
J.J. Zhang, J.W. Zhai, M.W. Zhang and X. Yao	65
<b>B-O Bond Character and Microwave Dielectric Properties of (1-x)CaTiO<sub>3</sub>-xCa(Zn<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub> Perovskite Ceramics</b>	
J. Shen, W. Chen, J. Zhou, J. Zhu and Q. Lei	69
<b>Microwave Characterization Techniques for High K Thin Films</b>	
K. Sudheendran and K.C.J. Raju	73

## Thin Films

<b>ZnO Nanoarrays Film Grown by Forced-Hydrolysis-Initiated-Nucleation Technique and its Photo-Induced Electrical Property</b> X.L. Hu, Y. Masuda, T. Ohji and K. Kato	83
<b>Effect of Incubation Time on Deposition Behavior of Ruthenium Films by MOCVD Using (2,4-Dimethylpentadienyl)(Ethylcyclopentadienyl)Ruthenium</b> M. Hirano, K. Kawano and H. Funakubo	87
<b>Effects of UV Irradiation on Microstructure and Properties of HfO<sub>2</sub> Films Prepared from Alkoxy-Derived Precursor Solution</b> K. Suzuki and K. Kato	91
<b>Measurement of d<sub>15</sub> Shear-Mode Piezoelectric Response in PZT Thin Film</b> T. Aoki, S. Umemiya, M. Hida and K. Kurihara	95
<b>Polarized Raman Study for Epitaxial PZT Thick Film with the Mixture Orientation of (100)/(001)</b> M. Nakajima, T. Fujisawa, K. Nishida, T. Yamamoto, M. Osada, H. Naganuma, S. Okamura and H. Funakubo	99
<b>Effect of PAA-NH<sub>4</sub> Dispersant on Dispersibility of Aqueous Pb(Zr, Ti)O<sub>3</sub> Slurries and Piezoelectric Properties of Resultant Sintered Bodies</b> M. Fujioka, T. Yamaguchi, W. Sakamoto, K. Kikuta and S.I. Hirano	103
<b>Resistance Changes of (La, Sr)MnO<sub>3</sub> Thin Film via Exchange Bias Tuning by the Application of an External Electric Field</b> T. Yokota, S. Murata, S. Kito and M. Gomi	107
<b>Ferroelectric Properties of Epitaxial BiFe<sub>0.97</sub>Mn<sub>0.03</sub>O<sub>3</sub> Thin Films with Different Crystal Orientations Deposited on Buffered Si Substrates</b> H.Y. Go, N. Wakiya, T. Kiguchi, T. Yoshioka, O. Sakurai, J.S. Cross, M. Tanaka and K. Shinozaki	111
<b>Effect of Stacking Layers on the Structure and Properties of Ca(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub> / CaTiO<sub>3</sub> Thin Films</b> J. Zhou, J. Zhu, W. Chen, J. Shen, Q. Lei and H.M. He	115
<b>Dielectric Properties of Pb<sub>1-x</sub>Ba<sub>x</sub>ZrO<sub>3</sub> Thin Films with Higher Barium Content</b> X.H. Hao and J.W. Zhai	119
<b>Preparation of N-Doped ZnO Films by MOCVD</b> K. Kobayashi, H. Kobayashi, Y. Tomita, Y. Maeda and Y. Khono	123
<b>Preparation of (Ba<sub>1-x</sub>, Sr<sub>x</sub>)TiO<sub>3</sub> Thin Films on Glazed Alumina Substrate and Improvement of Temperature Dependence of Dielectric Properties</b> T. Nozaka, Y. Mizutani, G. Bhakdisongkhram, Y. Kawakami, M. Echizen, T. Nishida, H. Takeda, K. Uchiyama and T. Shiosaki	127
<b>Characteristics of Synthesized Diamond Films by Using CACVD Techniques at High Temperatures</b> Y. Wongprasert and S.B. Pongsai	131
<b>Investigation of Oxygen Vacancies in Micro-Patterned PZT Thin Films Using Raman Spectroscopy</b> K. Nishida, M. Osada, S. Yokoyama, T. Kamo, T. Fujisawa, K. Saito, H. Funakubo, T. Katoda and T. Yamamoto	135
<b>Fabrication of Dielectric/Conductive Hybrid Artificial Superlattices Using Molecular Beam Epitaxy Method</b> Y. Yonezawa, H. Kinbara, H. Umehara, H. Kakemoto, T. Hoshina, H. Takeda and T. Tsurumi	139
<b>Structural Characteristics and Ferroelectric Properties of Bismuth-Based Compound Thin Films Crystallized by Hot Isostatic Pressing</b> M. Kobune, H. Tada, H. Oshima, D. Horii, A. Tamura, Y. Daiko, A. Mineshige and T. Yazawa	143
<b>Growth and Electrical Properties of PbMg<sub>0.047</sub>Nb<sub>0.095</sub>Zr<sub>0.416</sub>Ti<sub>0.442</sub>O<sub>3</sub> Films Fabricated by Metalorganic Decomposition</b> Y. Hasegawa, M. Kobune, Y. Daiko, A. Mineshige, T. Yazawa, H. Fujisawa, M. Shimizu, M. Tsukada, H. Yamaguchi and K. Honda	148

<b>Realization of Tunable Varactors Using <math>\text{Bi}_{1.5}\text{Zn}_{1.0}\text{Nb}_{1.5}\text{O}_7</math> Thin Films</b>	153
K. Sudheendran and K.C.J. Raju	
<b>Influence of an External Magnetic Field on Injected Charges of a <math>\text{Cr}_2\text{O}_3/\text{Fe}/\text{CeO}_2/\text{Si}</math> MIS Capacitor</b>	157
T. Yokota, S. Murata, S. Kito and M. Gomi	
<b>Preparation and Characterization of Silica Film on PBT Substrate by Sol-Gel Method Using Perhydropolysilazane</b>	161
H. Horikawa, T. Ogiara, A. Shimomura and J. Shimomura	
<b>Effects of Pretreatments on Deposition Rate of Films in Aerosol Deposition Method</b>	165
K. Mihara, T. Hoshina, H. Kakemoto, H. Takeda and T. Tsurumi	
<b>Study on Improvement of Oxidation-Resistant Capability of Metal-Silicide Thin Film and Application to Heater</b>	169
T. Hayashi, M. Satoh and S. Yoshikado	
<b>Preparation of Thin Films of <math>\text{TiO}_2</math>-Nanoparticles Using Electrophoresis Deposition Method</b>	173
K. Ito, Y. Sato, M. Adachi and S. Yoshikado	
<b>Monte Carlo Investigation of Ferroelectric Properties in Thin Films</b>	177
Y. Laosiritaworn	

## Optical Crystals & Ceramics

<b><math>\text{Li}(\text{Ga}_{1-x}\text{M}_x)\text{O}_2</math> (M: B or Al) Single Crystals Grown by Floating Zone Method</b>	185
H. Kimura, R. Tanahashi and K. Maiwa	
<b>Crystallization Behavior of Ferroelectric Glass-Ceramics of the <math>\text{Na}_2\text{O}-\text{Nb}_2\text{O}_5-\text{Al}_2\text{O}_3-\text{SiO}_2</math> System Contained <math>\text{TiO}_2</math></b>	189
A. Niyompan, K. Srisurat and R. Tipakontitkul	
<b>Zinc Self-Diffusion in Isotopic Heterostructured Zinc Oxide Thin Films</b>	193
K. Matsumoto, Y. Adachi, T. Ohgaki, I. Sakaguchi, T. Nakagawa, N. Ohashi and H. Haneda	
<b>Observation of Diffusion Behavior in Al-Implanted <math>\text{ZnO}</math> Single Crystal</b>	197
T. Nakagawa, I. Sakaguchi, K. Matsumoto, M. Uematsu, H. Haneda and N. Ohashi	
<b>Redistributing Unintentional Defects Induced by Heavy Ion Implantation in <math>\text{ZnO}</math> Ceramics</b>	201
I. Sakaguchi, T. Nakagawa, K. Matsumoto, S. Hishita, Y. Adachi, N. Ohashi and H. Haneda	
<b>Radiation of X-Rays in Low-Pressure Gas Using <math>\text{LiNbO}_3</math> Single Crystal</b>	205
S. Fukao, Y. Nakanishi, T. Mizoguchi, Y. Ito and S. Yoshikado	
<b>Effect of Zr-Addition on Electric Degradation Characteristics of <math>\text{ZnO}</math> Varistors</b>	209
Y. Akiyama, M. Takada, A. Fukumori, Y. Sato and S. Yoshikado	
<b>Crystallization and Raman Spectra of Langasite-Type <math>\text{Na}_2\text{CaGe}_6\text{O}_{14}</math>, <math>\text{Na}_2\text{SrGe}_6\text{O}_{14}</math> and <math>\text{Pb}_3\text{Ga}_2\text{Ge}_4\text{O}_{14}</math> in Corresponding Glasses</b>	213
Y. Takahashi, T. Fujiwara, Y. Benino and T. Komatsu	

## Dielectric & Ferroelectric Materials

<b>Dielectric and Magnetic Properties of <math>\text{CoFe}_2\text{O}_4</math>-<math>\text{BaTiO}_3</math> Composite Thick Film</b>	219
L. Zhang, J.W. Zhai, W.F. Mo and X. Yao	
<b>Fabrication and Characterization of Perovskite <math>\text{SrZrO}_3</math> Ceramics through a Combustion Technique</b>	223
A. Thongtha and T. Bongkarn	
<b>Stress Dependence of Dielectric Properties in Relaxor Ferroelectrics: Monte Carlo Investigation</b>	227
Y. Laosiritaworn, R. Yimnirun, R. Guo and A.S. Bhalla	
<b>Acceptor-Doped Ferroelectric Modeling via Monte Carlo Simulation</b>	231
S. Sucharitakul, R. Yimnirun and Y. Laosiritaworn	
<b>Sintering of <math>\text{Ba}_{1-x}\text{Sr}_x\text{TiO}_3</math> Powders Prepared Using KOH-KNO<sub>3</sub> Molten Salt Method</b>	235
T. Kishiki, M. Higuchi, T. Asaka, Y. Azuma and K. Katayama	
<b>Properties of Barium Stannate Titanate with Boron Oxide Addition</b>	239
N. Tawichai, S. Eitssayeam, U. Intatha, K. Pengpat and G. Rujijanagul	

**The Effect of Calcination Temperatures on the Phase Formation and Microstructure of (Pb<sub>1-x</sub>Sr<sub>x</sub>)TiO<sub>3</sub> Powders**  
R. Sumang and T. Bongkarn 243

**Influences of Firing Temperatures on Phase and Morphology Evolution of (Ba<sub>0.25</sub>Sr<sub>0.75</sub>)(Zr<sub>0.75</sub>Ti<sub>0.25</sub>)O<sub>3</sub> Ceramics Synthesized via Solid-State Reaction Method**  
A. Thongtha, K. Angsukased and T. Bongkarn 247

**Effects of Iron Addition on Aging Behavior of Barium Titanate Ceramics under Compressive Stress**

J. Tangsritrakul, M. Unruan, P. Ketsuwan, N. Triamnak, S. Rujirawat, T. Dechakupt, S. Ananta and R. Yimnirun 251

**Dielectric Properties of Bi<sub>0.2</sub>K<sub>0.8</sub>(Zn<sub>0.1</sub>Ti<sub>0.1</sub>)Ta<sub>0.8</sub>O<sub>3</sub> Ceramics**

P. Ketsuwan, A. Prasatkhetragarn, S. Ananta, C.C. Huang, D.P. Cann and R. Yimnirun 255

**Effect of Compressive Stress on Ferroelectric Aging Behavior of Hybrid-Doped Fe<sup>3+</sup>/Nb<sup>5+</sup> BaTiO<sub>3</sub> Ceramics**

S. Prasertpalichat, M. Unruan, T. Sareein, J. Tangsritrakul, A. Ngamjarurojana, S. Ananta and R. Yimnirun 259

**Pinched Hysteresis Scaling in Hybrid-Doped BaTiO<sub>3</sub>**

S. Sucharitakul, S. Prasertpalichat, R. Yimnirun and Y. Laosiritaworn 263

## MLCC Technology

**Synthesis of Nano-Sized Barium Titanate Powder by Rotary-Hydrothermal Process**

T. Kubo, M. Hogiri, H. Kagata and A. Nakahira 269

**Wide Range Dielectric Spectroscopy of Barium Strontium Titanate Ceramics**

T. Teranishi, T. Hoshina, H. Takeda and T. Tsurumi 273

**E-J Characteristics in Multilayer Ceramic Capacitors with the Thin Dielectric Layers**

M. Nakano, A. Saito and N. Wada 277

**Behavior of Hydrogen Atoms in Perovskite-Type Oxide Thin Films under Electric Fields**

K. Morito, T. Suzuki, Y. Mizuno, I. Sakaguchi, N. Ohashi, K. Matsumoto and H. Haneda 281

**The Effects of Sintering Temperature Variations on some Physical Properties of Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-PbO-MgO Laminated Tape System**

R. Alias, I. Azmi, S.M. Shapee, Z. Ambak, Z.M. Yusoff, M.R. Saad, C.S. Mahmood and M.H.A.R.M. Ahmad 285

**Sintering Behavior of Silver Particles in Electrode for Multilayer Ceramic Substrate**

A. Okada and T. Ogihara 289

**The Influence of BaTiO<sub>3</sub> Tetragonality by Solid State Synthesis on MLCC's Dielectric Characteristics**

M. Hogiri and H. Kagata 293

**Electrical Properties of Conductive Paste with Silver Nanoparticles and its Application to Flexible Substrates**

Y. Yamamoto and T. Ogihara 297

**The Effect of Rare Earth (Ln = Gd, Dy, Y and Yb) Doping on the Microstructure and Reliability in BaTiO<sub>3</sub>-Based Monolithic Ceramic Capacitors (MLCs)**

T. Okamatsu, H. Nishimura, N. Inoue, H. Sano and H. Takagi 301

## Advanced Ceramics for Sensors

**Durability Improvement of Optical H<sub>2</sub> Gas Sensor Using Pd Thin Film on Sputter-Etched Glass Substrate**

Y. Yakushiji, Y. Kuroki, T. Okamoto and M. Takata 307

**Sensing High Concentrations in Air of H<sub>2</sub> Based on Spin-Coated Films of Flame-Spray-Made SnO<sub>2</sub> and Pd/SnO<sub>2</sub> Nanoparticles**

C. Liewhiran, A. Wisitsoraat and S. Phanichphant 311

**Upgrade Mechanoluminescence by Sr<sup>2+</sup> Substitution in CaAl<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>: Eu<sup>2+</sup>**

L. Zhang, C.N. Xu, H. Yamada and N. Bu 315

**Triboluminescence of Highly Oriented SrAl<sub>2</sub>O<sub>4</sub>:Eu Film and its Potential Role as a Stress Indicator**

X.Y. Fu, H. Yamada and C.N. Xu 319

<b>Application of Nano-Sized CeO<sub>2</sub> Powder for Fast Response Oxygen Sensors</b>	323
N. Murayama, N. Izu, W. Shin and I. Matsubara	
<b>V<sub>2</sub>O<sub>5</sub> Nanotubes Novel Gas Sensor with High Sensitivity for Ethanol</b>	328
W. Jin, W. Chen, B.T. Dong, C.X. Zhao, L.Q. Mai and Y. Dai	
<b>Ultra-Rapid CO Gas Detection by a Gas Sensor Based on Flame-Spray-Made Pt/ZnO Nanoparticles</b>	332
N. Tamaekong, C. Liewhiran, A. Wisitsoraat and S. Phanichphant	
<b>Improving the Performance of High Temperature Protonic Conductor (HTPC) Electrolytes for Solid Oxide Fuel Cell (SOFC) Applications</b>	336
E. Fabbri, D. Pergolesi, A. D'Epifanio, E. di Bartolomeo, G. Balestrino, S. Licoccia and E. Traversa	
<b>Development of Intermediate-Temperature Solid Oxide Fuel Cells Using Doped Lanthanum Gallate Electrolyte</b>	340
H. Eto, T. Akbay, J. Akikusa, G. Uozumi, N. Chitose, T. Inagaki and T. Ishihara	
<b>Fabrication and Characterization of Organic Semiconductor Based Gas Sensor</b>	344
M. Atique, G. Shabbir and M. Mehmood	
<b>Photo-Assisted VOC Detection by Transparent pn Junction</b>	348
Y. Nakamura, Y. Morita, Y. Yoshida and S. Fujitsu	
<b>Synthesis and Luminescence Properties of Non-Doped Long Persistent Phosphors : Mg<sub>2</sub>SnO<sub>4</sub></b>	352
A. Torisaka, H. Kaneko, K. Nomizu, S. Abe, T. Ishigaki, K. Toda, K. Uematsu and M. Sato	
<b>Luminescence Properties of Y(P,V)O<sub>4</sub> Synthesized by Microwave Heating</b>	356
A. Toda, K. Toda, T. Ishigaki, K. Uematsu and M. Sato	
<b>Development of New Red Phosphor Na<sub>3</sub>YSi<sub>2</sub>O<sub>7</sub>:Eu<sup>3+</sup> for a White LED</b>	360
S. Kousaka, K. Toda, T. Ishigaki, K. Uematsu and M. Sato	
<b>Photochromic Characteristics of Tungsten Trioxide Films Prepared by Electric Current Heating Using Tungsten Wire</b>	364
T. Hagizawa, T. Honma, Y. Kuroki, T. Okamoto and M. Takata	
<b>Electrical Properties of Dye-Sensitized Solar Cells Prepared by Blending SnO<sub>2</sub> Micro Particles and TiO<sub>2</sub> Nano Particles</b>	368
T. Nakamura, Y. Nakatani, T. Ogihara, H. Horikawa and M. Asahara	

## Dielectric, Ferroelectric & Piezoelectric Ceramics

<b>Piezoelectric Ceramics for High Temperature Applications</b>	375
Y. Higuchi, H. Ogawa, D. Kuroda, M. Kimura, H. Takagi and Y. Sakabe	
<b>Improvement of Electromechanical Coupling Factor and Mechanical Quality Factor in PZT-PMN Ceramics by MnO<sub>2</sub> Addition</b>	381
R. Tipakontitkul, A. Kamonlert, S. Eitssayeam and A. Niyompan	
<b>Dielectric and Ferroelectric Properties of (Cr,Nb)-Doped Lead Zirconate Titanate Ceramics</b>	385
P. Ketsuwan, A. Prasatkhetragarn, S. Ananta, C.C. Huang, D.P. Cann and R. Yimnirun	
<b>Pb Displacements in Pb(ZrTi)O<sub>3</sub> (PZT)</b>	389
T.R. Welberry, K.Z. Baba-Kishi and R.L. Withers	
<b>Textured PbTiO<sub>3</sub> Based Ceramics Fabricated by Slip Casting in a High Magnetic Field</b>	395
Y. Miwa, S. Kawada, M. Kimura, Y. Higuchi, H. Takagi, T. Suzuki, T. Uchikoshi and Y. Sakka	
<b>Dynamic Hysteresis Scaling in BaTiO<sub>3</sub> Bulk Ceramics</b>	399
N. Wongdamnern, A. Ngamjarurojana, S. Ananta, Y. Laosiritaworn and R. Yimnirun	
<b>Dynamics of Central Peaks in the Brillouin Scattering Spectra of Relaxor Ferroelectrics</b>	403
G. Shabbir and S. Kojima	
<b>Dielectric Properties of 0-3 Lead Magnesium Niobate Titanate (PMNT)-Ordinary Portland Cement (PC) Composites</b>	407
N. Jaitanong and A. Chaipanich	
<b>Ferroelectric Properties of Pb(Zr<sub>1/2</sub>Ti<sub>1/2</sub>)O<sub>3</sub>-Pb(Zn<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub> Ceramics under Compressive Stress Applied Perpendicular to Electric Field</b>	411
M. Unruan, T. Sareein, A. Prasatkhetragarn, A. Ngamjarurojana, S. Ananta and R. Yimnirun	
<b>XPS Characterization of Perovskite Relaxor PNN Ceramics Prepared by Corundum Precursor Method</b>	415
L. Srisombat, O. Khamman, R. Yimnirun, S. Ananta and T.R. Lee	

<b>Electrical Properties of Pb(Mg<sub>1/3</sub>Nb<sub>2/3</sub>)-PbTiO<sub>3</sub> Ferroelectric Single Crystal</b>	419
G. Shabbir and S. Kojima	
<b>Mechanical and Electrical Properties of Pb(Zr,Ti)O<sub>3</sub> Ceramics Prepared by Aerosol Deposition</b>	423
T. Miyoshi	
<b>Fabrication and Properties of PZT-Cement-Encapsulated Carbon Composites</b>	428
A. Chaipanich and N. Jaitanong	
<b>Artificial Neural Network Modeling of Ferroelectric Hysteresis: An Application to Soft Lead Zirconate Titanate Ceramics</b>	432
W.S. Laosiritaworn, R. Yimnirun and Y. Laosiritaworn	
<b>Composition, Structure and Properties of PZT-BT Ceramics Prepared by Two-Stage Sintering</b>	436
W.C. Vittayakorn, R. Yimnirun and S. Ananta	

## Advanced Ceramic Integration

<b>Mixed Conduction of Proton and Electron in Tungsten Phosphate Glass and its Hydrogen Transport</b>	443
S. Fujitsu and H. Kawazoe	
<b>Nanocomposite SPEEK/Titania Nanosheets (TNS) Proton Exchange Membranes for Fuel Cell Applications</b>	447
D. Marani, S. Licoccia, E. Traversa and M. Miyayama	
<b>Effect of Sendust Particle Size on Absorption Characteristics of Composite Electromagnetic Wave Absorber</b>	451
K. Sakai, Y. Wada, Y. Sato and S. Yoshikado	
<b>Ion Exchange of Layer Structured Crystal CsTiNbO<sub>5</sub> and its Application as Cathode Material in a Rechargeable Lithium Battery</b>	455
M. Ohashi	
<b>Electrocatalytic Activities of Trirutiles Based on MTaO<sub>6</sub> (M=Co, Ni, Mg) for Oxygen Reduction Reaction</b>	459
T. Konishi, H. Kawai, M. Saito, J. Kuwano and H. Shiroishi	
<b>Electrical Properties of Pt/Nb-Doped SrTiO<sub>3</sub> Schottky Junctions</b>	463
J.Y. Li, T. Ohgaki, R. Matsuoka, H. Okushi and N. Ohashi	
<b>Electrochemical Properties of Porous LiAl<sub>X</sub>Mn<sub>2-X</sub>O<sub>4</sub> Powders Prepared by Immersion of Li and Al Nitrate Solution to Spherical Mn<sub>2</sub>O<sub>3</sub> Powders</b>	467
K. Nishiwaki, T. Ogihara, S. Motohira and T. Kodera	
<b>Proton Conducting Electrolytes Synthesized with Diammonium Hydrogen Phosphate</b>	471
D.E. Priyanto, H. Shiroishi, S. Tanimoto, S. Hirukawa, M. Saito and J. Kuwano	
<b>Effect of Organic Compound on the Preparation of C/LiFePO<sub>4</sub> Powders by Spray Pyrolysis</b>	475
K. Egawa, T. Kodera and T. Ogihara	
<b>Oxygen Reduction Reaction Activity of Pyrochlore Oxide Electrocatalysts Prepared by Precipitation Method</b>	479
H. Kawai, K. Yoshihara, T. Konishi, M. Saito, J. Kuwano and H. Shiroishi	

## Nanocrystals & Processing

<b>Screen Printing Parameter Effect on the Surface Roughness Measurement of Printed Gold Paste on LTCC Tape</b>	485
S.M. Shapee, R. Alias, I. Azmi, Z. Ambak, Z.M. Yusoff and M.R. Saad	
<b>Synthesis and Characterization of Samarium Doped Ceria(Ce<sub>0.8</sub>Sm<sub>0.2</sub>O<sub>1.9</sub>) Nano-Particle by Aerosol Plasma Pyrolysis</b>	490
K. Myoujin, Y. Ichikawa, A. Toriyama, T. Kodera and T. Ogihara	
<b>Synthesis of Nano-Sized Oxide Phosphor Particles Using an Ion-Exchange Polymer/Water/Oil Emulsion Method</b>	494
H. Sano, S. Harada, M. Shimizu and M. Kuwabara	
<b>Low Temperature Synthesis of TiO<sub>2</sub> from Acid Solution</b>	498
S. Watanabe, S. Nakajima, K. Uematsu, T. Ishigaki, K. Toda and M. Sato	

<b>Fabrication of PbTiO<sub>3</sub> Nanocrystals on Atomically Flat Sapphire Substrates by Sputtering</b>	502
T. Nishida, K. Kubo, M. Echizen, H. Takeda, K. Uchiyama and T. Shiosaki	
<b>Particle Structure Analysis of Highly-Dispersed Barium Titanate Nanoparticles Obtained from Barium Titanyl Oxalate Nanoparticles and their Dielectric Properties</b>	506
S. Kondo, C. Moriyoshi, Y. Kuroiwa and S. Wada	
<b>Preparation of Barium Titanate Nanoparticle Thin Films by the Electrophoretic Deposition Method Using Polyacrylic Acid as a Charge-Compensating Agent</b>	510
M. Arimura, T. Makino, K. Fujiyoshi and M. Kuwabara	
<b>Preparation of Barium Titanate and Strontium Titanate Nanocube Particles and their Accumulation Using Smart Glue</b>	514
A. Nozawa, T. Kuwabara, H. Uchida, C. Moriyoshi, Y. Kuroiwa and S. Wada	

## Functional Materials

<b>Relaxation Phenomena of MgCuZn Ferrites</b>	521
T. Murase and H. Umeda	
<b>Effect of Thermal Annealing on Electrical Degradation Characteristics of Sb<sub>2</sub>O<sub>3</sub>-Bi-Mn-Co-Doped ZnO Varistors</b>	525
M. Takada, Y. Sato and S. Yoshikado	
<b>The Effect of Reoxidation on Thermal Shock Resistance of SrTiO<sub>3</sub>-Based Varistors</b>	529
A. Hitomi, N. Chida, M. Ogasawara and D. Matsuoka	
<b>Millimeter Wave Sintering of AlN Ceramics for Heat Sink Application</b>	533
A. Kishimoto, T. Morimoto and H. Hayashi	
<b>Thermophysical Behaviour of Crystalline Halides with Temperature</b>	537
M. Anis-ur-Rehman	
<b>High Frequency Characteristic of Elements Substituted Hexagonal Ferrites</b>	541
N. Hiratsuka, K. Kakizaki and K. Kamishima	
<b>New Titanium Oxide Compound for Photocatalytic Water Splitting, Hydrous Na<sub>16</sub>Ti<sub>10</sub>O<sub>28</sub></b>	546
S. Nakajima, S. Watanabe, K. Uematsu, T. Ishigaki, K. Toda and M. Sato	
<b>Effect of Vibro-Milling Time on Phase Formation and Particle Size of ZnNbO<sub>6</sub> Nano-Powders</b>	550
A. Ngamjarurojana, R. Yimnirun and S. Ananta	
<b>Photocatalytic Activity of Bismuth Layered Perovskite Treated with Acid</b>	554
S. Watanabe, Y. Narumi, K. Toda, T. Ishigaki, K. Uematsu and M. Sato	
<b>Preparation and Characterization of Spherical Metal Particles by Spray Pyrolysis</b>	558
T. Kodera, K. Myoujin and T. Ogihara	