

Table of Contents

Preface

Preparation and Mechanical Characterization of Hydroxyapatite Monodispersed Macroporous Structure. Influence of Interconnection and Macropores Diameters	9
O. Richart, M. Descamps, A. Liebetrau and G.P. Li	
Hydroxyapatite Formed on the Aligned Chitosan Prepared from Crab Tendon	13
I. Yamaguchi, M. Sakane, A. Osaka and M. Tanaka	
A New Method of Preparation of Calcium Phosphate Bioceramics	17
F. Dabbarh, A. Rodrigues El Zein and C. Chaput	
Correlation between MgO Doping and Sintering Characteristics in Hydroxyapatite/β-Tricalcium Phosphate Composite	21
H.S. Ryu, H.J. Youn, K.S. Hong, S.J. Kim, D.H. Lee, B. Chang, C.K. Lee and S.S. Chung	
Bioceramic Scaffold with Controlled Porous Structure for Bone Tissue Engineering	25
S.H. Li, K. de Groot and P. Layrolle	
Physico-Chemical and Thermal Properties of Chlor-, Fluor- and Hydroxyapatites	31
R. Kijkowska, S.J. Lin and R.Z. LeGeros	
Synthesis and Characterisation of Hydroxyapatite and Fluorapatite	35
M. Wei and J.H. Evans-Freeman	
Biomimetic Apatite through a Self-Assembly Process	39
C. Du, F.Z. Cui, K. de Groot and P. Layrolle	
A Compaction Route for Low Temperature Processing of Porous Calcium Polyphosphate Matrices	43
M. Filiaggi and G. Hall	
Influence of Plasma Gas Composition on the Adhesiveness of RF Thermal Plasma Sprayed Hydroxyapatite/Titanium Composite Coatings	47
M. Inagaki, Y. Yokogawa and T. Kameyama	
Preparation and Characterization of Porous Titanium	51
J.P. Li, S.H. Li, K. de Groot and P. Layrolle	
Atomic Force Microscopy as a Tool to Study In-Situ the In-Vitro Bioactivity of Starch Thermoplastic/Hydroxylapatite Biomaterials	55
I.B. Leonor, A. Ito, K. Onuma, N. Kanzaki and R.L. Reis	
Hydroxyapatite Coatings by Electrophoretic Deposition on Blasted Titanium Sheets	61
L.A. de Sena, M.S. Sader, A.M. Rossi and G.D. de Almeida Soares	
Preparation of Porous Apatite Material through Low Temperature Synthesis	65
Y. Yokogawa, F. Nagata, A. Hozumi, K. Teraoka, M. Inagaki, T. Kameyama and C. Rey	
Apatite Induction on Titania due to Combined Chemical and Thermal Treatments of Titanium	71
S. Hayakawa, K. Shibata, K. Tsuru and A. Osaka	
^{31}P Solution State NMR Investigation of the Hydrolysis of a New Alkoxide Sol-Gel Hydroxyapatite	75
D.D. Green, G.S.K. Kannangara, A. Milev and B. Ben-Nissan	
Ligand Substitution and Complex Formation in Hydroxyapatite Sol-Gel System	79
A. Milev, G.S.K. Kannangara and B. Ben-Nissan	
Synthesis and Characterization of Silicon Substituted Hydroxyapatite	85
S.R. Kim, D.H. Riu, Y.J. Lee and Y.H. Kim	
Structural and Morphological Analysis of Functionally Graded Calcium Phosphate Bioceramic	89
I. Manjubala and T.P. Sastry	
A Contribution to the Production and Characterization of New Biomedical Coatings: Fluorohydroxyapatite Coatings	93
G. Rizzi, R. Groppetti, L. Salvarani and A. Scrivani	
Importance of Including Proteins in Experimental Models Aimed at Studying Reactive Surface Apatite Layers on Calcium Phosphates	97
K. Rzeszutek, L.H. Guo and J.E. Davies	
An Equilibrium Study of Phosphate Precipitation on Bioactive Glass	103
K.H. Karlsson, R. Backman and M. Hupa	

What Process Drives Bone Formation at Bone-Implant Interfaces?	109
G.W. Hastings	
Effect of Poly L-Aspartic Acid on the Biomimetic Formation of Calcium Phosphate on Collagen Gel	
E.K. Girija, Y. Yokogawa and F. Nagata	113
Apatite-Forming Ability and Mechanical Behavior of PTMO-Modified CaO-TiO₂ Hybrids Prepared by Sol-Gel Processing	
N. Miyata, K. Fuke, Q. Chen, K. Masakazu, T. Kokubo and T. Nakamura	117
Micropattern Formation of Apatite by Combination of Biomimetic Method and Transcription of Resist Pattern	
N. Ozawa and T. Yao	123
Apatite Forming Ability of Titanium Oxide Thin Film Synthesized from Aqueous Solution	
N. Ozawa, Y. Ideta, T. Yao and T. Kokubo	127
Apatite Deposition on Polyamide Films Containing Carboxyl Groups in Body Environment	
T. Miyazaki, Y. Akioka, C. Ohtsuki, M. Tanihara, J. Nakao, Y. Sakaguchi and S. Konagaya	133
Coating of Bonelike Apatite on Polyamide Film via Chemical Modification with Calcium Salt	
Y. Akioka, T. Miyazaki, C. Ohtsuki, M. Tanihara, J. Nakao, Y. Sakaguchi and S. Konagaya	137
In Vitro Evaluation on Bone-Bonding of Chemically Modified Titanium	
J.M. Wu, S. Hayakawa, K. Tsuru, A. Osaka and D. Aslanidis	141
Acceleration of Bone-Like Crystal Growth on Polarized Plasma Sprayed HAP in SBF	
R. Kato, S. Nakamura, K. Katayama and K. Yamashita	145
Biodegradation Study of Potassium Calcium Metaphosphate in the SBF and Tris-Buffer Solution	
S.S. Chun, S.W. Na, J.H. Lee, J.P. Chung, I.C. Ryu and S.Y. Kim	149
In Vitro Evaluation of Highly Absorptive Ceramics Materials Needs Consideration of Calcium and Magnesium Ions Adsorbed to the Materials	
S. Sotome, T. Uemura, M. Kikuchi, S. Itoh, M. Tanaka, M. Takahashi, T. Tateishi and K. Shinomiya	153
Proteins Modulate the Properties of Biomimetic Calcium Phosphate Coatings on Titanium Implants	
Y. Liu, M. Stigter, K. de Groot and P. Layrolle	157
Physical and Mechanical Behavior of Zirconia-Hydroxyapatite Ceramics after Aging in Simulated Body Fluid	
J.A. Delgado, S. Martínez, L. Morejón-Alonso, M.P. Ginebra, E. Fernández, M.T. Clavaguera-Mora, J. Rodríguez-Viejo, F.J. Gil and J.A. Planell	161
Fluor-Hydroxyapatite Solid Solutions as Alternative Bioceramics	
K.A. Gross, J.N. Hart and L.M. Rodríguez-Lorenzo	165
Comparative Study of the Synthesis and Processing of Hydroxyapatite	
M. de Campos and A.H.A. Bressiani	171
Synthesis of Carbonate-Hydroxy Apatite and Selective Adsorption Activity against Specific Pathogenic Substances	
S. Takashima, Y. Kusudo, S. Takemoto, K. Tsuru, S. Hayakawa and A. Osaka	175
Calcium Deficient Apatite: An In-Vitro Model for Vancomycin Controlled Release	
L. Obadia, G. Amador, G. Daculsi and J.M. Bouler	179
Fabrication and In-Vitro Biocompatibility of Zinc-Containing α-Tricalcium Phosphate	
A. Ito, M. Kamo, N. Ichinose, Y. Sogo and T. Sakurai	183
Laser Surface Cladding: A New Promising Technique to Produce Calcium Phosphate Coatings	
F. Lusquinos, J. Pou, J.L. Arias, M. Larosi, A. de Carlos, B. León, M. Pérez Amor, S. Best, W. Bonfield and F.C.M. Driessens	187
Bioactive Titanium: Effect of Sodium Removal on the Bone-Bonding Ability of Bioactive Titanium Prepared by Alkali and Heat Treatment	
S. Fujibayashi, S. Nishiguchi, J. Tamura, T. Nakamura, H.M. Kim, M. Uchida and T. Kokubo	191
Comparative Study between In Vivo Bone Ingrowth Behavior in Rabbits and In Vitro Apatite Forming Ability in Simulated Body Fluid Using Granules of P₂O₅-Free Na₂O-CaO-SiO₂ Glass System	
S. Fujibayashi, S. Nishiguchi, J. Tamura, T. Nakamura, H.M. Kim, M. Uchida and T. Kokubo	193

Mechanism of Accelerated Osteogenesis around Polarized Hydroxyapatite in the Bone	195
T. Kobayashi, S. Nakamura, M. Ueshima and K. Yamashita	
Osteoconduction of Polarized Hydroxyapatite Plasma-Spray-Coating Titanium	199
H. Sagawa, T. Kobayashi, R. Kato, S. Nakamura and K. Yamashita	
Enhanced In Vivo Response to Silicate-Substituted Hydroxyapatite	203
I.R. Gibson, K.A. Hing, P.A. Revell, J.D. Santos, S. Best and W. Bonfield	
Methods to Enhance Biomimetic Activity and Ability to Tissue Bonding of Sol-Gel-Derived Nanoporous Titania	207
T. Peltola, H. Paldan, N. Moritz, S. Areva, J. Korventausta, M. Jokinen, T. Närhi, R.P. Happonen and A. Yli-Urpo	
Coating of Hydroxyapatite Films on Ceria-Stabilized Tetragonal Zirconia by a Spray-Pyrolysis Technique and Its Evaluation of Biocompatibility by Osteoblastic Cells	213
W. Nishine, M. Aizawa, M. Nawa, K. Itatani, H. Suemasu, A. Nozue and I. Okada	
Resorption of Porous A-W Glass Ceramic	217
K. Ohsawa, T. Okamoto, M. Neo and T. Nakamura	
LacZ Gene Transfer to Cultured Bone Marrow Cells with Hydroxyapatite	223
M. Akahane, H. Ohgushi, S. Kuriyama, T. Akahane, K. Kawamura and Y. Takakura	
Cultured Living Bone Equivalents Enhance Bone Formation when Compared to a Cell Seeding Approach	227
S.C. Mendes, M. Sleijster, A. van den Muysenberg, C.A. van Blitterswijk and J.D. de Bruijn	
Rapidly Resorbable and Spongiosa-Like Dicalcium Potassium Sodium Phosphate Glass-Ceramics for Three-Dimensional Cultivation of Human Osteoblast-Like Cells	233
G. Berger, Y. Açıł, S. Jepsen and A. Spitzer	
Zn Doped β-Tricalcium Phosphate Addition into Apatite Cement further Enhance the Differentiation of Osteoblasts	237
I. Kunio, Y. Miyamoto, T. Yuasa, A. Itou, K. Suzuki and M. Nagayama	
Quantitative Analysis of Bone Formed in Marrow/BMP/HA Composites	241
H. Ohgushi, T. Noshi, M. Ikeuchi, T. Yoshikawa, Y. Dohi and T. Tateishi	
Engineered RGD Peptide Surface Regulates Adhesion, Spreading and Cytoskeletal Organization of Osteoblast-Like Cells	245
P. Ducheyne, A. El-Ghannam, I.M. Shapiro and R.J. Composto	
Manipulation of Cell Proliferation by Electrically Polarized Hydroxyapatite	249
M. Ohgaki, M. Katsura, S. Nakamura and K. Yamashita	
Allogenic Transplantation of Cultured Bone/Porous β-TCP Materials Construct	253
T. Uemura, J. Dong, T. Yoshikawa, Y. Hakamatsuka, H. Irie, H. Inoue and T. Tateishi	
Dynamic Culture of Primary Chondrocytes on Porous β-TCP and HA Scaffolds in Spinner Flasks: Effects of Pore Size and Cell Seeding Density	257
T.A. Mahmoud, J. Riesle, S.H. Li, W.C. Lee, C.A. van Blitterswijk and R. Langer	
In Vitro Proliferation of Human Fibroblasts on P-(CL/DL-LA)/Bioactive Glass Composites	261
T. Jaakkola, M. Hormia, T. Närhi, J. Rich, J. Seppälä and A. Yli-Urpo	
Cytotoxicity of Calcium Metaphosphate Coated on cp-Titanium	265
S. Oh, D.J. Lee, J.H. Jeong, Y.K. Kim and S.Y. Kim	
Study of Osteoblast Differentiation and Proliferation on the Surface of Binary Bioactive Gel-Glasses	269
R.C. Bielby, P. Saravanapavan, J.M. Polak and L.L. Hench	
Improvement of the Stability and Mechanical Properties of Resorbable Phosphate Glasses by the Addition of TiO_2	275
M. Navarro, J. Clément, M.P. Ginebra, S. Martínez, G. Avila and J.A. Planell	
In Situ AFM Observation of Apatite Formation on Bioglass	279
J.I. Hamagami, G. Yamaguchi, K. Kanamura and T. Umegaki	
Colloidal Dimensions Versus Biodegradation and Calcium Phosphate Formation on Sol-Gel Derived Silica Fibers	283
M. Jokinen, T. Peltola, S. Veittola, J. Simola and A. Yli-Urpo	
Synthesis of Sol-Gel Derived Bioactive Foams	287
P. Sepulveda, J.R. Jones and L.L. Hench	
In-Situ AFM Study of the Mechanisms Involved on Calcium-Phosphate Film Formation on Partially Crystallized Bioglass and on Hydroxylapatite Immersed in a Simulated Body Fluid	291
I.B. Leonor, A. Ito, K. Onuma, N. Kanzaki, Z. Zhong, D.C. Greenspan and R.L. Reis	

Bioactive Organic-Inorganic Composite Prepared by Mechano-Chemical Method	295
S.B. Kim, S.B. Cho, K.J. Cho, Y.J. Kim, H.S. Jeon, T.H. Lee and Y. Hwang	
The Effect of Temperature on the Processing and Properties of Macroporous Bioactive Glass Foams	299
J.R. Jones, P. Sepulveda and L.L. Hench	
Concentration Dependence of Bioactive Glass Dissolution In Vitro	303
J.R. Jones, P. Sepulveda and L.L. Hench	
In Vivo Tests of a Highly Porous Rapidly Resorbable Dicalcium Potassium Sodium Phosphate Glass-Ceramics	307
U. Gross, C. Müller-Mai, C. Voigt, G. Berger and A. Spitzer	
Early Tissue Reaction around Implanted Biomaterials: Differences between b-TCP and PMMA	311
K. Ohsawa, M. Neo, H. Matsuoka, H. Akiyama, H. Ito and T. Nakamura	
Preparation of Thin Histological Sections for Bone Attachment and Implant Material Analysis	315
K.A. Gross	
In Vitro Primary Study of an Injectable and Fast Setting Calcium Phosphate Based Biomaterials	321
H.S. Fan, W.W. Lu, S.X. Qu, J.C.Y. Leong, J.Q. Cheng, K.W. Liu and X.D. Zhang	
Synthesis of Bioactive PMMA Bone Cement via Modification with Alkoxy silane and Calcium Salt; Effect of Calcium Salt	325
C. Ohtsuki, M. Kyomoto, T. Miyazaki, M. Tanihara, A. Mori and K. Kuramoto	
Comparison between Commercial Calcium Phosphate Bone Cements	331
M.E. Saadalla, N. Ahad, I.R. Gibson and J.C. Shelton	
Influence of Air-Entraining Agent on Bone Cement Macroporosity	335
S. Sarda, E. Fernández, M. Nilsson and J.A. Planell	
Effects of Powder Phase Sterilization on Basic Properties of Apatite Cement	339
M. Takechi, Y. Miyamoto, I. Kunio, Y. Momota, T. Yuasa, S. Tatehara, K. Suzuki and M. Nagayama	
Influences of Crystal Phases on Bioactivity of Calcium Phosphate Cements	343
L.M. Hirakata, M. Kon, T. Yuasa, Y. Miyamoto and K. Asaoka	
In Vitro Response of Osteoblast-Like Cells to Hydroxyapatite-Zinc Oxide-Poly(Acrylic Acid) Cements	347
S. Kenny, M. Buggy, T. Pembroke, R. Hill and P.V. Hatton	
Effects of Tannic Acid in α-Tricalcium Phosphate Cement for the Physical Properties and Tissue Responses	353
M. Yoshikawa, S. Hayami, T. Toda and Y. Mandai	
Interface Bioactive Bone Cement (IBBC) in Place of HA Coating: Merits and Demerits	357
H. Oonishi, H. Fujita, S. Itoh, T. Kin and K. Oomamiuda	
Mechanical Evaluation of Fixation of Titanium Implants in Trabecular Bone Using an Injectable Calcium Phosphate Cement	361
E.M. Ooms, J.G.C. Wolke and J.J. Jansen	
Soft Tissue Response to Newly Developed Calcium Phosphate Cements	363
E.M. Ooms, J.G.C. Wolke, E.A. Egglezos and J.J. Jansen	
Microstructure Analysis of Novel Resorbable Calcium Phosphate/Sulphate Bone Cements	365
M. Nilsson, E. Fernández, S. Sarda, L. Lidgren and J.A. Planell	
Bone-Bonding Strength of Two Kinds of Polymethylmethacrylate-Based Bioactive Bone Cement Containing Bioactive Glass Beads or Glass-Ceramic Powder	369
M. Kamimura, J. Tamura, S. Shinzato, K. Kawanabe, M. Neo, T. Kokubo and T. Nakamura	
In-Vitro Edurance Testing of Bone Graft Materials for Impaction Grafting	375
B. Grimm, A.W. Blom, A.W. Miles and I.G. Turner	
Mechanical Properties and Characterisation of Sol-Gel Coated Coralline Hydroxyapatite	379
B. Ben-Nissan, A. Milev, D. Green, M. Conway, R. Vago and W. Walsh	
The In Vivo Response of Phase Pure Hydroxyapatite and Carbonate Substituted Hydroxyapatite Granules of Varying Size Ranges	383
N. Patel, I.R. Gibson, K.A. Hing, S. Best, E. Damien, P.A. Revell and W. Bonfield	
Regeneration of Bone and Bone Marrow by Constructs Grafting of Human Cultured Bone and Porous Ceratite	387
J. Iida, T. Yoshikawa, Y. Ueda, T. Uemura, K. Ichijima and Y. Takakura	

Osteogenic Activity of FK506-Treated Cultured Bone Tissue	391
T. Yoshikawa, H. Nakajima, T. Uemura, K. Ichijima and Y. Takakura	
Osteogenic Potential of Osteogenic Cell / Collagen Sponge Construct for Bioartificial Periosteum	395
K. Hattori, T. Yoshikawa, Y. Takakura, H. Aoki and N. Tomita	
A New Sol-Gel Derived Bone Grafting Material	399
T. Gerber, T. Traykova, K. Henkel and V. Bienengräber	
Comparison of Osteosyntheses According to Compositions of Porous Calcium Phosphate Graft	405
C.K. Lee, B. Chang, D.H. Lee, K.S. Hong, H.S. Ryu and S.J. Kim	
Segmental Bone Defect Repair Using Sintered, Porous Ceramics	409
D.C. Fredericks, J.A. Bobst, E.B. Petersen, J.V. Nepola, B. Heckendorf, B. Norberg, Y. Ko and J.J. Cassidy	
Synthesis and Properties of Ceramic Foams for Hard Tissue Repair	413
P. Sepulveda, A.H.A. Bressiani, J.C. Bressiani, L. Meseguer and B. König Jr	
In-Vitro Testing of Bonesave, a Ceramic Bone Graft Substitute for Use in Impaction Grafting	417
A.W. Blom, B. Grimm, J. Cunningham, A.W. Miles and I.D. Learmonth	
Grafton® Demineralized Bone Matrix Combined with Cancellous Allograft as an Autogenous Graft Substitute in the Treatment of Fractures and Nonunions	421
F.C. Redfern	
Histological Studies on Retrieved HA Granules Filled in Acetabular Massive Bone Defect in Revision Total Hip Arthroplasty	423
H. Oonishi, H. Fujita, S. Itoh, T. Kin and K. Oomamiuda	
In Vitro Bioactivity and Mechanical Performance of Tricalcium Phosphate/Polyhydroxybutyrate Composites	429
M. Wang, J. Ni and J. Weng	
Synthesis of a Bioactive Poly(Methyl Methacrylate)/Silica Hybird	433
S.H. Rhee and J.Y. Choi	
Apatite-Forming Ability and Mechanical Properties of Glass-Ceramic A-W-Polyethylene Composites	437
J.A. Juhász, K. Masakazu, N. Miyata, T. Kokubo, T. Nakamura, S. Best and W. Bonfield	
Bi-Composite Sandwich Injection Moulding: A New Method of Producing Stiff and Strongly Bioactive Bone-Analogues	441
A.L. Oliveira, R.A. Sousa, A.M. Cunha and R.L. Reis	
Heating Effect on Properties of Organic-Inorganic Hybrids Containing Colloidal Silica Particles	445
Y. Aburatani, K. Tsuru, S. Hayakawa and A. Osaka	
Cross-Linkage of Hydroxyapatite / Collagen Nano-Composite with 3 Different Reagents	449
M. Kikuchi, T. Taguchi, M. Tanaka, H. Matsumoto and K. Takakuda	
Preparation of a Bioactive Polycaprolactone/Silica Nanocomposite	453
S.H. Rhee and H.M. Kim	
New Bioactive Composites Consisting of Partially Crystallized Glass Beads and PMMA: Evaluation of Osteconductivity	457
S. Shinzato, T. Nakamura and T. Kokubo	
Dentin Mineralization with a Bioactive Composite	461
T. Närhi, T. Tirri, J. Rich and J. Seppälä	
In Vivo and In Vitro Evaluation of the Biocompatibility of the Hydroxyapatite-PMMA Hybrid Materials Having Mechanical Property Similar to that of Cortical Bone	465
M. Aizawa, M. Ito, K. Itatani, H. Suemasu, A. Nozue, I. Okada, M. Matsumoto, M. Ishikawa, H. Matsumoto and Y. Toyama	
Mechanical Behaviour of Polyethylene/Hydroxyapatite Bone-Analogue Composites Moulded with an Induced Anisotropy	469
R.A. Sousa, J.F. Mano, R.L. Reis, A.M. Cunha and M.J. Bevis	
Clinical Application of the Plug Made of Porous AW Glass Ceramic for Revision Total Knee Arthroplasty	475
T. Kitaori, H. Fujita, H. Iida, K. Shimizu, Y. Hiroshima and T. Nakamura	
Development and Improvement of Ceramic TKP for 19 Years and Clinical Results	479
H. Oonishi, H. Fujita, S. Itoh, S. Kin and H. Amino	

Design Rationale and Mid-Term Clinical Results of the Bisurface Knee Prosthesis	483
M. Akagi, T. Asano, T. Nakamura, T. Ueo, Y. Matsusue, C. Hamanishi and T. Yamamuro	
Hydroxy Apatite Ceramic Hip Survey Ceramic on Ceramic Bearings	487
J.M. Buchanan	
Hydroxyapatite Coated Total Hip Prostheses: A Long-Term, Prospective, Randomized Study of 50 Consecutive Cases	491
C. Faldini, A. Moroni and S. Giannini	
Hybrid Alumina-Alumina Hip Replacement in Patients under the Age of 55 Years Old	495
P. Bizot, R. Nizard, J. Witvoet and L. Sedel	
Surface Analysis on Retrieved Ceramic Total Knee Prosthesis	499
H. Oonishi, H. Fujita, S. Itoh, S. Kin, H. Amino and E. Tsuji	
Lessons and Pitfalls from 27 Years Alumina Ceramic Experience in Vienna / Austria	503
M. Böhler	
Clinical Wear and Simulator Study of Ceramic-Ceramic THR to 20 Years and Beyond	507
T. Shishido, I.C. Clarke, P.A. Williams, A. Gustafson, H. Shoji, M. Böhler, K. Keggi and A. Imakiire	
Investigation of a Ceramic Head Retrieved after 20 Years: A Case Study	511
G. Willmann, H.G. Richter and K. Zweymüller	
Development of Zirconia Plasma Sprayed Coatings for Dental Implants and for Knee Prostheses	515
A. Scrivani, A. Figueras, M. Garriga and G. Rizzi	
Influence of Material Combinations and Lubricants on Friction and Wear in Ceramic-on-Ceramic Sliding Pairs for Joint Prostheses	521
T. Murakami and S. Doi	
Effect of Frictional Heating on the Serum Lubricant and Wear of UHMWPE Cups against Cobalt-Chrome or Zirconia Balls	525
Y.S. Liao, Z. Lu, P. Campbell, P. Benya and H. McKellop	
Analysis of Contact Mechanics and Lubrication in Ceramic-on-Ceramic Hip Joint Replacements	531
M.M. Mak and Z.M. Jin	
The Friction and Lubrication of Alumina-on-Alumina Total Hip Prostheses - The Effect of Radial Clearance and Wear Testing	535
S.C. Scholes, S.M. Green and A. Unsworth	
Long-Term Performance of a Transformation Toughened Platelet Reinforced Alumina Matrix Composite	541
H.-. Pfaff, R. Rack and G. Willmann	
Nanotribological Characterisation of Alumina Femoral Heads Using an Atomic Force Microscope	543
S.C. Scholes, S.M. Green and A. Unsworth	
Crevice Corrosion of Titanium Alloyed Morse Tapers May Cause Fracture of Alumina Ceramic Heads	549
M. Windler	
Comparison of the Abrasive Wear Resistance between Amalgams, Hybrid Composite Material and Different Dental Cements	553
F.J. Gil and J.A. Planell	
High Load Bearing, High Reliable All-Ceramic Bridges	557
F. Filser, P. Kocher, H. Lüthy, P. Schärer and L.J. Gauckler	
Reliability of Zirconia Hip Joint Heads: Combination of Wear and Aging Tests	561
F. Villermaux, B. Calès and L. Blaise	
A New Knee Prosthesis with Bisurface Femoral Component Made of Zirconia-Ceramic	563
T. Nakamura, M. Akagi, T. Yasuda, Y. Nakagawa and M. Shimizu	
Tribological Characteristics of Diamond-Like Carbon Films Formed on CP Ti and ELI Ti-6Al-4V	567
H.E. Kim, I.S. Lee, C.N. Whang, D.H. Kim and K.R. Lee	
Mechanical Stress Analysis and Burst Testing of a Zirconia Femoral Component for Total Knee Arthroplasty	573
M. Ueno, M. Apgar and V. Sarin	
New Approach to a Cementless Ceramic Component for Artificial Knee Joint	577
I. Noda, S. Masuda, H. Kitano, J. Ikeda, Y. Yoshihara, K. Mukai and T. Shimotoso	

Zirconia Ceramic Femoral Components	581
D. Sida, L. Blaise, V. Sida and P. Vavrik	
Investigation of the Wear Behaviour of a Ceramic Knee Concept with Floating Meniscal Bearing	585
S. Leyen, J. Schwiesau and R. Schmidt	
Characterization of Steady-State Wear in All-Alumina THR to 20 MC	587
H. Oonishi, I.C. Clarke, P.A. Williams, T. Shishido and A. Gustafson	
Ceramic Wear Debris in Total Joint Replacements: Review of Debris Morphology and Biological Response	591
P.A. Williams and I.C. Clarke	
Nano-Smooth Diamond Surfaces of Duplex Coatings on Titanium Alloy for Low Friction and Low Wear of Biomaterial Counterfaces	595
L. Vandenbulcke, M.I. De Barros, C. Met and G. Farges	
Ceramized Articulating Surfaces of Metal-Metal Hip Joint Prosthesis	601
H.G. Neumann, A. Baumann, G. Wanke, K.J. Hamelynck and M. Morlock	
CE-TZP/Al₂O₃ Nanocomposite for Total Joint Prostheses	605
K. Tanaka, J. Tamura, M. Uchida, T. Kokubo, M. Nawa and T. Nakamura	
Creating Abrasive Conditions in Knee Simulator Tests of Oxidized Zirconium and Cobalt-Chrome Femorals	609
A. Salehi, G. Hunter and K. Widding	
The Ultrastructural Analysis of Heterotopic Osteogenesis in Porous Biphasic Calcium Phosphate Ceramics	613
S.X. Qu, Y. Leng, X. Guo, J.C.Y. Cheng, W.Q. Chen, Z.J. Yang and X.D. Zhang	
Apatite-Forming Ability of Ethylene-Vinyl Alcohol Copolymer Modified with Ti-OH Groups	617
T. Kokubo, K. Masakazu, A. Oyane, M. Minoda, T. Miyamoto and T. Nakamura	
Composition of Apatite Produced in Simulated Body Fluids	621
H.M. Kim, T. Furuya, T. Kokubo, T. Miyazaki and T. Nakamura	
Characterisation of Mono- and Biphasic Calcium Phosphates Granules	625
S. Ke, I.R. Gibson and K.A. Hing	
Variation of Clusters in Simulated Body Fluids with Time	629
A. Oyane, K. Onuma, A. Ito, T. Furuya, H.M. Kim, T. Kokubo and T. Nakamura	
Apatite-Forming Ability and Mechanical Properties of Polydimethylsiloxane (PDMS)-TiO₂ Hybrid Treated with Hot Water	633
M. Kamitakahara, K. Masakazu, N. Miyata, T. Kokubo and T. Nakamura	
Apatite-Forming Ability of Zirconia Gels with Different Structures	637
M. Uchida, H.M. Kim, T. Kokubo, M. Nawa, K. Tanaka and T. Nakamura	
Zeta-Potential Variation of Bioactive Titanium Metal during Apatite Formation on Its Surface in Simulated Body Fluid	641
K. Masakazu, T. Himeno, H.M. Kim, T. Kokubo and T. Nakamura	
Preparation of Magnetite Microspheres for Hyperthermia of Cancer	645
K. Masakazu, M. Tanaka, T. Kokubo, T. Yao, S. Hamada and T. Shinjo	
Process of Apatite Formation Induced by Anatase on Titanium Metal in Simulated Body Fluid	649
H. Kaneko, M. Uchida, H.M. Kim, T. Kokubo and T. Nakamura	
Resorbable Calcium Phosphate Composite Coatings	653
P. Becker, P. Zeggel, F. Lüthen, B. Nebe, J. Rychly and H.G. Neumann	
Tissue Response of Calcium Polyphosphate in Beagle Dog	657
S.M. Yang, S.Y. Kim, S.J. Lee, Y. Ku, S.B. Han, C.P. Chung and I.C. Rhyu	
Extensive Biocompatibility of Electrically Polarized Partially-Stabilized-Zirconia Ceramics	661
S. Nakamura and K. Yamashita	
Quantitative Evaluation of Wear Property of Polyethylene-on-Ceramic Sliding Pairs for Joint Prostheses in Multidirectional Sliding Test	665
Y. Sawae, T. Murakami, T. Sawano, I. Noda and T. Shimotoso	
Ceramic-on-Ceramic Bearing Surfaces: A Complete Solution to 3RD-Body Wear Problem in Total Hip Arthroplasty	669
A. Wang, A. Chopra and G. Schmidig	

Long-Term Study of High-Strength Hydroxypatite/Poly(L-Lactide) Composite Rods for Internal Fixation of Bone Fractures: Histological Examination

S. Ishii, Y. Matsusue, T. Furukawa, T. Yasunaga, J. Tamura, Y. Shikinami, M. Okuno and T. Nakamura

673