

Table of Contents

Foreword, Committees, Sponsors and Supporters

Chapter 1: Raw Materials

| | |
|--|----|
| Characterization of a Limestone Powder Residue for Recycling as a Concrete Block Incorporation | |
| J. Alexandre, A.R.G. de Azevedo, G.d.C. Xavier, L.G. Pedroti, C.M.F. Vieira and S.N. Monteiro | 3 |
| Comparative Study of Organoclays with Ionic Surfactant | |
| B.M.A. de Brito, J.M. Cartaxo, J.M.R. Costa, H.C. Ferreira and G.A. Neves | 9 |
| Study of a Clayey Soil Used in the Fabrication of Red Ceramics in Campos Dos Goytacazes, Brazil | |
| J. Alexandre, A.R.G. de Azevedo, G.d.C. Xavier, L.G. Pedroti, C.M.F. Vieira and S.N. Monteiro | 15 |
| Purified Smectite Clays Organofertilized with Ionic Surfactant for Use in Oil-Based Drilling Fluids | |
| J.M.R. de Figueirêdo, J.P. Araújo, I.A. da Silva, J.M. Cartaxo, G.A. Neves and H.C. Ferreira | 21 |
| Improvement of Rheological Properties of Little Noble Varieties from Boa Vista Bentonites - Part I: Experimental Design | |
| V.C. Marques, I.B.C. Dias, J.B. Alves, L.F.A. Campos, R.P.S. Dutra and H.S. Ferreira | 27 |
| Characterization of Natural Slip Materials Geologically Found in the North of the State of Rio de Janeiro, Brazil | |
| Z.M.P. Chrispim, M.d.G. Alves, L.L.P. de Almeida, J. Alexandre, A.R.G. de Azevedo, R. de Souza Araujo and S.N. Monteiro | 33 |
| Reactive Formations: Characterization and Capacity Expansion | |
| D. Vieira de Lucena, H.L. Lira and L.V. Amorim | 39 |
| Use of Construction Waste to the Mass Manufacture of Clay Products | |
| L.L.P. de Almeida, V.F. Pereira, I.d.S. Ramos and Z.M.P. Chrispim | 45 |
| Bentonite Clays from Sossego, Paraiba, Brazil: Physical and Mineralogical Characterization | |
| I.D.S. Pereira, V.N.F. Lisboa, I.A. Silva, J.M.R. Figueirêdo, G.A. Neves and R.R. Menezes | 50 |
| Influence of Hydrocycloning Pressure on the Purification of Bentonite | |
| P.L. de Oliveira, J.M.R. de Figueirêdo, J.M. Cartaxo, G.A. Neves and H.C. Ferreira | 55 |

Chapter 2: Powder Synthesis

| | |
|---|-----|
| Sinthesys of Mullite Using Microwave Furnace from Kaolin and Alumina Residue | |
| M.F. da Silva, V.J. da Silva, R.R. Menezes, L.N. de Lima Santana, G.A. Neves and W.P. Gonçalves | 63 |
| Silver-Doped Zirconia Nanoparticles as Possible Bactericide in Water Filters | |
| E.N.L. Rodrigues, E.J.P. Miranda Jr. and M.M. Oliveira | 69 |
| Influence of Oxidizing Atmosphere on Crystalline Phase Formation and Microstructural Properties of Mixed Cerium-Zinc Oxides Obtained by Polymeric Precursor Method | |
| L.L.M. Sales, R.A. Candeia, F.A.P. Cunha, J.M. Silva, A.C. Chaves and C.M.S. Vieira | 75 |
| Experimental Planning of Mixtures to Obtain Geopolymer | |
| C.E. Pereira, J.J.N. Alves, R.R. Menezes, J.O.P.N. Santos and B.V. de Sousa | 79 |
| Characterization of $\text{Al}_2(\text{WO}_4)_3$ Synthesized by Co-Precipitation Method | |
| E.S.G. Junior and P.M. Jardim | 85 |
| Low Temperature Phase Transformation Study in the $\text{Al}_2\text{O}_3\text{-Y}_2\text{O}_3\text{-Nb}_2\text{O}_5$ System | |
| E. de Sousa Lima, A.P.O. Santos, R.F. Cabral, J.I.N. Fortini and J.B. de Campos | 90 |
| Use Residue of Bagasse Sugar Canein Synthesis of Molecular Sieve MCM-41 | |
| L.A. Lima, V.M.R. Menezes and M.G. Freire Rodrigues | 95 |
| Synthesis and Characterization of Molecular Sieve SBA-15 and Catalysts Co/SBA-15 and Ru/Co/SBA-15 | |
| J.J. Rodrigues, L.A. Lima, G.M. de Paula and M.G. Freire Rodrigues | 100 |

| | |
|---|-----|
| Influence of Clay Content and Surfactant on the Rheology of Non Aqueous Drilling Fluids S.L.A. Dantas, I.C. Guedes, K.A. Marques, H.S. Ferreira and R.P.S. Dutra | 106 |
| Synthesis of Nanostructured PZT Ceramics with Powder Obtained from Coprecipitate Method A.C. Lanza, D. Thomazini and M.V. Gelfuso | 110 |
| SBA-15 Molecular Sieve Using Clay as Silicon Sources G.M. de Paula, L.A. Lima and M.G. Freire Rodrigues | 116 |
| Study of Organic Surfactant Sorption in Organophilic Clays D.L. da Silva, H.S. Ferreira, A.V. da Silva and R.P.S. Dutra | 121 |
| Evaluation of a Sodic Organoclay as Adsorbent for Removing Oil/Water in a Synthetic Wastewater E.L. da Silva, A.C.L. Patrício, G. Costa de Oliveira and M.G.F. Rodrigues | 127 |
| Influence of the Citric Acid and Metal Cation Ratio on the Structural and Morphological Characteristics of Aluminum Oxide Synthesized by Pechini Method M.C. da Silva, H.L. Lucena and N.L. de Freitas | 133 |
| Effect of Calcination Temperature in the Aluminum Oxide Synthesized by Pechini Method in the Citric Acid: Metal Cation Ratio of 2:1 M.C. da Silva, H.L. Lucena and N.L. de Freitas | 139 |
| ZrO₂: 3 mol% Re₂O₃ R.A. Muñoz, P.C. Cajas, J.E. Rodriguez, A.C.M. Rodrigues and C.R.M. Silva | 145 |
| Sintering Sr₂MgWO₆ Ceramic and their Reactivity to Petroleum J.C. da Silva Oliveira, R.A.S. Ferreira and Y.P. Yadava | 154 |
| Microstructural and Colour Analysis of CuCrO₂ Delafossite Obtained by Gelatin Method A.F. Costa, P.M. Pimentel, F.M. Aquino, D.M.A. Melo, M.A.F. Melo and R.M. Nascimento | 160 |
| Synthesis, Characterization and Ionic Conductivity of Fully Stabilized Zirconia Obtained from Core-Shell Type Structures R.A.M. Muñoz, P.C. Cajas, J.E. Rodriguez, J.L. Narváez-Semanate and C.R.M. Silva | 165 |
| Synthesis and Characterization of Zirconium Oxide Systems with Yttrium Rich Rare Earth Concentrate Additives P.C. Cajas, R. Muñoz, A.C. Rodríguez, J.E. Rodríguez-Páez and C.R.M. da Silva | 174 |
| Synthesis of Gadolinium Doped Ceria Ceramic Powder by Polymeric Precursor Method (Pechini) J.M.G. Martínez, R.A.M. Meneses and C.R.M. da Silva | 182 |
| Preparation of Mullite Whiskers from Powder of Topaz Pure and Doped with Rare Earths R.R. Monteiro and A.C.S. Sabioni | 189 |
| Effect of LiF and CaO Additions on MgAl₂O₄ Dynamic Behavior T.B. Skaf, L.H.L. Louro, A.L. de Vasconcelos Cardoso, A.V. Gomes and M.H. Prado da Silva | 195 |
| Effects of the Addition of Ions Barium on the Structural and Electrical Properties of PZT Ceramic M.S. Silva, G.F. Teixeira, G.F. Cavenago, L.L. da Silva, R.G. Dias, M.A. Zaghete, M. Cilense, E. Longo and A.A. Cavalheiro | 199 |
| Nanostructured Co₃O₄ Oxide for Low Temperature Ethanol Oxidation J.A. Gomez-Cuaspud and M. Schmal | 205 |
| Effect of the Iron Doping on the Thermal Decomposition of the Polymeric Precursor for the Titanium Dioxide Powder Synthesis S.A.L. dos Santos, N.A. Cruz, D.C. Manfroi, R.G. Dias, M.S. Silva, M.A. Zaghete, A. dos Anjos, A.A. Cavalheiro and L.C.S. de Oliveira | 211 |

Chapter 3: Earthenware

| | |
|--|-----|
| Microstructural Analysis of Clay Ceramic Added with Argillite and Grog V.S. Candido, R.M. Pinheiro, S.N. Monteiro and C.M.F. Vieira | 219 |
| Study on the Viability of Using Drill Cuttings from the Potiguar Basin in the Production of Ceramic Products: Influence of Concentration and Firing Temperature L.C. Medeiros, A.P.C. Câmara, D.A. Macedo, D.M.A. Melo and M.A.F. Melo | 224 |
| Effect of Banana Fiber in the Properties of Clayey Ceramic M.P. Babisk, C.N. de Oliveira, M.P.S. Júnior, C.M.F. Vieira, S.N. Monteiro and J. Alexandre | 229 |

| | |
|---|-----|
| Addition of Grog-Clay Ceramic Waste in Multiple Use Mortar J. Alexandre, A.R.G. de Azevedo, G.d.C. Xavier, J.C. Trindade, K.B. Goliath and S.N. Monteiro | 235 |
| The Incorporation of the Ceramic Industry Firewood Ash into Clayey Ceramic L. Leandro dos Santos, J.E.S. Filho, L.F.A. Campos, H.S. Ferreira and R.P.S. Dutra | 240 |
| Banana Aqueous Extract as a Potential Addition to Clay Ceramics M.C. de Aguiar, L.P. Rodrigues, F.H. Guedes, J. Alexandre, A.R.G. de Azevedo and S.N. Monteiro | 246 |
| Microstructural Evaluation of a Clay Ceramic Incorporated with Granite Rejects from Stone Sawing Using Diamond Wire M.C. de Aguiar, M.C.B. Gadioli, M.P. Babisk, V.S. Candido, S.N. Monteiro and C.M.F. Vieira | 251 |
| Degradation of Red Ceramic with Incorporated of Petroleum Waste R.F. Gomes, G.d.C. Xavier, F.A.J. Saboya, P.C.A. Maia, J. Alexandre and L.G. Pedroti | 257 |
| Red Ceramic with Addition of Petroleum Coke G.d.C. Xavier, F.A.J. Saboya, P.C.A. Maia, J. Alexandre and L.G. Pedroti | 263 |
| Resistance to Synthetic Seawater Aggression of Clay Ceramics Incorporated with an Ornamental Stone Residue G.d.C. Xavier, J. Alexandre, P.C. de Almeida Maia, F.S. Albuquerque, L.G. Pedroti, A.R.G. de Azevedo and S.N. Monteiro | 269 |
| Study of Ceramic Block Manufacture with the Addition of Waste from Iron Ore Extraction D.M. Nociti, E. de Campos, M.P. Santos, R.M. Bittencourt and F.C.L. de Melo | 275 |
| The Influence of Sintering Temperature on Ceramic Material with Addition of Mill Scale J.G. Meller, A.B.C. Arnt and M.R. da Rocha | 281 |

Chapter 4: Ceramic Tiles

| | |
|---|-----|
| Total and Partial Replacement of Quartz in Aluminum Hydroxides Porcelain Formulations G. Gralik, A.S.A. Chinelatto and A.L. Chinelatto | 289 |
| Study of the Effect of Feldspar Replacement from a Mixture of Glass / Syenite in Technological Properties of Ceramic Coatings J.E.S. Filho, A. de Oliveira Feitosa, L.L. dos Santos, L.F.A. Campos and R.P.S. Dutra | 294 |
| Characterization of Ceramic Composite Waste of Granite, Marble and Caulim for Production of Coating Plates J.L. Sales, C.R.S. Morais, L.M.R. Lima, J.L. Araújo and J.C.B. Cibalde | 300 |
| Analysis of Color of the Ceramic Coatings Submitted to Different Processing Conditions A. de Oliveira Feitosa, J.E.S. Filho, L.L. dos Santos, R.R. Menezes and R.P.S. Dutra | 306 |
| Ceramic Tiles with Photovoltaic Properties D. Muller, G.K. Pinheiro, L.T. Scarabelot, J.F. França, D. Hotza and C.R. Rambo | 312 |
| Reuse of Waste from Polish in the Production of Porcelain P.F. Santos, C.R. Calado, S.N. da Silva and I.P. Pinheiro | 317 |
| Phases Obtained from Heat Treatment of Mn-Co-Based Coatings Deposited by Dip Coating A. Bervian, M.A. Korb, I.D. Savaris, G.A. Ludwig, L.S. Barreto, G. Gauthier and C.d.F. Malfatti | 323 |
| Formation of Spinel from Fe-Ni Coating Electrodeposited on AISI 430 Ferritic Stainless Steel G.A. Ludwig, M.A. Korb, A. Bervian, C.P. Bergmann and C.d.F. Malfatti | 328 |
| Morphology and Fluidity of Spray-Dried Powder Transported by Compressed Air A.L. da Silva, J. Feltrin and A.M. Bernardin | 334 |

Chapter 5: Plaster and Cement

| | |
|---|-----|
| Processing and Properties of Soil-Cement Blocks Incorporated with Natural Grit J. Alexandre, C.L. de Assis Paula e Silva, A.R.G. de Azevedo, G.d.C. Xavier, V.S. Candido and S.N. Monteiro | 343 |
| Technical Feasibility of Using Lightweight Concrete with Expanded Polystyrene in Civil Construction J. Alexandre, A.R.G. de Azevedo, C.L. de Assis Paula e Silva, C.M.F. Vieira, V.S. Candido and S.N. Monteiro | 347 |

Chapter 6: Refractories and Thermal Insulation

Characterization and Granulometric Correction Soil for the Production of Soil-Cement Blocks for Two Method, Particle Size and X-Ray Florescence to be Inserted in Phase Change Materials (PCMS)

V.B. Dantas, U.U. Gomes, A.B. Vital, G.S. Marinho and A.d.S. Silva

355

Chatper 7: Glasses, Glass-Ceramics and Related Materials

Evaluation of Pozzolanic Activity of Siliceous Materials Using the Method of Variation of Conductivity in Lime Solution

M.M.N. de Souza Soares, R.B. Figueiredo, M.T.P. Aguilar and P.R. Cetlin

363

Properties of Glass-Ceramics Obtained from Crystallization of the $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-MgO-Li}_2\text{O}$ System with Addition of ZrO_2

M.P. de Souza Filho, E. de Campos, J.P. Moreira, C.M.A. Lopes and F.C.L. de Melo

369

Study of Bubbles Elimination in Silica Glass Produced by Flame Fusion from Brazilian Natural Quartz Powder

C.P. Guerra, E. Ono, M.F.M. Santos and C.K. Suzuki

375

Chapter 8: Structural Ceramic

Development and Characterization of the $\text{Al}_2\text{O}_3\text{-YAG}$ Ceramic Composites

E.S. Lima, A.P.O. Santos, L.M. Itaboray, C. Santos and R.F. Cabral

383

Chapter 9: Electrical, Electronic and Magnetic Ceramics

Preparation of Porous Zirconia-Yttria Ceramics by Thermal Removal of Potassium Iodide

S.G.M. Carvalho and R. Muccillo

391

Synthesis by Combustion Reaction of the System $\text{Zn}_{0,6}\text{Fe}_{0,4}\text{O}$ for Application as DMS: Avaliation of the Type of Container

L.V.R. Machado, D.M.P. Souza, N.D.S. Gomes, M.R. da Silva, L.F. Mouzinho and A.C.F.M. Costa

396

Magnetic Study of Nanoferritas CoFe_2O_4 Obtained by Reaction of Combustion

P.T.A. Santos, P.M.A.G. de Araújo, A.C.F.d.M. Costa and D.R. Cornejo

402

Characterization of Yttrium-Doped Barium Zirconate Nanocrystalline Powder Prepared by Spray Pyrolysis

E.N.S. Muccillo, M.D. Gonçalves, R.L. Grossi and R. Muccillo

407

Microstructure and Electrical Conductivity of Yttria-Stabilized Zirconia with Lithium Addition

E.N.S. Muccillo, C.S. Campos and R. Muccillo

413

Calcination Temperature Influence on Ionic Conductivity of Solid Electrolytes

J.M.G. Martínez, L.B. Winck and C.R.M. da Silva

419

Morphological Characterization by SEM, TEM and AFM of Nanoparticles and Functional Nanocomposites Based on Natural Rubber Filled with Oxide Nanopowders

F. Silva Bellucci, L.O. Salmazo, E.R. Budemberg, E. Budemberg, R.F. Aroca, M.A. de Lima Nobre and A.E. Job

426

Chapter 10: Nuclear, Optical and Chemical Ceramics

Application of Design of Experiments to the Alkaline Treatment in Mordenite Zeolite: Influence on Si/Al Ratio

H.P. de Macedo, L.C. de Oliveira Felipe, L.B. Silva, L.M.P. Garcia, R.L.B.A. Medeiros and T.R. Costa

435

Chapter 11: Bioceramics

| | |
|--|-----|
| Synthesis and Characterization of Hydrated Calcium Phosphate: Precursors for Obtaining Biocements | |
| P.F. Franczak, N.H.A. Camargo, P. Corrêa and E. Gemelli | 443 |
| Synthesis and Characterization of Calcium Phosphate from Fossilized Calcareous Shells for Biomedical Applications | |
| D.F. Silva, N.H.A. Camargo, G.M.L. Dalmônico, P. Corrêa, M.S. Schneider and E. Gemelli | 449 |
| Mechanical Characterization of Tricalcium Phosphate Ceramics Doped with Magnesium | |
| R. Borges, S. Ribeiro, J. Marchi and H.N. Yoshimura | 454 |
| Preparation and Characterization of Hybrid Fe₃O₄/APTES for Immobilization of GOX | |
| T.C.P. França, B.B. Dantas, K.M.S. Viana, P.T.A. Santos and A.C.F.d.M. Costa | 460 |
| Effect of the Mg²⁺ Substitution on the Sintering Behavior and Compressive Strength of Doped B-TCP/CPP Ceramics | |
| A.C.S. Dantas and W. Acchar | 466 |
| Titanium Substrate Surfaces Coated with Hydroxyapatite by Magnetron Sputtering | |
| R.M. Balestra, A.A. Ribeiro, J.C. de Oliveira, A. Cavaleiro and M.V. Oliveira | 472 |

Chapter 12: Recycling and Environment

| | |
|--|-----|
| A Study on Public Opinion of Structural Concrete Blocks Incorporated with Ornamental Stone Residue | |
| A.R.G. de Azevedo, J. Alexandre, G.d.C. Xavier, E.B. Zanelato, V.S. Candido and S.N. Monteiro | 481 |
| Incorporation of Global Blast Furnace Sludge into Clayey Ceramic | |
| M.M. Abreu, F. Vernilli, V.S. Candido, S.N. Monteiro and C.M.F. Vieira | 487 |
| Coarse Aggregates Obtained from Red Mud via Pelletizing Process | |
| L.F. Isaias, L.S. Furlan, F. Pelisser, M. Peterson, O.R.K. Montedo and A. de Noni | 492 |
| Incorporation of Fired Ceramic Waste into Binary and Ternary Earth-Binder (S) Mixtures for Compressed Blocks | |
| W. Acchar, J.B. Silva, V.M. Silva, L.C. Góis and A.M. Segadães | 498 |
| Evaluation of Industrial Rejects of Mineral and Metallurgical Processing as Ceramic Synthetic Proppants | |
| V.P.P. de Campos, S.M. Toffoli, D. Gouvea and G.F.B. Lenz e Silva | 503 |
| Properties of Clay Ceramic Incorporated with Red Mud | |
| M.P. Babisk, T.P. Altoé, H.J. de Oliveira Lopes, U.S. do Prado, M.C.B. Gadioli, S.N. Monteiro and C.M.F. Vieira | 509 |
| Characterization of a Red Mud and a Clay Body for Ceramic Fabrication | |
| M.P. Babisk, T.P. Altoé, H.J. de Oliveira Lopes, U.S. do Prado, M.C.B. Gadioli, L.L.P. de Almeida, S.N. Monteiro and C.M.F. Vieira | 514 |
| Modification of Sodium Bentonitic Clay Used in Zinc Ion Adsorption | |
| A.F. de Almeida Neto, M.G.A. Vieira and M.G.C. da Silva | 520 |
| Influence of Firing Temperature on the Behavior of Clay Ceramics Incorporated with Elephant Grass Ash | |
| A.M.F.D. da Silva, R. Toledo, V.S. Candido, S.N. Monteiro, C.M.F. Vieira, F. Vernilli and M. Martini | 526 |
| Evaluation of Co and CO₂ Emitted in the Firing of Clay Ceramics Incorporated with Elephant Grass Ash | |
| A.M.F.D. da Silva, R.T. Faria, R. Toledo, V.S. Candido, S.N. Monteiro and C.M.F. Vieira | 532 |
| Use of Ceramic Membrane for Indigo Separation in Effluent from Textile Industry | |
| R.C.O. Lima, H.L. Lira, G.A. Neves, M.C. Silva and K.B. França | 537 |
| Study of the Influence of Granite Residue in Different Compositions to Prepare Ceramic Membranes | |
| R.C.O. Lima, H.L. Lira, G.A. Neves, M.C. Silva and K.B. França | 542 |
| Environmental Durability of Soil-Cement Block Incorporated with Ornamental Stone Waste | |
| A. Carvalho, G. de Castro Xavier, J. Alexandre, L.G. Pedroti, A.R.G. de Azevedo, C.M.F. Vieira and S.N. Monteiro | 548 |

| | |
|--|-----|
| Study of Mechanical Properties and Development of Concrete Using Sludge from Textile Industry | |
| M.E.D. Altidis, C.R. da Silva Moraes, P.A. Rodrigues, L.M.S. Pereira and B.F.R. Guedes | 554 |
| Characterization of Spectrogel Organoclay Used to Adsorption of Petroleum Derivatives | |
| D.D.C.A. Speridião, O.A.A. dos Santos, A.F. de Almeida Neto and M.G.A. Vieira | 558 |
| Evaluation of Agents Abrasives Polishing Porcelain Employing Image Processing | |
| R.N.E. Vidigal, C.R. Calado and I.P. Pinheiro | 564 |
| Evaluation of the Reuse of Waste from the Polish Porcelain in the Development of Ceramic Products with Better Thermal Comfort | |
| N.C.G. Silveira, L.C.O. Goulart and C.R. Calado | 570 |
| Influence of Waste Glass on the Physical Properties of Portland Cement Concrete | |
| E.J.P. Miranda Jr., A.E.M. Paiva and E.N.L. Rodrigues | 576 |
| Study and Characterization of Chocolate B Clay on Adsorption of Heavy Metals (Lead and Zinc) in Bath Finite System | |
| J.D. Mota, R.S.S. Cunha and M.G. Freire Rodrigues | 582 |
| Recycling of Automotive Laminated Waste Glass in Ceramic | |
| A.H. Munhoz, S. Braunstein Faldini, L.F. de Miranda, T.J. Masson, C.Y. Maeda and A.R. Zandonadi | 588 |
| Evaluation of the Addition of Electric Arc Furnace Dust in Hot Metal Changind the Type of the Crucible | |
| V. de Paulo Ferreira Marques Sobrinho, J.R. de Oliveira, E.A. Vieira, V.B. Telles, F.F. Grillo, J.A.S. Tenório and D.C.R. Espinosa | 594 |
| Bottom Ash from Mineral Coal as Aggregatein Mixtures for Ceramic Products | |
| N.E. Quaranta, M.G. Caligaris, M.A. Unsen, H.A. López and G.G. Pelozo | 599 |
| Characterization of Converter Refractories for Recycling | |
| N.E. Quaranta, M.G. Caligaris and O. Diaz | 605 |
| Characterization of BOF Dust for Pellets Production Used in Blast Furnace | |
| E.P. da Rocha, J.A. de Castro, G.M. Araujo and L. Martins | 611 |
| Production of Zeolite from Rice Husk Ash | |
| C.R. Melo, A.C. Francisco, N.C. Kuhnen, M.R. da Rocha, A.R. Melo, H.G. Riella and E. Angioletto | 617 |
| Potential Evaluation of Gray Clay as Adsorbent of Heavy Metals Zinc (II) and Lead (II) | |
| W.S. Lima, J.V.N. Silva, A.C.L. Patrício, G.C. Oliveira and M.G. Freire Rodrigues | 622 |
| Use of Glass Particles from Recovered LCD Screen Components as Fillers for Polyamide-6 | |
| N. Massaro, D. Morais, S.M. Toffoli and T.S. Valera | 628 |
| Reuse of ZrO₂(Y₂O₃) Arising from Making Dental Implant - Characterization of Materials | |
| L.C.L. de Assis, R.d.O. Magnago, C.A.A. da Silva, A.F. Habibe, G.R.L. Villanova and C. dos Santos | 632 |
| Relevance of Ornamental Stone Residues in the Manufacture of Concrete Blocks for Structural Masonry | |
| A.R.G. de Azevedo, J. Alexandre, G.d.C. Xavier, V.S. Candido, S.N. Monteiro and C.M.F. Vieira | 638 |
| Evaluation of the Thermic Behavior of the Coal as a Byproduct through the Low Temperature Conversion Process – LTC of the Sewage Sludge | |
| F.F.D. Filho, C.R.S. Moraes, G.M. Dantas, F.S.B. Dantas, I.S. Lima and D.N.C. Andrade | 644 |

Chapter 13: Processing

| | |
|---|-----|
| Organic Binder Burnout in Alumina Processing | |
| W. Trindade, C.F. de Matos Chagas, A.V. Gomes and L.H.L. Louro | 653 |
| Study of the Interaction between Particles of Bentonite: Use of Dispersant Additives | |
| R.S. Leite, R.C.A. de Medeiros Nascimento and L.V. Amorim | 659 |
| Processing and Properties of Niobia-Doped Alumina Sintered at 1400°C | |
| W. Trindade, M.H. Prado da Silva, A.V. Gomes, J.B. de Campos and L.H.L. Louro | 665 |
| Porosity and Delamination Defect Detection in Ceramic Materials by Active Infrared Thermography and Optical Digital Microscopy | |
| C.R. Calado, F.A.R. Calado, G. Caput, S.C. Gomes and R.M. Andrade | 671 |
| Effect of Milling Medium on Alumina Additivated with Niobia | |
| W. Trindade, M.H. Prado da Silva, A.V. Gomes, C.F.M. Chagas and L.H.L. Louro | 677 |

| | |
|---|-----|
| Hybrid Membranes Development Made by Chitosan and Calcium Phosphate | |
| J.B.S. Wladymyr, E.P. Nascimento, K.V. Almeida, K.A.S. Farias, M.J.B. Cardoso, R.L. Meneses and M.V.L. Fook | 682 |
| Yttria Nettings by Replica Processing | |
| S.C. Santos, C. Yamagata, W. Acchar and S.R.H. Mello-Castanho | 687 |
| Comparative Study of Solid-Phase and Liquid-Phase Assisted Sintering of Nb₂O₅-Doped Alumina | |
| W. Trindade, M.H. Prado da Silva, A.V. Gomes, C.F. de Matos Chagas, L.H.L. Louro and J.B. de Campos | 691 |
| Influence of Addition of Polysiloxane on Sintering of Al₂O₃ | |
| A.L.E. Godoy, J.C. Bressiani and A.H. de Almeida Bressiani | 696 |
| Synthesis of Strontium Titanate Nanoparticles by Ultrasonic Irradiation | |
| A.S. Chaves, O. de Andrade Raponi, M.V. Gelfuso and D. Thomazini | 703 |
| Analysis of the Mechanical Behavior of Ceramic Filters of the Systems Al₂O₃-LZSA and Al₂O₃-SiC | |
| W.L. Torquato, E.G. Ramalho and W. Acchar | 707 |
| The Influence of Microstructures of Ceramics on the Monitoring of Environmental Humidity | |
| R.d.M. Oliveira, M.d.C.d.A. Nono and F.C. Reis | 713 |
| Compaction of ZrO₂(Y₂O₃) Powders with Different Particle Sizes and Effects on the Sintering | |
| C.A.A. da Silva, L.C.L. de Assis, R.d.O. Magnago, A.A. Palmeira, G.R.L. Villanova and C. dos Santos | 719 |

Chapter 14: Nanotechnology

| | |
|---|-----|
| Rice Husk Ash Impregnated with Silver Nanoparticles for Water Purification | |
| A.M. Gutierrez, D. Hotza, G.B. Dutra, A.L. Nogueira, C.V. Franco, W. Acchar and C.R. Rambo | 727 |
| Nanoparticles Prepared by Sol-Gel Method Used in Pseudoboehmite-Reinforced Nylon 6.12 Nanocomposites | |
| R.M. Peres, C.Y.U. Peres, L.F. de Miranda, C. Denuzzo, G.C. Gomes, S. Braunstein Faldini and A.H. Munhoz | 732 |
| Evaluation of the Influence of a Smectite Clay in PP Composites | |
| K. Vaccioli, W.S. Drumond, S. Possidonio and T.S. Valera | 737 |
| Effect of the Addition of a Brazilian Sodium Smectite Clay in Toughened Nylon-6 | |
| D. Morais, N.R. Demarquette and T.S. Valera | 743 |